Your (Environment Clearance) application has been Submitted with following details	
Proposal No	EC NO.SEIAA 50IND-2016
Compliance ID	65907284
Compliance Number(For Tracking)	EC/M/COMPLIANCE/65907284/2024
Reporting Year	2024
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	05-11-2024
IRO Name	V Geroge Jenner
IRO Email	tr025@ifs.nic.in
State	KARNATAKA
IRO Office Address	Integrated Regional Offices, Bengaluru
Note:- SMS and E-Mail has been sent to V Geroge Jenner, KARNATAKA with Notification to Project Proponent.	

Outlook

Half yearly compliance report for the term April -2024 to September-2024.

From EHS <ehs@shilpapharma.com>
Date Wed 30/10/2024 10:46
To rosz.bng-mefcc@gov.in <rosz.bng-mefcc@gov.in>
Cc K.Sharath Reddy <sharath@shilpapharma.com>; R Elangovan <r.elangovan@shilpapharma.com>

1 attachments (22 MB)
EC No SEIAA 50 IND 2016 dated 28.04.2017.pdf;

Respected Sir / Madam,

To
The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing,17th Main Road,
II nd Block, Koramangala, Banglore-560034.

Sub : Submission of EC Six Months Compliance status report **April** 2024 to **September** 2024 Reg

Ref :
1. EC No: SEIAA 50 IND 2016 dated 28.04.2017 and
2. Corrigendum No: SEIAA 50 IND 2016 dated 15.03.2018
3. Corrigendum No: SEIAA 50 IND 2016 dated 16.06.2020
4. Corrigendum No: SEIAA 50 IND 2016 dated 31.01.2022
5. EC Transfer No: SEIAA 50 IND 2016 dated 29.06.2022

With Reference to the letter in ref. no-5 advising to correctly format the EC compliance report by tabulating the specific & General Conditions We are pleased to submit the corrected half yearly compliance report for the term **April -2024 to September-2024. Along with the attachments for your kind perusal**
Project Name : "Shilpa Pharma Lifesciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Medicare Ltd 100% EOU, Plot no 30,31,32 and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134.
Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAA 50 IND 2016 Dated: 28.04.2017.subsequently Corrigendum were issued as per the above references.

The following are attached as annexures: -
1. Ambient Air Quality Reports attached as Annexure No-1.
2. Ground water Test Reports attached as Annexure No-2.
3. Pictures of Acoustic enclosures are enclosed.as Annexure No-3.
4. Stack Monitoring of DG sets attached as Annexure No-4.

5. Fugitive emissions scrubber stack Monitoring Reports attached as Annexure No-5.
6. VOC Reports attached as Annexure No-6.
7. Hazardous waste authorization copy attached as Annexure No-7.
8. Manifests are attached as Annexure No-8.
9. Scrubbing system, Multi cyclone system details are attached as Annexure No-9.
10. Solvent recovery system details are enclosed as Annexure No-10.
11. Boiler emission test reports are enclosed as Annexure No-11.
12. Fire Hydrant Photographs attached as Annexure No-12.
13. Training Records are attached as Annexure No-13.
14. Medical reports are attached as Annexure No-14.
15. Green Belt Photographs are attached as Annexure No-15.
16. Peso License for Diesel and furnace oil Copy attached as Annexure No-16.
17. Peso License for solvents Copy attached as Annexure No-17.
18. Noise Reports are attached as Annexure No-18.
19. Advertised newspaper copies are enclosed as Annexure No-19
20. Ec are attached as Annexure No-20

Kindly acknowledge the receipt of the document and e-mail.

Thanks & Regards,
Vijay Kumar N
Environment, Health & Safety
Mobile, No: 8884683004
Shilpa Pharma LifeSciences Limited, Unit-2
Raichur Industrial growth Center, Chicksugur-584134

O/C

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/030/2024-25

Date: 25.10.2024

To
The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing,17th Main Road,
II nd Block, Koramangala, Banglore-560034.

Respected Sir / Madam,

Sub : Submission of EC Six Months Compliance status report **April** 2024 to **September** 2024 Reg

Ref : 1. EC No: SEIAA 50 IND 2016 dated 28.04.2017 and
2. Corrigendum No: SEIAA 50 IND 2016 dated 15.03.2018
3. Corrigendum No: SEIAA 50 IND 2016 dated 16.06.2020
4. Corrigendum No: SEIAA 50 IND 2016 dated 31.01.2022
5. EC Transfer No: SEIAA 50 IND 2016 dated 29.06.2022

With Reference to the letter in ref. no-5 advising to correctly format the EC compliance report by tabulating the specific & General Conditions We are pleased to submit the corrected half yearly compliance report for the term **April -2024 to September-2024. Along with the attachments for your kind perusal**

Project Name : "Shilpa Pharma Lifesciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Medicare Ltd 100% EOU, Plot no 30,31,32 and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134.
Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAA 50 IND 2016 Dated: 28.04.2017.subsequently Corrigendum were issued as per the above references.

The following are attached as annexures: -

1. Ambient Air Quality Reports attached as Annexure No-1.
2. Ground water Test Reports attached as Annexure No-2.
3. Pictures of Acoustic enclosures are enclosed.as Annexure No-3.
4. Stack Monitoring of DG sets attached as Annexure No-4.
5. Fugitive emissions scrubber stack Monitoring Reports attached as Annexure No-5.
6. VOC Reports attached as Annexure No-6.
7. Hazardous waste authorization copy attached as Annexure No-7.
8. Manifests are attached as Annexure No-8.
9. Scrubbing system, Multi cyclone system details are attached as Annexure No-9.
10. Solvent recovery system details are enclosed as Annexure No-10.
11. Boiler emission test reports are enclosed as Annexure No-11.
12. Fire Hydrant Photographs attached as Annexure No-12.
13. Training Records are attached as Annexure No-13.

Corporate & Admin Office : "Shilpa House", #12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India
Tel: +91-8532-238704, Fax: +91-8532-238876, E-mail: info@vbshilpa.com, Web: www.vbshilpa.com

Shilpa Pharma Lifesciences Limited
(Unit-2: 100% Export Oriented Unit)
Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

14. Medical reports are attached as Annexure No-14.
15. Green Belt Photographs are attached as Annexure No-15.
16. Peso License for Diesel and furnace oil Copy attached as Annexure No-16.
17. Peso License for solvents Copy attached as Annexure No-17.
18. Noise Reports are attached as Annexure No-18.
19. Advertised newspaper copies are enclosed as Annexure No-19
20. Ec are attached as Annexure No-20

Kindly acknowledge the receipt of the document and e-mail.
Thanking you,

Yours faithfully

For SHILPA PHARMA LIFESCIENCES LTD, 100% EOU

SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-2 Chicksugur Raichur karnataka

Authorized Signatory

CC to:

1. Office of the Regional Office,Karnataka State Pollution Control Board, Building st Shed No.C-03 KSSIDC Industrial Estate, 3rd Cross,Hyderabad Road, Raichur – 584102 (✓)
2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49,4th & 5th Floor, Church Street, Bengaluru, Karnataka 560001. (By Mail)
3. Principal Chief Conservator of Forests (HoFF),Karnataka Forest Department, Govt. of Karnataka, Aranya Bhawan, 18th Cross, Malleshwaram, Bangalore, (Karnataka) – 560 003 (By Mail)

Corporate & Admin Office : "Shilpa House", #12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India
Tel: +91-8532-238704, Fax: +91-8532-238876, Email: info@vbshilpa.com, Web: www.vbshilpa.com

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

EC No. SEIAA 50 IND 2016 dated 28.04.2017
Corrigendum Dtd 15-03-2018
Ec Corrigendum Dtd-16-06-2020
EC Corrigendum Dtd 30-01-2022
Part-A/Specific Conditions

S. no	Condition	Status	
1.	National Emissions standards for organic chemicals manufacturing industry issued by the ministry vide G.S.R 608(E) dated 21st July 2010 and amended time to time shall be followed by the unit.	all the emissions are within the prescribed limits prescribed national emissions standards reports attached annexures	Complied. Ambient Air Quality Reports attached as annexure No-1
2.	The total effluent generation shall not be exceed 201 KlD. Domestic sewage and the industrial effluent such as low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS Effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFD. The MEE condensate treated with low TDS effluent.	Effluent generation not exceeded 201 KLD. Domestic sewage and Low TDS effluent is treaded in ETP (Biological treatment plant) followed by RO. HTDS effluent treated in stripper followed by Multiple Effect Evaporation System & ATFD. MEE Condensate treated with Low TDS Effluent/Currently HTDS effluent is being sent to CETP as per corrigendum issued on dtd 30-01-2022	Complied.
3.	Effluent Treatment plant shall ensure to prevent to ground water contamination due to leakage from unlined tanks.	All the tanks are Impervious.	Complied. Ground water Test Reports attached as Annexure No-2
4.	Total water requirement from KIADB water supply shall not exceed 214.6 KLD and prior permission shall be obtained from the concerned Authority. No ground water shall be used.	Not exceeded 214.6 KLD & Not using Ground water, Water supplied by KIDAB	Complied.
5.	The process emissions from the boiler shall be dispersed through stack of adequate height as per CPCB / KSPCB standard. The gaseous emissions from the DG set shall be dispersed through stack height as per CPCB standards shall be provided. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	The gaseous emissions dispersed through Boiler stack and the height of the stack/Chimney provided as per CPCB/KSPCB standards. The Gaseous emissions dispersed through DG set stack and the height of the stack provided as per CPCB/KSPCB standards. And Provided Acoustic enclosure to the DG sets to mitigate the noise pollution.	Complied. Pictures of Acoustic enclosures are enclosed.as Annexure no-3 Stack Monitoring of DG sets attached as Annexure No-4

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status	
6.	Ambient air quality data shall be collected as per NAAQS standards notified by the ministry vide G.S.R. No. 826(E) dated 16th September, 2009. The levels of PM_{10}, $PM_{2.5}$, NO_X, CO, VOC and HCL shall be monitored in the ambient air and emission from the stack and displayed at a convenient location near the main gate of the company and at important public place. The company shall upload the result of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the regional office of MoEF – Bangalore, SEIAA- Karnataka, the respective zonal office of CPCB and the KSPCB.	The location of Ambient air quality monitoring stations and reports are submitted to the KSPCB every month. Ambient Air Monitoring is : 2No's locations Ambient air & Emissions from stack are monitored every month and reports are being submitted to KSPCB, Regional office of MOEF &CPCB, Bangalore and uploaded in the company website.	Complied. Fugitive emissions scrubber stack Monitoring Reports attached aa Annexure no-5 VOC Reports attached As Annexure No-6 .
7.	The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF – Bangalore, SEIAA- Karnataka, the respective zonal office of CPCB and the KSPCB. The level of PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO and VOC (ambient levels) and emission from the stacks shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.	The Six months compliance report uploaded in the company website & submitted to regional office MoEF, CPCB & KSPCB.	Complied.
8.	The company shall obtain authorization for collection, storage and disposal of hazardous waste under the Hazardous and other wastes (management and Tran's boundary movement) rules, 2016 for management of hazardous waste and prior permission from KSPCB shall be obtained for disposal of solid / hazardous waste to the TSDF. The concerned company shall undertake measures for firefighting facilities in case of emergency.	Hazardous Waste Authorization is obtained and firefighting facilities are provided.	Complied. Hazardous waste authorization copy attached as Annexure-7
9.	In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading	To Control the fugitive emissions all the operations are handled in closed condition. Further the fugitive chemical reaction is controlled by using scrubbers with suitable neutralizing liquid. The emissions are monitored by checking VOC periodically. Multicyclone filters and dust filters used for Boilers.	Complied. Scrubbing system, Multi cyclone system details are attached as Annexure-9

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status	
	and unloading areas to control dust emissions. Fugitive emission in the work zone environment, product, raw material storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the KSPCB.	Automatic water sprinkling system is arranged at Ammonia addition station in case of any leakages.	
10.	Hazardous chemicals shall be stored in tanks in tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pump.	Hazardous chemicals are stored in tanks in tank farm, drums, carboys etc. flame arresters provided on Existing tank farm and Solvents are transferred by using pumps.	Complied.
11.	The company shall undertake following waste minimization measures:- a. Metering and control of quantities of active ingredients to minimize waste. b. Reuse of by-products from the process as raw materials or as raw material substitutes in other process. c. Use of automated filling to minimize spillage. d. Use of close feed system in to batch reactors. e. Venting equipment through vapor recovery system. f. Use of high pressure hoses for equipment cleaning to reduce waste water generation.	a. All the materials are issued to the Production by weighing the same. b. Wherever applicable the solvent and by-products are reused in the process. c. All the liquid material dispensing through pumps to minimize the spillages. d. We are using close feed system batch reactors. e. Condensers are provided and primary condenser circulated through cooling tower water and vent is connected to sub condenser and sub condenser circulated with chilled water. f. We are using high pressure pump for equipment cleaning to reduce waste water generation.	Complied.
12.	For control of fugitive emission following steps shall be followed: a. Closed handling system shall be provided for chemicals. b. Reflux condenser shall provide over reactor. c. System of leak detection and repair of pumps/pipeline based on preventive maintenance. d. The acids shall be taken from storage tanks to reactor through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water. e. Cathodic protection shall be provided to the underground solvent storage tanks.	a. We have Provided closed handling system for chemicals b. Provided Reflux condenser over the reactors. c. Preventive maintenance is in place for all pumps/pipe lines, equipment's to prevent and rectify the leakages. d. We are taking acids from storage tanks to reactor through closed pipelines. And storage tanks vented through trap receiver and condenser operated with chilled water. e. We have above the ground solvent storage tanks, cathodic protection is not applicable.	Complied.
13.	Solvent management shall be as follows: a. Solvent used in the process shall be completely recovered and reused.	a. Solvent used in the process and are completely recovered and reused.	Complied. Solvent recovery system details are

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status	
	b. Efforts are to be made to recover inorganic salts. c. Reactor shall be connected to chilled brine condenser system. d. Reactor and solvent handling pump shall have mechanical seals to prevent leakages. e. The condenser shall be provided with sufficient HTA and residence time so as to achieve more than 90% recovery. f. Solvent shall be stored in a separate space specified with all safety measures. g. Proper earthling shall be provided in all the electrical equipment wherever solvent handling is done. h. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. i. Fugitive emission in the work zone environment, product, raw materials storage area etc, shall be regularly monitored. The emission shall conform to the limits imposed by KSPCB.	b. Wherever possible inorganic salts are recovered and all the mixed inorganic salts are isolated in ATFD. c. Reactors are connected to chilled water condenser system. d. We provided the mechanical seals to all Reactors and solvent handing pumps for prevent leakages. e. All the condensers are provided sufficient HTA and residence time to achieve more than 90% recovery. f. We have separate solvent storage yard for liquid raw materials with all safety measures. g. We are provided earthing for all solvent handling and storage equipment's. Earth interlock system provided for solvent tank yard. h. All the process plant areas are provided with Flame Proof fittings. i. We have controlled fugitive mission by using of Scrubber system for process, multi cyclone separator. And every month monitoring by external agency by Approved by KSPCB/MoEF/ NABL	enclosed as -Annexure-10
14.	No effluent shall be discharged outside the factory premises and "zero" discharge concept shall adopt.	We have Zero liquid discharge plant Comprising of Stipper, MEE & ATFD, Biological treatment plant followed by RO plant and all the water is recycled and no effluent is discharged out the factory premises.	Complied.
15.	Multi-cyclone followed by bag filter shall be provided to the boiler to control particulate emission within 100mg/Nm3. The gaseous emission shall be dispersed through stack of adequate height as per CPCB/KSPCB guidelines.	We provided Multi-cyclone followed by bag filter to control the boiler particulate emission. The particulate emission is within the range. The gaseous emissions are dispersed through stack of adequate height as per CPCB/ KSPCB guidelines.	Boiler emission test reports are enclosed as Annexure-11.
16.	Two stage chilled water / caustic scrubber shall be provided to process vent to control HCL. Two stage scrubbers with caustic lye media solution shall be provided to process vent to control SO2. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.	We have provided packed column scrubber to process vent for control HCL. SO2 is not generated in our process. The scrubbing effluent sent to the ETP plant. The efficiency of the scrubbers are monitored regularly and maintained properly. All precautions are taken to control emissions with in the prescribed standards.	Complied,

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status	
17.	As proposed process residue, spent carbon and distillation residue shall be sent to co-processing in cement industries, inorganic salt from process, salt from MEE system, ETP sludge shall be sent to TSDF/Co-processing industries, waste oil from DG set & boiler, discarded containers/liners/barrels, e-waste, spent catalyst, shall be handed over to KSPCB authorized recyclers/ re-processors, spent solvent shall be distilled in house/ send to re-processors for reuse or recover. .	We are disposing all wastes to Co-Processing/TSDF and spent solvents to authorized recyclers as per KSPCB HW Authorization. Manifesto reports Copy attached	Complied. Manifest are attached as Annexure- No8
18.	Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quickly, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.	Boiler Husk ash stored in a separate contained area to avoid air borne contamination and water regime during rainy season. We spray the boiler blow down water on ash to avoid the fly of ash & dust.	Complied.
19.	During transfer of material, spillages shall be avoided and garland drain be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.	Storm water drains are separately provided/ constructed and effluent, accidental spillages do not mix in the domestic waste and storm drains.	Complied.
20.	The company shall harvest surface as well as rainwater from the rooftops of the buildings and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.	Roof top and Surface runoff of rain water is harvested in a tank it is reused .	Complied.
21.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the OISD 117 norms.	Fire protection system of possible fire hazards is provided by various types of fire hydrant system with foam,Manual call point and also arranged portable fire extinguishers and fire balls.	Complied. Fire Hydrant Photographs attached as Annexure -12
22.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre- employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	We are conducting safety training's to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations undertaken to all employees on regular basis. Training records & medical test reports sample copy attached	Complied. Training Records are attached as Annexure -13
23.	Usage of PPEs by all employees/workers shall be ensured.	Noted and being practiced.	Complied.
24.	Occupational health surveillance of the workers shall done on a regular basis and records maintained as per the factories act.	Occupational Health surveillance is done on regular basis records are maintained as per factories act.	Complied. Medical Reports are attached as Annexure 14

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status	
25.	Green belt shall be developed in at least 33% of area with suitable species of the plants as per the CPCB guidelines to mitigate the effects of fugitive emission selection of plant species shall be as per the CPCB guidelines.	Green belt developed in 33% of our area.Green belt photo copy attached	Complied. Green Belt Photographs are attached as Annexure-15
26.	The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.	All the suggestions are implemented without any restriction of the Budget. Funds allocated will not be used for any other purpose.	Complied.
27.	The company shall comply with the recommendations made in the EIA/EMP/risk assessment report. Risk assessment shall be included in the safety manual.	We are complied with the EIA/EMP/Risk assessment recommendations and risk assessment was included in the safety manual.	Complied.
28.	Provision shall be made for the housing for construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, sale drinking water, medical health care, crèche etc. the housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	All the constructed workers are the Local origin, Hence not stayd at the site.	Complied.
29.	The coal to be stored in coal stockyard on impervious layer in a covered shed and along the boundary garland canal to be provided leading to a exit pond/ tank to arrest coal dust run-off and to allow settling of coal fines. The coal fines to be removed periodically.	Rise Husk is stored in a shed contained manner and dust run-off will not be there in this area.	Complied.
30.	Bromination to be avoided using liquid Bromine. Explore other alternative brominating reagents such s Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl Ammonium tribromide.	Direct Bromine will not be used.	Complied.
31.	Recovers lithium salts from the effluents wherever lithium compounds are used in the reactions.	Lithium salt in water will be sent to Manufacturer	Complied.
32.	Treatment of recalcitrant to be documented and kept at all times.	Noted. Not Applicable	Complied.
33.	Adopts good management practices (GMP) & green chemistry.	We have adopted GMP & green chemistry.	Complied.
34.	Storage facilities for the fuel shall be made in the plant area in consultation with department of explosives, Nagpur. Disaster management shall be prepared plan to meet any eventuality	Diesel and furnace oil storage is provided and approved by Department of Explosives, Nagpur. Disaster management plan is prepared in case of any emergency	Complied and being followed.; Peso License Copy attached as

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status	
	in case of an accident taking place due to storage of fuel.	handling.	Annexure- No-16
35.	The project authorities also shall earmark at least 2.5% of the total cost of the project towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the authority.	Funds for CSR Activities are allocated Spent 17.0 Crores towards Social responsibility activities	Complied.
36.	The project proponent shall use husk as fuel for the boilers.	We are using husk as a fuel for the boiler.	Complied.
37.	The project proponent shall store fresh solvents, recovered solvent as per the PESO norms and shall not be stored in plastic bags.	We are storing fresh solvents, recovered solvents as per the PESO norm. We are not storing the solvents in plastic bags.	Complied. PESO License For solvents Copy Attached As Annexure No- 17
38.	The industry shall not operate without a functional effluent treatment plant as per the order of the Hon'ble supreme court dated February 22, 2017 in W.P. No.375 of 2012	Complete Effluent treatment plant is in operation.	Complied.

General Conditions

1.	The project authorities shall strictly adhere to the stipulations made by the Karnataka state pollution control board (KSPCB).	We are strictly adhering to the stipulations made by the Karnataka state pollution control board (KSPCB).	Complied. Monthly monitoring reports ,Manifesto copy are attached
2.	At no time, the emission shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved	At no time Emissions are not exceeded the prescribed limits. In case of Failure of the ETP the production will be stopped and restart after the rectification.	Complied
3.	No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA/ministry of environment and forests as the case may be. In case of deviations or alterations in the project proposal from those submitted to this authority for clearance, afresh reference shall be made to the authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	No further expansion or modification will carried out without prior approval from MOEF/SEIAA.	Complied.
4.	The gaseous emission (PM_{10}, $PM_{2.5}$, SO_2, NO_x, CO, VOC) and particulate matter along with RSPM levels from various process units shall conform to the standard prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated	The gaseous emissions (SO2, NOx, CO, VOC and HC) and particulate matter along with RSPM levels from various process units are be within standards prescribed limits. All the emissions levels are	Complied. Boiler emissions, voc, ambient air attached in Earlier Points

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status	
	standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for PM_{10}, $PM_{2.5}$, SO_2, NOx, CO, VOC shall be carried.	maintained within the stipulated standards. In case of Failure of the ETP the production will stop and restart after the rectification.	
5.	The project authorities shall strictly comply with the rules and regulations under manufacture, storage and import of hazardous chemicals Rules, 1989 as amended in October 1994 and January 2000. All authorization of hazardous chemical shall be as per the MVA, 1989. Authorization from the KSPCB shall be obtained for collation, treatment, storage, and disposal of hazardous wastes.	Yes complying. The company has obtained HW Authorization from KSPCB.	Complied.
6.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the hazardous and other waste (management and Transboundary movement) rules, 2016. Authorization from the KSPCB must be obtained for collection /treatment/ storage/ disposal of hazardous waste.	The Company is disposing the Hazardous waste as described in the HW Authorization issued by KSPCB.	Complied.
7.	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar waste heating. A hybrid system or fully solar system for lighting and heating should be provided. Details in this regard should be submitted to the SEIAA.	Solar energy iis used for illumination of common areas, lighting for gardens and street lighting.	Complied
8.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under environment (protection) act, rules, 1989 viz. 75 dBA(day time) and 70 dBA (night time).	The DG sets are provided with acoustic enclosure. The ambient noise levels are maintained in the plant premises within the prescribed standards prescribed under environment (Protection) Act,1986 rules,1989 rules viz.75dBa(day time) and 70 DBA (night time). Noise level reports attached	Complied. Noise Reports are attached As Annexure No-18
9.	The project proponent shall also comply with all the environmental protection measures and safeguards as per the information provided.	We comply with all the Environment protection measures and safe guards as per the information provided.	Complied.
10.	The implementation of the project vis-à-vis environmental action plans shall be monitored by MoEF, Regional office at Bangalore / KSPCB / CPCB and department of environment & Ecology,	We are complying and submit the Six monthly compliance status	Complied.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status	
	Bangalore. A six monthly compliance status report shall be submitted to monitoring agencies.	reports to be MoEF and all monitoring agencies.	
11.	The project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also be seen at website of the authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/ this shall be advertised within seven days from the date of issue of the clearance letter, at least in to local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same be forwarded to the MoEF regional office at Bangalore/ KSPCB/ CPCB and the department of environment & ecology, Bangalore/ kalaburgi.	We Have inform the public that the project has been according environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also seen at website of the authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/ This EC clearance details advertised in two newspapers. Parjavani kanada local newspaper and Deccan Herald English news paper dated 31.05.2017.	Complied. Advertised newspaper copies are enclosed as Annexure No-19
12.	The project authorities shall inform the MoEF Regional office at Bangalore /KSPCB /CPCB and the Department of Ecology and Environmental, Bangalore, Kalaburgi the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	The project financial closure is done 31 st march 2019	Complied
13.	The SEIAA, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Accepted.	
14.	The SEIAA, Karnataka reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	Accepted.	
15.	The above condition will be enforced, inter-alia under the provision of the water (prevention & control of pollution) Act, 1981, the environment (protection) Act, 1986 hazardous and other wastes (management and transboundary movement) Rules, 2016 and the public liability insurance Act, 1991 along with their amendments and rules.	Noted.	
16.	The issue of environment clearance doesn't confer any right to the project proponent to operate / run the project without obtaining statutory clearance / sanctions from all other concerned authorities.	Noted,	
17.	Concealing factual data or submission of false/ fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provision of Environmental (protection) Act, 1986.	Noted,	

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status	
18.	Any appeal against this Environmental clearance shall lie with the national green tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the national green tribunal Act, 2010.	Noted,	
19.	Officials from the department of Environment and Ecology, Bangalore/ regional office of MoEF, Bangalore who used be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF/ SEIAA should be forwarded to the APCCF, regional office of MoEF, Bangalore / Deportment of Ecology and Environment, Bangalore / Kalaburgi / Department Regional officer, KSPCB Bangalore.	We will cooperate with inspection monitoring authority and provide all the data during their inspection. A complete set of documents will be submitted/ provided to regional office of MoEF, Bangalore / Deportment of Ecology and Environment, Bangalore / Kalaburgi / Department Regional officer, KSPCB Bangalore.	Complied,
20.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this authority.	Noted	
21.	The authority reserves the right to add additional safeguard measures subsequently , if found necessary , and to take action including revoking of the environment clearance under the provision of the Environment (protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner	Accepted	
22.	All other statutory clearance such as the approvals for storage of diesel from chief controller of explosives, Fire Department, Civil aviation Department, Forest Conservation Act,1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.	Applicable statutory clearances will be obtained as required by statute.	Complied.
23.	These stipulations would be enforced among other under the provision of water (prevention and control of pollution) Act, 1974, the air (prevention and control of pollution) act, 1981, the Environment (Protection) act, 1986 the public liability (Insurance) Act, 1991 and EIA Notification, 2006.	Noted.	
24.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.	Noted.	

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

Annexure-I to Environment Clarence letter No. SEIAA 47 IND 2016 dated 28-04-2017

Sr No.	Name of Products for Manufacture	Capacity in TPA	Status
1	Ambroxol Hcl	10	Noted. Products are manufactured with in the permitted capacity as per EC. Complied
2	Anastrozole	0.1	
3	Gemcitabine Hcl	0.1	
4	Paclitaxel	0.1	
5	Temozolomide	0.1	
6	Bicalutamide	0.5	
7	Docetaxel Trihydrate	0.1	
8	3A7B DihydroxyCholonic Acid	60	
9	Bendamustine Hcl	0.2	
10	Bortezomib	0.005	
11	Capecitabine	60	
12	Imatinib	5	
13	Lenalidomide	0.5	
14	Letrozole	0.05	
15	Pemetrexed disodium	0.25	
16	Decitabine	0.01	
17	Cytarabine	0.05	
18	Cabazitaxel	0.01	
19	Acebrophylline	10	
20	Clofarabine	0.01	
21	Melphalan	0.025	
22	Cyclophosphamide	1	
23	Tenfovir	50	
24	Pemetrexed dipotassium	0.25	
25	Erlotinib	2	
26	Emtricitabine	1	
27	Dimethyl Fumarate	12	
28	Elvitegravir	1	
29	Cobicistat	100	
30	Busulfan	0.05	
31	Zoledronic	0.005	
32	Tranexamicacid	100	
33	Sunitinib Maleate	3	
34	Sorefenib Tosylate	3	
35	Abiraterone acetate	2	

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

CORRIGENDUM (1st) *Order No:* **SEIAA 50 IND 2016 Dated 15-03-2020**

S. no	Condition	Status	
1.	Bromination to be avoided using liquid Bromine. Explore other alternative brominating reagents such s Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl Ammonium tribromide.	Direct Bromine will not be used.	Noted.
2.	Annexure-I Shall be replaced with ANNEXURE-I (R) enclosed to this corrigendum. Rest of the contents and the conditions of the Environmental Clarence letter No.SEIAA 50 IND 2016 dated28-04-2017 remains unchanged.	Noted.	

CORRIGENDUM (2nd) *Order No:* **SEIAA 50 IND 2016 Dated 16-06-2020**

S. no	Condition	Status
3.	Para 4 (Page 2) of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 issued to M/s. Shilpa Medicare Limited, 100% export oriented Unit-II Plot No:33, 33A & 44 to 47 Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 44 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District shall be corrected and read as follows:	Noted.
4.	"4. It is, inter-alia, noted that M/s.Shilpa Pharma Lifesciences Ltd Formly known as Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredient (APIs) & Intermediates manufa cturing of total capacity 422.415 TPA listed in ANNEXURE-I(R) and the byproducts listed in ANNEXURE-II(R), The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. X6	Noted.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2024 - September 2024)

S. no	Condition	Status
	TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The Total cost of the project is Rs.6040 Lakhs."	
5.	Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 remains unchanged.	Noted.

Corrigendum SEIAA 50 IND 2016 Dated Dtd 30-01-2022

Sl.no	Description	Status
1	The specific condition no-02 at page no-3 shall be corrected & Read as follows The total Effluent Generation shall not exceed 201 KLD. The effluent will be treated within the factory Premises with an option of sending the Industrial effluent to Common effluent treatment plant	Complied

Thanking you,

For SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2) Chicksugur Raichur karnataka

Authorized Signatory

Ambient Air Quality Reports attached as Annexure No-1.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Main Gate**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	22.04.2024
7.	Date of Sample Receipt	:	23.04.2024
8.	Analysis Starting Date	:	23.04.2024
9.	Analysis Completion Date	:	27.04.2024
10.	Report Issue Date	:	27.04.2024
11.	Sampling Protocol	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000009528F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			14059	14060	14061			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	78.7	80.8	76.1	µg / m³	78.5	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	26.0	28.2	24.8	µg / m³	26.3	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	23.6	25.7	20.0	µg / m³	23.1	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	27.0	29.8	26.5	µg / m³	27.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.44	0.46	0.42	mg / m³	0.44	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-:END OF REPORT:-

Note: 1 The results listed only to the tested samples & applicable parameters.
2 Water, Pollution & Environment & Food samples will be discarded after 10 days, Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified, ILC samples will be discarded after 1 month from the date of test reports.
3 This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5 Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	22.04.2024
7.	Date of Sample Receipt	:	23.04.2024
8.	Analysis Starting Date	:	23.04.2024
9.	Analysis Completion Date	:	27.04.2024
10.	Report Issue Date	:	27.04.2024
11.	Sampling Protocol	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2291

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			3604	3605	3606			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	ppm	<0.01	---
7	H_2S	IS-5182 (Part-7) - 1973	BDL	BDL	BDL	µg/ m^2	BDL	--

Analysed by

-: END OF REPORT :-

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	22.04.2024
7.	**Date of Sample Receipt**	:	23.04.2024
8.	**Analysis Starting Date**	:	23.04.2024
9.	**Analysis Completion Date**	:	27.04.2024
10.	**Report Issue Date**	:	27.04.2024
11.	**Sampling Protocol**	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000009529F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			14062	14063	14064			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	75.7	77.5	72.1	µg / m^3	75.1	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	23.1	25.0	21.4	µg / m^3	23.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	24.6	26.8	22.0	µg / m^3	24.5	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	25.7	28.1	23.4	µg / m^3	25.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.38	0.40	0.36	mg / m^3	0.38	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

-: END OF REPORT :-

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Production Block Between C&D**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	22.04.2024
7.	Date of Sample Receipt	:	23.04.2024
8.	Analysis Starting Date	:	23.04.2024
9.	Analysis Completion Date	:	27.04.2024
10.	Report Issue Date	:	27.04.2024
11.	Sampling Protocol	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2294

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			3607	3608	3609			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	ppm	<0.01	---
7	H_2S	IS-5182 (Part-7) – 1973	BDL	BDL	BDL	µg/ m^2	BDL	--

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Main Gate**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	13.06.2024
7.	**Date of Sample Receipt**	:	14.06.2024
8.	**Analysis Starting Date**	:	15.06.2024
9.	**Analysis Completion Date**	:	19.06.2024
10.	**Report Issue Date**	:	20.06.2024
11.	**Sampling Protocol**	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000013459F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			20395	20396	20397			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	69.4	67.2	65.2	µg / m³	67.3	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	25.1	23.6	21.4	µg / m³	23.4	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	14.2	12	10.2	µg / m³	12.1	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	20.6	19.2	17.2	µg / m³	19.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.28	0.26	0.24	mg / m³	0.26	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Main Gate**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	13.06.2024
7.	**Date of Sample Receipt**	:	14.06.2024
8.	**Analysis Starting Date**	:	15.06.2024
9.	**Analysis Completion Date**	:	19.06.2024
10.	**Report Issue Date**	:	20.06.2024
11.	**Sampling Protocol**	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000013459F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			20395	20396	20397			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	13.06.2024
7.	Date of Sample Receipt	:	14.06.2024
8.	Analysis Starting Date	:	15.06.2024
9.	Analysis Completion Date	:	19.06.2024
10.	Report Issue Date	:	20.06.2024
11.	Sampling Protocol	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000013460F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			20398	20399	20400			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	75.1	73.8	71.6	µg / m³	73.5	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	20.4	18.6	16.4	µg / m³	18.5	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	17.4	14.9	12.8	µg / m³	15.0	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	19.8	17.9	16	µg / m³	17.9	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.26	0.24	0.21	mg / m³	0.24	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Production Block Between C&D**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	13.06.2024
7.	Date of Sample Receipt	:	14.06.2024
8.	Analysis Starting Date	:	15.06.2024
9.	Analysis Completion Date	:	19.06.2024
10.	Report Issue Date	:	20.06.2024
11.	Sampling Protocol	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000013460F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			20398	20399	20400			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Main Gate**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	22.05.2024
7.	**Date of Sample Receipt**	:	30.05.2024
8.	**Analysis Starting Date**	:	30.05.2024
9.	**Analysis Completion Date**	:	29.05.2024
10.	**Report Issue Date**	:	30.05.2024
11.	**Sampling Protocol**	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000011638F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			17394	17395	17396			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	75.8	72.6	69.4	µg / m³	72.6	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	29.6	25.3	23.7	µg / m³	26.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	16.6	138	12.2	µg / m³	55.6	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	20.6	18.3	17.2	µg / m³	18.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.56	0.42	0.28	mg / m³	0.42	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Main Gate**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	22.05.2024
7.	**Date of Sample Receipt**	:	30.05.2024
8.	**Analysis Starting Date**	:	30.05.2024
9.	**Analysis Completion Date**	:	29.05.2024
10.	**Report Issue Date**	:	30.05.2024
11.	**Sampling Protocol**	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2866

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4687	4868	4869			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m³	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1 The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3 This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5 Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	22.05.2024
7.	**Date of Sample Receipt**	:	30.05.2024
8.	**Analysis Starting Date**	:	30.05.2024
9.	**Analysis Completion Date**	:	29.05.2024
10.	**Report Issue Date**	:	30.05.2024
11.	**Sampling Protocol**	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000011639F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			17397	17398	17399			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	77.3	72.2	70.1	µg / m³	73.2	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	29.8	26.6	24.7	µg / m³	27.0	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	15.6	13.8	13.1	µg / m³	14.2	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	24.6	20.2	18.2	µg / m³	21.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.47	0.40	0.29	mg / m³	0.39	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Production Block Between C&D**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	22.05.2024
7.	Date of Sample Receipt	:	30.05.2024
8.	Analysis Starting Date	:	30.05.2024
9.	Analysis Completion Date	:	29.05.2024
10.	Report Issue Date	:	30.05.2024
11.	Sampling Protocol	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2867

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4690	4691	4692			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Main Gate**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	17.08.2024
7.	Date of Sample Receipt	:	19.08.2024
8.	Analysis Starting Date	:	26.08.2024
9.	Analysis Completion Date	:	26.08.2024
10.	Report Issue Date	:	27.08.2024
11.	Sampling Protocol	:	IS 5182:Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000018376F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			28211	28212	28213			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	81.6	79.4	76.2	µg/m³	79.1	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	27.4	25.2	23.8	µg/m³	25.5	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	16	14.2	12	µg/m³	14.1	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	22.1	19.9	17.9	µg/m³	20.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.26	0.24	0.21	mg/m³	0.24	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BELLARY

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Main Gate**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	17.08.2024
7.	Date of Sample Receipt	:	19.08.2024
8.	Analysis Starting Date	:	26.08.2024
9.	Analysis Completion Date	:	26.08.2024
10.	Report Issue Date	:	27.08.2024
11.	Sampling Protocol	:	IS 5182:Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/4449

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			7627	7628	7629			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	17.08.2024
7.	**Date of Sample Receipt**	:	19.08.2024
8.	**Analysis Starting Date**	:	26.08.2024
9.	**Analysis Completion Date**	:	26.08.2024
10.	**Report Issue Date**	:	27.08.2024
11.	**Sampling Protocol**	:	IS 5182:Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000018377F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			28214	28215	28216			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	78.4	76.2	74.2	µg / m³	76.2	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	22.1	20.5	18.6	µg / m³	20.3	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	14.9	12.8	11	µg / m³	12.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	19.2	17.2	14.9	µg / m³	17.1	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.26	0.24	0.22	mg / m³	0.24	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Production Block Between C&D**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	17.08.2024
7.	Date of Sample Receipt	:	19.08.2024
8.	Analysis Starting Date	:	26.08.2024
9.	Analysis Completion Date	:	26.08.2024
10.	Report Issue Date	:	27.08.2024
11.	Sampling Protocol	:	IS 5182 : Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/4450

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			7631	7631	7632			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Main Gate**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	19.07.2024
7.	**Date of Sample Receipt**	:	20.07.2024
8.	**Analysis Starting Date**	:	26.07.2024
9.	**Analysis Completion Date**	:	19.06.2024
10.	**Report Issue Date**	:	27.07.2024
11.	**Sampling Protocol**	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000016382F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			24927	24928	24929			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	76.3	70.1	59.6	µg / m³	68.7	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	28.3	24.4	17.7	µg / m³	23.5	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	16.1	13.7	9.6	µg / m³	13.1	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	23.5	21.1	16.1	µg / m³	20.2	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.55	0.48	0.37	mg / m³	0.47	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified: ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount, Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.07.2024
7.	Date of Sample Receipt	:	20.07.2024
8.	Analysis Starting Date	:	26.07.2024
9.	Analysis Completion Date	:	19.06.2024
10.	Report Issue Date	:	27.07.2024
11.	Sampling Protocol	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/3926

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			6692	6693	6694			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	19.07.2024
7.	**Date of Sample Receipt**	:	20.07.2024
8.	**Analysis Starting Date**	:	26.07.2024
9.	**Analysis Completion Date**	:	19.06.2024
10.	**Report Issue Date**	:	27.07.2024
11.	**Sampling Protocol**	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000016383F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			24930	24931	24932			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	75.2	69.7	55.5	µg / m³	66.8	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	28.6	23.6	18.2	µg / m³	23.5	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	16.1	11.9	8.5	µg / m³	12.2	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	23.2	19.6	16.9	µg / m³	19.9	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.42	0.37	0.28	mg / m³	0.36	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Analytical Laboratories BALLARI

:- END OF REPORT :-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Production Block Between C&D**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.07.2024
7.	Date of Sample Receipt	:	20.07.2024
8.	Analysis Starting Date	:	26.07.2024
9.	Analysis Completion Date	:	19.06.2024
10.	Report Issue Date	:	27.07.2024
11.	Sampling Protocol	:	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/3927

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			6695	6696	6697			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.09.2024
7.	Date of Sample Receipt	:	23.09.2024
8.	Analysis Starting Date	:	23.09.2024
9.	Analysis Completion Date	:	28.09.2024
10.	Report Issue Date	:	30.09.2024
11.	Sampling Protocol	:	IS 5182:Part 14

Discipline: Chemical **Group:** Atmospheric Pollution **Sub Group:** Ambient Air **ULR No:** TC407124000021139F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			32463	32464	32465			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	74.3	70.2	66.4	µg/m³	70.3	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	28.6	25.6	22.2	µg/m³	25.5	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	14.5	12.7	11.3	µg/m³	12.8	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	19.8	17.7	14.5	µg/m³	17.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.52	0.36	0.28	mg/m³	0.39	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BELLARY

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Main Gate**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.09.2024
7.	Date of Sample Receipt	:	23.09.2024
8.	Analysis Starting Date	:	23.09.2024
9.	Analysis Completion Date	:	28.09.2024
10.	Report Issue Date	:	30.09.2024
11.	Sampling Protocol	:	IS 5182:Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/5068

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			7764	7765	7766			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Name of the location	:	**Near Production Block Between C&D**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.09.2024
7.	Date of Sample Receipt	:	23.09.2024
8.	Analysis Starting Date	:	23.09.2024
9.	Analysis Completion Date	:	28.09.2024
10.	Report Issue Date	:	30.09.2024
11.	Sampling Protocol	:	IS 5182:Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000021140F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			32466	32467	32468			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	75.6	72.2	68.4	µg / m^3	72.1	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	29.3	26.4	24.3	µg / m^3	26.7	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	16	14.2	11.3	µg / m^3	13.8	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	21.9	17.1	13.9	µg / m^3	17.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.41	0.38	0.32	mg / m^3	0.37	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount Any dispute arising out of this report is subject to Bellary jurisdiction only
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	21.09.2024
7.	Date of Sample Receipt	:	23.09.2024
8.	Analysis Starting Date	:	23.09.2024
9.	Analysis Completion Date	:	28.09.2024
10.	Report Issue Date	:	30.09.2024
11.	Sampling Protocol	:	IS 5182 : Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/5071

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			7767	7768	7769			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

Ground water Test Reports attached as Annexure No-2.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Bore Well Water
3.	Name of the location	:	Near Main Gate
4.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
5.	Sample quantity	:	Pet Bottle, 2 Liter.
6.	Sample Description/condition	:	Water/Good
7.	Date of Sample Collection	:	13.06.2024
8.	Date of sample receipt	:	14.06.2024
9.	Sample Code	:	20756
10.	Analysis Starting Date	:	15.06.2024
11.	Analysis Completion Date	:	19.06.2024
12.	Report Issue Date	:	20.06.2024

Discipline: Chemical **Group: Water** **Sub Group: Ground Water** **ULR No: TC407124000013707F**

S.No	Parameters	Protocol	Unit	Result	IS 10500-2018	
					Acceptable limit	Permissible Limit
Physical parameters						
1	Colour	IS : 3025(Part-4)	Hazen	<5	5	15
2	Odour	IS : 3025(Part-5)	---	Agreeable	Agreeable	Agreeable
3	pH	IS : 3025(Part-11)	---	7.27	6.5 - 8.5	No Relaxation
4	Taste	IS : 3025(Part-8)	--	Agreeable	Agreeable	Agreeable
5	Turbidity	IS : 3025(Part-10)	NTU	0.34	1	5
6	Total Dissolved Solids	IS : 3025(Part-16)	mg/l	828	500	2000
Chemical parameters						
7	Total Alkalinity as $CaCO_3$	IS : 3025(Part-23)	mg/l	254.2	200	600
8	Total Hardness as $CaCO_3$	IS : 3025(Part-21)	mg/l	296.6	200	600
9	Calcium as Ca	IS : 3025(Part-40)	mg/l	65.7	75	200
10	Magnesium as Mg	IS : 3025(Part-46)	mg/l	7.86	30	100
11	Sulphate as SO_4	IS : 3025(Part-24)	mg/l	86.6	200	400
12	Chloride as Cl	IS : 3025(Part-32)	mg/l	143.9	250	1000
13	Nitrate as NO_3	IS : 3025(Part-34)	mg/l	1.54	45	No Relaxation
14	Iron as Fe	IS : 3025(Part-53)	mg/l	0.06	0.3	No Relaxation
15	Fluoride as F	IS : 3025(Part-60)	mg/l	0.42	1.0	1.5

INFERENCE	IS 10500 – 2018 standards Report Status: - The above parameters are within the prescribed Permissible Limits.

Analysed by

Authorized Signatory
Ramana Gouda
Senior Chemist

MSV Analytical Laboratories BELLARY

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/MB/W/RF/01/00

ANALYSIS REPORT FOR WATER IN MICROBIOLOGY

1.	Name and Address of Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Sample Marked as	:	Bore Well Water
3.	Name of the location	:	Near Main Gate
4.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
5.	Sample quantity	:	Sterilized Bottle,250 ml
6.	Sample Description/condition	:	Water/Good
7.	Date of Sample Collection	:	13.06.2024
8.	Date of sample receipt	:	14.06.2024
9.	Sample Code	:	20756
10.	Analysis Starting Date	:	15.06.2024
11.	Analysis Completion Date	:	19.06.2024
12.	Report Issue Date	:	20.06.2024

Discipline: Biological **Group: Water** **Sub Group: Drinking Water** **ULR No: TC407124000013707F**

RESULTS

Parameters	Protocol	Unit	Result	Acceptable limit As per 10500 : 2018
Total Coli form Bacteria	IS 15185:2016	/100ml	Absent	Shall not be detectable in 100ml
Escherichia-Coli	IS 15185:2016	/100ml	Absent	

INFERENCE	**The test result meets the bacteriological specification of IS 10500:2018.**

Analysed by

Lavanya

Authorized Signatory

Ms. Eswari
Sr. Microbiologist

End of the Report

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue o test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our specia permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

Pictures of Acoustic enclosures are enclosed as Annexure No-3.

DG Set Acoustic Enclosure

DG Set Acoustic Enclosure

Stack Monitoring of DG sets attached as Annexure No-4.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– II**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14076
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: TC407124000009541F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	83
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	65.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	26.4	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	30.8	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– III**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14077
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack emission ULR No: TC407124000009542F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	53.0	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	14.8	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	26.0	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-: END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 750 KVA-IV**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14078
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission** **ULR No : TC407124000009543F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	90
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	58.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	23.1	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	19.4	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-: END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA- I**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	20406
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407124000013470F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	90
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	51.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	14.8	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	18.3	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 625KVA– II**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	13.06.2024
5.	Date of Sample Receipt	:	14.06.2024
6.	Sample Code	:	20403
7.	Analysis Starting Date	:	15.06.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013471F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	83
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	50.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	23.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	24.8	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 625KVA– III**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	13.06.2024
5.	Date of Sample Receipt	:	14.06.2024
6.	Sample Code	:	20404
7.	Analysis Starting Date	:	15.06.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013472F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	80
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	54.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	17.4	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	24.8	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 750 KVA-IV**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	20405
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407124000013473F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	90
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	57.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	23.8	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	25.4	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– I**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17410
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011650F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	96
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	53.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	22.4	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	28.6	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– II**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17411
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011651F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	86
Velocity (m/s)	6.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	57.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	26.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	30.2	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– III**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17412
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011652F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	82
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	53.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	16.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	19.7	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Cres and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 750 KVA-IV**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17413
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407124000011653F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	92
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	58.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	22.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	27.3	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 625KVA– I**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	17.08.2024
5.	Date of Sample Receipt	:	19.08.2024
6.	Sample Code	:	28229
7.	Analysis Starting Date	:	26.08.2024
8.	Analysis Completion Date	:	26.08.2024
9.	Report Issue date	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018390F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	80
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	52.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	20.4	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	24.1	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 625KVA– II**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	17.08.2024
5.	Date of Sample Receipt	:	19.08.2024
6.	Sample Code	:	28230
7.	Analysis Starting Date	:	26.08.2024
8.	Analysis Completion Date	:	26.08.2024
9.	Report Issue date	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018391F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	35
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	54.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	20.4	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	26.8	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 625KVA– III**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	17.08.2024
5.	Date of Sample Receipt	:	19.08.2024
6.	Sample Code	:	28231
7.	Analysis Starting Date	:	26.08.2024
8.	Analysis Completion Date	:	26.08.2024
9.	Report Issue date	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018392F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	85
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	51.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	16.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	20.3	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 750 KVA-IV**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	17.08.2024
5.	Date of Sample Receipt	:	19.08.2024
6.	Sample Code	:	28232
7.	Analysis Starting Date	:	26.08.2024
8.	Analysis Completion Date	:	26.08.2024
9.	Report Issue date	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018393F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	85
Velocity (m/s)	8.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	58.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	21.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	25.6	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 625KVA– I**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.07.2024
5.	Date of Sample Receipt	:	20.07.2024
6.	Sample Code	:	24934
7.	Analysis Starting Date	:	26.07.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016385F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	55.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	23.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	26.2	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories * BELLARY *

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– II**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	24935
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016386F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	83
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	59.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	58.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	33.7	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– III**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	24936
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016387F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	82
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	54.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	18.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	21.7	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

MSV Analytical Laboratories BELLARY

END OF REPORT

Note : 1 The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 750 KVA-IV**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.07.2024
5.	Date of Sample Receipt	:	20.07.2024
6.	Sample Code	:	24937
7.	Analysis Starting Date	:	26.07.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016388F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	91
Velocity (m/s)	6.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	60.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	24.7	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	28.4	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 625KVA– I**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	32470
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021142F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	78
Velocity (m/s)	6.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	55.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	20.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	27.6	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	32471
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021143F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	82
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	58.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	24.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	28.3	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 625KVA– III**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	32472
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021144F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	85
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	55.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	18.4	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	20.6	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

MSV Analytical Laboratories BALLARI

END OF REPORT

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 750 KVA-IV**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	32473
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021145F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	82
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	60.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	23.7	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	28.6	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

Fugitive emissions scrubber stack Monitoring Reports attached as Annexure No-5.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	21.09.2024
5.	**Date of Sample Receipt**	:	23.09.2024
6.	**Sample Code**	:	7773
7.	**Analysis Starting Date**	:	23.09.2024
8.	**Analysis Completion Date**	:	28.09.2024
9.	**Report Issue date**	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/5077

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BELLARY

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	32478
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018385F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1569.02	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	11.7	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

END OF REPORT

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	32477
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021149F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1454.5	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	41.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

-: END OF REPORT :-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-Production Block-E (Intermediate Centrifuges Area)
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	7771
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/5075

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	38
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-E (Intermediate Centrifuges Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	32476
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021148F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	38
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1558.4	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	35.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories Bellary

-: END OF REPORT :-

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	21.09.2024
5.	**Date of Sample Receipt**	:	23.09.2024
6.	**Sample Code**	:	7770
7.	**Analysis Starting Date**	:	23.09.2024
8.	**Analysis Completion Date**	:	28.09.2024
9.	**Report Issue date**	:	30.09.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/5074**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	39
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	32475
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021147F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	39
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1415.9	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	44.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AJ (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	6706
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3936

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	39
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BELLARY

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AJ (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	24947
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016398F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	39
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1835.5	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	37.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.3	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BELLARY

END OF REPORT

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	6705
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3935

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	43
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	24946
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016397F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	43
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1503.6	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-:END OF REPORT:-

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	6704
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/3934**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	44
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories * END OF REPORT *

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	24945
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016396F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	44
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1020.1	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	45.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-Production Block-E (Intermediate Centrifuges Area)
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.07.2024
5.	Date of Sample Receipt	:	20.07.2024
6.	Sample Code	:	6703
7.	Analysis Starting Date	:	26.07.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3933

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	41
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

:: END OF REPORT ::

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-E (Intermediate Centrifuges Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.07.2024
5.	Date of Sample Receipt	:	20.07.2024
6.	Sample Code	:	24944
7.	Analysis Starting Date	:	26.07.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016395F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	41
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1663.2	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	34.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Pharma Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	6702
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3932

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARY

END OF REPORT

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-D (Pharma Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.07.2024
5.	Date of Sample Receipt	:	20.07.2024
6.	Sample Code	:	24943
7.	Analysis Starting Date	:	26.07.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016394F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	39
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1503.6	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	38.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Intermediate)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	6701
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/3931**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	36
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI END OF REPORT

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Intermediate)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	24942
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016393F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	36
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1631.34	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	36.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	6.44	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.07.2024
5.	Date of Sample Receipt	:	20.07.2024
6.	Sample Code	:	6700
7.	Analysis Starting Date	:	26.07.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3930

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.07.2024
5.	Date of Sample Receipt	:	20.07.2024
6.	Sample Code	:	24941
7.	Analysis Starting Date	:	26.07.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016392F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1477.4	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	47.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-C (Intermediate Reactors Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	6699
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3929

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m²)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories * BALLARI * END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-C (Intermediate Reactors Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.07.2024
5.	Date of Sample Receipt	:	20.07.2024
6.	Sample Code	:	24940
7.	Analysis Starting Date	:	26.07.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016391F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1092.96	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	36.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.5	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Labs BALLARI

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-C (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	6698
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/3928**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	38
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-C (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	19.07.2024
5.	**Date of Sample Receipt**	:	20.07.2024
6.	**Sample Code**	:	24934
7.	**Analysis Starting Date**	:	26.07.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	27.07.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407124000016390F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	38
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1259.3	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	36.3	---
Sulphur dioxide	IS-11255(Part2) - 2019	PPM	BDL	---
Nitrogen dioxide	IS-11255(Part7) – 2017	PPM	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.22	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	17.08.2024
5.	**Date of Sample Receipt**	:	19.08.2024
6.	**Sample Code**	:	7639
7.	**Analysis Starting Date**	:	26.08.2024
8.	**Analysis Completion Date**	:	26.08.2024
9.	**Report Issue date**	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/4457

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	35
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	17.08.2024
5.	**Date of Sample Receipt**	:	19.08.2024
6.	**Sample Code**	:	28224
7.	**Analysis Starting Date**	:	26.08.2024
8.	**Analysis Completion Date**	:	26.08.2024
9.	**Report Issue date**	:	27.08.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407124000018385F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	35
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1599.9	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	37.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	7.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	17.08.2024
5.	**Date of Sample Receipt**	:	19.08.2024
6.	**Sample Code**	:	7640
7.	**Analysis Starting Date**	:	26.08.2024
8.	**Analysis Completion Date**	:	26.08.2024
9.	**Report Issue date**	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/4458

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m²)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	17.08.2024
5.	**Date of Sample Receipt**	:	19.08.2024
6.	**Sample Code**	:	28225
7.	**Analysis Starting Date**	:	26.08.2024
8.	**Analysis Completion Date**	:	26.08.2024
9.	**Report Issue date**	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018386F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	10959.4	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-E (Intermediate Centrifuges Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	17.08.2024
5.	Date of Sample Receipt	:	19.08.2024
6.	Sample Code	:	7642
7.	Analysis Starting Date	:	26.08.2024
8.	Analysis Completion Date	:	26.08.2024
9.	Report Issue date	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/4460

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	39
Velocity (m/s)	5.6
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories Bellary

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-Production Block-E (Intermediate Centrifuges Area)
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	17.08.2024
5.	Date of Sample Receipt	:	19.08.2024
6.	Sample Code	:	28277
7.	Analysis Starting Date	:	26.08.2024
8.	Analysis Completion Date	:	26.08.2024
9.	Report Issue date	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018388F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	39
Velocity (m/s)	5.6
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1940.6	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	34.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	9.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	17.08.2024
5.	**Date of Sample Receipt**	:	19.08.2024
6.	**Sample Code**	:	7636
7.	**Analysis Starting Date**	:	26.08.2024
8.	**Analysis Completion Date**	:	26.08.2024
9.	**Report Issue date**	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/4454

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	17.08.2024
5.	Date of Sample Receipt	:	19.08.2024
6.	Sample Code	:	28222
7.	Analysis Starting Date	:	26.08.2024
8.	Analysis Completion Date	:	26.08.2024
9.	Report Issue date	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018383F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1446.66	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	9.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AJ (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	4701
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/2876**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	58
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AJ (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17409
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407124000011649F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	58
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1800.864	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	38.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	14.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	4700
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2875

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	52
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17408
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011648F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	52
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1667.088	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	38.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	4699
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/2874**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-E (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	4698
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/2873**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	42
Velocity (m/s)	4.3
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-E (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17406
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011646F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	42
Velocity (m/s)	4.3
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1489.17	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	32.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	11.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AJ (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14074
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: TC407124000009539F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	42
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1593.072	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	44.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	Nil	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	Nil	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-Production Block-I (Intermediate Area)
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	22.04.2024
5.	Date of Sample Receipt	:	23.04.2024
6.	Sample Code	:	3617
7.	Analysis Starting Date	:	23.04.2024
8.	Analysis Completion Date	:	27.04.2024
9.	Report Issue date	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: MSVAL/2024/2302

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14073
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: TC407124000009538F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1569.024	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	38.0	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	Nil	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	Nil	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	9.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	**3616**
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: MSVAL/2024/2301

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	42
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14072
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: TC407124000009537F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	42
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1020.096	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	50.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	Nil	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	Nil	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-E (Intermediate Centrifuges Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	22.04.2024
5.	Date of Sample Receipt	:	23.04.2024
6.	Sample Code	:	**3615**
7.	Analysis Starting Date	:	23.04.2024
8.	Analysis Completion Date	:	27.04.2024
9.	Report Issue date	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission** **ULR No: MSVAL/2024/2300**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-E (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14071
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: TC407124000009536F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1662.336	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	Nil	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	Nil	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.1	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-D (Pharma Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	22.04.2024
5.	Date of Sample Receipt	:	23.04.2024
6.	Sample Code	:	**3614**
7.	Analysis Starting Date	:	23.04.2024
8.	Analysis Completion Date	:	27.04.2024
9.	Report Issue date	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: MSVAL/2024/2299

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	42
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Pharma Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14070
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: TC407124000009535F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	42
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1503.648	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	45.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	Nil	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	Nil	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.0	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

MSV Analytical Laboratories BALLARI

--- END OF REPORT ---

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Intermediate)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	**3613**
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: MSVAL/2024/2298

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Intermediate)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14069
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: TC407124000009534F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1723.68	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	39.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	Nil	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm^3	Nil	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	9.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

:-END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	22.04.2024
5.	Date of Sample Receipt	:	23.04.2024
6.	Sample Code	:	**3612**
7.	Analysis Starting Date	:	23.04.2024
8.	Analysis Completion Date	:	27.04.2024
9.	Report Issue date	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: MSVAL/2024/2297

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m²)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14068
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: TC407124000009533F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1415.88	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	49.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	Nil	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	Nil	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	9.5	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-: END OF REPORT :-

MSV Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-C (Intermediate Reactors Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	22.04.2024
5.	Date of Sample Receipt	:	23.04.2024
6.	Sample Code	:	**3611**
7.	Analysis Starting Date	:	23.04.2024
8.	Analysis Completion Date	:	27.04.2024
9.	Report Issue date	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission**

ULR No: MSVAL/2024/2296

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-Production Block-C (Intermediate Centrifuges Area)
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	22.04.2024
5.	Date of Sample Receipt	:	23.04.2024
6.	Sample Code	:	3610
7.	Analysis Starting Date	:	23.04.2024
8.	Analysis Completion Date	:	27.04.2024
9.	Report issue date	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission** **ULR No: MSVAL/2024/2295**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT:-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-C (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14066
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission** **ULR No: TC407124000009531F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1092.96	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	38.1	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm^3	Nil	---
Nitrogen dioxide	IS-11255(Part7) – 2017	mg/Nm^3	Nil	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	7.8	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-C (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	20408
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013462F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	5.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1306.8	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	36.2	---
Sulphur dioxide	IS-11255(Part2) - 2019	PPM	BDL	---
Nitrogen dioxide	IS-11255(Part7) – 2017	PPM	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	7.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-C (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	5390
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/3273**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	5.5
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-C (Intermediate Reactors Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	13.06.2024
5.	Date of Sample Receipt	:	14.06.2024
6.	Sample Code	:	20407
7.	Analysis Starting Date	:	15.06.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013463F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	39
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1259.29	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	46.8	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	15.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Analytical Laboratories BALLARI MSV

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-C (Intermediate Reactors Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	5391
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/ 3274

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	39
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	20410
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013464F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	39
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1631.34	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	39.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.1	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories Bellary

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	5392
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3275

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	39
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Intermediate)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	20409
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013481F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1415.88	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	44.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	11.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Intermediate)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	5394
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3277

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Scrubber-Production Block-D (Pharma Area)**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	13.06.2024
5.	Date of Sample Receipt	:	14.06.2024
6.	Sample Code	:	20411
7.	Analysis Starting Date	:	15.06.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013465F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1503.648	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	44.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	11.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-Production Block-E (Intermediate Centrifuges Area)
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	13.06.2024
5.	Date of Sample Receipt	:	14.06.2024
6.	Sample Code	:	20412
7.	Analysis Starting Date	:	15.06.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013466F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1662.336	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	34.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P

Technical Manager

-: END OF REPORT:-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-E (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	5396
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/3279**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	20413
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013467F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	42
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1175.328	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-H (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	5397
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3280

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	42
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06160

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	20414
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013468F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	42
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1503.648	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	38.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	7.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BELLARY

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-I (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	5398
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/3281

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	42
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AJ (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	20415
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407124000013469F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	58
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1800.864	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	36.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BELLARY

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AJ (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	13.06.2024
5.	**Date of Sample Receipt**	:	14.06.2024
6.	**Sample Code**	:	5399
7.	**Analysis Starting Date**	:	15.06.2024
8.	**Analysis Completion Date**	:	19.06.2024
9.	**Report Issue date**	:	20.06.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/3282**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	58
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.35
Cross sectional area (m^2)	0.0962

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-C (Intermediate Centrifuges Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	4693
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/2868**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	42
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-C (Intermediate Reactors Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17402
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011642F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	48
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1211.76	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	32.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	11.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-Production Block-C (Intermediate Reactors Area)
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	22.05.2024
5.	Date of Sample Receipt	:	30.05.2024
6.	Sample Code	:	4694
7.	Analysis Starting Date	:	30.05.2024
8.	Analysis Completion Date	:	29.05.2024
9.	Report Issue date	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/ 2869

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	48
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.0660

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17403
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407124000011643F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	47
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1477.44	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	45.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	7.26	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-AI (Intermediate Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	4695
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: MSVAL/2024/2870

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	47
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Intermediate)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17404
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011644F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1415.88	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	32.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	7.52	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Intermediate)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	4696
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/2871**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	48
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.33
Cross sectional area (m^2)	0.0855

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

MSV Analytical Laboratories BALLARI

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Pharma Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17405
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011645F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	43
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1699.776	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	14.8	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-Production Block-D (Pharma Area)**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	4697
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: MSVAL/2024/2872**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	43
Velocity (m/s)	5.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	BDL	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

VOC Reports attached as Annexure No-6.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2024/3325 Issued Date: 20.06.2024

1. Name of the Industry : M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method: EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Near Boiler chimney Area	13.06.2024	8hours	1.31	Mg/m^3	---
2	Near Production Block Ao	13.06.2024	8hours	1.29	Mg/m^3	---
3	C- Block intermediate area	14.06.2024	8hours	1.25	Mg/m^3	---
4	C- Block pharma Area	14.06.2024	8hours	1.23	Mg/m^3	---
5	D- Block intermediate area	15.06.2024	8hours	1.18	Mg/m^3	---
6	D- Block pharma Area	15.06.2024	8hours	1.32	Mg/m^3	---
7	E- Block intermediate area	19.06.2024	8hours	1.26	Mg/m^3	---
8	G- Block intermediate area	19.06.2024	8hours	1.33	Mg/m^3	---
9	Aj- Block intermediate area	20.06.2024	8hours	1.22	Mg/m^3	---
10	I- Block intermediate area	20.06.2024	8hours	1.12	Mg/m^3	---
11	H- Block intermediate area	20.06.2024	8hours	1.26	Mg/m^3	---

Analysed by

Authorized Signatory
Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1 The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2024/5078 Issued Date: 30.09.2024

1. Name of the Industry : M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary.
3. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method: EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Near Boiler chimney Area	21.09.2024	8hours	1.26	Mg/m³	---
2	Near Production Block Ao	21.09.2024	8hours	1.32	Mg/m³	---
3	C- Block intermediate area	21.09.2024	8hours	1.22	Mg/m³	---
4	C- Block pharma Area	23.09.2024	8hours	1.20	Mg/m³	---
5	D- Block intermediate area	23.09.2024	8hours	1.13	Mg/m³	---
6	D- Block pharma Area	23.09.2024	8hours	1.29	Mg/m³	---
7	E- Block intermediate area	24.09.2024	8hours	1.25	Mg/m³	---
8	G- Block intermediate area	24.09.2024	8hours	1.32	Mg/m³	---
9	Aj- Block intermediate area	30.09.2024	8hours	1.23	Mg/m³	---
10	I- Block intermediate area	30.09.2024	8hours	1.16	Mg/m³	---
11	H- Block intermediate area	30.09.2024	8hours	1.29	Mg/m³	---

Analysed by

Authorized Signatory
Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BELLARY

Note: 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4 Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

Hazardous waste authorization copy attached as Annexure No-7.

Form 2 -[Rule 6(2)] Authorization under Hazardous & Other Wastes [Management & Transboundary Movement]Rules,2016

Authorization No: 328814

Valid upto: 30/06/2026

Karnataka State Pollution Control Board
Parisara Bhavana,No.49, Church Street,Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

(This document contains 4 pages excluding annexure)

Authorization No: 328814 **PCB ID:** 28295 **Date:** 21/12/2021

FORM FOR GRANT OR RENEWAL OF AUTHORISATION BY STATE POLLUTION CONTROL BOARD TO THE OCCUPIERS, RECYCLERS, REPROCESSORS, REUSERS, USER AND OPERATORS OF DISPOSAL FACILITIES

Ref: 1. Authorization application submitted by the industry/organization on 05/10/2021 at Regional Office.

2. Inspection of the project site/organization by Regional Officer , Raichur on 05/10/2021
3. Proceedings of CCM dated: , held on:

1. Number of authorization 328814 and date of issue 21/12/2021

2. Reference of application No. 21136 Inward Date 05/10/2021

3. Managing director of Shilpa Medicare Ltd 100% EouPlot no 33,33A,40 to 47,Raichur Growth Centre is hereby granted an authorization based on the enclosed signed inspection report for Generation,Collection,Reception or any other use of hazardous or other wastes or both on the premises situated at the location **Address**: Plot no 30, 31, 32 and 35-39, 33,33A, 40 TO 47 , Raichur Growth Centre **Industrial Area** : Chiksugur , **Taluk** : Raichur , **District** : Raichur

Details of Authorization:

Category of Hazardous waste as per the Schedule I,II & IV of these rules	Description of Hazardous Waste	Quantity/Annum	Unit	Authorized Mode of Disposal or recycling or utilization or co-processing, etc.,
I	28.5~Date-expired products	1.000	M.T	As Per Annexure
I	5.1~Used Spent Oil	3.000	KLT	As Per Annexure
I	28.3~Spent carbon	3.000	M.T	As Per Annexure
	20.3~Distillation Residues	20.300	M.T	As Per Annexure
I	28.1~Process Residue and wastes	8.682	M.T	As Per Annexure

Karnataka State Pollution Control Board
Parisara Bhavana,No.49, Church Street,Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@ kspcb.gov.in

I	28.2~Spent catalyst	11.800 KLT	As Per Annexure
I	28.6~ Spent solvents	623.288 M.T	As Per Annexure
I	33.1~Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	60.000 M.T	As Per Annexure
I	35.3~Chemical Sludge From Waste Water Treatment	1112.857 M.T	As Per Annexure

1. The authorization shall be valid for a period upto 30/06/2026

A. General Conditions of authorization:

1. The authorized person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.

2. The authorization or its renewal shall be produced for inspection at the request of an Officer authorized by the Karnataka State Pollution Control Board.

3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes and other wastes except what is permitted through this authorization and without obtaining prior permission of the KSPCB.

4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.

5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.

6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".

7. It is the duty of the authorized person to take prior permission of the Karnataka State Pollution Control Board to close down the facility.

8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.

Karnataka State Pollution Control Board
Parisara Bhavana,No.49, Church Street,Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@ kspcb.gov.in

9. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.

10. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.

11. An application for the renewal of an authorization shall be made **'3' months** before the date of expiry.

12. The Person authorized shall bring to the notice of the Board, if any increase in quantity, change in category and handling operation. In such cases, the authorized Person has to obtain fresh authorization.

13. Karnataka State Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this authorization or to suspend or cancel this authorization.

14. The Person authorized shall take steps for reduction and prevention of the waste generated or for recycling or reuse.

15. The authorized person shall maintain the records at site in Form-3 and shall submit the annual returns in Form-4 within 30th June every year for the Period April to March and manifest in Form-10.

16. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.

17. The hazardous and other waste which gets generated during recycling or reuse or recovery or per-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.

18. The transportation of hazardous waste shall have to be carried out only through registered/authorized vehicles meant for transportation of hazardous waste.

19. The Person Authorized shall not store the Hazardous Waste more than ninety days as per Rule 8 (1).

20. The Person Authorized shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.

21. Display Boards: The person authorized shall display sign boards at the storage site as "Hazardous Waste Storage Site" and "Danger" and the site shall be provided with accident preventive measures.

Additional Conditions:

1. The list of waste categories and quantities mentioned in Annexure attached as additional document with this authorization shall only be considered as authorized waste category and quantity.

For and on behalf of the
Karnataka State Pollution Control Board

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church Street, Bengaluru-560001
Tele : 080-25589112 3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

CHIEF/ SENIOR ENVIRONMENTAL OFFICER

COPY TO:

1. The Environmental Officer, KSPCB, Regional Office,for information and to inspect the industry during your next visit to the area.
2. Master copy (Dispatch).
3. Office copy.

Validity unknown
Digitally signed by
Date: 2021.12.21 12:18:53 +05:30

Manifests are attached as Annexure No-8.

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000105**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AD 7429**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**
Waste description	

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	25.55

Total quantity : No. of Containers	**25.55 MT**
Physical form	
Special handling instructions and additional information	**USE PPE'S WHILE LOADING AND UNLOADING . IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-30-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Telephone:9845745068
E-Mail:sharath@vbshilpa.com

Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000104
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Ba kampady Indl Area Phone:9845515328 e-mailzahidroad.ines2005@gmail.com Transporter's reg stration No: 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 37B 1476
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industria Area Village _Kadechur,Tehsil & District Yadgir Karnataka-585221 Phone:7338464597 e-mailiab@motherearthenviron.com Receiver's authorisation No. 80996
Receiver's authorisation No.	80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	25.65

Total quantity : No. of Containers	25.65 MT
Physical form	
Special handling instructions and additional information	Use ppe s while loading and unloading . If any spillage wash with plenty of water
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:04-30-2024

Shilpa Pharma Lifesciences Pvt. Ltd. RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	MONTH-DAY-YEAR

Copy 1 (White) - To be forwarded by the tenderer to the State Pollution Control Board after signing all the seven copies

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47 Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000103**
Transporter's name and address: (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Transporter's registration No: 80996
Type of vehicle	**Truck**
Transporter's registration No	**80996**
Vehicle registration No.	**KA-51 AH-0234**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver s authorisation No : 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	24.07

Total quantity : No. of Containers	**24.07 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-25-2024**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000102**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamuk pharmachem@gmail.com Transporter's registration No 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No. 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	22.2

Total quantity : No. of Containers	**22.2 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-22-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000101**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2551**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.465

Total quantity : No. of Containers	**18.465 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-13-2024**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFE SCIENCES LIMITED RAICHUR SHILPA

For ZAHID ROADLINES

Subash. J.

Proprietor / Manager

Copy (white) to be retained by the generator's State Pollution Control Board after signing all the seven copies

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47, Industrial Growth Centre, Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000100**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone 9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No. 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AB 2551
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environtech Private Limited) Plot No 158 to 164, KA DB Kadachur Industrial Area, Village Kadechur Tehsil & District Yadgir, Karnataka 585221 Phone 7338464597 e-maillab@motherearthenvironcom Receiver's authorisation No. 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	17.48

Total quantity : **No. of Containers**	**17.48 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-12-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33 33A,40to47 Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000116**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone:9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No :83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AD 6834
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area, Village -Kadechur;Tehsil & District: Yadgir; Karnataka-585221 Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No. 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi Solid	24.29

Total quantity : No. of Containers	**24.29 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-11-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000118**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AD 7429**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area Village _Kadechur,Tehsil & District Yadgir, Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No : 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.78

Total quantity :	**19.78 MT**
No. of Containers	
Physical form	
Special handling instructions and additional Information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-24-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000119**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No. 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.2

Total quantity : No. of Containers	**26.2 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-26-2024**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

Shilpa Pharma Lifesciences Limited 100% EOU RAICHUR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000117**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	25.99

Total quantity : **No. of Containers**	**25.99 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-18-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature: JIIBAN	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000115**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	21.45

Total quantity : No. of Containers	**21.45 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-10-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED, (UNIT-2) Chicksugur Raichur karnataka

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A ,40,64,7 Industrial Growth Centre, Gadeksugur, Raichur Taluk District Telephone:98457+5068 E-Mail:sharath@voshilpa.com
Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000134
Transporter's name and address: (including Phone No. and e-mail)	[illegible]
Type of vehicle	Tanker
Transporter's registration No	23836
Vehicle registration No.	KA 01 AP 3329
Receiver's name and mailing address (including Phone No. and e-mail)	[illegible]
Receiver's authorisation No.	23836

Waste description

Waste Category	Physical form	Qty(MT)
28.1 Solvent waste [illegible]	[illegible]	25.98

Total quantity No. of Containers	25.98 MT
Physical form	
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:08-26-2024

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no 33,33A 40to47, Industrial Growth Centre Chickasugur Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000133
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone 9845[illegible]328 [illegible]zahidroadlines2005@gmail.com Transporter's registration No 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AE 8021
Receiver's name and mailing address (including Phone No. and e-mail)	[illegible]
Receiver's authorisation No.	80996

Waste description

Waste Category	Physical form	Qty(MT)
28 3 Spent carbon	Solid	1.05
35 3 Chemical Sludge From Waste Water Treatment	Semi-Solid	24.87

Total quantity : No. of Containers	25.92 MT
Physical form	
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature	MONTH-DAY-YEAR:08-23-2024
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

ZAHID ROADLINES
1st Floor, Bantwal Chambers
Baikampady, Mangaluru-575011

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no 33,33A,40to47 Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:snarath@vpsnilpa.com
Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000132
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES N 19 Baikampady Indl Area Phone 9845515328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AE 1923
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyani Karnataka Waste Management Project Private Limited (Formerly, M/s Mahaveer Enviro Engineers Private Limited) Plot No 158 to 164, KAIDB Ruda Industrial Area, Village: Kadechur Tanda, District: Yadgir, Karnataka 585221 Phone 7338464597 e-mail:lab@mahaveerenviro.com Receiver's authorisation No: 80996
Receiver's authorisation No.	80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	27.36

Total quantity : No. of Containers	27.36 MT
Physical form	
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:08-16-2024
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification of receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

ZAHID ROADLINES
1st Floor, Bahiwal Chambers
Baikampady, Mangaluru-575011

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no 33,33A ,40to47 Industrial Growth Centre, Chicksugur, Raichur Taluk Dist r ct **Telephone:**9845745068 **E-Mail:**snarath@voshilpa.com
Sender's authorisation No	28295
Manifest Document No	**HW/28295/2024-25/0000130**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADL NES M 19 Ba kampady Ind Area Phone 9845575328 e mail:zahidroadl nes2005@gmail.com Transporter's reg stration No: 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AB 0560
Receiver's name and mailing address (including Phone No. and e-mail)	M/s Mother Earth Waste Management Project Private Limited Formerly M/s Mother Earth Environ Tech P Private Limited Plot No. 58 to 64, KIADB Kadadaru Industrial Area, Yadgir Taluk & District Yadgir, Karnataka 585221 Phone 7338464597 e mailiao@motherearthenviron.com Receiver's authorisation No: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35 3 Chemical Sludge From Waste Water Treatment	Semi Solid	25 88

Total quantity : No. of Containers	**25.88 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-08-2024**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature: - Ramjeet Yadav	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	MONTH-DAY YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no 33,33A 40to47 Industrial Growth Centre Chickkugur Raichur Taluk District Telephone:9845745068 E-Mail:sharath@jvbshilpa.com
Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000129
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone 9845515328 e-mailzahidroadlines2005@gmail.com Transporter s registration No. 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 01 AH 7908
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No 158 to 164, KA DB Kadechu Industrial Area Village Kadechur Tensil & District Yadgir Karnataka-585221 Phone 7338464597 e-mail ab@motherearthenv ron.com Receiver s authorisation No 80996
Receiver's authorisation No.	80996

Waste description

Waste Category	Physical form	Qty(MT)
20 3 Distillation Residues	Solid	6 42
28 1 Process Residue and wastes	Solid	2 35
28 2 Spent catalyst	Semi-Solid	3 62
35 3 Chemical Sludge From Waste Water Treatment	Semi Solid	8 53

Total quantity : No. of Containers	20.92 MT
Physical form	
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:08-03-2024
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

ZAHID ROADLINES
1st Floor, Bantwal Chambers
Baikampady, MANGALORE - 575 011

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47 Industrial Growth Centre Chicksugur, Raichur Taluk District **Telephone:**98457-45068 **E-Mail:**sharatn@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000131**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone 9845831069 e-mail:panchamukipharmachem@gmail.com Transporter registration No: 23836
Type of vehicle	Tanker
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone 9845831069 e-mail:panchamukipharmachem@gmail.com Receiver's authorisation No: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	26.12

Total quantity : No. of Containers	**26.12 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-13-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000120**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No 158 to 164, KAIDB Kadechu Industrial Area; Village ,Kadechur,Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	23.25

Total quantity : No. of Containers	**23.25 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-01-2024**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no 33,33A,40to47 Industrial Growth Centre Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vpsh lpa com
Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000121
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMJK, PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No. 23836
Type of vehicle	Tanker
Transporter's registration No	23836
Vehicle registration No.	KA 01 AP 3329
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUK PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No. 23836
Receiver's authorisation No.	23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	25.27

Total quantity : No. of Containers	25.27 MT
Physical form	
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:07-02-2024
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47 Industrial Growth Centre Chicksugur Raichur Taluk D strict **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000127**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial Area Kanakapura Dist Ramanagara (Dt) 562112 Phone 9845831069 e-mail:panchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	Tanker
Transporter's registration No	23836
Vehicle registration No.	KA 01 AP 3329
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial Area Kanakapura Dist Ramanagara (Dt) 562112 Phone 9845831069 e-mail:panchamukipharmachem@gmail.com Receiver's authorisation No: 23836
Receiver's authorisation No.	23836

Waste description

Waste Category	Physical form	Qty(MT)
28 6. Spent solvents	Liquid	26.56

Total quantity : No. of Containers	**26.56 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-29-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47, Industrial Growth Centre , Chicksugur Raichur Taluk D strict **Telephone:**9845745068 **E-Mail:**sharath @vpshilpa com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000124**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUK PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone 9845831069 e-mail:panchamukpharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUK PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone 9845831069 e-mail:panchamukpharmachem@gmail.com Receiver's authorisation No: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6, Spent solvents	Liquid	23.745

Total quantity : No. of Containers	**23.745 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-13-2024**
Transporter acknowledgement of receipt of	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33 33A,40to47, Industrial Growth Centre, Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000123**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura Tql Ramanagara (D) 562112 Phone 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	21.59

Total quantity : No. of Containers	**21.59 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-10-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no 33,33A 40to47 Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000128
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M.G Baikampady Indl Area Phone 9845515328 e mailzar droadlines2005@gmail.com Transporter's registration No 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AE 1923
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited Formerly, M/s Mother Earth Environ Tech Private Limited, Plot No 158 to 164 KA DB Kadle (V) Industrial Area Village Kadlewada,Tehsil & District Yadgir Karnataka-585222 Phone 7338445497 e-mailmap@motherearthenviron.com Receiver's authorisation No 80996
Receiver's authorisation No.	80996

Waste description

Waste Category	Physical form	Qty(MT)
35 3 Chemical Sludge From Waste Water Treatment	Semi-Solid	27.12

Total quantity : No. of Containers	27.12 MT
Physical form	
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:07-29-2024
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

PHARMALIFESCIENCES LIMITED RAICHUR

ZAHID ROADLINES
Baikampady, Mangaluru-575011

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33 33A,40to47, Industrial Growth Centre , Chicksugur Ra chur Taluk District **Telephone:**9845745068 **E-Mail:**sharathi@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000126**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone 9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	**KA 19 AB 2551**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyani Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited Plot No 158 to 164, KIADB Kadechur Industrial Area, Village ,Kadechur Tehsil & District Yadgir, Karnataka-585221 Phone 7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No 80996
Receiver's authorisation No.	80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	18.395

Total quantity : No. of Containers	18.395 MT
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-24-2024**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt ofhazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industr al Growth Centre, Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000125**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone 9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AB 2551
Receiver's name and mailing address (including Phone No. and e-mail)	Ka yana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area, Village : Kadechur Tehsil & District Yadgir, Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	[illegible]	21.08

Total quantity : No. of Containers	**21.08 MT**
Physical form	
Special handling instructions and additional information	**iNCASE OF SPILLAGE FLASH WITH WATER AND USE THE FOAM TYPE FIRE EXTINGHUISHER INCASE OF FIRE**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-15-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM - 10

[See Rule 19(1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1

1.	Sender's Name and Mailing Address (including Phone No. and e-mail)	~~Shilpa Pharma Lifesciences~~ Shilpa Pharma Lifesciences 100 % EOU, Unit-2 Plot No. 30,31,32,35, to 39,33,33A & 40-47 Raichur Industrial Growth Center, Wadloor Road, CHICKSUGUR-584 134, Raichur District, Karnataka State, India
2.	Sender's Authorisation No. :	28295
3.	Manifest Documentation :	HW/28295/2024-25/00002
4.	Transporter's Name and Address (including Phone No. and e-mail) :	ZAHID ROADLINES M19 BALLAMPADY INDI AREA P.No:- 9845515328
5.	Type of Vehicle :	Truck [✓] Tanker [ ] Special Vehicle [ ]
6.	Transporter's Registration No. :	83125
7.	Vehicle Registration No. :	KA-19-AE 1923
8.	Receiver's name and mailing address (including Phone No. and e-mail) :	KALYANA KARNATAKA WASTE MANAGEMENT PROJECT PVT PLOT No:-158 to 164 KIADB KADECHU INDUSTRIAL AREA P.No:-7338464527
9.	Receiver's authorisation No. :	80996
10.	Waste Description :	35.3 Chemical Sludge From Waste Water
11.	Total Quantity Waste	16.0 in m3 or Tone
	No. of Containers :	01
12.	Physical Form :	Solid: ; Semi Solid: ✓; Sludge: ✓; Oily: ; Tarry: ; Slurry: ; Liquid:
13.	Special Handling Instructions and Additional Information :	Use PEE's while loading & unloading
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and Labeled, and in all respects in proper condition for transport by road according to applicable national government regulations.
	Name and Stamp: SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR	Signature: ; Month: 07; Day: 11; Year: 2024
15.	Tranporter's Acknolwedgement of Receipt of Waster	
	Name and Stamp	Signature: ; Month: 07; Day: 11; Year: 2024
16.	Receiver's Certification of Receipt of Hazardous and other Waste	
	Name and Stamp	Signature: ; Month: ; Day: ; Year:

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A 40to47 Industrial Growth Centre , Chicksugur Raichur Taluk District **Telephone:**3845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000122**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 9 Balkampady ndl Area Phone 9845515328 e mailzahidroadlines2005@gmail com Transporter s registration No 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	**KA 19 AE 1923**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No 158 to 164, KAIDB Kadechu Industrial Area, Village Kadechur,Tensil & District Yadgir, Karnataka 585221 Phone 7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35 3 Chemical Sludge From Waste Water Treatment	Semi Solid	26.33

Total quantity : **No. of Containers**	**26.33 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-08-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000113**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AD 4786**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village :Kadechur;Tehsil & District Yadgir, Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	29.83

Total quantity : No. of Containers	**29.83 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-28-2024**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMA LIFESCIENCES LIMITED RAICHUR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000112**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter s registration No 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No : 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	21.88

Total quantity : No. of Containers	**21.88 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-23-2024**
Transporter acknowledgement of receipt of Waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000111**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Truck**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 05 AK 6508**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	13.18

Total quantity : **No. of Containers**	**13.18 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING . IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-23-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature;	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

FORM - 10

[See Rule 19(1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE 1

1.	Sender's Name and Mailing Address (Including Phone No. and e-mail)	Shilpa Pharma Lifesciences Limited. 100 % EOU, Unit-2 Plot No. 30,31,32,35, to 39,33,33A & 40-47 Raichur Industrial Growth Center, Wadloor Road, CHICKSUGUR-584 134. Raichur District, Karnataka State, India
2.	Sender's Authorisation No. :	28295
3.	Manifest Documentation :	HW/28295/2024-25/00001
4.	Transporter's Name and Address : (including Phone No. and e-mail)	ZAHID ROADLINES M19 RAICHAMPADY INDI AREA PH:- 9845515328
5.	Type of Vehicle :	Truck [✓] Tanker [ ] Special Vehicle [ ]
6.	Transporter's Registration No. :	83125
7.	Vehicle Registration No. :	KA-19-AD 4786
8.	Receiver's name and mailing address (including Phone No. and e-mail) :	KALYANA KARNATAKA WAST MANAGEMENT PROJECT PVT. PLOT NO:- 158 To 164 KIADB KADECHU INDUSTRIAL AREA PH:- 7338464597
9.	Receiver's authorisation No. :	80995
10.	Waste Description :	35.3 Chemical Sludge from waste water
11.	Total Quantity Waste	22.880 MT in m3 or Tone
	No. of Containers :	01
12.	Physical Form :	Solid [✓] Semi Solid [ ] Sludge [ ] Oily [ ] Tarry [ ] Slurry [ ] Liquid [ ]
13.	Special Handling Instructions and Additional Information :	Use PPE while loading & reloading.
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and Labeled, and in all respects in proper condition for transport by road according to applicable national government regulations.
	Name and Stamp	Signature: [signature] Month: 05 Day: 23 Year: 2024
15.	Tranporter's Acknolwedgement of Receipt of Waster	
	Name and Stamp	Signature: [signature] Month: 05 Day: 23 Year: 2024
16.	Receiver's Certification of Receipt of Hazardous and other Waste	
	Name and Stamp	Signature Month Day Year

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47, Industrial Growth Centre , Chicksugur Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000109**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AE 2135**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No 158 to 164, KAIDB Kadechu Industrial Area; Village ,Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	25.02

Total quantity : No. of Containers	**25.02 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER.**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-16-2024**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000110**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registrat on No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No. 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	22.45

Total quantity : No. of Containers	**22.45 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-17-2024**
Transporter acknowledgement of receipt	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

PHARMALIFESCIENCES LIMITED RAICHUR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000108**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No 158 to 164, KAIDB Kadechu Industrial Area, Village :Kadechur;Tehsil & District Yadgir; Karnataka 585221 Phone:7338464597 e-mailab@motherearthenviron.com Receiver's authorisation No : 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35 3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.575

Total quantity : No. of Containers	**22.575 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-06-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

Copy (White) - To be furnished by the [illegible] State Pollution Control Board after signing all the seven copies

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000106**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2495**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area, Village :Kadechur Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No : 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3,Chemical Sludge From Waste Water Treatment	Semi-Solid	21.29

Total quantity : No. of Containers	**21.29 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-03-2024**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFE SCIENCES LIMITED RAICHUR

Copy 1 (White) - To be first signed by the sender & the state Police or Central Board after signing all the seven copies

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000107**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No.: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	25.4

Total quantity : No. of Containers	**25.4 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-03-2024**
Transporter acknowledgement of received wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy of Waybill to be forwarded by the Sender to the State Pollution Control Board after signing all the seven entries

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000114**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No :83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 0560**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area, Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No : 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	21.365

Total quantity : No. of Containers	**21.365 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-30-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no 33 33A 40to47 Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000137
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 E-Mail:zahidroadlines@yahoo.com Transporter's registration No: 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AE 1923
Receiver's name and mailing address (including Phone No. and e-mail)	M/s M/s Vimta Waste Management Private Limited, Plot No. 158, 159, 164, KIADB Kadechur Industrial Area, Kadechur Post, Shorapur Taluk, Yadgir District, Karnataka 585224 Phone: 7338484542 E-mail: lab@vimtaenvironment.com Registration No: 80996
Receiver's authorisation No.	80996

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	24.14

Total quantity : No. of Containers	24.14 MT
Physical form	
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:09-11-2024
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no 33 33A 40to47 Industrial Growth Centre Chicksugur Raichur Taluk District Telephone:9845743068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000135
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Ind. Area Phone 9845516328 e-mail:zahidroadlines2005@gmail.com Transporter's registration No. 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AE 8021
Receiver's name and mailing address (including Phone No. and e-mail)	M/s Vana Sampada Waste Management [illegible] Manager Earth Enviro Tech Private Limited) [illegible] Phone 7338464537 e-mail:lab@mothereartheurar.com Receiver's authorisation No. 80996
Receiver's authorisation No.	80996

Waste description

Waste Category	Physical form	Qty(MT)
35 3 Chemical Sludge From Waste Water Treatment	Semi-Solid	27.31

Total quantity : No. of Containers	27.31 MT
Physical form	
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:09-02-2024
Transporter acknowledgement of receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

PHARMALIFESCIENCES LIMITED RAICHUR

ZAHID ROADLINES
1st Floor, Bantwal Chambers
Baikampady, Mangaluru-575011

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000139**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone 9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No. 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No	**KA 16 C 0694**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/S Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechur Industrial Area, village :Kadechur farsi & District Yadgir, Karnataka-585223 Phone 7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No. 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3 Chemical Sludge From Waste Water Treatment	Semi-Solid	21.53

Total quantity : No. of Containers	**21.53 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-20-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no 33 33A 40to41 Industrial Growth Centre Chickasugur Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vasulpa.com
Sender's authorisation No	28295
Manifest Document No	HW/28295/2024-25/0000138
Transporter's name and address: (including Phone No. and e-mail)	[illegible]
Type of vehicle	Truck
Transporter's registration No	22794
Vehicle registration No.	KA51D6429
Receiver's name and mailing address (including Phone No. and e-mail)	[illegible]
Receiver's authorisation No.	22794

Waste description

Waste Category	Physical form	Qty(MT)
33.1 Empty barrels/containers, liners contaminated with hazardous substances/hazardous wastes	Other	[illegible]

Total quantity : No. of Containers	12.193 MT
Physical form	
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:09-18-2024
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbsh lpa com
Sender's authorisatlon No	**28295**
Manifest Document No	**HW/28295/2024-25/0000140**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone 9845515328 e-mailzahidroadlines2005@gmail corn Transporter's registration No 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2551**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No 158 to 164, KAIDB Kadechu Industrial Area, Village _Kadechur,Tensil & District Yadgir: Karnataka-585227 Phone 7338464597 e-maillab@motherearthenviron com Receiver's author sation No 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
20 3.Distillation Residues	Solid	3 31
28 1 Process Residue and wastes	Solid	1 96
28 2 Spent catalyst	Semi-Solid	2 22
35 3 Chemical Sludge From Waste Water Treatment	Semi-Solid	2 32

Total quantity : No. of Containers	**9.81 MT**
Physical form	
Special handling instructions and additional information	**use ppe while handling .like gloves & nose mask ETC . if any spillage flush with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-21-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature: 9/9/2024	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no 33,33A,40to47 Industrial Growth Centre Chicksugur Raichur Taluk District Telephone:9845745068 E-Mail:sharathi@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2024-25/0000136**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D 562112 Phone 9845831069 e-mail:panchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	Tanker
Transporter's registration No	23836
Vehicle registration No.	KA 01 AP 3329
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D 562112 Phone 9845831069 e-mail:panchamukipharmachem@gmail.com Receiver's registration No: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	25.34

Total quantity : **No. of Containers**	**25.34 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER,**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-10-2024**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

FORM - 10

[See Rule 19(1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1

1.	Sender's Name and Mailing Address (including Phone No. and e-mail)	Shilpa Pharma Lifesciences Limited, 100 % EOU, Unit-2 Plot No. 30,31,32,35, to 39,33,33A & 40-47 Raichur Industrial Growth Center, Wadloor Road, CHICKSUGUR-584 134 Raichur District, Karnataka State, India
2.	Sender's Authorisation No. :	28295
3.	Manifest Documentation :	HW/28295/2024-25/00003
4.	Transporter's Name and Address : (including Phone No. and e-mail)	PANCHAMUKI PHARMACHEM PLOT NO: 94 TO 97 4TH PHASE HAROHITI INDUSTRIAL AREA KANAKAPURA (TK) 562112
5.	Type of Vehicle :	Truck ☐ Tanker ☑ Special Vehicle ☐
6.	Transporter's Registration No. :	23836
7.	Vehicle Registration No. :	KA 01 AP 3329
8.	Receiver's name and mailing address (including Phone No. and e-mail) :	PANCHAMUKI PHARMACHEM PLOT NO: 94TO 97 4TH PHASE HAROHITI INDUSTRIAL AREA KANAKAPURA (TK) 562112
9.	Receiver's authorisation No. :	23836
10.	Waste Description :	28.6 SPENT SOLVENTS
11.	Total Quantity Waste	26.14 in m3 or Tone
	No. of Containers :	01
12.	Physical Form :	Solid ☐ Semi Solid ☐ Sludge ☐ Oily ☐ Tarry ☐ Slurry ☐ Liquid ☑
13.	Special Handling Instructions and Additional Information :	USE PPE'S while loading & unloading
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and Labeled, and in all respects in proper condition for transport by road according to applicable national government regulations.
	Name and Stamp	Signature: [signature] Month: 09 Day: 27 Year: 24
15.	Tranporter's Acknolwedgement of Receipt of Waster	
	Name and Stamp	Signature Month: 09 Day: 27 Year: 24
16.	Receiver's Certification of Receipt of Hazardous and other Waste	
	Name and Stamp	Signature Month: Day: Year:

PHARMALIFESCIENCES LIMITED RAICHUR

Scrubbing system, Multi cyclone system details are attached as Annexure No-9.

Scrubber Details

1. Wet Scrubbing System at Production Block – C :

System for Reactors:

- CSSR-13, CSSR-12, CSSR-11, CSSR-08, CSSR-07, CSSR-06, CSSR-05, CSSR-02, CSSR-01, , CGLR-10, CGLR-09, CGLR-04, CGLR-03

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1250 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	18000 CMH
Stat. Pressure	:	150 mmwg
Motor	:	20 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	250, 350, 450 & 700 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating

2) Scrubbing System For Pharma Block Centrifuges:

CSSR-15& CGLR-14, CSSANFD-02

Ducting from Each Reactor from Ist floor& from CSSANFD Ground Floor.Ducting ,Scrubber, Blower, MS structure &pump.

System for Centrifuges:

- CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, RCVD-01, RCVD-02, ANFD-01,
- **a) Scrubber Details:**

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	700 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	4 mm with Isopthalic Resin
Packing	:	` Polypropylene Pal Rings.
Size	:	40 mm dia x 40 mm height.
Filter Plate	:	PP Perforated - 15 mm thick.
Spray	:	Polypropylene Jet Spray System.

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	5500 CMH
Stat. Pressure	:	150 mmwg
Motor	:	7.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	200, 275 & 375 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	2 K L
PP	:	5 mm
FRP	:	6 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	120 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 63 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

3). <u>Wet Scrubbing System at Production Block – D:</u>

Equipments Connected to the System:

- DSSR-04, DSSR-05, , DGLR-01, DGLR-02, DGLR-03, DGLR-06, DGLR-07, DSSRF-01, DSSRF-02, DSSRF-03, DSSVTD-01, DSSVTD02, DSSVTD-03, Isolator & 3 spare points

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1100 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	13000 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 225, 250, 450, 500 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

Scrubbing System For Pharma Area:

DGLR-08, DSSR-09 in first Floor& ANFD Isolator In Ground floor must given with seperate scrubber &Ducting

5). <u>Wet Scrubbing System at Production Block – E:</u>

System for Reactors:

- ESSR-01, ESSR-02, ESSR-03, ESSR-04, ESSR-08, ESSR-10, ESSR-11, ESSR-12, ESSR-14, EGLR-05, EGLR-06, EGLR-07, EGLR-09 & EGLR-13

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	17000 CMH
Stat.Pressure	:	150 mmwg
Motor	:	20 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	250, 350, 450 & 675 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating

6) Scrubbing System for Pharma Block reactors &Centrifuges:

EGLR-13& ESSR-14, ESSCF-05.

Ducting from Each Reactors from Ist floor& from Ground Floor centrifuge .Ducting ,Scrubber, Blower, MS structure

System for Centrifuges:

CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, ESSRVCD-01, ESSRVCD-02, ESSTD01 & ESSANFD-01

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	750 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm

FRP	:	4 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	6200 CMH
Stat.Pressure	:	150 mmwg
Motor	:	7.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 300 & 400 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	2 K L
PP	:	5 mm
FRP	:	6 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	120 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 63 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

7. <u>Wet Scrubbing System at Production Block – G:</u>

Equipments Connected to the System:

- GSSR-01, GSSR-02, GSSHVD-03, GGLR-04, GGLR-05, GSSCF01 & GSSCF02 & 5 REACTORS

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	16000 CMH
Stat.Pressure	:	150 mm wg
Motor	:	17.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	200, 425, 475 & 650 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

8. Wet Scrubbing System at Production Block – H:

Equipments Connected to the System:

HSSR-01, HSSR-02, HSSR-03, HSSR-04, HSSR-05, HSSR-07, HGLR-06, HGLR-08, HGLR-10, HGLR-09, , HSSRF-01, HSSRF-02, HSSRF-03, HSSRF-04, VTD-01, VTD-02, VTD-03, ANFD & 3 SPARE POINTS

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	16000 CMH
Stat.Pressure	:	150 mm wg
Motor	:	17.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 200, 275, 300, 450, 550 & 650mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

9 .Scrubbing System For Pharma Area:

HGLR-11, HGLR-12, HGLR-13 in First Floor & ANFD isolator in Ground floor Must given Separately with ducting Blower.

10. Wet Scrubbing System at Production Block – I :

Equipments Connected to the System:

IGLR-01, IGLR-02, IGLR-03, IGLR-04, IGLR-05, IAGR-06, IGLR-09, IGLR-07, IGLR-08, IGLR-10, , ISSRF-01, ESSRF-02, ISSRF-03, VTD-01, VTD-02, VTD-03, & 3 SPARE POINTS.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

13. Scrubbing System for Pharma Area:

IGLR-11, IGLR-12 in First floor& &ANFD isolator in ground floor must be Given with separate scrubber, ducting

Solvent recovery system details are enclosed as Annexure No-10.

SOLVENT RECOVERY SYSTEM

- After the reaction is complete the solvents are recovered in a distillation unit.
- The distillation unit has two condensers (shell and tube type).
- The first condenser has cooling tower water, while the second condenser will have the chilled water at 0 - 2^0 C as coolants.
- After the vapors are condensed, the condensate along with un-condensed vapors is passed through a trap which is cooled externally with chilled water.
- The vents of condenser and receiver are connected to scrubber system.
- All the reaction vessels and centrifuges are connected to a common line. These fumes and exhausts are sucked by ID fan and scrubbed by alkali.
- The air after scrubbing is let out into the atmosphere and the scrubbed water is sent to ETP for further treatment.
- This wet scrubber absorbs acidic vapors, traces of solvents etc. and purified gas stream is let out into the atmosphere.

Typical solvent recovery system



Boiler emission test reports are enclosed as Annexure No-11

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Boiler – 10TPH & 6TPH**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.04.2024
5.	**Date of Sample Receipt**	:	23.04.2024
6.	**Sample Code**	:	14065
7.	**Analysis Starting Date**	:	23.04.2024
8.	**Analysis Completion Date**	:	27.04.2024
9.	**Report Issue date**	:	27.04.2024

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack emission** **ULR No: TC407124000009530F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	---
Ambient Temperature (°C)	34
Stack Temperature (°C)	122
Velocity (m/s)	7.2
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	25546.75	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	75.6	150
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm^3	Nil	100
Nitrogen dioxide	IS-11255(Part7) – 2017	mg/Nm^3	32.5	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	Nil	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	3.5	<150
Carbon Dioxide as CO_2		%	8.6	<12

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Boiler – 10TPH & 6TPH**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	13.06.2024
5.	Date of Sample Receipt	:	14.06.2024
6.	Sample Code	:	20401
7.	Analysis Starting Date	:	15.06.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	20.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000013461F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	122
Velocity (m/s)	7.2
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	25546.75	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	70.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	24.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	23.1	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	4.28	<150
Carbon Dioxide as CO_2		%	8.22	<12

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Boiler – 10TPH & 6TPH**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	22.05.2024
5.	**Date of Sample Receipt**	:	30.05.2024
6.	**Sample Code**	:	17400
7.	**Analysis Starting Date**	:	30.05.2024
8.	**Analysis Completion Date**	:	29.05.2024
9.	**Report Issue date**	:	30.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011640F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	35
Stack Temperature (°C)	126
Velocity (m/s)	7.1
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	25191.936	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	73.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	18.8	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	4.28	<150
Carbon Dioxide as CO_2		%	0.33	<1

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Boiler – 10TPH & 6TPH**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	17.08.2024
5.	Date of Sample Receipt	:	19.08.2024
6.	Sample Code	:	28217
7.	Analysis Starting Date	:	26.08.2024
8.	Analysis Completion Date	:	26.08.2024
9.	Report Issue date	:	27.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018378F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	116
Velocity (m/s)	6.9
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	24467.4	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	22.6	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	60.8	<150
Carbon Dioxide as CO_2		%	8.12	<12

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Boiler – 10TPH & 6TPH**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.07.2024
5.	Date of Sample Receipt	:	20.07.2024
6.	Sample Code	:	24933
7.	Analysis Starting Date	:	26.07.2024
8.	Analysis Completion Date	:	19.06.2024
9.	Report Issue date	:	27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016384F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	36
Stack Temperature (°C)	124
Velocity (m/s)	7.1
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	25523.4	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	75.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	20.5	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	66.4	<150
Carbon Dioxide as CO_2		%	8.44	<12

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/SE/RF/01/00

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**Boiler – 10TPH & 6TPH**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	21.09.2024
5.	Date of Sample Receipt	:	23.09.2024
6.	Sample Code	:	32469
7.	Analysis Starting Date	:	23.09.2024
8.	Analysis Completion Date	:	28.09.2024
9.	Report Issue date	:	30.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000021141F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	123
Velocity (m/s)	7.6
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	26966.02	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	70.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	19.2	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	62	<150
Carbon Dioxide as CO_2		%	7	<12

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

-: END OF REPORT :-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

Fire Hydrant Photographs
attached as
Annexure No-12.

Shilpa Pharma Lifesciences Ltd Unit-2



Training Records are attached as Annexure No-13.

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
1	KASHINATH SHASHIKANT KASTURE - [7336]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
2	Chanukya S [1978]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
3	Balaji Kisanrao Kadam - [1221]	Analytical research and Development (AR&D)	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
4	Bheemrayudu Konkal [2356]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
5	Omprakash . [2199]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
6	PEGGI RAJU . [6331]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
7	Bala Krishna Reddy Vaka [2459]	Quality Assurance	09	05-Mar-2024	05-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
8	Lakshmi Kanth . [1360]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
9	Praveen Kumar Puli [3760]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
10	Jalandar Pasula [1610]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
11	Ediga Khajan Goud [1627]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
12	S Jayadev Gorantla [1206]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
13	Irfan Mahammad [2793]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
14	OJA SUBRAMANYAM - [6670]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
15	Tirupathi Goud [2398]	Quality Assurance	09	05-Mar-2024	05-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
16	SURENDRA BABU GOLLA [5596]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
17	Vasu Madivada [1434]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
18	MAHESH BASAPPA HATTALI . [5379]	Quality control	09	05-Mar-2024	05-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
19	Somanath Reddy Gaddam [2193]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
20	YOGEESH C JAHAGIRDAR . [6063]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
21	CHILUKU HARIKRISHNA - [7293]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
22	Sandeep Kulkarni [1234]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
23	Jampali Raghavender [2895]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
24	AMIT ASHOK MALI . [5880]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
25	Anwar Basha Katika [1625]	Quality Assurance	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
26	Shivaraj Jojan [1406]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
27	Santhosh Raju Posani [3612]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
28	Suresh Goud Shagala [1486]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
29	Nagaraju Eeda [2078]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
30	CHEKUBOYINA SURYAVAMSI GOKUL - [6157]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
31	Devidas Dattatray Gund . [4173]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
32	MAHESH MALLINATH SHERIKAR - [6617]	Quality control	09	05-Mar-2024	06-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
33	Venkata Gouri Janakiram Arepu [3749]	Quality Assurance	09	05-Mar-2024	06-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
34	Madhav Vinayak Kumbhar - [5184.]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
35	TUSAR KUMAR MOHAPATRA . [5954]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
36	Sunil Kumar Patra [2963]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
37	Yallaling Pujari N [4078]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
38	Pavan Bijji [2033]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
39	Srinivas Reddy Narava [2837]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
40	Bathala Purushotham [3719]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
41	SUDARSHAN DATTRAO GIRI . [6096]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
42	Anantha Sena Reddy Gaunolla [1395]	Quality Assurance	09	05-Mar-2024	07-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
43	Krishna . [1157]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
44	AMIT ANNAPPA ATHANI - [6254]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
45	Basavaraja S D [3488]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
46	Deva Kumar Ambigar [2040]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
47	Chinna Masum Kasanna Gari [1784]	Quality control	09	05-Mar-2024	07-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
48	BIRENDRA KUMAR RANA . [4716]	Quality control	09	05-Mar-2024	08-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
49	Bheemsingh Rathod [2404]	Quality control	09	05-Mar-2024	08-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
50	RUSHIKESH BALASAHEB MALI - [6793]	Quality control	09	05-Mar-2024	08-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
51	MOTIKA BABU . [6091]	Quality control	09	05-Mar-2024	08-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
52	Pulla Reddy Gowreddy [1846]	Quality control	09	05-Mar-2024	08-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
53	MANIDEEP BH - [6501]	Quality control	09	05-Mar-2024	08-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
54	Suresh Kumar Reddy Patchaela [1569]	Quality control	09	05-Mar-2024	08-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
55	Sandeep Kumar Yasa [2451]	Quality control	09	05-Mar-2024	10-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
56	Leela Mohan Burra [3382]	Quality control	09	05-Mar-2024	10-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
57	Devaraja . [1248]	Quality control	09	05-Mar-2024	11-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
58	Kallipati Nagabhushanam . [3853]	Quality control	09	05-Mar-2024	11-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
59	Prasadu Nakka [2343]	Quality control	09	05-Mar-2024	11-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
60	Manjeet Singh - [7310]	Analytical research and Development (AR&D)	09	05-Mar-2024	12-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
61	Theja P . [4985]	Quality control	09	05-Mar-2024	13-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
62	KUKNOOR HANMANTHU . [5858]	Quality control	09	05-Mar-2024	13-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
63	Bijay Ketan Mangaraj [1168]	Quality control	09	05-Mar-2024	15-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
64	Purnaprajna Kulkarni [3323]	Quality control	09	05-Mar-2024	15-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
65	BOOSUPALLI SANJEEVA REDDY - [6961]	Quality control	09	05-Mar-2024	15-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
66	RAKESH KUMAR P - [6631]	Quality control	09	05-Mar-2024	15-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
67	Raja Kumar Anipe [1798]	Quality control	09	05-Mar-2024	15-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
68	T D Anil Kumar [2844]	Quality control	09	05-Mar-2024	16-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
69	Bharmanna Shivaraya Petarge [1186]	Quality control	09	05-Mar-2024	16-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
70	SAGAR BALU BAGAV . [5376]	Quality control	09	05-Mar-2024	17-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
71	Sivaprasad Reddy Munagala [2138]	Quality control	09	05-Mar-2024	18-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
72	Rajesh Bari [1595]	Quality Assurance	09	05-Mar-2024	18-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
73	V.N.PRASAD ANDE . [1581.]	Quality control	09	05-Mar-2024	19-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
74	Gurunath Lomada [1389]	Quality control	09	05-Mar-2024	20-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
75	Arvind Chandrakant Balkundi [2271]	Quality control	09	05-Mar-2024	20-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
76	Ashok Ellendula [3321]	Quality Assurance	09	05-Mar-2024	20-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
77	Vivekanand Hosur [1916]	Quality control	09	05-Mar-2024	22-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
78	Maruthirao Jangiti [1169]	Quality Assurance	09	05-Mar-2024	24-Mar-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024
79	Chandra Sekhar Kummari [2972]	Quality control	09	05-Mar-2024	28-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
80	GYANESHWAR MANIKRAO SHEP . . [4826]	Quality control	09	05-Mar-2024	28-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
81	G Pratap Reddy [3785]	Quality control	09	05-Mar-2024	29-Mar-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-001

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
82	Venkata Reddy Padala [1756]	Quality Assurance	09	05-Mar-2024	01-Apr-2024	Self	100.0	Online	Pass	Employee has cleared the test	13-Mar-2024
83	Vaibhav Suryabhan Kakade - [5111]	Analytical research and Development (AR&D)	09	05-Mar-2024	03-Apr-2024	Self	90.0	Online	Pass	Employee has cleared the test	13-Mar-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
1	Chanukya S [1978]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
2	Anupam Kapoor [1222]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
3	Rudramuni Hiremath . [1609]	Microbiology	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
4	Thondamalla Venkata Praveen Kumar [3100]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
5	OJA SUBRAMANYAM - [6670]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
6	Brahmaiah Mandadapu [2409]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
7	DIPAK BALASAHEB SASANE - [6694]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
8	BADESAB HUSEN SHAIKH - [7188]	EHS	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
9	Bheemrayudu Konkal [2356]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
10	Bala Krishna Reddy Vaka [2459]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
11	Nagaraju Eeda [2078]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
12	Somanath Reddy Gaddam [2193]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
13	Manjeet Singh - [7310]	Analytical research and Development (AR&D)	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
14	Sunil Kumar Patra [2963]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
15	Ramanjulu Guttapalli [3011]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
16	RAMAVATH VENKATESU NAIK . [5592]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
17	GOWRU VISWANATHA REDDY . [4728]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
18	BASANA GOUDA C . [5314]	Engineering	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
19	Devidas Dattatray Gund . [4173]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
20	MOTIKA BABU . [6091]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
21	Satish Babu Kota [1489]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
22	Boya Mallikarjuna [2836]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
23	Vasu Madivada [1434]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
24	Nishant Kumar [2408]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
25	Amarsing Kisansing Rajput [3523]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
26	Anantha Sena Reddy Gaunolla [1395]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
27	SIDDHARAM CHANDRAM TOLANURE - [6616]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
28	Durga Sandeep Korasika . [4199]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
29	Mujahid Hussain [1716]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
30	VAIBHAV SANJAY KOTHARE . [5928]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
31	V V Chinna Bheema Raju [1296]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
32	Vishal Madhukar Kamble . [5028]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
33	Krishna . [1157]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
34	Rakesh . [2136]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
35	Vaibhav Vilas Deshpande [3406]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
36	Govindappa Galagali . [3940]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
37	KOTRAPPA D - [6661]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
38	Challa Rambabu [3832]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
39	Yashwanth Pasupula [3324]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
40	Bajeswara Rao Gottipati [3192]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
41	AMIT ANNAPPA ATHANI - [6254]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
42	S MAHESH . [6033]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
43	Amare Gouda . [1392]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
44	Vaibhav Suryabhan Kakade - [5111]	Analytical research and Development (AR&D)	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
45	Chinna Masum Kasanna Gari [1784]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
46	Yuvaraj . [3725]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
47	PRAMOD SUBHASH PATIL . [5607]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
48	Anil Gangadhar Bollineni [1321]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
49	Balaveeraiah Valadasu [1495]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
50	Suresh Kumar Reddy Patchaela [1569]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
51	OMKARESWARARAO PASUMARTHI [4454]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
52	Sudhir Patange [3152]	Engineering	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
53	Gousoddin Mohmad [2320]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
54	PARASHURAMA - [6286]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
55	Balachandar B [3481]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
56	T VENKATA NARAYANA - [6639]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
57	Venkata Reddy Padala [1756]	Quality Assurance	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
58	SUKADEV MOHNTY . [5491]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
59	Bathala Purushotham [3719]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
60	SWAPNIL SHARNAPPA CHATAGE . [5310]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
61	Gurunath Lomada [1389]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
62	Shivyogi Shankar Kognure [1413]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
63	Shivaraj Jojan [1406]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
64	Korlapu Apparao [2898]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
65	Khaja Sab [1155]	Engineering	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
66	Naresh Bhandarigal [2695]	Engineering	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
67	Nageswara Rao Gudavalli [1372]	Production	08	22-Feb-2024	22-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
68	Fayaz Ahmad Shaik [3019]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
69	Aravind Giddalur [2995]	Production	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
70	MAHESH BASAPPA HATTALI . [5379]	Quality control	08	22-Feb-2024	22-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
71	CHANDRARAO LENKA . [5736]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
72	APPIKATLA SAI KUMAR - [6542]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
73	Jindoba Kashinath Waghmode [2006]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
74	Bheemsingh Rathod [2404]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
75	Tanaji Sudhakar Somvanshi [4341]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
76	Rajshekar Reddy Kanala [1205]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
77	SUDHIR BHANUDAS PAWAR . [5402]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
78	MAHESH MALLINATH SHERIKAR - [6617]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
79	KUMMARI RAMESH - [7273]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
80	RAGHUPATHI ACHARI - [6222]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
81	BIRENDRA KUMAR RANA . [4716]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
82	Shankshank Suresh Banne . . [5031]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
83	Santosh Kumar . [3917]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
84	PRAVIN UDDHAV BANDAL . . [4810]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
85	Anwar Basha Katika [1625]	Quality Assurance	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
86	Prashant Kalyani Gundure [3644]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
87	Ravinder Reddy G [1583]	Microbiology	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
88	S P Prabhakar Siddeshwar Kumbhar [1482]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
89	Viishnu Manukondu [2520]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
90	VIJAY DATTATRAY BHANDALKAR - [7288]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
91	Kasi Sandeep Burugupalli [3017]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
92	Raja Babu Kaveti [1719]	Quality Assurance	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
93	Venkatesh Regula [3614]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
94	Veereshappa . [1045]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
95	Prasanna Ravindra Dhanshetti [1496]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
96	Awnesh Kumar Goswami [1366]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
97	Narasimahlu Gadwal [1257]	Warehouse	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
98	Bolla Surendra Reddy . [2236]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
99	MANVENDRA SINGH - [7322]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
100	Murali Krishna Pinakana [1275]	IT	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
101	G.Nagarjuna . [1604]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
102	Saidulu Kadakanchi [3465]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
103	RANJEET PANDURANG DEOKAR - [6308]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
104	Shankar Meedigada [2334]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
105	Tirupathi Goud [2398]	Quality Assurance	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
106	Jagannadham Immadi [3060]	Quality Assurance	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
107	Rajshekhar Bhimasha Gaikwad [3421]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
108	Ramesh Babu Ykkaluri [2075]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
109	Venkateshwarulu C [1190]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
110	RAJESH M . [5433]	Warehouse	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
111	SUMIT DINKAR SAWANT - [6668.]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
112	AVADHUT ASHOK KULKARNI . [5694]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
113	Anil Kumar Gupta [3207]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
114	Lokeswara Duthala . [3929]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
115	HANUMANTHA J GOWDA - [6284]	Warehouse	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
116	Ediga Khajan Goud [1627]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
117	Rajagopal Onteru [2113]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
118	MOHAMMAD ARSHAD AYYUB . . [4869]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
119	Siddhartha Reddy Pamuri [1247]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
120	NITINKUMAR VIRBHADRAPPA NASALE - [7286]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
121	Harun Rasheed Shaik [3291]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
122	Virendra B Kalshetti [4412]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
123	Srinivasa Rao Kodali [1318]	Engineering	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
124	Basavaraja S D [3488]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
125	SUSHANT PANDURANG PATIL . [5548]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
126	Ramachandrudu Boya [3278]	Quality Assurance	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
127	Mallesu Dalavai [2127]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
128	MAINGADDA SHIVAKUMAR . [6275]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
129	Praveen Kumar Mannur [1140]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
130	M.Veerendra Kumar [1161]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
131	Hari Maddiralla [2056]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
132	NITIN DILIP GAIKWAD . [5675]	Microbiology	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
133	Pavan Nagendra Narapu [2081]	Microbiology	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
134	Srinivas Reddy Narava [2837]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
135	Mahantesh Angadi [1122]	Warehouse	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-006

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
136	Vivekanand Hosur [1916]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
137	Devaraja . [1913]	Warehouse	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
138	Praveen Kumar Puli [3760]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
139	PEGGI RAJU . [6331]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
140	Arun Kumar Singh [1355]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
141	M Ramu . [1958]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
142	SANDRALA PRASAD - [6427]	Production	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024
143	Narasimha Murthy Venkata Nanduri [1937]	Production	08	22-Feb-2024	23-Feb-2024	Self	100.0	Online	Pass	Employee has cleared the test	26-Feb-2024
144	Chinmay Martha . [4340]	Quality control	08	22-Feb-2024	23-Feb-2024	Self	90.0	Online	Pass	Employee has cleared the test	26-Feb-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Employee Training Information Report

Status : Active
Information Type : Training Information
Latest Version : Yes
Assigned From :01 Nov 2023
Departments : ALL

SOP Copy : NA
Training Status:Completed
Ref. Doc. No.:-SOP-U-2-EHS-GEN-014
Assigned To :NA
Employee.:-ALL

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
1	Anjaliya Babu Dandu [1135]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
2	Channa Reddy [1069]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
3	SANTOSH K . [7049]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
4	Sharanappa Nammakam [1243]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
5	Ahmad Pasha [1277]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
6	Narasimahlu Gadwal [1257]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
7	Venkata Subba Reddy Dhani Reddy [1262]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
8	Umesh Jalkote [1304]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
9	Suresh Akkena [1394]	EHS	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 Jun 2024	15 Jun 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
10	Nageswara Rao Gudavalli [1372]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
11	Jindappa K [1193]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
12	Rajshekar Reddy Kanala [1205]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
13	Anil Gangadhar Bollineni [1321]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
14	Narasimhalu . [1906]	Engineering	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
15	Gundu Rao Badasheshi [1908]	Engineering	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
16	Devaraja . [1913]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
17	Alure Vasant [2025]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
18	Sharanabasava . [2720]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
19	Madarvali Syed [2412]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
20	Ranga Rao Baggu [1962]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
21	Sankar K [2212]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
22	B.Siva Kumar [2636]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
23	Saidulu Kadakanchi [3465]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
24	Vaibhav Vilas Deshpande [3406]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
25	VENKATA SURESH BABU YAMMANURU [2785]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
26	Hanumanthaaraya . [3077]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
27	Gunti Venkateswarlu [2900]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
28	Aravind Giddalur [2995]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
29	Narasimhalu . [3093]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
30	Bangarappa Gowda [3095]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
31	Ananda K [3799]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
32	Kadathala Sravan Goud . [3822]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
33	Virendra B Kalshetti [4412]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
34	Tanaji Sudhakar Somvanshi [4341]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
35	NAGARAJU P [4453]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
36	DIVI VENUGOPAL . . [4866]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
37	PRAVIN UDDHAV BANDAL . . [4810]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
38	DEEPAK GOVINDRAO NATKARE . . [4799]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
39	SANDRALA PRASAD - [6427]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
40	APPIKATLA SAI KUMAR - [6542]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
41	CHANDRA SHEKAR SHANTAM ALLAPPA DUDHANI . [6645]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
42	DIPAK BALASAH EB SASANE - [6694]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
43	Ramanjulu Guttapalli [3011]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
44	RAMAVA TH VENKATE SU NAIK . [5592]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
45	RAJESH M . [5433]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom
46	DUDEKUL A BALA HUSSAIN AIAH . [5487]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	Pass	R.ELANG OVAN - [6808]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
47	S SUMAN . [5503]	EHS	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 Jun 2024	15 Jun 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
48	VAIBHAV SANJAY KOTHARE . [5928]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	Pass	R.ELANGOVAN - [6808]	Classroom
49	CHEVITOLLA PEDDA RAMESH - [6163]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom
50	RAGHUPATHI ACHARI - [6222]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom
51	DERANGULA SRINIVAS RAO - [6193]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom
52	JE Raghunandan Goud [1408]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	06 Feb 2024	06 Feb 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

#	Employee Name	Department	Ref Doc No	Revision No	SOP Name	Assigned Date	Completion Date	Training Due Date	Score	Status	Trainer	Training Mode
53	SHANI P T . [7539]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom
54	SAGAR LAXMAN GAVALI - [7565]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom
55	KRISHNA VIJAY CHANDGUDE - [7508]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom
56	SALUNKHE NAMDEO SHIVAJI - [7168]	Warehouse	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	15 May 2024	15 May 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom
57	Biswaranjan Padhy [7387]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom
58	VENKAT PRASAD G - [7441]	Production	Adhoc Training	NA	Handling of hazardous chemicals (SOP-U-2-EHS-GEN-014-06)	24 Apr 2024	24 Apr 2024	NA	NA	NA	R.ELANGOVAN - [6808]	Classroom

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
1	Challa Rambabu [3832]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
2	Prasanna Ravindra Dhanshetti [1496]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
3	Shivaraj Jojan [1406]	Quality control	05	14-Sep-2024	14-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
4	Nageswara Rao Gudavalli [1372]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
5	Arun Kumar Singh [1355]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
6	MANJUNATH VITTHAL HONNUNGRE . [4685]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
7	SAGAR LAXMAN GAVALI - [7565]	Production	05	14-Sep-2024	14-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
8	Abinash Parida [7388]	Production	05	14-Sep-2024	14-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
9	Virendra B Kalshetti [4412]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
10	Sandeep Gaddyappa Vadigeri [1251]	Engineering	05	14-Sep-2024	14-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
11	SIKANDAR - [7802]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
12	BADESAB HUSEN SHAIKH - [7188]	EHS	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
13	Umesh Jalkote [1304]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
14	VIJAY KUMAR N . [5208]	EHS	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
15	Devi Krishna Gujjula [2229]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
16	RITESH SALUNKE - [7504]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
17	Shankar Meedigada [2334]	Production	05	14-Sep-2024	14-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
18	Mallesu Dalavai [2127]	Production	05	14-Sep-2024	14-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
19	Arun Kumar Gunjanur [1307]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
20	OMKARESWARARAO PASUMARTHI [4454]	Production	05	14-Sep-2024	14-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
21	SANTOSH KUMAR MAHARANA - [7695]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
22	Biswaranjan Padhy [7387]	Production	05	14-Sep-2024	14-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
23	Anilkumar Polisetty . [3996]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
24	PARASHURAMA - [6286]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
25	VIKAS ASHOK DHANWAT - [7607]	Production	05	14-Sep-2024	14-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
26	PRITHIVIRAJ POPAT RANANAVARE - [7277]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
27	Rajshekhar Bhimasha Gaikwad [3421]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
28	VIVEK KUMAR - [7478]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
29	MANVENDRA SINGH - [7322]	Production	05	14-Sep-2024	14-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
30	Samir Kisan Ghuge . [4359]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
31	PINJARI SAIFULLA . [5549]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
32	MALLIKARJUNA GOWDA G M - [7519]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
33	ANIL SHANKAR RATHOD - [7590]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
34	SUNIL KUMAR YADAV - [7413]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
35	Puramshetti Srinivas [2908]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
36	Masuldar Abdul Zaber shaik [3476]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
37	Anil Gangadhar Bollineni [1321]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
38	SRIHARI CHOUDHURY - [7722]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
39	CHANNESHAPPA H . . [4824]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
40	MOKIND GIJE - [7505]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
41	Thondamalla Venkata Praveen Kumar [3100]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
42	MANOJ KUMAR - [7283]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
43	VELPULA MALLESWARA RAO - [7615]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
44	ATUL DWIVEDI - [7373]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
45	NASIRAHMAD MAKANDAR - [7720]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
46	Suman Midde [1347]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
47	Balaji Vamanrao Handge . [4000]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
48	GANESH KUMAR GUPTA . . [4818]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
49	SALUNKE AKSHAY - [7464]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
50	Brahmaiah Mandadapu [2409]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
51	Prashant Kalyani Gundure [3644]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
52	SANTOSH K . [7049]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
53	PARAMESHWAR . . [5155]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
54	Edukondalu Pagolu [2849]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
55	Alure Vasant [2025]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
56	KUMMARI RAMESH - [7273]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
57	Balachandar B [3481]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
58	CHAPALI NARSIMULU - [7234]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
59	Fayaz Ahmad Shaik [3019]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
60	SUSHANT PANDURANG PATIL . [5548]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
61	MILIND MANIK SARPE - [7446]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
62	ANISH CHANDRAN - [6960]	Warehouse	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
63	Narasimahlu Gadwal [1257]	Warehouse	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
64	Jindappa K [1193]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
65	B. Linga Reddy - [1563]	Warehouse	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
66	SHIVANAND RAMESH KOLLI - [7431]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
67	Madarvali Syed [2412]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
68	Attunuru Prasad Reddy [2952]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
69	ROSHAN CHANDRABHAN BASSI - [7610]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
70	Venkateshwarulu C [1190]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
71	Aravind Giddalur [2995]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
72	NITINKUMAR VIRBHADRAPPA NASALE - [7286]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
73	GOOTLO PAVAN KUMAR . . [4649]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
74	UMESHA . [4609]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
75	SURAJ MARUTI GAVADE - [7509]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
76	Anjaliya Babu Dandu [1135]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
77	Raghavendra Rao K . [5029]	Warehouse	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
78	SANDRALA PRASAD - [6427]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
79	Srinivas Avula [1310]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
80	SALUNKHE NAMDEO SHIVAJI - [7168]	Warehouse	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
81	HANUMANTHA J GOWDA - [6284]	Warehouse	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
82	Sudhakar Chindukuri [1483]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
83	Sharanappa Nammakam [1243]	Warehouse	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
84	Avularaju Pokala [2307]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
85	PANKAJ SHAMUVEL PANDIT - [7732]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
86	LOKESH SHIVANAND ATHANI [7594]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
87	BAPALA MANOJ KUMAR - [7450]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
88	SIDHAJI RAM MASHALE . [4419]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
89	NILESH BABUSAHEB GAWADE - [7671]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
90	Shrishail Jyotiba Gade [2166]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
91	MAHESH MANIK VANVE . . [5301]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
92	S SATISH - [7569]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
93	VISHAL KUMAR - [7343]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
94	CHEVITOLLA PEDDA RAMESH - [6163]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
95	AVINASH ANNASO BHUJAWADKAR - [7660]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
96	VIJAY DATTATRAY BHANDALKAR - [7288]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
97	Naveen Samgapu [2919]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
98	SUKADEV MOHNTY . [5491]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
99	Hari Om Kumar [1842]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
100	PERUMALA SATISH KUMAR . . [4666]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
101	Gurrala Bhavani Sankar . . [3885]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
102	Ganga Sagar Gaur . [4005]	Production	05	14-Sep-2024	15-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
103	MAHADEV RAMESH - [7459]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
104	MALAKARI CHOUGULE [7393]	Quality control	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
105	MOHAMMED NASEER HUSSAIN - [7659]	Production	05	14-Sep-2024	15-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
106	Vijaya Bhaskar K . [5030]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
107	VINUKONDA SRIRAMULU - [6763]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
108	SACHIN SHIVAJI SHENDAGE - [7533]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
109	AMOL TUKARAM DHANWATE - [7361]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
110	KONKAL ANJANEYULU - [7542]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
111	Rajeev Perimi [2787]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
112	Baswraj Kalyani Gundure . [4324]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
113	PRASHANT VIJAYKUMAR KAMATHI - [7366]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
114	Suresh Shivamurthi [1418]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
115	Shrishail Shivasharanappa Bambase [2214]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
116	VEEREJU CHITTIBABU - [7664]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
117	THAMATAM SANTI . . [4901]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
118	Balaveeraiah Valadasu [1495]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
119	BEERAPPA GAWADE . [5438]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
120	Ramesh Babu Ykkaluri [2075]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
121	Tanaji Sudhakar Somvanshi [4341]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
122	RAGHUPATHI ACHARI - [6222]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
123	BYRAKONDA HARIKRISHNA - [7311]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
124	Devendra Pratap Singh [1209]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
125	RAMAVATH VENKATESU NAIK . [5592]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
126	Nishant Kumar [2408]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
127	Saidulu Kadakanchi [3465]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
128	SHIVNARAYAN PRAJAPATI - [7487]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
129	M Ramu . [1958]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
130	Ranga Rao Baggu [1962]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
131	SHRIKRUSHNA SUBHASH TELORE - [7110]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
132	Boyini Parushuram [2911]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
133	A VEERESHA - [7466]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
134	CHANDRASHEKAR SHANTAMALLAPPA DUDHANI . [6645]	Warehouse	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
135	S SUMAN . [5503]	EHS	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
136	Narasimha Murthy Venkata Nanduri [1937]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
137	Mulaparthi Samraj [2601]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
138	Gunti Venkateswarlu [2900]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
139	Venkata Subba Reddy Dhani Reddy [1262]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
140	Somanath Reddy Gaddam [2193]	Quality control	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
141	Raja Kumar Anipe [1798]	Quality control	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
142	Vijay Kumar Kuruva [1147]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
143	RAHUL JADHAV - [7524]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
144	APPIKATLA SAI KUMAR - [6542]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA PHARMA LIFESCIENCES LIMITED UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
145	MANGESH BANDUJI UKE . . [4677]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
146	VAIBHAV SANJAY KOTHARE . [5928]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
147	Nageshwar Rao Padamati [1364]	Production	05	14-Sep-2024	16-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
148	M RAMAKRISHNA - [7628]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
149	Kadathala Sravan Goud . [3822]	Production	05	14-Sep-2024	16-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
150	Ananda K [3799]	Production	05	14-Sep-2024	17-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
151	SAGAR BALU BAGAV . [5376]	Quality control	05	14-Sep-2024	17-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
152	CHILUKU HARIKRISHNA - [7293]	Quality control	05	14-Sep-2024	17-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
153	Shivyogi Shankar Kognure [1413]	Production	05	14-Sep-2024	17-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

SHILPA
PHARMA
LIFESCIENCES
LIMITED
UNIT-2

Sop Training Log

RefdocNo.:SOP-U-2-EHS-GEN-020

Completed Training

#	Employee Name	Department	Revision No.	Assign Date	Completion Date	Trainer Name	Score(in %)	Training Mode	Status	Comment	Training Due Date
154	DATTATRYA SADASHIV JADHAV - [7397]	Production	05	14-Sep-2024	17-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
155	Jindoba Kashinath Waghmode [2006]	Production	05	14-Sep-2024	17-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
156	S. Kiran Kumar . [5350]	Production	05	14-Sep-2024	17-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
157	Deva Kumar Ambigar [2040]	Quality control	05	14-Sep-2024	17-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
158	T BALAJI SAVANTH . [6585]	Production	05	14-Sep-2024	17-Sep-2024	Self	90.0	Online	Pass	Employee has cleared the test	20-Sep-2024
159	VENKAT PRASAD G - [7441]	Production	05	14-Sep-2024	17-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
160	Rajshekar Reddy Kanala [1205]	Production	05	14-Sep-2024	17-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
161	Govindarajulu Mendi Srinivasulu [1070]	Production	05	14-Sep-2024	17-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024
162	Sunil Kumar Patra [2963]	Quality control	05	14-Sep-2024	17-Sep-2024	Self	100.0	Online	Pass	Employee has cleared the test	20-Sep-2024

Medical reports are attached as Annexure No-14

Subject to Raichur Jurisdiction only

R.K.B. Foundation's

M. K. BHANDARI HOSPITAL

Opp. Gowshala, Gunj Road, RAICHUR - 584 102.

Ph : 235611, 235213, Fax : 08532 - 235711 e-mail : mkbhospital1994@gmail.com

PHYSICAL FITNESS CERTIFICATE

1. I do hereby certify that I have examined **Mr.Sujit Subhash Rokade S/O Mr.Subhash Rokade** candidate **Senior Chemist** and that I cannot discover that he/she has any disease, constitutional, he/she doesn't have **cough, cold, fever.**

   Affection or bodily infirmity except **A Mole on Left Leg.**
   I do not consider this as disqualification for employment in office Of **Shilpa Pharma LifeSciences LTD,**

2. I am also satisfied by personal examination from certificate produced by that he/ She was Cowid vaccinated.

3. **Mr.Sujit Subhash Rokade age** is according to his/her own Statement **34** years and by appearance about **Thirty Four** Years.

4. Height: **163 cms** 5. Weight: **73 kgs**

6. Acuteness of vision: a) Right Eye **6/6** b) Left Eye **6/6**

7. Pulse: **80,** **8.** BP: **120/80,** **9.Temp: 98 F,** **10.** RS: **NAD,** **11.** PA: **Soft,**

12. Audiometer: **S_1 S_2 Heard,** **13.** CNS; **NAD,** **14.Blood Group: B+ve,**

Result ; FIT

Station: **Raichur**

Date: **09-10-2024**

Rokade

Signature of candidate

Signature of Physician

Dr. Ramesh

R.K.B.Foundation's
Tel : 08532-235611 6360751934

M K BHANDARI HOSPITAL

LAB Report

Name	SUJIT SUBHASH ROKADE	**Patient ID**	OP7054/24-25/
Age & Sex	34 Years / Male	**Ref.Number**	LBR/24-25/ 2800
Referred By	Dr Amaresh	**Date**	09-10-2024

Hematology

TEST	RESULT	REFERENCERANGE	UNITS
Heamoglobin	13.9	14 - 18	gm%
Total Leukocyte Count	6,400	4000 - 11300	Cells/cumm
Differintial Leukocytes Count			
Polymorphs	55	45 - 70	%
Lymphocytes	40	20 - 45	%
Eosinophils	02	1 - 6	%
Monocytes	03	1 - 10	%
Basophils	00	0 - 1	%
Absolute Eosinophil Count	200	40 - 440	Cells/cumm

TEST	RESULT	REFERENCERANGE	UNITS
Blood Group	" B "		
RH Typing	Positive		

Bio-Chemistry

TEST	RESULT	REFERENCERANGE	UNITS
Random Blood Sugar	123	70 - 140	mg/dl

Serology

TEST	RESULT	REFERENCERANGE	UNITS
VDRL	Non-Reactive		

Microbiology

TEST	RESULT	REFERENCERANGE	UNITS
Sputum for AFB	Negative		

RAICHUR 584102.

TEST	RESULT	REFERENCERANGE	UNITS

R.K.B.Foundation's
Tel : 08532-235611 6360751934

M K BHANDARI HOSPITAL

LAB Report

Name	SUJIT SUBHASH ROKADE	**Patient ID**	OP7054/24-25/
Age & Sex	34 Years / Male	**Ref.Number**	LBR/24-25/ 2800
Referred By	Dr Amaresh	**Date**	09-10-2024

Urine Complete Examination

Physical Examination		
Colour	Yellow	
Turbidity	Nill	
Deposit	Nill	
Reaction	Alkaline	
Specific Gravity	1.030	1.010 - 1.030
Chemical Examination		
Albumin	Nill	
Sugar	Nill	
Ketone Bodies	Absent	
Bile Salt	Absent	
Bile Pigment	Absent	
Blood	Absent	
Urobilinogen	Nil	
Chyle	Nil	
Microscopic Examination /Hpf		
Pus Cells	1 - 2	
Epithelial Cells	0 - 1	
Red Blood Cells	Nil	
Casts	Nil	
Crystals	Nil	
Others	Nil	

M.K. BHANDARI HOSPITAL RAICHUR 584102.

Lab Technician

Pathologist

09-10-2024 11:51:23 AM
ID:

Male Years

HR	: 71	bpm
P	: 112	ms
PR	: 174	ms
QRS	: 96	ms
QT/QTc	: 382/417	ms
P/QRS/T	: 34/46/21	°
RV5/SV1	: 1.284/0.821	mV

Diagnosis Information:
Sinus Rhythm
Normal ECG

Sujatha Subhash.

M.K. BHANDARI HOSPITAL * RAICHUR 584102.

Report Confirmed by:



0.67~25Hz AC50 25mm/s 10mm/mV 2*5s+1r ♥71 V2.01 SEMIP V1.7 M.K.Bhandari Hospital. Raichur.

R. K. B. Foundation's
M. K. BHANDARI HOSPITAL
Opp. Gowshala, Gunj Road, RAICHUR - 584 102. (Karnataka)
✆ : 235611, 235213, 6360751934, e-mail : mkbhospital1994@gmail.com https://rkbfoundation.org/
(AN ISO 9001 - 2015 CERTIFIED HOSPITAL) RECOGNIZED BY GOVERNMENT OF KARNATAKA

Patient Name: Mr. Sujit Subhash Rokade Age/Sex: 34Y/M ID. NO: MKB

Referred By: Dr: Amaresh Patil, MBBS MD (GEN PHY) MKB Date: 09-10-2024

X-RAY CHEST PA VIEW

Bony-cage and the visualized soft tissues reveal no obvious abnormality.

Cardia is normal in size.

Mediastinum is central.

Pulmonary vasculature normal.

Both the lung zones clear.

Both CP angles clear.

IMPRESSION:

- NO RADIOGRAPHIC ABNORMALITY DETECTED.

Please correlate clinically.

Dr. Kiranmai MD, DNB
Consultant Radiologist


5
L

Green Belt Photographs
attached as Annexure No-15.

Green House

Green House

Green House

Green House

Peso License for Diesel and furnace oil Copy attached as Annexure No-16.

भारत सरकार
Government of India
वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)
Petroleum & Explosives Safety Organisation (PESO)
A और D - विंग, ब्लॉक 1-8, दूसरा तल, शास्त्री भवन, 26 हड्डोउस रोड, नुंगम्बक्कम
चेन्नै- 600006
A & D - Wing, Block 1-8, IInd Floor, Shastri Bhavan, 26 Haddous Road, Nungambakkam,
Chennai - 600006

E-mail : jtccechennai@explosives.gov.in
Phone/Fax No : 044 -
28287118,28281023,28281041,28287119/28284848

संख्या /No. : P/HQ/KA/15/2631 (P234951)

दिनांक /Dated : 12/05/2022

सेवा में
/To,

M/s. SHILPA PHARMA LIFESCIENCES LIMITED,
100 Export Oriented Unit,
10/80, 1st Floor,
RAJENDRA GUNJ,
RAJENDRA GUNJ,
Taluka: Raichur,
District: RAICHUR,
State: Karnataka
PIN: 584102

विषय /Sub : Plot No, Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 में स्थित विद्यमान पेट्रोलियम वर्ग B,C अधिष्ठापन में पेट्रोलियम नियम 2002 के अंतर्गत प्ररूप XV में जारी अनुज्ञप्ति सं P/HQ/KA/15/2631 (P234951) के ट्रांसफर के संदर्भ में।

Existing Petroleum Class B,C Installation at Plot No, Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 - Licence No. P/HQ/KA/15/2631 (P234951) granted in Form XV under Petroleum Rules 2002 Transfer of License regarding.

महोदय /Sir(s),

कृपया आपके आवेदन क्रमांक OIN1068051 दिनांक 10/05/2022 का अवलोकन करें।

Please refer to your application No.: OIN1068051, dated 10/05/2022

दिनांक 31/12/2025 तक वैध अनुज्ञप्ति संख्या P/HQ/KA/15/2631 (P234951) दिनांक 12/05/2022 उपरोक्तानुसार आपके नाम विधिवत ट्रांस्फर कर लौटाई जा रही हैं।

Licence No. P/HQ/KA/15/2631 (P234951) dated 12/05/2022 valid upto 31/12/2025 is returned herewith duly transferred in your name as above.

कृपया पावती दें।

Please acknowledge the receipt.

भवदीय /Yours faithfully,

((डी.सी.पांडेय)
(D.C.PANDEY))
विस्फोटक नियंत्रक
Controller of Explosives
कृते संयुक्त मुख्य विस्फोटक नियंत्रक
For Jt. Chief Controller of Explosives
चेन्नै/Chennai

Copy forwarded to :-

1. The The Dy. Commissioner & District Magistrate, Raichur , RAICHUR(Karnataka) with reference to his NOC No rbr/ptm/5/2009-10/24 Dated 30/03/2010
2. The Dy. Chief Controller of Explosives, Mangalore. A Copy of the licence along with approved plan is enclosed.
3. M/s. Shilpa Medicare Ltd., 100 Export Oriented Unit, 10/80, 1st Floor, RAICHUR, Rajendra Gunj, , Karnataka, 584102

For Jt. Chief Controller of Explosives
Chennai

Note:-This is system generated document does not require signature.

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : http://peso.gov.in देखें)

(For more information regarding status, fees and other details please visit our website http://peso.gov.in)

Digitally signed by DR D C PANDEY
Reason: Licence No : P/HQ/KA/15/2631
Location: South Circle Office (P234951)
Date: 2022.05.12 03:38:24 +05:30

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

Issued in lieu of Old License in favour of M/s. Shilpa Medicare Ltd.

अनुज्ञप्ति सं. (Licence No.) : P/HQ/KA/15/2631(P234951)

फीस रूपए (Fee Rs.) 10000/- per year

M/s. SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 10/80, 1st Floor, RAJENDRA GUNJ, RAJENDRA GUNJ, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 को केवल इसमें यथा विनिर्दिष्ट वर्ग और मात्राओं में पेट्रोलियम 40.00 KL आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या P/HQ/KA/15/2631(P234951) तारीख 12/05/2022 जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती है।

Licence is hereby granted to M/s. SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 10/80, 1st Floor, RAJENDRA GUNJ, RAJENDRA GUNJ, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 valid only for the importation and storage of 40.00 KL Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No P/HQ/KA/15/2631(P234951) dated 12/05/2022 attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December 2025 तक प्रवृत रहेगी।
The Licence shall remain in force till the 31st day of December 2025

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	NIL
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	NIL
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	20.00 KL
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	NIL
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	20.00 KL
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C,otherwise than in bulk	NIL
कुल क्षमता /Total Capacity	40.00 KL

April 19, 2010

Chief Controller of Explosives

1). Amendment dated - 12/02/2016

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टयां संलग्न अनुमोदित नक्शे में दिखाई गई हैं Plot No: Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 स्थान पर अवस्थित है तथा उसमें निम्नलिखित 1 Above Ground tank(s) for CLASS B , 1 Above Ground tank(s) for CLASS C , सम्मिलित हैं।

The licensed premises, the layout , boundaries and other particulars of which are shown in the attached approved plan are situated at Plot No: Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134 and consists of 1 Above Ground tank(s) for CLASS B , 1 Above Ground tank(s) for CLASS C , together with connected facilities.

Note:-This is system generated document does not require signature.

Peso License for solvents attached as Annexure No-17

भारत सरकार
Government of India
वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)
Petroleum & Explosives Safety Organisation (PESO)
सीटी सेंटर, दुसरी मंजिल, होटल रुपा के सामने, बालमट्टा रोड
मैंगलूर- 575001
2nd floor, City Centre, Opposite Hotel Roopa , Balmatta Road,
Mangalore - 575001

E-mail : **dyccemangalore@explosives.gov.in**
Phone/Fax No : **0824 - 2420167,2441588**

संख्या /No. : **P/HQ/KA/15/2540 (P189192)** दिनांक /Dated : **18/07/2023**

सेवा में
/To,

SHILPA PHARMA LIFESCIENCES LIMITED,
100 Export Oriented Unit,
2nd Floor, 10/80, Rajendra Gunj,
CHIKSUGUR,
Raichur,
Taluka: Raichur,
District: RAICHUR,
State: Karnataka
PIN: 584102

विषय /Sub : **Plot No, Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** में स्थित विद्यमान पेट्रोलियम वर्ग **A** अधिष्ठापन में अनुज्ञप्ति सं **P/HQ/KA/15/2540 (P189192)** के नवीकरण के संदर्भ में ।
Existing Petroleum Class **A** Installation at **Plot No, Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** - Licence No. **P/HQ/KA/15/2540 (P189192) - Renewal** regarding.

महोदय /Sir(s),

कृपया आपके पत्र क्रमांक **OIN1384262** दिनांक **11/07/2023** का अवलोकन करें ।
Please refer to your letter No.: **OIN1384262**, dated **11/07/2023**

अनुज्ञप्ति संख्या **P/HQ/KA/15/2540 (P189192)** दिनांक **12/05/2022** को दिनांक **31/12/2028** तक नवीनीकृत कर इस पत्र के साथ अग्रषित की जा रही है ।
Licence No. **P/HQ/KA/15/2540 (P189192)** dated **12/05/2022** is forwarded herewith duly renewed upto **31/12/2028**.

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कडाई से पालन करें । अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व कार्यालय को प्रेषित करें ।
Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence **so as to reach this** office on or before the date on which Licence expires.

कृपया पावती दें।
Please acknowledge the receipt.

भवदीय /Yours faithfully,

((अहिन नंदी)
(AHIN NANDI))
उप विस्फोटक नियंत्रक
Dy. Controller of Explosives
कृते उप मुख्य विस्फोटक नियंत्रक
For Dy. Chief Controller of Explosives
मैंगलूर/Mangalore

Note:-This is system generated document does not require signature.
(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : http://peso.gov.in देखें)
(For more information regarding status,fees and other details please visit our website: http://peso.gov.in)

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.) : **P/HQ/KA/15/2540(P189192)** फीस रूपए (Fee Rs.) **13500**/- per year

SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 2nd Floor, 10/80, Rajendra Gunj, CHIKSUGUR, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 को केवल इसमें यथा विनिर्दिष्टु वर्ग और मात्राओं में पेट्रोलियम **220.00 KL** आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या **P/HQ/KA/15/2540(P189192)** तारीख **12/05/2022** जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती हैं ।

Licence is hereby granted to **SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 2nd Floor, 10/80, Rajendra Gunj, CHIKSUGUR, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102** valid only for the importation and storage of **220.00 KL** Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No **P/HQ/KA/15/2540(P189192)** dated **12/05/2022** attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December **2028** तक प्रवृत रहेगी ।
The Licence shall remain in force till the 31st day of December **2028**

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	**220.00 KL**
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	**NIL**
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	**NIL**
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	**NIL**
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	**NIL**
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C,otherwise than in bulk	**NIL**
कुल क्षमता /Total Capacity	**220.00 KL**

January 22, 2008

Chief Controller of Explosives

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टयां संलग्न अनुमोदित नक्शों में दिखाई गई हैं **Plot No: Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** स्थान पर अवस्थित है तथा उसमें निम्नलिखित **15 aboveground Petroleum Class A storage tanks together with connected facilities.** सम्मिलित हैं |

The licensed premises, the layout , boundaries and other particulars of which are shown in the attached approved plan are situated at **Plot No: Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** and consists of **15 aboveground Petroleum Class A storage tanks together with connected facilities.** together with connected facilities.

Note:-This is system generated document does not require signature.

Digitally signed by AHIN NANDI
Reason: Licence No P/HQ/KA/15/2540
Location: Mangalore [P189192]
Date: 2023.07.18 01:52:20 +05:30

Noise Reports are attached as Annexure No-18.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	22.04.2024
5.	Report Issue Date	:	27.04.2024
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407124000009554F**

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	62.9	60.1	61.5	75
2		At 08:00 AM	63.1	61.4	62.3	
3		At 09:00 AM	61.3	59.4	60.4	
u4		At 10:00 AM	62.8	60.3	61.6	
5		At 11:00 AM	64.0	62.2	63.1	
6		At 12:00 PM	63.9	61.8	62.9	
7		At 01:00 PM	61.9	59.4	60.7	
8		At 02:00 PM	65.2	63.2	64.2	
9		At 03:00 PM	62.9	60.2	61.6	
10		At 04:00 PM	63.2	61.4	62.3	
11		At 05:00 PM	62.7	60.4	61.6	
12		At 06:00 PM	61.9	59.2	60.6	
13		At 07:00 PM	60.1	58.4	59.3	
14		At 08:00 PM	59.2	57.4	58.3	
15		At 09:00 PM	62.4	60.3	61.4	
16		At 10:00 PM	61.2	59.4	60.3	
17		At 11:00 PM	63.2	60.2	61.7	70
18		At 12:00 AM	60.2	61.4	60.8	
19		At 01:00 AM	61.2	58.2	59.7	
20		At 02:00 AM	62.8	59.9	61.4	
21		At 03:00 AM	61.4	60.2	60.8	
22		At 04:00 AM	66.9	59.4	63.2	
23		At 05:00 AM	66.9	58.4	62.7	
24		At 06:00 AM	62.4	60.8	61.6	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 22.04.2024
5. **Report Issue Date** : 27.04.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407124000009555F**

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	60.1	58.4	59.3	75
2		At 08:00 AM	59.2	57.4	58.3	
3		At 09:00 AM	62.4	60.3	61.4	
4		At 10:00 AM	61.2	59.4	60.3	
5		At 11:00 AM	62.2	60.2	61.2	
6		At 12:00 PM	63.2	61.4	62.3	
7		At 01:00 PM	60.2	58.2	59.2	
8		At 02:00 PM	61.2	59.9	60.6	
9		At 03:00 PM	62.8	60.2	61.5	
10		At 04:00 PM	61.4	59.5	60.5	
11		At 05:00 PM	60.9	58.4	59.7	
12		At 06:00 PM	62.4	60.8	61.6	
13		At 07:00 PM	62.9	60.1	61.5	
14		At 08:00 PM	63.1	61.4	62.3	
15		At 09:00 PM	61.3	59.4	60.4	
16		At 10:00 PM	62.8	60.3	61.6	
17		At 11:00 PM	64.9	62.3	63.6	70
18		At 12:00 AM	63.9	61.8	62.9	
19		At 01:00 AM	61.8	59.4	60.6	
20		At 02:00 AM	65.2	63.2	64.2	
21		At 03:00 AM	62.9	60.2	61.6	
22		At 04:00 AM	63.2	61.4	62.3	
23		At 05:00 AM	62.7	60.9	61.8	
24		At 06:00 AM	61.9	59.2	60.6	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 22.04.2024
5. **Report Issue Date** : 27.04.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407124000009556F**

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	59.1	57.4	58.3	75
2		At 08:00 AM	58.1	56.3	57.2	
3		At 09:00 AM	61.4	59.3	60.4	
4		At 10:00 AM	60.8	58.3	59.6	
5		At 11:00 AM	57.9	55.1	56.5	
6		At 12:00 PM	56.7	54.2	55.5	
7		At 01:00 PM	55.3	53.8	54.6	
8		At 02:00 PM	54.2	52.2	53.2	
9		At 03:00 PM	55.4	53.9	54.7	
10		At 04:00 PM	56.9	54.2	55.6	
11		At 05:00 PM	61.4	59.2	60.3	
12		At 06:00 PM	62.9	60.1	61.5	
13		At 07:00 PM	60.4	58.9	59.7	
14		At 08:00 PM	61.7	59.4	60.6	
15		At 09:00 PM	60.8	58.7	59.8	
16		At 10:00 PM	63.2	61.4	62.3	
17		At 11:00 PM	61.8	59.4	60.6	70
18		At 12:00 AM	60.3	58.7	59.5	
19		At 01:00 AM	64.2	62.3	63.3	
20		At 02:00 AM	61.9	59.4	60.7	
21		At 03:00 AM	60.2	58.1	59.2	
22		At 04:00 AM	68.9	56.7	62.8	
23		At 05:00 AM	66.2	62.9	64.6	
24		At 06:00 AM	60.1	58.1	59.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1.	**Name of the industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
3.	**Particulars of Sample Collected**	:	Noise meter
4.	**Date of Monitoring**	:	22.04.2024
5.	**Report Issue Date**	:	27.04.2024
6.	**Method Adopted**	:	IS 9989: 2020

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407124000009557F**

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	59.1	57.4	58.3	75
2		At 08:00 AM	58.1	56.3	57.2	
3		At 09:00 AM	61.4	59.3	60.4	
4		At 10:00 AM	60.8	58.3	59.6	
5		At 11:00 AM	57.9	55.1	56.5	
6		At 12:00 PM	56.7	54.2	55.5	
7		At 01:00 PM	55.3	53.8	54.6	
8		At 02:00 PM	54.2	52.2	53.2	
9		At 03:00 PM	55.4	53.9	54.7	
10		At 04:00 PM	56.9	54.2	55.6	
11		At 05:00 PM	61.4	59.2	60.3	
12		At 06:00 PM	62.9	60.1	61.5	
13		At 07:00 PM	60.4	58.9	59.7	
14		At 08:00 PM	61.7	59.4	60.6	
15		At 09:00 PM	60.8	58.2	59.5	
16		At 10:00 PM	63.2	61.4	62.3	
17		At 11:00 PM	61.8	59.4	60.6	70
18		At 12:00 AM	60.3	58.7	59.5	
19		At 01:00 AM	69.2	62.3	65.8	
20		At 02:00 AM	61.9	59.4	60.7	
21		At 03:00 AM	60.2	58.1	59.2	
22		At 04:00 AM	58.9	56.7	57.8	
23		At 05:00 AM	64.2	62.9	63.6	
24		At 06:00 AM	60.1	58.1	59.1	

65.1INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory
B.Chinna Lingana Gouda
Chief executive of the laboratory

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 13.06.2024
5. **Report Issue Date** : 20.06.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000013475F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	64.8	60.1	62.4	75
2		At 08:00 AM	66.7	64.9	65.8	
3		At 09:00 AM	68.1	65.2	66.6	
4		At 10:00 AM	65.9	63.4	64.6	
5		At 11:00 AM	64.0	61.5	62.7	
6		At 12:00 PM	67.2	65.2	66.2	
7		At 01:00 PM	65.3	61.9	63.6	
8		At 02:00 PM	66.5	63.6	65.0	
9		At 03:00 PM	69.7	65.2	67.4	
10		At 04:00 PM	68.0	64.9	66.4	
11		At 05:00 PM	67.2	64.2	65.7	
12		At 06:00 PM	65.3	63.6	64.4	
13		At 07:00 PM	59.3	56.1	57.7	
14		At 08:00 PM	56.2	54.8	55.5	
15		At 09:00 PM	57.8	55.2	56.5	
16		At 10:00 PM	55.6	53.4	54.5	
17		At 11:00 PM	57.4	54.1	55.7	70
18		At 12:00 AM	58.1	56.6	57.3	
19		At 01:00 AM	56.0	53.5	54.7	
20		At 02:00 AM	58.2	54.1	56.1	
21		At 03:00 AM	57.4	53.2	55.3	
22		At 04:00 AM	56.3	53.6	54.9	
23		At 05:00 AM	58.2	54.8	56.5	
24		At 06:00 AM	59.1	56.2	57.6	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 13.06.2024
5. **Report Issue Date** : 20.06.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000013476F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	61.4	57.3	59.3	75
2		At 08:00 AM	63.1	60.1	61.6	
3		At 09:00 AM	65.8	61.8	63.8	
4		At 10:00 AM	64.2	62.4	63.3	
5		At 11:00 AM	63.9	60.9	62.4	
6		At 12:00 PM	62.7	59.2	60.9	
7		At 01:00 PM	64.0	61.4	62.7	
8		At 02:00 PM	65.2	61.7	63.4	
9		At 03:00 PM	66.3	63.8	65.0	
10		At 04:00 PM	64.8	61.2	63.0	
11		At 05:00 PM	63.2	60.0	61.6	
12		At 06:00 PM	62.9	59.2	61.0	
13		At 07:00 PM	60.1	57.6	58.8	
14		At 08:00 PM	58.4	54.2	56.3	
15		At 09:00 PM	57.3	55.3	56.3	
16		At 10:00 PM	59.2	56.3	57.7	
17		At 11:00 PM	54.6	51.8	53.2	70
18		At 12:00 AM	55.9	52.9	54.4	
19		At 01:00 AM	56.3	53.0	54.6	
20		At 02:00 AM	57.4	55.4	56.4	
21		At 03:00 AM	58.0	56.2	57.1	
22		At 04:00 AM	57.2	54.1	55.6	
23		At 05:00 AM	56.1	53.6	54.8	
24		At 06:00 AM	58.3	54.0	56.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 13.06.2024
5. **Report Issue Date** : 20.06.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000013477F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	72.8	68.4	70.6	75
2		At 08:00 AM	70.6	66.3	68.4	
3		At 09:00 AM	71.8	67.9	69.8	
4		At 10:00 AM	72.5	68.2	70.3	
5		At 11:00 AM	72.3	68.4	70.3	
6		At 12:00 PM	73.4	69.2	71.3	
7		At 01:00 PM	70.3	66.3	68.3	
8		At 02:00 PM	69.2	65.8	67.5	
9		At 03:00 PM	72.6	68.4	70.5	
10		At 04:00 PM	72.3	68.3	70.3	
11		At 05:00 PM	72.4	68.6	70.5	
12		At 06:00 PM	74.8	70.2	72.5	
13		At 07:00 PM	67.2	62.6	64.9	
14		At 08:00 PM	69.3	65.3	67.3	
15		At 09:00 PM	68.8	64.6	66.7	
16		At 10:00 PM	67.4	63.6	65.5	
17		At 11:00 PM	68.2	64.7	66.4	70
18		At 12:00 AM	68.9	64.2	66.5	
19		At 01:00 AM	65.3	62.6	63.9	
20		At 02:00 AM	65.4	62.3	63.8	
21		At 03:00 AM	66.2	63.8	65.0	
22		At 04:00 AM	68.8	64.6	66.7	
23		At 05:00 AM	68.3	65.2	66.7	
24		At 06:00 AM	65.7	62.6	64.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 13.06.2024
5. **Report Issue Date** : 20.06.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000013478F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	69.8	65.3	67.5	75
2		At 08:00 AM	70.4	64.5	67.4	
3		At 09:00 AM	72.8	68.1	70.4	
4		At 10:00 AM	71.6	67.4	69.5	
5		At 11:00 AM	70.8	66.5	68.6	
6		At 12:00 PM	72.3	68.2	70.2	
7		At 01:00 PM	74.6	70.3	72.4	
8		At 02:00 PM	72.6	68.4	70.5	
9		At 03:00 PM	71.3	67.3	69.3	
10		At 04:00 PM	70.5	66.5	68.5	
11		At 05:00 PM	73.2	69.2	71.2	
12		At 06:00 PM	72.4	68.4	70.4	
13		At 07:00 PM	71.6	67.5	69.5	
14		At 08:00 PM	70.8	66.9	68.8	
15		At 09:00 PM	74.3	70.3	72.3	
16		At 10:00 PM	73.5	69.2	71.3	
17		At 11:00 PM	70.6	66.4	68.5	70
18		At 12:00 AM	69.8	65.3	67.5	
19		At 01:00 AM	67.4	65.6	66.5	
20		At 02:00 AM	65.3	61.4	63.3	
21		At 03:00 AM	63.8	59.8	61.8	
22		At 04:00 AM	65.6	61.3	63.4	
23		At 05:00 AM	70.2	66.4	68.3	
24		At 06:00 AM	68.8	64.3	66.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 22.05.2024
5. Report Issue Date : 30.05.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000011655F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	64.9	62.9	63.9	75
2		At 08:00 AM	65.8	63.2	64.5	
3		At 09:00 AM	66.9	64.2	65.6	
4		At 10:00 AM	65.2	63.5	64.4	
5		At 11:00 AM	68.9	66.2	67.6	
6		At 12:00 PM	65.9	63.2	64.6	
7		At 01:00 PM	66.4	64.8	65.6	
8		At 02:00 PM	65.2	63.1	64.2	
9		At 03:00 PM	67.4	64.2	65.8	
10		At 04:00 PM	66.9	65.1	66.0	
11		At 05:00 PM	62.8	60.1	61.5	
12		At 06:00 PM	63.8	61.4	62.6	
13		At 07:00 PM	64.9	62.8	63.9	
14		At 08:00 PM	66.2	64.2	65.2	
15		At 09:00 PM	62.8	60.9	61.9	
16		At 10:00 PM	61.2	59.8	60.5	
17		At 11:00 PM	63.2	61.2	62.2	70
18		At 12:00 AM	64.8	62.9	63.9	
19		At 01:00 AM	65.2	63.2	64.2	
20		At 02:00 AM	60.2	58.4	59.3	
21		At 03:00 AM	63.5	59.2	61.4	
22		At 04:00 AM	65.8	60.8	63.3	
23		At 05:00 AM	63.5	61.2	62.4	
24		At 06:00 AM	66.8	63.7	65.3	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 22.05.2024
5. **Report Issue Date** : 30.05.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000011656F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	62.8	60.1	61.5	75
2		At 08:00 AM	63.8	61.4	62.6	
3		At 09:00 AM	64.9	62.8	63.9	
4		At 10:00 AM	66.2	64.2	65.2	
5		At 11:00 AM	62.8	60.9	61.9	
6		At 12:00 PM	61.2	59.2	60.2	
7		At 01:00 PM	63.2	61.2	62.2	
8		At 02:00 PM	64.8	62.9	63.9	
9		At 03:00 PM	65.2	63.2	64.2	
10		At 04:00 PM	60.2	58.4	59.3	
11		At 05:00 PM	64.9	62.2	63.6	
12		At 06:00 PM	65.8	63.2	64.5	
13		At 07:00 PM	66.9	64.2	65.6	
14		At 08:00 PM	65.2	63.5	64.4	
15		At 09:00 PM	68.0	66.2	67.1	
16		At 10:00 PM	65.9	63.2	64.6	
17		At 11:00 PM	68.9	64.8	66.9	70
18		At 12:00 AM	65.9	63.1	64.5	
19		At 01:00 AM	66.4	63.1	64.8	
20		At 02:00 AM	65.2	65.2	65.2	
21		At 03:00 AM	67.6	64.5	66.1	
22		At 04:00 AM	66.9	62.1	64.5	
23		At 05:00 AM	69.4	62.9	66.2	
24		At 06:00 AM	63.4	60.8	62.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratory BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 22.05.2024
5. **Report Issue Date** : 30.05.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000011657F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	60.4	58.9	59.7	75
2		At 08:00 AM	59.8	57.2	58.5	
3		At 09:00 AM	62.4	60.8	61.6	
4		At 10:00 AM	61.9	59.4	60.7	
5		At 11:00 AM	59.7	57.6	58.7	
6		At 12:00 PM	60.8	58.2	59.5	
7		At 01:00 PM	62.9	60.2	61.6	
8		At 02:00 PM	59.8	57.3	58.6	
9		At 03:00 PM	61.8	59.8	60.8	
10		At 04:00 PM	62.8	60.9	61.9	
11		At 05:00 PM	61.4	59.2	60.3	
12		At 06:00 PM	62.8	60.9	61.9	
13		At 07:00 PM	64.9	62.2	63.6	
14		At 08:00 PM	62.8	60.1	61.5	
15		At 09:00 PM	58.2	56.4	57.3	
16		At 10:00 PM	56.4	54.2	55.3	
17		At 11:00 PM	55.9	53.2	54.6	70
18		At 12:00 AM	54.9	52.1	53.5	
19		At 01:00 AM	53.8	51.2	52.5	
20		At 02:00 AM	53.9	53.8	53.9	
21		At 03:00 AM	56.9	50.2	53.6	
22		At 04:00 AM	55.4	51.7	53.6	
23		At 05:00 AM	58.9	54.6	56.8	
24		At 06:00 AM	56.8	50.1	53.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 22.05.2024
5. **Report Issue Date** : 30.05.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000011658F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	60.4	58.9	59.7	75
2		At 08:00 AM	59.8	57.2	58.5	
3		At 09:00 AM	62.4	60.8	61.6	
4		At 10:00 AM	61.9	59.4	60.7	
5		At 11:00 AM	59.7	57.6	58.7	
6		At 12:00 PM	66.8	58.2	62.5	
7		At 01:00 PM	62.9	60.2	61.6	
8		At 02:00 PM	59.8	57.3	58.6	
9		At 03:00 PM	61.8	59.2	60.5	
10		At 04:00 PM	64.8	60.9	62.9	
11		At 05:00 PM	60.4	58.9	59.7	
12		At 06:00 PM	59.8	57.2	58.5	
13		At 07:00 PM	62.4	60.8	61.6	
14		At 08:00 PM	61.9	59.4	60.7	
15		At 09:00 PM	59.7	57.6	58.7	
16		At 10:00 PM	60.8	58.2	59.5	
17		At 11:00 PM	62.9	60.2	61.6	70
18		At 12:00 AM	59.8	57.3	58.6	
19		At 01:00 AM	61.8	59.2	60.5	
20		At 02:00 AM	64.8	60.9	62.9	
21		At 03:00 AM	63.4	58.1	60.8	
22		At 04:00 AM	66.9	54.7	60.8	
23		At 05:00 AM	62.8	56.4	59.6	
24		At 06:00 AM	65.3	58.1	61.7	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratory BALLARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : **M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 17.08.2024
5. Report Issue Date : 27.08.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018395F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	55.9	57.1	56.5	75
2		At 08:00 AM	56.7	56.7	56.7	
3		At 09:00 AM	66.9	59.5	63.2	
4		At 10:00 AM	60.1	58.8	59.5	
5		At 11:00 AM	57.7	55.9	56.8	
6		At 12:00 PM	56.5	54.4	55.5	
7		At 01:00 PM	55.8	53.3	54.6	
8		At 02:00 PM	54.6	52.6	53.6	
9		At 03:00 PM	55.9	53.7	54.8	
10		At 04:00 PM	56.1	54.8	55.5	
11		At 05:00 PM	61.8	59.4	60.6	
12		At 06:00 PM	62.5	60.9	61.7	
13		At 07:00 PM	60.6	58.4	59.5	
14		At 08:00 PM	61.8	59.7	60.8	
15		At 09:00 PM	60.2	58.5	59.4	
16		At 10:00 PM	63.6	61.7	62.7	
17		At 11:00 PM	61.3	59.2	60.3	70
18		At 12:00 AM	60.7	58.5	59.6	
19		At 01:00 AM	64.4	62.8	63.6	
20		At 02:00 AM	61.8	59.4	60.6	
21		At 03:00 AM	60.5	58.7	59.6	
22		At 04:00 AM	68.2	56.8	62.5	
23		At 05:00 AM	66.4	62.1	64.3	
24		At 06:00 AM	60.9	58.4	59.7	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratories BALLARI

Note : 1.The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 17.08.2024
5. **Report Issue Date** : 27.08.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000018395F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	60.7	59.4	60.1	75
2		At 08:00 AM	59.4	54.4	56.9	
3		At 09:00 AM	62.8	67.3	65.1	
4		At 10:00 AM	61.6	55.4	58.5	
5		At 11:00 AM	62.9	62.2	62.6	
6		At 12:00 PM	63.1	63.4	63.3	
7		At 01:00 PM	60.5	58.6	59.6	
8		At 02:00 PM	61.8	59.7	60.8	
9		At 03:00 PM	62.6	60.8	61.7	
10		At 04:00 PM	61.4	59.1	60.3	
11		At 05:00 PM	60.8	58.7	59.8	
12		At 06:00 PM	62.6	60.5	61.6	
13		At 07:00 PM	62.9	60.2	61.6	
14		At 08:00 PM	63.8	61.6	62.7	
15		At 09:00 PM	61.7	59.9	60.8	
16		At 10:00 PM	62.5	60.7	61.6	
17		At 11:00 PM	64.1	62.8	63.5	70
18		At 12:00 AM	63.8	61.4	62.6	
19		At 01:00 AM	61.9	59.4	60.7	
20		At 02:00 AM	65.7	63.1	64.4	
21		At 03:00 AM	62.4	60.6	61.5	
22		At 04:00 AM	63.1	61.9	62.5	
23		At 05:00 AM	62.5	60.3	61.4	
24		At 06:00 AM	61.6	59.7	60.7	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV Analytical Laboratory BAILARI

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 19.07.2024
5. Report Issue Date : 27.07.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000016399F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	63.1	61.2	62.2	75
2		At 08:00 AM	62.9	59.8	61.4	
3		At 09:00 AM	66.5	64.6	65.6	
4		At 10:00 AM	68.4	65.3	66.9	
5		At 11:00 AM	68.5	66.9	67.7	
6		At 12:00 PM	69.7	67.5	68.6	
7		At 01:00 PM	66.5	60.2	63.4	
8		At 02:00 PM	69.2	66.8	68.0	
9		At 03:00 PM	67.5	64.6	66.1	
10		At 04:00 PM	65.3	63.2	64.3	
11		At 05:00 PM	63.7	59.8	61.8	
12		At 06:00 PM	62.9	57.3	60.1	
13		At 07:00 PM	60.9	57.5	59.2	
14		At 08:00 PM	58.5	56.2	57.4	
15		At 09:00 PM	59.7	54.9	57.3	
16		At 10:00 PM	57.3	53.2	55.3	
17		At 11:00 PM	63.2	57.9	60.6	70
18		At 12:00 AM	59.5	55.3	57.4	
19		At 01:00 AM	62.2	59.5	60.9	
20		At 02:00 AM	59.8	52.1	56.0	
21		At 03:00 AM	55.2	50.3	52.8	
22		At 04:00 AM	52.6	49.2	50.9	
23		At 05:00 AM	62.7	57.3	60.0	
24		At 06:00 AM	60.3	57.8	59.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Authorized Signatory
Hanumanthaiah P
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 19.07.2024
5. **Report Issue Date** : 27.07.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000016416F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	67.5	59.5	63.5	75
2		At 08:00 AM	64.5	62.7	63.6	
3		At 09:00 AM	66.3	60.2	63.3	
4		At 10:00 AM	69.7	63.4	66.6	
5		At 11:00 AM	66.2	61.1	63.7	
6		At 12:00 PM	69.4	66.7	68.1	
7		At 01:00 PM	70.4	68.2	69.3	
8		At 02:00 PM	68.5	63.1	65.8	
9		At 03:00 PM	69.5	66.7	68.1	
10		At 04:00 PM	66.2	63.7	65.0	
11		At 05:00 PM	67.6	65.9	66.8	
12		At 06:00 PM	65.2	60.8	63.0	
13		At 07:00 PM	59.7	55.3	57.5	
14		At 08:00 PM	55.3	52.7	54.0	
15		At 09:00 PM	59.2	51.6	55.4	
16		At 10:00 PM	63.8	56.9	60.4	
17		At 11:00 PM	55.3	52.7	54.0	70
18		At 12:00 AM	58.6	55.1	56.9	
19		At 01:00 AM	59.7	56.2	58.0	
20		At 02:00 AM	55.3	52.2	53.8	
21		At 03:00 AM	63.1	60.8	62.0	
22		At 04:00 AM	59.5	56.7	58.1	
23		At 05:00 AM	57.7	55.9	56.8	
24		At 06:00 AM	60.3	58.5	59.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-:END OF REPORT:-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. **Name of the industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary
3. **Particulars of Sample Collected** : Noise meter
4. **Date of Monitoring** : 19.07.2024
5. **Report Issue Date** : 27.07.2024
6. **Method Adopted** : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000016417F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	69.5	67.5	68.5	75
2		At 08:00 AM	64.1	58.7	61.4	
3		At 09:00 AM	61.4	59.3	60.4	
4		At 10:00 AM	60.8	58.1	59.5	
5		At 11:00 AM	57.9	55.1	56.5	
6		At 12:00 PM	58.7	59.2	59.0	
7		At 01:00 PM	55.3	53.8	54.6	
8		At 02:00 PM	54.2	52.2	53.2	
9		At 03:00 PM	55.4	53.9	54.7	
10		At 04:00 PM	56.9	54.2	55.6	
11		At 05:00 PM	61.9	59.2	60.6	
12		At 06:00 PM	62.9	60.1	61.5	
13		At 07:00 PM	60.4	58.9	59.7	
14		At 08:00 PM	61.7	59.9	60.8	
15		At 09:00 PM	60.8	58.2	59.5	
16		At 10:00 PM	63.2	61.9	62.6	
17		At 11:00 PM	61.8	59.4	60.6	70
18		At 12:00 AM	60.3	58.7	59.5	
19		At 01:00 AM	69.2	62.3	65.8	
20		At 02:00 AM	61.9	59.4	60.7	
21		At 03:00 AM	66.8	58.1	62.5	
22		At 04:00 AM	58.9	56.7	57.8	
23		At 05:00 AM	64.2	62.9	63.6	
24		At 06:00 AM	60.1	58.1	59.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 19.07.2024
5. Report Issue Date : 27.07.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000016418F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	65.6	58.9	62.3	75
2		At 08:00 AM	63.8	59.1	61.5	
3		At 09:00 AM	60.1	58.7	59.4	
4		At 10:00 AM	63.9	61.2	62.6	
5		At 11:00 AM	61.4	59.9	60.7	
6		At 12:00 PM	60.5	58.2	59.4	
7		At 01:00 PM	64.4	62.7	63.6	
8		At 02:00 PM	61.7	59.5	60.6	
9		At 03:00 PM	60.6	58.3	59.5	
10		At 04:00 PM	58.2	56.4	57.3	
11		At 05:00 PM	64.9	62.5	63.7	
12		At 06:00 PM	60.2	58.5	59.4	
13		At 07:00 PM	60.5	58.2	59.4	
14		At 08:00 PM	61.4	59.7	60.6	
15		At 09:00 PM	60.5	58.6	59.6	
16		At 10:00 PM	63.3	61.1	62.2	
17		At 11:00 PM	61.4	59.8	60.6	70
18		At 12:00 AM	60.1	58.6	59.4	
19		At 01:00 AM	64.5	62.8	63.7	
20		At 02:00 AM	61.6	59.7	60.7	
21		At 03:00 AM	60.3	58.5	59.4	
22		At 04:00 AM	58.5	56.3	57.4	
23		At 05:00 AM	64.3	62.4	63.4	
24		At 06:00 AM	60.2	58.8	59.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 21.09.2024
5. Report Issue Date : 30.09.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000021164F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	59.5	56.4	58.0	75
2		At 08:00 AM	58.7	53.7	56.2	
3		At 09:00 AM	63.1	58.9	61.0	
4		At 10:00 AM	66.8	60.7	63.8	
5		At 11:00 AM	59.5	56.8	58.2	
6		At 12:00 PM	56.2	53.7	55.0	
7		At 01:00 PM	57.5	55.8	56.7	
8		At 02:00 PM	60.8	57.1	59.0	
9		At 03:00 PM	59.3	55.4	57.4	
10		At 04:00 PM	58.3	52.8	55.6	
11		At 05:00 PM	66.2	53.9	60.1	
12		At 06:00 PM	69.3	66.2	67.8	
13		At 07:00 PM	72.5	63.8	68.2	
14		At 08:00 PM	70.5	60.1	65.3	
15		At 09:00 PM	63.6	57.4	60.5	
16		At 10:00 PM	66.2	61.7	64.0	
17		At 11:00 PM	69.3	60.8	65.1	70
18		At 12:00 AM	65.7	54.2	60.0	
19		At 01:00 AM	59.1	56.8	58.0	
20		At 02:00 AM	63.4	60.9	62.2	
21		At 03:00 AM	68.7	55.4	62.1	
22		At 04:00 AM	65.1	58.9	62.0	
23		At 05:00 AM	67.6	62.7	65.2	
24		At 06:00 AM	60.4	58.8	59.6	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BELLARY

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

TC- 4071

MSVAL/AN/RF/01/00

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : **M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 21.09.2024
5. Report Issue Date : 30.09.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000021164F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	66.8	60.9	63.9	75
2		At 08:00 AM	53.7	50.7	52.2	
3		At 09:00 AM	60.9	66.8	63.9	
4		At 10:00 AM	59.5	56.7	58.1	
5		At 11:00 AM	66.2	64.1	65.2	
6		At 12:00 PM	62.9	60.7	61.8	
7		At 01:00 PM	71.5	63.9	67.7	
8		At 02:00 PM	69.7	59.2	64.5	
9		At 03:00 PM	67.3	62.7	65.0	
10		At 04:00 PM	62.7	56.5	59.6	
11		At 05:00 PM	60.2	57.3	58.8	
12		At 06:00 PM	66.5	64.8	65.7	
13		At 07:00 PM	60.3	58.4	59.4	
14		At 08:00 PM	63.1	60.3	61.7	
15		At 09:00 PM	66.8	58.5	62.7	
16		At 10:00 PM	69.6	63.2	66.4	
17		At 11:00 PM	65.2	60.9	63.1	70
18		At 12:00 AM	63.4	61.5	62.5	
19		At 01:00 AM	68.5	60.8	64.7	
20		At 02:00 AM	66.8	64.9	65.9	
21		At 03:00 AM	65.3	62.7	64.0	
22		At 04:00 AM	62.6	60.9	61.8	
23		At 05:00 AM	66.7	63.5	65.1	
24		At 06:00 AM	61.1	53.9	57.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV Analytical Laboratories BALLARI

-: END OF REPORT :-

Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

Advertised newspaper copies are as Annexure No-19

SHILPA MEDICARE LIMITED 100% EOU
Plot No: 33,33A & 40 – 47,
Industrial growth centre, KIDB industrial area,
Chick sugar, Raichur-584134.

Environmental clearance obtained for the Shilpa Medicare Ltd 100%EOU for the Expansion and Modification of Active pharmaceutical ingredients, manufacturing unit.

EC No: SEIAA 50 IND 2016 dated:28-04-2017

Details are available at www.moef.nic.in

SD/-
MANAGING DIRECTOR.

ಸುಧಾ-ಮಯೂ

ಪ್ರವೇಶಗಳು ಪ್ರಾರಂಭ
ಜ್ಞಾನಭಾರತಿ ಆಂಗ್ಲ ಮಾಧ್ಯಮ
ಹಿರಿಯ ಪ್ರಾಥಮಿಕ ಶಾಲೆ
ಏರವಾರ, ತಾ. ಮಾನವಿ, ಜಿ. ರಾಯಚೂರ
NURSERY ಇಂದ
8ನೇ ತರಗತಿಯವರೆಗೆ
(ನವೋದಯ, ಸೈನಿಕ, ಮೊರಾರ್ಜಿ ವಸತಿ ಶಾಲೆಗಳ ತರಬೇತಿ ಕೇಂದ್ರ)
9900977124
9535659976

ಪ್ರಜಾವಾಣಿ
DH
ರಾಯಚೂರು
ರಾಘವೇಂದ್ರ
9986299090
ಗುರುಪ್ರಕಾಶ ಬುಗಳಿ
9343684455

ಕರ್ನಾಟಕ ಸರ್ಕಾರ
ಜಿಲ್ಲಾ ಯೋಜನಾ ಸಮನ್ವಯಾಧಿಕಾರಿಗಳ ಕಾರ್ಯಾಲಯ, ಎಸ್.ಎಸ್.ಎ., ವಿಜಯಪುರ
☎ 08352-244701 Email- egovbijapura@gmail.com

ಟೆಂಡರ ಪ್ರಕಟಣೆ

ಸರ್ವ ಶಿಕ್ಷಣ ಅಭಿಯಾನ ಯೋಜನೆ ಅಡಿಯಲ್ಲಿ ಹೊರಗುತ್ತಿಗೆ ಆಧಾರದ ಮೇಲೆ ಬಿಲ್ಲೆಯ 04 ಕೆ.ಜಿ.ಬಿ.ವಿ. ವಸತಿನಿಲಯಗಳಿಗೆ ಆಹಾರ ಪೂರೈಕೆಗಾಗಿ ಮತ್ತು ಜಿಲ್ಲಾ ಹಾಗೂ ತಾಲೂಕಾ ಕಛೇರಿಗೆ ಕಂಪ್ಯೂಟರ್ ಪ್ರೋಗ್ರಾಮರ್, ಲೆಕ್ಕ ಸಹಾಯಕರು ಇ-ಪ್ರಕ್ಯೂರಮೆಂಟ ಮೂಲಕ ಕಳಕಂಡ ಟೆಂಡರ್ ಆಹ್ವಾನಿಸಲಾಗಿದೆ. ಟೆಂಡರ್ ಮಾಹಿತಿಯನ್ನು http:www.eproc.karnataka.gov.in ಹೆಚ್ಚಿನ ಮಾಹಿತಿಗಾಗಿ ಕಛೇರಿಯ ದೂರವಾಣಿ ಸಂಖ್ಯೆ : 08352-244701 ಸಂಪರ್ಕಿಸಬಹುದು.

ಸಹಿ/- ಉಪನಿರ್ದೇಶಕರು (ಆಡಳಿತ)
ಜಿಲ್ಲಾ ಯೋಜನಾ ಸಮನ್ವಯಾಧಿಕಾರಿಗಳು, ಎಸ್.ಎಸ್.ಎ. ವಿಜಯಪುರ.

ಪುರಸಭೆ ಕಾ
ಜಿ

ಸಂಖ್ಯೆ:ಪುಸ/ಸೇಡಂ ಒಳಚರಂಡಿ/201

ಸಾರ್ವ

ವಿಷಯ : ಸೇಡಂ ನಗರದ ಒಳಚರಂ
ಸೇಡಂ ಪಟ್ಟಣದ ವ್ಯಾಪ್ತಿಯ ಸರ್ವೆ ನಂ
ಮಿ ಆಳತೆಯ ನಿವೇಶನ ಕರ್ನಾಟಕ ನಗ
ಹಸ್ತಾಂತರಿಸುವ ಬಗ್ಗೆ.

ಕರ್ನಾಟಕ ನಗರ ನೀರು ಸರಬರಾ
ಪಟ್ಟಣದಲ್ಲಿ ಯು.ಜಿ.ಡಿ. ಕಾಮಗಾರಿಗಾ
ಸಂಖ್ಯೆ 2 ನಿರ್ಮಿಸಲು ತಾಂತ್ರಿಕವಾಗಿ
ಅನುಮೋದಿತ ರೂಪ ರೇಷಯಲ್ಲಿ ಸಾವ
ಮಿ ಆಳತೆಯ ವೈಕ 30 x30 ಮಿ ಆಳತೆಯ
ಮತ್ತು ಒಳಚರಂಡಿ ಮಂಡಳಿಗೆ
ನಿರ್ಣಯಿಸಿರುತ್ತಾರೆ.

ಆದ್ದರಿಂದ ಸೇಡಂ ಪಟ್ಟಣದ ಯು
ಮಾಡಲು ವೆಟ್‌ವೆಲ್ ನಿರ್ಮಾಣಕ್ಕಾಗಿ
ರೇಷಯಲ್ಲಿ ಸಾರ್ವಜನಿಕ ಸೌಲಭ್ಯ ವಿ
ನಿವೇಶನವನ್ನು ಕರ್ನಾಟಕ ನಗರ ನೀರು
ದಿನಾಂಕ 18-03-2017 ರಂದು ತುರ್ತು
ಮಾಡಿ ನಿರ್ಣಯಿಸಿರುತ್ತಾರೆ.

ಆದರಂತೆ ಸಂಬಂಧಪಟ್ಟ
10-06-2017 ರ ವರೆಗೆ ಮುಖ್ಯಾಧಿಕ
ಅವಧಿ ಮೀರಿ ಬಂದ ಆಕ್ಷೇಪಣೆಗಳನ್ನು ತಿ

ಪುರಸಭಾ ಕಾರ್ಯಾಲಯ, ಕುಮಟಾ (ಉ.ಕ.)
ದೂರವಾಣಿ/ಫ್ಯಾಕ್ಸ್: 08386-222020 ಇ-ಮೇಲ್: cokumta@yahoo.com ವೆಬ್‌ಸೈಟ್: www.kumatatown.gov.in
ನಂಪುಸಕು:ಕಾಮಿ:ವಿವಿಧಯೋಜನೆ:ಟೆಂಜ್ರ:2017-18 ದಿನಾಂಕ: 27.05.2017

ಟೆಂಡರ್ ಪ್ರಕಟಣೆ (ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ಮುಖಾಂತರ ಮಾತ್ರ)

ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಸಾರ್ವಜನಿಕ ಪಾರದರ್ಶಕತೆ ಮತ್ತು ಕಾಮೂಮ ಹಾಗೂ ನಿಯಮಾವಳಿ-2000 ರಂತೆ, ಆರ್ಹ, ನೋಂದಾಯಿತ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರಿಂದ ಈ ಕೆಳಕಂಡ ಕಾಮಗಾರಿಗೆ ಕೆಜಿ 1 ರ ನಿಬಂಧನೆಗೆ ಒಳಪಟ್ಟು ಸಿಟಂವಾರು ಟೆಂಡರನ್ನು ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ಮೂಲಕ ಕರೆಯಲಾಗಿದೆ. ಆಸಕ್ತಿಯುಳ್ಳ ಗುತ್ತಿಗೆದಾರರು ತಮಗೆ ಬೇಕಾದ ಟೆಂಡರ್ ಮಾಹಿತಿಗಳನ್ನು ವೆಬ್‌ಸೈಟ್ ವಿಳಾಸ www.kumatatown.gov.in ರ ಮೂಲಕ ಪಡೆದುಕೊಂಡು ಈ ಕೆಳಗೆ ನಮೂದಿಸಿರುವ ಪರಕ್ರಿಗೊಳಪ್ಪಿ ತಮ್ಮ ಟೆಂಡರನ್ನು ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ಮೂಲಕ ಮಾತ್ರ ಸಲ್ಲಿಸತಕ್ಕದ್ದು. ಟೆಂಡರನ್ನು ಸಲ್ಲಿಸುವ ಕೊನೆಯ ದಿನಾಂಕವಾದ ದಿನಾಂಕ: 30.06.2017 ರಂದು ಸಾಯಂಕಾಲ 4.00 ಗಂಟೆಯೊಳಗಾಗಿ ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ ಸಲ್ಲಿಸತಕ್ಕದ್ದು. ದಿನಾಂಕ: 01.07.2017 ರಂದು 11.00 ಗಂಟೆಗೆ ಈ ಪುರಸಭೆಯಲ್ಲಿ ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ ಸ್ವೀಕೃತವಾಗಿರುವ ಟೆಂಡರ್‌ಗಳನ್ನು ಟೆಂಡರ್ ಪರಿಶೀಲನಾ ಸಮಿತಿ ಸಭೆಯಲ್ಲಿ ತೆರೆಯಲಾಗುವುದು. ಅಥವಾ ಮುಂದಿನ ದಿನಾಂಕವನ್ನು ಈ ಕಚೇರಿ ನೋಟೀಸ್ ಬೋರ್ಡಿನಲ್ಲಿ ತಿಳಿಯಪಡಿಸಲಾಗುವುದು.

ಕ್ರ. ಸಂ	ಪ್ಯಾಕೇಜ್ ನಂ, ಯೋಜನೆಯ ವಿವರ, ಟೆಂಡರಿನ ಹಂತ ಹಾಗೂ ಕಾಮಗಾರಿಗಳ ವಿವರ	ಅಂದಾಜು ರಮಂ (ಲಕ್ಷಗಳಲ್ಲಿ)	ಇ.ಎಂ.ಡಿ ರಮಂ (ರೂ.ಗಳಲ್ಲಿ)	ಗುತ್ತಿಗೆದಾರರ ದರ್ಜೆ	ಕಾಮಗಾರಿ ಪೂರ್ಣಗೊಳಿಸಲು ನಿಗದಿಪಡಿಸಿರುವ ಕಾಲಾವಧಿ
1	2	4	5	6	7
1.	2017-18 ನೇ ಸಾಲಿನ 14ನೇ ಹಣಕಾಸು ಯೋಜನೆಯ ಜನರಲ್ ಬೇಸಿಕ್ ಗ್ರಾಂಟ್ ಮತ್ತು 2015-16 ನೇ ಸಾಲಿನ ಪರಫಾರಮನ್ಸ್ ಗ್ರಾಂಟ್ ಕುಮಟಾ ಪಟ್ಟಣದ ಎಲ್ಲ ವಾರ್ಡ್‌ಗಳ ಪ್ರಮುಖ ವೃತ್ತಗಳಲ್ಲಿ ಮೆಟಲ್ ಹೆಲೈಡ್ ಬೀದಿ ದೀಪಗಳನ್ನು ಆಳವಡಿಸುವುದು Indent number -DMA/2017-18/IND5953	7.64	19,100.00	ಇಂಧನ ಇಲಾಖೆಯಲ್ಲಿ 1ನೇ ದರ್ಜೆ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರಾಗಿ ರಾಜ್ಯದ್ದು	15 ದಿವಸಗಳು

• ಪರತ್ತುಗಳು ಮತ್ತು ಇತರೆ ತಾಂತ್ರಿಕ ವಿವರಗಳಿಗಾಗಿ ಪುರಸಭೆ ವೆಬ್‌ಸೈಟ್ www.kumatatown.gov.in ಸಂಪರ್ಕಿಸುವುದು.

ಸಹಿ/- ಅಧ್ಯಕ್ಷರು, ಪುರಸಭೆ, ಕುಮಟಾ ಸಹಿ/- ಮುಖ್ಯಾಧಿಕಾರಿ, ಪುರಸಭೆ, ಕುಮಟಾ

ನಗರಸಭೆ ಕಾಯ
ಜಿಲ್ಲೆ ಯಾದ

Phone No. 08473-25
Website : www.yadgircity.mrc.gov

ಕ್ರ.ಸಂ.ನಸಯಾ/ತಾಂ.ಪಾ./ಇ-ಟೆಂಡರ್/

ಇ-ಪ್ರಕ್ಯೂರ್‌ಮೆ

ಕರ್ನಾಟಕ ರಾಜ್ಯದ ರಾಜ್ಯಪಾ
ನಗರಸಭೆ ಪೌರಾಯುಕ್ತರು ಇವರು
ಪಾರದರ್ಶಕತೆ ಆದೇಶ 1999-2000
ಎಸ್.ಎಫ್.ಸಿ./14ನೇ ಹಣಕಾಸು
ಕಾಮಗಾರಿಗಳಿಗೆ ಟೆಂಡರ್‌ಗಳನ್ನು P
ಗುತ್ತಿಗೆದಾರರು ಕೆ.ಡಬ್ಲ್ಯೂ-1 & 2
ಪೋರ್ಟಲ್ ಮೂಲಕ http://ep
ಮೇಲೆ ಟೆಂಡರ್‌ಗಳನ್ನು ಅಹ್ವಾನಿಸಲಾಗಿ

1. ಟೆಂಡರ್‌ಗಳನ್ನು ಸಲ್ಲಿಸಲು ಕೊ
ಗಂಟೆಗೆ.
2. ತಾಂತ್ರಿಕ ಮತ್ತು ಆರ್ಥಿಕ ಬಿಡ್
16.30 ಗಂಟೆಯ ನಂತರ.

ಹೆಚ್ಚಿನ ಮಾಹಿತಿ ಬೇಕಾದಲ್ಲಿ ಗ
ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಅಥವಾ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ http://epro

Prajavani
Date:31.05.2017

him.

Sl.No.	Land Sy.No.	Extent	Village	Sale deed No.
1.	38	12 A-30 G out which Middle portion 4 acre 10 guntas	Bullapur	2906/85-86 Date : 27-2-1986

Sd/- M. Virupaxigouda, Advocate
B.Sc., LLB (Spl.)
Place : Raichur H.No. 1-1-148, Uday Nagar, Opp. West Police Station,
Date : 29-05-2017 Raichur. Cell No. 9448184132

SHILPA MEDICARE LIMITED 100% EOU
Plot No: 33,33A & 40 – 47,
Industrial growth centre, KIDB industrial area,
Chick sugar, Raichur-584134.

Environmental clearance obtained for the Shilpa Medicare Ltd 100%EOU for the Expansion and Modification of Active pharmaceutical ingredients, manufacturing unit.

EC No: SEIAA 50 IND 2016 dated:28-04-2017

Details are available at www.moef.nic.in

SD/-
MANAGING DIRECTOR.

CET exams, in Chitradurga on Tuesday. Principal Gangadhar and his mother Latha are also seen. DH PHOTO

CET result

Chitradurga lad secures 12th rank

CHITRADURGA: K R Satwik, a student of SRS Educational Institution of the city has secured the 12th rank to the State in engineering division in the Common Entrance Test - 2017 results announced by Karnataka Examination Authority on Tuesday.

He has scored 173 marks out of 200 in CET engineering thus making his parents and college proud.

Speaking to reporters after receiving a felicitation from the management of SRS Educational Institution in Chitradurga on Tuesday, he expressed his thanks to the management of the college, teaching staff and parents for backing him in his studies. He said, he had scored 95% in the second pre-university exams this year. He said, he never took any tuitions and studied the subjects under the guidance of teachers. Sharing his joy, he said he prefers to study computer sciences in engineering.

DH News Service

'Govt urged to support ryots to remove silt from reservoir'

Chamaras Malipatil

RAICHUR, DHNS: Efforts of Karnataka Rajya Raitha Sangha & Hasiru Sene to remove silt from Tungabhadra reservoir received support but the water resources minister and the government remained disinterested in the task, said Sangha Honorary President Chamaras Malipatil.

Speaking at the press meet here, he said, with the help of public contributions, silt was being removed from a part of the reservoir. But the elected representatives of Raichur, Koppal and Ballari did not show any concern, he said.

The silt removed from the reservoir would be more useful for farmers in maintaining the fertility of their agriculture fields. Farmers were more interested in taking the silt to their fields. The government should provide only the machines and diesel. Within two to three years the silt from entire reservoir could be removed, he said. If the government did not extend the helping hand, the farmers would collect donations and take up the work, he added.

The government has planned to construct a reservoir at Navali to store 40 TMC ft water. But it was not an easy task. Construction of the reservoir would take a decade as the land should be acquired from farmers.

Therefore, desilting would be an easy task, he said.

PDS rice seized

DAVANGERE, DHNS: Azad Nagar police of the city have seized 10 quintals of Anna Bhagya rice illegally stored at the residence of Mubina, at 5th Cross, Venkabhovi Colony in Davangere.

Police arrested accused Mubina and remanded her to judicial custody.

Azadnagar Police have registered a case.

Hosapete

DECCAN HERALD
Date:31.05.2017

Ec are attached as Annexure No-20

सत्यमेव जयते

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016 Date: 29.06.2022

TRANSFER OF ENVIRONMENTAL CLEARANCE

Preamble:

Attention is invited to Authority's letter No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 regarding grant of Environmental Clearance for Expansion and Modification of Active Pharmaceutical Ingredients (APIS) & Intermediates Manufacturing Industry with R & D activity manufacturing industry Project at Plot Nos. 30, 31, 32, 35 to 39, 33, 33A, & 40-47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District Karnataka to M/s Shilpa Medicare Limited.

M/s Shilpa Pharma Lifesciences Limited vide letter received on 16.04.2022 requested for transfer of EC granted to M/s Shilpa Medicare Limited in favour of M/s. Shilpa Pharma Lifesciences Limited.

The State Level Environment Impact Assessment Authority, Karnataka considered the request made by M/s Shilpa Pharma Lifesciences Limited during the meeting held on 7th May 2022 in the light of provision for "Transferability of Environmental Clearance (EC)" under para 11 of the Notification No. S.O. 1533(E) dated 14th September 2006. The Authority after discussion have decided to transfer the Environmental Clearance issued to M/s Shilpa Medicare Limited, 100% export oriented unit, Unit-II plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District - 584134 vide letter No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 in favour of M/s Shilpa Pharma Lifesciences Limited - Unit-2, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Chiksugur - 584 134, Raichur District, Karnataka State on the same terms and conditions under which the prior Environmental Clearance has been granted and for same validity period.

...2

Hence the Order.

ORDER

Pursuant to the facts and circumstances in the preamble, the Environmental Clearance granted by our order No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 the name of the proponent may be substituted by M/s Shilpa Pharma Lifesciences Limited - Unit 2.

Yours faithfully,

(Vijay Mohan Raj V)
Member Secretary
SEIAA Karnataka

29/06/22

To,

M/s Shilpa Pharma Lifesciences Limited,
unit-2, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47,
Raichur Industrial Growth Center,
Chiksugur - 584 134, Raichur District,
Karnataka State

Copy to:

1. The Secretary, Ministry of Environment & Forests and Climate Change Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi-110 003.
2. The Director, Department of Mines and Geology, Khanija Bhavan, Race course road, Bangalore - 560 001.
3. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
4. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F Wings, 17th Main Road, Koramangala II Block, Bengaluru - 560 034.
5. M/s Shilpa Medicare Limited, 100% export oriented unit, Unit-II, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District - 584134
6. Guard File.

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 30 IND 2016 Date: 28-04-2017

To,

M/s. Shilpa Medicare Limited
100% export oriented unit
Unit -II Plot No.33, 33A & 44 to 47
Raichur Industrial Growth Centre
Wadloor Road, Chicksugur,
Raichur District-584134

Sir,

Sub: Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District of M/s. Shilpa Medicare Limited - Issue of Environmental Clearance - Reg.

*****

This has reference to your online application dated 26th October 2016 bearing proposal No. SIA/KA/IND2/17628/2016 addressed to SEIAA, Karnataka and subsequent letters addressed to SEIAA/SEAC Karnataka furnishing further information/seeking prior Environmental Clearance for the above project under the EIA Notification, 2006.

2. It is inter-alia noted that Environmental Clearance has been issued by MoEF, Govt. of India to this project vide letter No. J-11011/71/2007-IA II (I) dated 12th March 2008 for expansion of Bulk drug unit to manufacturing of Ambroxol HCl of 47 MTA, Anastrozole of 0.1MTA, Bicalutamide of 0.5MTA, Carboplatin of 0.35MTA, Cisplatin of 0.1MTA, Coenzyme Q-10 of 18MTA, Docetaxel of 0.1MTA, Gemcitabine HCl of 0.3MTA, Irinotecan HCl Trihydrate of 0.1MTA, Oxaliplatin of 0.05MTA, Paclitaxel of 0.1MTA, Temozolomide of 0.1MTA, 3a, 7B-Dihydroxy Cholanic Acid of 60 MTA with Total quantity 126.8MTA.

3. Your application for the Environmental Clearance to the proposed Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited was appraised as per the prescribed procedure in light of the provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with

the application viz., the Form 1, Pre feasibility report, EIA Report for manufacture of proposed Active Pharmaceutical Ingredients (APIs) & Intermediates and the additional clarifications furnished in response to the observations of the SEAC, Karnataka , in its meetings held on 26th April 2017 and SEAC has recommended for issue of Environmental Clearance for the proposed Expansion & modification.

4. It is, inter-alia, noted that M/s. Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing of total capacity 422.415 TPA listed in **ANNEXURE –I**. The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm area is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. x6 TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The total cost of the project is Rs.6040 Lakhs.

5. The wastewater generation will be 201 KLD, out of which 25 KLD will be the domestic sewage, 176 KLD will be the industrial effluent (130.5 KLD : Low TDS & 70.5 KLD : High TDS). Domestic sewage and the industrial effluent such as Low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFT. The MEE condensate shall be treated along with Low TDS effluent. The solid wastes generated are inorganic and organic of total quantity 48 Kg/day and 72 Kg/day respectively shall be composted. The hazardous waste generated are Process residue of 8,682.4Kg/Annum, Spent carbon of 2,536.3 Kg/Annum and Distillation residue of 20.3MT/Annum shall be sent to Co Processing in cement industries, Inorganic salt from process of 96,879.54 Kg/Annum, Salt from MEE system of 393 Tons/ Annum, ETP Sludge of 36,000Kg/Annum shall be sent to TSDF /Co processing industries, waste oil from DG set & Boiler of 1800 L/Annum, Discarded containers/Liners/Barrels of 6000No's /Annum, e-waste of 60 Kg, Spent catalyst of 11,800.8 L/Annum shall be handed over to KSPCB Authorized recyclers/re-processors, Spent solvent of 6,23,288 L/Annum shall be distilled in house/ send to re-processors for reuse or recover.

6. The project proposal has been considered by SEAC during the meeting held on 18th & 19th November 2016 and ToR was issued on 9th January 2017 for conducting Environment Impact Assessment (EIA) Study. The project is located within the notified industrial area and hence does not require public

consultation. The EIA has been conducted and report submitted by Sri. K R Sreeharsha S/o Late K V Ramaswamy, R/AT No. 5/76, IV Main N R Colony, Bangalore-560 019. Applicability of the Notification No. S. O 648 (E) dated 3rd March 2016 issued by the MoEF, GoI, regarding mandatory accreditation of Environmental consultants from NABET/QCI stands deferred in this case in view of the interim order granted by High Court of Karnataka in W. P. No. 15026-15038/2016 (GM-RES): (Sri. K R Sreeharsha Vs. Union of India represented by MoEF &CC, GoI & Dept Ecology & Environment, GoK) dated 21.03.2016. The project proponent submitted the EIA Report.

7. Based on the information submitted by you, presentation made by you and your consultant Sri. K R Sreeharsha S/o Late K V Ramaswamy, R/AT No. 5/76, IV main N R Colony, Bangalore-560 019. The State Level Expert Appraisal Committee (SEAC) examined the proposal in the meeting held on 22nd April 2017 and 26th April 2017 and has recommended for issue of Environmental Clearance.

8. The SEIAA Karnataka has considered the project in its meeting held on 26th & 27th April 2017 and after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations and the appraisal and recommendation of the SEAC and decided to accord Environmental Clearance in accordance with the provisions of Environmental Impact Assessment Notification-2006 and its subsequent amendments, subject to strict compliance of the following terms and conditions: -

Part A- SPECIFIC CONDITIONS

1. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended time to time shall be followed by the unit.
2. The total effluent generation shall not exceed 201 KLD. Domestic sewage and the industrial effluent such as Low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFT. The MEE condensate shall be treated along with Low TDS effluent.
3. Effluent Treatment Plant shall ensure to prevent ground water contamination due to leakage from unlined tanks.
4. Total water requirement from KIADB water supply shall not exceed 214.6 KLD and prior permission shall be obtained from the concerned Authority. No ground water shall be used.
5. The process emissions from the boiler shall be dispersed through stack of adequate height as per CPCB/KSPCB standards. The gaseous emissions from the DG set shall be dispersed through stack height as per CPCB standards shall be provided. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.

6. Ambient air quality data shall be collected as per NAAQS standards notified by the Ministry vide G.S.R. No. 826(E) dated 16th September, 2009. The levels of PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO, VOC and HCl shall be monitored in the ambient air and emissions from the stacks and displayed at a convenient location near the main gate of the company and at important public places. The company shall upload the results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF - Bangalore, SEIAA - Karnataka, the respective zonal office of CPCB and the KSPCB.
7. The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF - Bangalore, SEIAA - Karnataka, the respective zonal office of CPCB and the KSPCB. The levels of PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO and VOC (ambient levels) and emissions from the stacks shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.
8. The Company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 for management of hazardous wastes and prior permission from KSPCB shall be obtained for disposal of solid / hazardous waste to the TSDF. The concerned company shall undertake measures for firefighting facilities in case of emergency.
9. In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the KSPCB.
10. Hazardous chemicals shall be stored in tanks in tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pumps.
11. The company shall undertake following Waste Minimization measures :-
    a. Metering and control of quantities of active ingredients to minimize waste.
    b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
    c. Use of automated filling to minimize spillage.
    d. Use of Close Feed system into batch reactors.
    e. Venting equipment through vapour recovery system.

f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.

12. For control of fugitive emission following steps shall be followed:
    a. Closed handling system shall be provided for chemicals.
    b. Reflux condenser shall provide over reactor.
    c. System of leak detection and repair of pump/pipeline based on preventive maintenance.
    d. The acids shall be taken from storage tanks to reactors through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water.
    e. Cathodic protection shall be provided to the underground solvent storage tanks.
13. Solvent management shall be as follows:
    a. Solvent used in the process shall be completely recovered and reused.
    b. Efforts are to be made to recover inorganic salts.
    c. Reactor shall be connected to chilled brine condenser system.
    d. Reactor and solvent handling pump shall have mechanical seals to prevent leakages.
    e. The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery
    f. Solvents shall be stored in a separate space specified with all safety measures.
    g. Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.
    h. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
    i. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by KSPCB.
14. No effluent shall be discharged outside the factory premises and "Zero" discharge concept shall be adopted.
15. Multi-cyclone followed by bag filter shall be provided to the boilers to control particulate emissions within 100 mg/Nm3. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/KSPCB guidelines.
16. Two stage chilled water/caustic scrubber shall be provided to process vents to control HCl. Two stage scrubbers with caustic lye media solution shall be provided to process vents to control SO2. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.
17. As proposed Process residue, Spent carbon and Distillation residue shall be sent to Co Processing in cement industries, Inorganic salt from

process, Salt from MEE system, ETP Sludge shall be sent to TSDF /Co processing industries, waste oil from DG set & Boiler, Discarded containers/Liners/Barrels, e-waste, Spent catalyst, shall be handed over to KSPCB Authorized recyclers/re-processors, Spent solvent shall be distilled in house/ send to re-processors for reuse or recover.

18. Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.
19. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.
20. The Company shall harvest surface as well as rainwater from the rooftops of the buildings and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.
21. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the OISD 117 norms.
22. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
23. Usage of PPEs by all employees/ workers shall be ensured.
24. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
25. Green belt shall be developed in at least 33% of area with suitable species of the plants as per the CPCB guidelines to mitigate the effects of fugitive emissions. Selection of plant species shall be as per the CPCB guidelines.
26. The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.
27. The company shall comply with the recommendations made in the EIA/EMP/Risk assessment report. Risk assessment shall be included in the safety Manual.
28. Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.
29. The coal to be stored in coal stockyard on impervious layer in a covered shed and along the boundary garland canal to be provided leading to a

exit pond/tank to arrest coal dust run-off and to allow settling of coal fines. The coal fines to be removed periodically.

30. Avoids bromination processes (wherever followed)
31. Recovers Lithium salts from the effluents wherever Lithium compounds are used in the reactions.
32. Treatment of recalcitrant's to be documented and kept at all times.
33. Adopts Good Management Practices (GMP) & Green Chemistry.
34. Storage facilities for the fuel shall be made in the plant area in consultation with Department of Explosives, Nagpur. Disaster Management Plan shall be prepared to meet any eventuality in case of an accident taking place due to storage of Fuel.
35. The Project authorities also shall earmark at least 2.5 % of the total cost of the project towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the Authority.
36. The project proponent shall use Husk as Fuel for the Boilers.
37. The project proponent shall store fresh solvents, used solvents, recovered solvents as per the PESO norms and shall not be stored in plastic bags
38. The industry shall not operate without a functional effluent treatment plant as per the order of the Hon'ble Supreme Court dated February 22, 2017 in W.P. No. 375 of 2012.

B. GENERAL CONDITIONS:

1. The project authorities shall strictly adhere to the stipulations made by the Karnataka State Pollution Control Board (KSPCB).
2. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
3. No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA/Ministry of Environment and Forests as the case may be. In case of deviations or alterations in the project proposal from those submitted to this Authority for clearance, a fresh reference shall be made to the Authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
4. The gaseous emissions (PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO, VOC) and Particulate Matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO, VOC shall be carried.

5. The project authorities shall strictly comply with the rules and regulations under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October 1994 and January 2000. All transportation of Hazardous Chemicals shall be as per the MVA, 1989. Authorization from the KSPCB shall be obtained for collection, treatment, storage, and disposal of hazardous wastes.
6. The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016. Authorization from the KSPCB must be obtained for collection/treatment/ storage/disposal of hazardous wastes.
7. Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for lighting and heating should be provided. Details in this regard should be submitted to the SEIAA.
8. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, Rules, 1989 viz. DBA (day time) and 70 dBA (night time).
9. The project proponent shall also comply with all the environmental protection measures and safeguards as per the information provided.
10. The implementation of the project vis-à-vis environmental action plans shall be monitored by MoEF, Regional Office at Bangalore / KSPCB/ CPCB and the Department of Environment & Ecology, Bangalore. A six monthly compliance status report shall be submitted to monitoring agencies.
11. The project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also be seen at Website of the Authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/ This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the MoEF Regional Office at Bangalore / KSPCB/ CPCB and the Department of Environment & Ecology, Bangalore/Kalaburgi.
12. The project authorities shall inform the MoEF Regional Office at Bangalore / KSPCB/ CPCB and the Department of Ecology and Environment, Bangalore, Kalaburgi the date of financial closure and final

approval of the project by the concerned authorities and the date of start of the project.

13. The SEIAA, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
14. The SEIAA, Karnataka reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
15. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
16. The issue of Environment Clearance doesn't confer any right to the project proponent to operate / run the project without obtaining statutory clearances / sanctions form all other concerned Authorities.
17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986.
18. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
19. Officials from the Department of Environment and Ecology, Bangalore/ Regional Office of MoEF, Bangalore who would be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF / SEIAA should be forwarded to the APCCF, Regional Office of MoEF, Bangalore/ Department of Ecology and Environment, Bangalore/Kalaburgi/ Regional Officer, KSPCB Bangalore.
20. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.
21. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
22. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.
23. These stipulations would be enforced among others under the provisions of water (Prevention and Control of Pollution) Act, 1974, the Air

(Prevention and Control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

24. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.

Yours faithfully,

(RAMACHANDRA) 28/4/17
Member Secretary,
SEIAA - Karnataka.

Copy to:

1) The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110 003.
2) The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3) The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore – 560 034.
4) Regional Director (Environment), Ecology and Environment Department, Government of Karnataka, Timmapuri Chowk, Vallabhai Patel Circle, Temple Road Near Court, Kalaburgi.
5) Guard File.

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 30 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

Annexure -I to Environment Clarence letter No. SEIAA 47 IND 2016 dated 28-04-2017

Sl. No	Name of products for manufacture (proposed)	Capacity in TPA
1.	Ambroxyl Hcl	10
2	Anatrazole	0.1
3	Gemcitabine Hcl	0.1
4	Paclitaxel	0.1
5	Temezdomide	0.1
6	Bicalutamide	0.5
7	Docetaxel Trihydrate	0.1
8	3a,7B-Dihydroxy Cholanic Acid	60
9	Bendamustine hcl	0.2
10	Bortzomib	0.005
11	Capacitabine	60
12	Imatinib	5
13	Lenalidomide	0.5
14	Letrozole	0.05
15	PMD	0.25
16	Decitabine	0.01
17	Cytrabine	0.05
18	Cabazitaxel	0.01
19	Acebrophylline	10
20	Cloferabine	0.01
21	Melphalan	0.025
22	Cyclophosphamide	1
23	Tenfovir	50
24	PMK	0.25
25	Erlotonib	2
26	Emtricitabine	1
27	Dimethyl fumarate	12
28	Elvitegravir	1
29	Cobicistat	100
30	Busulfan	0.05
31	Zoledranic Acid	0.005
32	Tranexamic Acid	100
33	Sunitinib Malate	3
34	Sorafenib Tosylate	3
35	Abiraterone acetate	2
	Total	**422.415**

(RAMACHANDRA) 28/4/17
Member Secretary,
SEIAA - Karnataka.

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016 Date:15.03.2018

CORRIGENDUM

The following corrections shall be incorporated in the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 issued to M/s. Shilpa Medicare Limited, 100% export oriented unit, Unit –II Plot No.33, 33A & 44 to 47, Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District:

1) Specific Condition No. 30 shall be corrected and read as follows:

"Bromination to be avoided using liquid broming. Explore other alternative brominating reagents such as Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl ammonium tribromide."

2) ANNEXURE –I shall be replaced with ANNEXURE –I (R) enclosed to this corrigendum.

Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 remains unchanged.

(RAMACHANDRA) 15/3/18
Member Secretary,
SEIAA.

To,

M/s. Shilpa Medicare Limited,
100% export oriented unit,
Unit –II Plot No.33, 33A & 44 to 47,
Raichur Industrial Growth Centre
Wadloor Road, Chicksugur, Raichur District-584134.

Copy to:

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110003.
2. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore-560 034.
4. Regional Director (Environment), Ecology and Environment Department, Government of Karnataka, Timmapuri Chowk, Vallabhai Patel Circle, Temple Road Near Court, Kalaburgi.
5. Guard File.

Room No. 706, 7th Floor, 4th Gate, M.S. Building, Bangalore - 560 001. Phone : 080-22032497, Fax: 080-22254371
Website : http://seiaakarnataka.gov.in, http://environmentclearance.nic.in
e-mail: seiaakarnataka@gmail.com

ANNEXURE –I (R) to Environment Clarence letter No. SEIAA 50 IND 2016 dated 28-04-2017

List of Active Pharmaceutical Ingredients (APIs) & Intermediates to be manufactured:

Sl. No	Products		Intermediates	
	Name of the product	Production capacity Kg/Annum	Name of the Intermediates	Production capacity Kg/Annum
1	Ambroxol HCl	10000	Intermediate-I: 2-Amino 3,5-di bromo-N(trans-4-hydroxy cychlohexyl) benzylamine and it's synonyms	9343
2	Anastrozole	100	2,2-(5-bromomethyl)-1,3-phenylene)bis(2-methylprepio nitraile) and it's synonyms	480
			Intermediate-II: 2,2-(5-(1,H-1,2,4-triazol-1-yl methyl)benzene-1,3-di yl) bis(2-Methyl prepiolitrile) and it's synonyms	270
3	Gemcitabine HCl	100	Intermediate-I: 2',2'-Difluorodeoxycytidine and it's synonyms	184
			Intermediate-II: Dizirconium silicide	124
4	Paclitaxel	100	Intermediate-I: Baccatin-III (Paclitaxel crude) and it's synonyms	240
			Intermediate-II: Paclitaxel Crude	144
			Intermediate-III: Paclitaxel Crude	132
5	Temozolomide	100	Intermediate-I: Temazolamide crude and it's synonyms	240
6	Bicalutamide	500	Intermediate-I: -N-(4-cyano-3-(tri fluromethyl)phenyl)-3-{(4-flurophenyl) sulphanyl)-2-hydroxy-2-methyl propanomide. and it's synonyms	590.4
7	Docetaxel trihydrate	100	Intermediate-I: 7,10-di-O-chloroacetyl-10-di acetyl baccatin-III and it's synonyms	192
			Intermediate-II: 2-0-benyl-7,10-di-O-chloro acetyl-decetaxel and it's synonyms	

8	**3a,7b-Dihydroxy Cholanic Acid**	60000	Intermediate-I: Cholic acid methyl ester and it's synonyms	142800
			Recovery stage- I: 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	4800
			Intermediate-II: 3a, 7b-diacetyl,12a-hydroxy-methyl cholanate and it's synonyms	125712
			Recovery stage- II: 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	36000
			Intermediate-III: 3a, 7a-diacetyl-12-keto-methyl cholanate and its synonyms	142800
			Recovery stage:III 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	9600
			Intermediate-IV: 3a, 7a-dihydroxy-5b-Cholan 24-OIC ACID and it's synonyms	102720
			Intermediate-V: 3a, hydroxy-7-keto-Cholanic acid and it's synonyms	79992
			Recovery Stage-V: 3a,7b DIHYDROXY 5b-CHOLAN 24 OIC ACID CRUDE	19200
9	**BendamustineHCl**	200	-	-
10	**Bortezomib**	5	Intermediate-I: (s)-3-phenyl-2-(phrazine-2-carboxyamido)propanoic acid and it's synonyms	29.52
			Intermediate-II:3-methyl-1-(3-phenyl-2-(phrazine-2-carboxyamido)propanamido)butyl)boromic acid and it's synonyms	6.396
11	**Capecitabine**	60000	Intermediate-I: (2,3-di-O-acetyl-5 deoxy-5 flurocylidine) and its synonyms	72000
			Intermediate-II: (2,3-di-O-acityl-5 deoxy-5-deoxy-5-fluro-n4-(n-pentyloxy carboxyl) and its synonyms	79200
12	**Imatinib mesylate**	5000	-	
13	**Lenalidomide**	500	Intermediate-I: Chromate(V	

14	**Letrozole**	50	Intermediate-I: -4-(1H-1,2,4-triazol-1-yl) methyl)benzonitraile methane sulfonate and it`s synonyms	151
15	**Pemetrexed disodium**	250	Intermediate-I: –N-4[2-(2-amino-4,7-dihydro-4-oxo-1 H-Phyrolo[2,3-d] pyrimidin-5-yl)ethyl]benzoyl)-L-glutanic acid di sodium salt. and it`s synonyms	467
			Intermediate-II: Pemetrexed di acid	349.5
16	**Decitabine**	10	Intermediate-I: 1- methyl-2-deoxy ribose and it`s synonyms	155
			Intermediate-II: 1-methyl-3,5-di-o-acetyl-2-deoxy pentafuranose and it`s synonyms	208
			Intermediate-III: (1-(3,5-di-O-acetyl-2-deoxy-O-robofurnosol)-5-azacytosize) and it`s synonyms	102
			Intermediate-IV: (4-amino-1(2-deoxy-bta-D-erythro pentafuranasol)-1,3,5-trazin-2(1-H)-one and it`s synonyms	20
17	**Cytarabine**	50	Intermediate-I: Cyclocytidine.Hcl and it`s synonyms	62
18	**Cabazitaxel**	10	Intermediate-I: 4a-acetoxy-2a benzoyloxy-5b,2-o-epoxy-1b,hydroxyl-7b,10b-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,5R)-3tert-hydroxy carbonyl-2-(4-methoxy phenyl)-4phenyl)-4-phenyl-1,3-oxozodidine-5-carboxylate. and it`s synonyms	13
			Intermediate-II: Di isopropyl ether solvate of 4a-acetoxy-2a benzoyloxy-5b 2-o-epoxy-1b,hydroxyl-7b,10b-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,5R)-3tert-butoxycarbonylamino-2-phenylpropionate. and it`s synonyms	19
			Intermediate-II: Cabazitaxel Crude	12,318
19	**Acebrophylline**	10000	Intermediate-I: 1,2,3,6-tetrahydro-1,3-di enethyl-2,6- do oxo-7 H-purine-7-acetic acid with trans-4-[{(2-amino-3,5-dibromophenyl{amino] cyclo hexanol	5940

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★

20	Clofarabine	10	Intermediate-I: 2-Deoxy-1-a-bromo-2-B-flumo-3-5-di-O-bezyl-d-ribofuronose and it's synonyms	45
			Intermediate-II: 2-chloro-b-butyl amido purine and it's synonyms	23
21	Melphalan HCl	25	Intermediate-I: (s)-3-(4-aminophenyl)-2-(1,3-dioxo isoindoline-2-yl)propaoic acid. and it's synonyms	514.5
			Intermediate-II: (S)-methyl-3-(4-aminophenyl)-2-(1,3-dioxoiso indoline-2-yl)propanate. and it`s synonyms	342
			Intermediate-III: (S) methyl-3-(4-(bis(2-hydroxyethy)amino)phenyl)-2-(1,3-di oxo isoindolin-2-yl)propanate. and it`s synonyms	249
			Intermediate-IV: (S)-2-amino-3-(4-(bis(2-chloro ethyl) amino) phenyl) propanoic acid hydrochloride. and it`s synonyms	249
22	Cyclophosphamide	1000	Intermediate-I: Bis(2-chloroethyl)amine hydrochloride	886
			Intermediate-II: Bis(2-chloroethyl) phosphoramidic dichloride and it`s synonyms	810
23	TENOFOVIRDISOPROXIL FUMARATE	50000	Intermediate-I: -9-[-R-2-[bis{[isopropoxycarconyl]oxo}methaxyl]phosphoniyl]methoxy]propyl]adenine fumarate. and it`s synonyms	142500
24	Pemetrexed dipotassium	250	Intermediate-I: –N-4-[2-(2-amino-4,7-dihydro-4-oxo-1H-phyrol(2,3-d) pyiimidin-5-yl)ethyl]benzoyl]-L-glutamic acid, disodium salt and it`s synonyms	562
			Intermediate-II: Potassium2-(4-(2-amino-4-ox-4,7 dihydro-3H-pyrrolo[2,3-d]pyrimidin -5-yl)ethyl)benzamide)pentanedioate	



25	**Erlotinib Hcl**	2000	Intermediate-I: 2-AMINO-4,5-BIS(2-METHOXYETHOXY)BENZONITRILE and it's synonyms	2733.5
			Intermediate-II: N-(4,5-bis(2 methoxy ethoxy)-2-cynophenyl)-N-N-dimethyl farmamidine and it's synonyms	2573
			Intermediate-III: 6,7-Bis-(2-methoxyethoxy)-4(3H)-quinazolinone	2733.5
26	**Emtricitabine**	1000	Intermediate-I: (1R,2S,5R)-Menthyl-(2R,5S)-5-(4-amino-2-oxo-2H-pyrimidin-1-yl)-[1,3]oxathiolane-2-carboxylic acid and it's synonyms	1935
27	**Dimethyl Fumarate**	12000	Intermediate-I: Di methyl (E) butane di acitate. and it's synonyms	14666
28	**ELVITEGRAVIR**	1000	Intermediate-I: (3-chloro-2-fluorophenyl)(2,4-diemnethoxyphenyl])methanone and it's synonyms	102.6
			Intermediate-II: 1-(5-3-chloro-2-fluorobenzyl)-2,4-dimethoxy phenyl)ethanone and it's synonyms	918.5
			Intermediate-III: Thyl-3-(5-3-chloro-2-fluorobenzyl)-2-4-dimethoxyphenyl)-3-oxopropanate and it's synonyms	965
			Intermediate-IV: Ethyl-3-(5-3-chloro-2-fluorobenzyl)-2,4-dimethoxyphenyl)-2-((dimethyl amino)methylene)-3-oxopropanate and it's synonyms	1061.4
			Intermediate-V: Ethyl-6(3-chloro-2-fluorobenzyl)-1,4-dihydro-1((s)-1-hydroxy-3-methylbutan-2-yl)-7-methoxy-4-oxoguirolone-3-carboxylate and it's synonyms	1061.5
			Intermediate-VI: -6-(3-chloro-2-flurobenzyle)- 1,4-dihydro-1((s)-1-hydroxy-3-methylbutan-2-yl)-7-methoxy-4-oxoguirolone-3-carboxylic acid and it's synonyms	955

29	**COBICISTAT**	100000	Intermediate-IA: 2-bromo-2-nitro-butane and it`s synonyms	34365
			Intermediate-IIA: 1-(6-Ethoxy-2-(methylthio)pyrimidin-4-yl)piperidine-2-carboxylic acid and it`s synonyms	40695
			Intermediate-IIIA: Ethyl (2S)-2-({[(2-isopropyl-1,3-thiazol-4-yl)methyl](methyl)carbamoyl}amino)-4-(4-morpholinyl)butanoate ethanedioate and it`s synonyms	48152
			Intermediate-IB:(L)-amino lactone hydrogen bromide salt and its synonyms	3486.1
			Intermediate-IIB: 3-((cs)-terahydro-2-oxoforum-3-yl)-1-((2-isopropylthaazol-4-yl)methyl-1-methyl urea	40659.3
			Intermediate-IIIB: (S) -ethyl-2-[3-(2)-isopropylthaozol-4yl methyl-3-methylamido]-4-morpholin-4-ylbutanate oxalate salt	48151.8
30	**Busulfan**	50	Intermediate-I: Butane-1,4 diyldimethanesulfomate and it`s synonyms	171
31	**Zoledronic Acid**	5	Intermediate-I: Imidazol-1yl-acetic acid methyl ester and it`s synonyms	12.5
			Intermediate-II: Imidazol-1yl-acetic acid and it`s synonyms	10
			Intermediate-III: (1-hydroxy-2-imdazol-1-phosphono-ethyl)-phosphoric acid and it`s synonyms	6
32	**TRANEXAMICACID**	100000	Intermediate-I: Methyl(4-4cyano cyclohexane-1-carboxylate and it`s synonyms	128700
			Intermediate-II: Sodium-4-amino methyl cyclohexane carbocylate and it`s synonyms	1003564
			Intermediate-III: Sodium-4-aminomethyl cyclohexane carbocylate and it`s synonyms	128318

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY * KARNATAKA *

			Intermediate-IV: 4-amino methyl cyclohexane carbocylate acid sodium salt and it's synonyms	543312
			Intermediate-V: 4-amino methyl cyclohexane-carbocylicacid and it's synonyms	124146
			Intermediate-VI: 4-amino methyl cyclohexane-carbocylicacid and it's synonyms	113850
33	**Sunitinib Maleate**	3000	Intermediate-I: 2-[(3,5-Dimethyladamantan-1-yl)carbonyl]hydrazinecarboxamide and it's synonyms	2592
			Intermediate-II: N,N dimethyl sunitinib and it's synonyms	2700
34	**SorefenibTosylate**	3000	Intermediate-I: 4-(4-Aminophenoxy)-N-methyl picolinamide and it's synonyms	2850
			Intermediate-II: 1-(4-(2-methyl carbonyl)pyridine-4-yloxy)phenyl-3-(tri floro methanol)phenol) urea. and it's synonyms	2925
35	**Abiraterone acetate**	2000	Intermediate-I: De hydroepiandrosterone-17-hydrazone and it's synonyms	6600
			Intermediate-II: 17-bromo-androsta-5,16-diene-3-B-ol and it's synonyms	4323
			Intermediate-III: 17-(3-phyridyle)androsta-5,16-diene-3-B-ol and it's synonyms	2640

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★
सत्यमेव जयते

(RAMACHANDRA) 15/3/18
Member Secretary,
SEIAA - Karnataka.

सत्यमेव जयते

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016

Date:16.06.2020

CORRIGENDUM

Para 4 (Page 2) of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 issued to M/s. Shilpa Medicare Limited, 100% export oriented unit, Unit –II Plot No.33, 33A & 44 to 47, Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District shall be corrected and read as follows:

"4. It is, inter-alia, noted that M/s. Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing of total capacity 422.415 TPA listed in **ANNEXURE –I(R)** and the byproducts listed in ANNEXURE- II (R), The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm area is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. x6 TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The total cost of the project is Rs.6040 Lakhs."

Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 remains unchanged.

(VIJAYAKUMAR GOGI)
Member Secretary,
SEIAA.

To,

M/s. Shilpa Medicare Limited,
100% export oriented unit,
Unit –II Plot No.33, 33A & 44 to 47,
Raichur Industrial Growth Centre,
Wadloor Road, Chicksugur, Raichur District-584134.

..2

Copy to:

1. The Secretary, Ministry of Environment, Forests and Climate Change. Indira Paryavaran Bhavan, Jor Bagh Road. Aliganj, New Delhi- 110003.
2. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore-560 034.
4. Guard File.

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

ANNEXURE –II (R) to Environment Clarence letter No. SEIAA 50 IND 2016 dated 28-04-2017

List of by products to be manufactured:

Sl. No	Name of the Product	Stage	By Product	Quantity / batch (in Kgs)	No. of Batches / Annum	By Product Generated Quantity (MT/ annum)
1	3a,7B-Dihydroxy Cholanic Acid	II	Potassium acetate	595	240	142.8
		IV	Caustic potash lye solution	711.35		170.7
2	Capacitabine	I	Tin salt	500	240	120.0
		II	Pyridine Hcl	160		38.4
3	Decitabine	II	Pyridine Hcl	40.4	20	0.8

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★

(VIJAYAKUMAR GOGI)
Member Secretary,
SEIAA - Karnataka.