

Half Yearly Compliance Report**2026****01 Jun(01 Oct - 31 Mar)****Acknowledgement**

Proposal Name		Shilpa Pharma Life sciences Ltd. Unit I - bulk drugs, APIs and Intermediates manufacturing industry with R and D, Plot No 1A to 5 B Industrial Area, Deosuagr, and Raichur 584170.																	
Name of Entity / Corporate Office		Shilpa Pharma Lifesciences Ltd. Unit I																	
Village(s)		N/A																	
District		RAICHUR																	
<table><tr><td>Proposal No.</td><td>IA/KA/IND2/176362/2020</td></tr><tr><td>Plot / Survey / Khasra No.</td><td>N/A</td></tr><tr><td>State</td><td>KARNATAKA</td></tr><tr><td>MoEF File No.</td><td>IA-J-11011/300/2020-II(I)</td></tr></table>		Proposal No.	IA/KA/IND2/176362/2020	Plot / Survey / Khasra No.	N/A	State	KARNATAKA	MoEF File No.	IA-J-11011/300/2020-II(I)	<table><tr><td>Category</td><td>Industrial Projects - 3</td></tr><tr><td>Sub-District</td><td>N/A</td></tr><tr><td>Entity's PAN</td><td>*****REQUIRED</td></tr><tr><td>Entity name as per PAN</td><td>SHILPA PHARMA LIFESCIENCES LIMITED</td></tr></table>		Category	Industrial Projects - 3	Sub-District	N/A	Entity's PAN	*****REQUIRED	Entity name as per PAN	SHILPA PHARMA LIFESCIENCES LIMITED
Proposal No.	IA/KA/IND2/176362/2020																		
Plot / Survey / Khasra No.	N/A																		
State	KARNATAKA																		
MoEF File No.	IA-J-11011/300/2020-II(I)																		
Category	Industrial Projects - 3																		
Sub-District	N/A																		
Entity's PAN	*****REQUIRED																		
Entity name as per PAN	SHILPA PHARMA LIFESCIENCES LIMITED																		

Compliance Reporting Details

Reporting Year	2026
Remarks (if any)	Half-yearly EC compliance submission of October 2025 to April 2026
Reporting Period	01 Jun(01 Oct - 31 Mar)

Details of Production and Project Area

Name of Entity / Corporate Office Shilpa Pharma Lifesciences Ltd. Unit I

	Project Area as per EC Granted	Actual Project Area in Possession
Private	10.38	10.38
Revenue Land	0	0
Forest	0	0
Others	N/A	N/A
Total	10.38	10.38

Others Area

Sr. no	Other Name	Area Granted	Area Actual
1	Total plot area	10.38 ha	10.38 ha

Production Capacity						
Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
Conditions						
Visit Remarks						
Last Site Visit Report Date:			N/A			
Additional Remarks:			Half-yearly EC compliance submission of October 2025 to April 2026			
Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.						



Outlook

Submission of Half-Yearly EC Compliance Report

From Y Sudhakar <ysudhakar@shilpapharma.com>

Date Sat 5/30/2026 11:01 PM

To rosz.bng-mefcc@gov.in <rosz.bng-mefcc@gov.in>

Cc K.Sharath Reddy <sharath@shilpapharma.com>; Krishna Elasagaram <krishna.elasagaram@shilpapharma.com>; EHS Unit 1 <ehs_unit1@shilpapharma.com>

 1 attachment (16 MB)

EC -300-2021_Shilpa , Unit-1.pdf;

Dear Sir/Madam,

Please find herewith the enclosed Half-Yearly Environmental Clearance (EC) Compliance Report for the period October-2025 to March- 2026, pertaining to **EC No: : IA-J-11011/300/2020-IA-II(I)**, Dated: **5th January 2021** for M/s. Shilpa Pharma Lifesciences Ltd., Unit-1.

Kindly acknowledge receipt of the same.

With Best Regards,

Y. SUDHAKAR

EHS Department.

Shilpa Pharma Lifesciences Ltd., Unit-1.

This message (including any attachments) is intended for the addressee only and may contain confidential or privileged information. Any unauthorized retention, use, copy or circulation is expressly prohibited. If you are not the intended recipient, please notify the sender immediately by replying to this email and then delete it from your system. Shilpa Medicare Ltd. shall not be deemed as giving or endorsing any personal views or non-authorized content from the sender and shall further not be held responsible for any viruses in or tampering of this e-mail.

06

Shilpa Pharma Lifesciences Limited

Unit-1: Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,
4B & 5B, Deosugur Industrial Area, Deosugur-584 170,
Raichur District, Karnataka State, India.

CIN: U24100KA2020PLC134081

SPLL/UNIT-1/EHS/05/2025-26

Date: 29/05/2026

To

The Additional Principal Chief Conservator of Forests,
Regional Office,
Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing,
17th Main Road,
Ind Block Koramangala,
Bangalore-560034

Sub: Submission of EC Six Months Compliance status report – Reg.,

Ref: EC No:F.NO.IA-J-11011/300/2020-IA-II(I) Dated: 5th January 2021

Respected Sir / Madam,

We are herewith submitting compliance report for the term **OCTOBER-2025 to MARCH-2026**, Project Name: "**Shilpa Pharma Lifesciences Ltd. Unit I**"- Bulk drugs, APIs & Intermediates Manufacturing Industry with R&D, Plot No 1A to 5B Industrial Area, Deosugur and Raichur 584170.

Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter No. EC No: **F.NO. IA-J-11011/300/2020-IA-II (I) Dated: 5th January 2021**

The Covering letter, Compliance report, EC copy and the Environment monitoring test reports including necessary documents are enclosed as Annexures.

Kindly acknowledge the receipt of the document and e-mail.

Thanking you,
Yours faithfully



For SHILPA PHARMA LIFESCIENCES LIMITED, Unit-1


Authorized Signatory

Shilpa Pharma Lifesciences Limited

Unit-1: Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,
4B & 5B, Deosugur Industrial Area, Deosugur-584 170,
Raichur District, Karnataka State, India.

CIN: U24100KA2020PLC134081

CC to:

1. Environmental Officer, Karnataka State Pollution Control Board, building in shed C-3 KSSIDC Industrial area 3rd main road, Hyderabad Road, Raichur – 584 102.
2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49,4th & 5th Floor, Church Street, Bengaluru, Karnataka 560001.
3. The Principal secretary, Department of forest, Ecology & Environment Government of Karnataka, Room No: 404, 4th floor, II nd stage, Multi Storied Building, Bangalore-560 001

List of Annexures: -

S.No	Annexure	Description
1	Annexure - 1	Waste water flow meter & Test Reports.
2	Annexure - 2	VOC Test Reports
3	Annexure - 3	Occupational Health Centre (OHC)
4	Annexure - 4	Fire prevention and control measures
5	Annexure -5	Safety training
6	Annexure -6	KIADB water supply agreement copy
7	Annexure-7	Web camera photo and Effluent Transfer Logbook & Stack reports
8	Annexure-8	Solvent recovery system
9	Annexure-9	Manifest copies
10	Annexure-10	Greenbelt layout
11	Annexure-11	Environmental Management Cell & ISO 14001, ISO- 45001 & ISO- 9001 Certification
12	Annexure-12	Led light photo
13	Annexure-13	Noise monitoring data
14	Annexure-14	CER activities
15	Annexure-15	Capital and running costs of environmental management system
16	Annexure-16	Acknowledgment copies of Form-V
17	Annexure-17	Acknowledgment copies of EC compliance
18	Annexure-18	Newspaper advertisement copy

Kindly acknowledge the receipt of the document and email.

SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-I
(Plot No.1A, 1A (P) 1B, 2, 2A, 3A to 3E, Deosugur Industrial Area, Deosugur, Raichur-584170)

Environmental Clearance (EC) Compliance Status Report
(From OCTOBER 2025 to MARCH 2026)

Ref.EC. No: IA-J-11011/300/2020-IA-II(I) Dated: 5th January 2021

Part A. Specific Conditions

S.No	Specific Conditions	Status of compliance
1.	The Unit shall install waste water flow meter at the outlet of Unit - I and inlet of Unit- II, and keep record of waste water flow from Unit-I to Unit- II. The monitoring report shall be submitted to the SPCB/MoEF&CC Regional office.	Digital flow meters have been installed at the outlet of Unit-I and inlet of Unit-II. Daily records of wastewater transfer from Unit-I to Unit-II are being maintained and submitted monthly to SPCB/MoEF&CC Regional Office along with Form-20. <i>Wastewater analysis reports are enclosed as Annexure-1.</i>
2.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	We are implemented all environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All recommendations stipulated in the EIA/EMP report related to environmental management and risk mitigation measures have been effectively implemented. The Expansion Project vide the above EC is under construction and is yet to be commissioned.

S.No	Specific Conditions	Status of compliance
3.	Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.	Effective chilled water circulation systems have been provided for all condensers to control VOCs and fugitive emissions. VOCs/fugitive emissions are controlled as per stipulated norms, and regular workplace VOC monitoring is being carried out. <i>VOC evidence is enclosed as Annexure-2.</i> The Expansion Project vide the above EC is under construction and is yet to be commissioned.
4.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.	Complied. Effluent generated from Unit-I is transferred to Unit-II for treatment, which is approved by MoEF&CC and KSPCB. A Zero Liquid Discharge (ZLD) system has been installed and is operating effectively at Unit-II. Treated effluent is completely reused for utility purposes within the premises.
5.	Occupational health center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Complied. An Occupational Health Centre (OHC) has been established and is fully functional. Health records of all workers are maintained and utilized for assigning suitable job responsibilities. Appropriate Personal Protective Equipment (PPE) is provided to all employees based on work requirements. <i>OHC Photo evidence is enclosed as Annexure-3.</i>

S.No	Specific Conditions	Status of compliance
6.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Compiled, Necessary fire prevention and protection systems have been installed throughout the facility in accordance with applicable safety standards. The system includes fire hydrants, sprinklers, smoke and heat detectors, portable fire extinguishers, sand buckets, and DCP modular extinguishers. <i>Supporting evidence is enclosed as Annexure-4</i>
7.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Complied: Safety and health training related to chemical handling is regularly imparted to all employees through classroom sessions and on-the-job training programs. Audio-visual safety training materials are also utilized to enhance awareness and preparedness. <i>EHS Training Supporting evidence is enclosed as Annexure-5.</i>
8.	Total fresh water requirement shall not exceed 170.44 m ³ /day, proposed to be met from KIADB sourced from River Krishna. Prior permission in this regard shall be obtained from the concerned regulatory authority.	The total fresh water consumption is maintained within the permitted limit of 56 m ³ /day. Water supply permission has been obtained through KIADB, sourced from River Krishna. <i>KIADB document are enclosed as Annexure-6.</i> The Expansion Project vide the above EC is under construction and is yet to be commissioned.

S.No	Specific Conditions	Status of compliance
9.	Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.	Compiled, Storm water from rooftop areas is channelized through dedicated pipelines to rainwater harvesting storage tanks within the premises. No groundwater recharge is carried out within the premises. Process effluent and wastewater are completely segregated from storm water through a dedicated collection and transfer pipeline system connected to the ETP.
10.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Noted, and a continuous online VOC monitoring system and Web cameras with night vision capability and flow meters have been installed for monitoring effluent transfer to the Effluent to Shilpa Unit-2 ZLD system. Data transmission to CPCB and SPCB servers . Web Camera evidence is enclosed as Annexure-7. The Expansion Project vide the above EC is under construction and is yet to be commissioned.

S.No	Specific Conditions	Status of compliance
11.	Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled water condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled water circulation.	Complied, 1) All the Reactors sub Condensers are connected with Chilled water utility 2) All solvents handling pumps are provided with mechanical seals 3) Solvents are segregated and stored separately and all safety measures in place. 4) All the process equipment electrical installations are provided with earthing 5) All electrical fittings in the plant are flameproof. 6) The solvent storage tanks are equipped with breather valves. 7) The solvent storage tanks are connected to vent condensers with chilled water circulation. <i>Enclosed Solvent recovery system as annexure-8</i>
12.	Process organic residue and spent carbon, if any, shall be sent to cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Complied, Process organic residues, spent carbon, ETP sludge, inorganic salts, and evaporation salts are disposed of through authorized TSDF facilities using the online manifest system. <i>Manifest copies are enclosed as Annexure-9.</i>

S.No	Specific Conditions	Status of compliance
13.	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	a) All active ingredients and other raw materials are measured using calibrated weighing machines before being charged into the batch process. b) Based on feasibility, some of the byproducts generated from the process are reused in regular manufacturing operations. c) All the solvents & raw materials are handling in closed loop system with level transmitters & flow transmitters to avoid the spillages d) Closed feeding system for reactors provided. e) All the vapour are condensed before venting f) High-pressure hose nozzles are using for cleaning processes to reduce wastewater generation
14.	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Complied, A green belt of 5–10 meters width has been developed covering approximately 33% of the total project area, mainly along the plant periphery. Plant species have been selected as per CPCB guidelines. <i>Greenbelt layout is enclosed as Annexure-10.</i>

S.No	Specific Conditions	Status of compliance
15.	The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. Preference shall be given to local villagers for employment in the unit. Preference shall be given to local villagers for employment in the unit.	Socio-economic development activities and action plans proposed in the EMP report are being implemented as committed. Preference is being given to local villagers for employment opportunities in the unit. The Expansion Project vide the above EC is under construction and is yet to be commissioned.
16.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	A separate Environmental Management Cell (EMC) with qualified personnel has been established for environmental management and monitoring activities. Full-fledged laboratory facilities are available at Shilpa Unit-II. <i>Environmental Management Cell evidence is enclosed as Annexure-11.</i>

General Conditions:

S.No	Specific Conditions	Status of compliance
1.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIM, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIM, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Complied: No further expansion or modifications in the plant, other than those mentioned in the EIA Notification, 2006 and its amendments, will be carried out without prior approval from the Ministry of Environment, Forest and Climate Change (MoEF&CC) or SEIAA, as applicable The Expansion Project vide the above EC is under construction and is yet to be commissioned.
2.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Complied: We are using LED-based lighting systems in all applicable areas of the plant to enhance energy conservation and environmental sustainability. <i>Enclosed Led light photo as annexure-12</i>
3.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Noise control measures including acoustic enclosures, silencers, and noise-reducing systems have been provided for DG sets and other equipment. Ambient noise levels are maintained within the prescribed standards of 75 dBA during daytime and 70 dBA during nighttime. <i>Noise monitoring reports are enclosed as Annexure-13.</i>

S.No	Specific Conditions	Status of compliance
4.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	CER activities and community welfare measures are being implemented in coordination with local villages and administration for improvement of socio-economic conditions and environmental sustainability. <i>CER evidence is enclosed as Annexure-14</i> The Expansion Project vide the above EC is under construction and is yet to be commissioned.
5.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/pollution control measures shall not be diverted for any other purpose.	Adequate capital and recurring funds have been allocated and utilized for implementation of pollution control systems and environmental management measures as committed in the EMP. <i>EMP details are enclosed as Annexure-15</i> The Expansion Project vide the above EC is under construction and is yet to be commissioned.
6.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayath, ZillaParishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied: A copy of the Environmental Clearance letter has been submitted to the concerned Gram Panchayat and other relevant authorities.

S.No	Specific Conditions	Status of compliance
7.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied, Six-monthly Environmental Clearance compliance reports are being regularly submitted to the Regional Office of MoEF&CC, CPCB, and SPCB, and are also uploaded on the company website
8.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Complied: The Environmental Statement (Form-V) has been submitted to KSPCB and the Regional Office of MoEF&CC and uploaded on the company website along with EC compliance reports. <i>Form-V acknowledgement copy enclosed as Annexure-16 and EC compliance acknowledgement copy enclosed as Annexure-17</i>
9.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/ . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	Complied: Newspaper advertisements regarding grant of Environmental Clearance were published in local and vernacular newspapers within the stipulated timeline and submitted to the concerned Regional Office. <i>Copies are enclosed as Annexure-18.</i>

S.No	Specific Conditions	Status of compliance
10.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Noted The Expansion Project vide the above EC is under construction and is yet to be commissioned.
11.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted The Expansion Project vide the above EC is under construction and is yet to be commissioned.
12.	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	Noted The Expansion Project vide the above EC is under construction and is yet to be commissioned.
13.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted The Expansion Project vide the above EC is under construction and is yet to be commissioned.

S.No	Specific Conditions	Status of compliance
14.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted. The Expansion Project vide the above EC is under construction and is yet to be commissioned.
15.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	Noted. The Expansion Project vide the above EC is under construction and is yet to be commissioned.

Thanking you,

For **SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1**



Authorized Signatory

ANNEXURE- 1

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent treated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter,
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 15.10.2025
7. Date of sample receipt : 16.10.2025
8. Sample Code : WW/866
9. Analysis Starting Date : 16.10.2025
10. Analysis Completion Date : 21.10.2025
11. Report Issue Date : 22.10.2025

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407125000023700F

S. No	Parameters	Protocol	Unit	Result	KSPCB Standards
Physical Parameters					
1	Color	IS 3025 Part 4	Hazen	<5	---
2	Odor	IS 3025 Part 5	---	Unobjectionable	---
3	pH @ 25°C	IS 3025 Part 11	-	8.02	6.5-8.5
4	Turbidity	IS 3025 Part 10	NTU	1.9	---
Chemical Parameters					
5	Total Suspended solids	IS 3025 Part 17	mg/l	52	100
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	1726	2250
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	18	30
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	112.3	250

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent treated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 07.11.2025
7. Date of sample receipt : 08.11.2025
8. Sample Code : WW/996
9. Analysis Starting Date : 08.11.2025
10. Analysis Completion Date : 15.11.2025
11. Report Issue Date : 17.11.2025

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407124000025707F

S. No	Parameters	Protocol	Unit	Result	KSPCB Standards
Physical Parameters					
1	Color	IS 3025 Part 4	Hazen	<5	---
2	Odor	IS 3025 Part 5	---	Unobjectionable	---
3	pH @ 25°C	IS 3025 Part 11	-	7.53	6.5-8.5
4	Turbidity	IS 3025 Part 10	NTU	2.3	---
Chemical Parameters					
5	Total Suspended solids	IS 3025 Part 17	mg/l	68	100
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	2088	2250
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	7.2	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	25.6	30
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	140.2	250

Analysed by



Authorized Signatory

Hanumanthaiah.P
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit-I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent treated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 19.12.2025
7. Date of sample receipt : 20.12.2025
8. Sample Code : WW/1371
9. Analysis Starting Date : 20.12.2025
10. Analysis Completion Date : 26.12.2025
11. Report Issue Date : 27.12.2025

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407124000030730F

S. No	Parameters	Protocol	Unit	Result	KSPCB Standards
Physical Parameters					
1	Color	IS 3025 Part 4	Hazen	<5	---
2	Odor	IS 3025 Part 5	---	Unobjectionable	---
3	pH @ 25°C	IS 3025 Part 11	-	7.26	6.5-8.5
4	Turbidity	IS 3025 Part 10	NTU	1.9	---
Chemical Parameters					
5	Total Suspended solids	IS 3025 Part 17	mg/l	56	100
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	1986	2250
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	7	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	28	30
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	168.6	250

Analysed by

[Signature]

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent treated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 13.01.2026
7. Date of sample receipt : 14.01.2026
8. Sample Code : WW/059
9. Analysis Starting Date : 14.01.2026
10. Analysis Completion Date : 19.01.2026
11. Report Issue Date : 20.01.2026

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407126000001105F

S. No	Parameters	Protocol	Unit	Result	KSPCB Standards
Physical Parameters					
1	Color	IS 3025 Part 4	Hazen	<5	---
2	Odor	IS 3025 Part 5	---	Unobjectionable	---
3	pH @ 25°C	IS 3025 Part 11	-	7.38	6.5-8.5
4	Turbidity	IS 3025 Part 10	NTU	2.1	---
Chemical Parameters					
5	Total Suspended solids	IS 3025 Part 17	mg/l	36	100
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	1884	2250
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	7	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	22	30
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	146.9	250

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent treated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 18.02.2026
7. Date of sample receipt : 19.02.2026
8. Sample Code : WW/531
9. Analysis Starting Date : 19.02.2026
10. Analysis Completion Date : 24.02.2026
11. Report Issue Date : 25.02.2026

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407126000005543F

S. No	Parameters	Protocol	Unit	Result	KSPCB Standards
Physical Parameters					
1	Color	IS 3025 Part 4	Hazen	<5	---
2	Odor	IS 3025 Part 5	---	Unobjectionable	---
3	pH @ 25°C	IS 3025 Part 11	-	7.42	6.5-8.5
4	Turbidity	IS 3025 Part 10	NTU	2.1	---
Chemical Parameters					
5	Total Suspended solids	IS 3025 Part 17	mg/l	60	100
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	2065	2250
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	6.8	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	24.2	30
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	132	250

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent treated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 19.03.2026
7. Date of sample receipt : 20.03.2026
8. Sample Code : WW/683
9. Analysis Starting Date : 20.03.2026
10. Analysis Completion Date : 26.03.2026
11. Report Issue Date : 27.03.2026

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407126000007615F

S. No	Parameters	Protocol	Unit	Result	KSPCB Standards
Physical Parameters					
1	Color	IS 3025 Part 4	Hazen	<5	---
2	Odor	IS 3025 Part 5	---	Unobjectionable	---
3	pH @ 25°C	IS 3025 Part 11	-	7.35	6.5-8.5
4	Turbidity	IS 3025 Part 10	NTU	3.2	---
Chemical Parameters					
5	Total Suspended solids	IS 3025 Part 17	mg/l	68	100
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	2043	2250
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	6.2	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	25.1	30
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	136	250

Analysed by

[Signature]

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Annexure-1

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent Untreated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 15.10.2025
7. Date of sample receipt : 16.10.2025
8. Sample Code : WW/865
9. Analysis Starting Date : 16.10.2025
10. Analysis Completion Date : 21.10.2025
11. Report Issue Date : 22.10.2025

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407125000023699F

S. No	Parameters	Protocol	Unit	Result
Physical Parameters				
1	Color	IS 3025 Part 4	Hazen	28
2	Odor	IS 3025 Part 5	---	Objectionable
3	pH @ 25°C	IS 3025 Part 11	-	5.96
4	Turbidity	IS 3025 Part 10	NTU	8.9
Chemical Parameters				
5	Total Suspended solids	IS 3025 Part 17	mg/l	148
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	2966
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	18
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	475
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	1575

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Annexure - 1

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent Untreated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 07.11.2025
7. Date of sample receipt : 08.11.2025
8. Sample Code : WW/995
9. Analysis Starting Date : 08.11.2025
10. Analysis Completion Date : 15.11.2025
11. Report Issue Date : 17.11.2025

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407124000025706F

S. No	Parameters	Protocol	Unit	Result
Physical Parameters				
1	Color	IS 3025 Part 4	Hazen	<20
2	Odor	IS 3025 Part 5	---	Objectionable
3	pH @ 25°C	IS 3025 Part 11	-	6.2
4	Turbidity	IS 3025 Part 10	NTU	11.6
Chemical Parameters				
5	Total Suspended solids	IS 3025 Part 17	mg/l	226
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	4028
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	24
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	580
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	1725

Analysed by

Ramey



Authorized Signatory

Hanumanthiah.P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (D) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent Untreated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 19.12.2025
7. Date of sample receipt : 20.12.2025
8. Sample Code : WW/1370
9. Analysis Starting Date : 20.12.2025
10. Analysis Completion Date : 26.12.2025
11. Report Issue Date : 27.12.2025

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407124000030729F

S. No	Parameters	Protocol	Unit	Result
Physical Parameters				
1	Color	IS 3025 Part 4	Hazen	<20
2	Odor	IS 3025 Part 5	---	Objectionable
3	pH @ 25°C	IS 3025 Part 11	-	6.48
4	Turbidity	IS 3025 Part 10	NTU	12
Chemical Parameters				
5	Total Suspended solids	IS 3025 Part 17	mg/l	211
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	5684
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	21
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	604
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	2016

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Annexure - 1

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent Untreated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 13.01.2026
7. Date of sample receipt : 14.01.2026
8. Sample Code : WW/058
9. Analysis Starting Date : 14.01.2026
10. Analysis Completion Date : 19.01.2026
11. Report Issue Date : 20.01.2026

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407126000001104F

S. No	Parameters	Protocol	Unit	Result
Physical Parameters				
1	Color	IS 3025 Part 4	Hazen	<20
2	Odor	IS 3025 Part 5	---	Objectionable
3	pH @ 25°C	IS 3025 Part 11	-	6.27
4	Turbidity	IS 3025 Part 10	NTU	10.6
Chemical Parameters				
5	Total Suspended solids	IS 3025 Part 17	mg/l	186
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	5224
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	20
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	638
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	2128

Analysed by

Authorized Signatory

B. Chinna Lingana Gouda
Chief executive of the laboratory

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent Untreated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 18.02.2026
7. Date of sample receipt : 19.02.2026
8. Sample Code : WW/530
9. Analysis Starting Date : 19.02.2026
10. Analysis Completion Date : 24.02.2026
11. Report Issue Date : 25.02.2026

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407126000005542F

S. No	Parameters	Protocol	Unit	Result
Physical Parameters				
1	Color	IS 3025 Part 4	Hazen	<20
2	Odor	IS 3025 Part 5	---	Objectionable
3	pH @ 25°C	IS 3025 Part 11	-	6.43
4	Turbidity	IS 3025 Part 10	NTU	10.2
Chemical Parameters				
5	Total Suspended solids	IS 3025 Part 17	mg/l	220
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	4021
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	22
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	565
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	1712

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthaiah.P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Annexure - 1

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF WATER QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I)
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO
3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Marked as : Effluent Untreated Water
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Sample quantity : Pet Bottle, 2 Liter.
5. Sample Description/condition : Water/Good
6. Date of Sample Collection : 19.03.2026
7. Date of sample receipt : 20.03.2026
8. Sample Code : WW/682
9. Analysis Starting Date : 20.03.2026
10. Analysis Completion Date : 26.03.2026
11. Report Issue Date : 27.03.2026

Discipline: Chemical

Group: Pollution & Environment

Sub Group: Waste Water

ULR No: TC407126000007614F

S. No	Parameters	Protocol	Unit	Result
Physical Parameters				
1.	Color	IS 3025 Part 4	Hazen	<20
2	Odor	IS 3025 Part 5	---	Objectionable
3	pH @ 25°C	IS 3025 Part 11	-	6.82
4	Turbidity	IS 3025 Part 10	NTU	9.6
Chemical Parameters				
5	Total Suspended solids	IS 3025 Part 17	mg/l	215
6	Total Dissolved Solids	IS 3025 Part 16	mg/l	4033
7	Oil & Grease	IS 3025 Part 39, Method (a)	mg/l	24
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025 Part 44	mg/l	554
9	Chemical Oxygen Demand	IS 3025 Part 58	mg/l	1723

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

Effluent Tanker sent to unit-2 for the month of Oct-25.

S/No	Date	TOC	Time	Initial Reading	Final Reading	Total	Signature	Remarks
1	24/10/25	43	10:50	30524.1	30532.2	8.05	[Signature]	-
2	31/10/25	44	11:00	30510.2	30540.2	8.03	[Signature]	-
3	31/10/25	45	14:50	30518.2	30808.2	8.03	[Signature]	-
4	6/11/25	46	11:40	30518.2	30556.3	8.04	[Signature]	-
5	7/11/25	47	14:50	30556.3	30564.3	8.04	[Signature]	-
6	7/11/25	48	11:40	30564.3	30580.4	8.03	[Signature]	-
7	7/11/25	49	10:50	30580.4	30588.4	8.03	[Signature]	-
8	8/11/25	1	13:10	30588.4	30596.4	8.04	[Signature]	-
9	8/11/25	2	14:10	30596.4	30604.5	8.01	[Signature]	-
10	8/11/25	3	8:34	30604.5	30612.5	8.08	[Signature]	-
11	8/11/25	4	11:40	30612.5	30620.5	8.02	[Signature]	-
12	9/11/25	5	12:40	30620.5	30628.6	8.02	[Signature]	-
13	9/11/25	6	10:10	30628.6	30636.6	8.03	[Signature]	-
14	9/11/25	7	12:10	30636.6	30644.6	8.02	[Signature]	-
15	10/11/25	8	14:00	30644.6	30652.6	8.01	[Signature]	-
16	10/11/25	9	11:20	30652.6	30660.7	8.01	[Signature]	-
17	12/11/25	10	15:01	30660.7	30668.7	8.03	[Signature]	-
18	12/11/25	11	8:42	30668.7	30676.7	8.04	[Signature]	-
19	12/11/25	12	9:30	30676.7	30684.7	8.01	[Signature]	-
20	13/11/25	13	11:00	30684.7	30692.8	8.01	[Signature]	-
21	13/11/25	14	10:40	30692.8	30700.8	8.04	[Signature]	-
22	13/11/25	15	10:40	30700.8	30708.9	8.04	[Signature]	-
23	15/11/25	16	12:00	30708.9	30716.9	8.05	[Signature]	-
24	15/11/25	17	15:20	30716.9	30724.9	8.05	[Signature]	-
25	15/11/25	18	16:40	30724.9	30732.9	8.04	[Signature]	-
26	16/11/25	19	9:15	30732.9	30740.9	8.03	[Signature]	-
27	16/11/25	20	10:30	30740.9	30748.9	8.03	[Signature]	-
28	16/11/25	21	13:30	30748.9	30756.9	8.02	[Signature]	-
29	16/11/25	22	12:50	30756.9	30764.9	8.02	[Signature]	-
30	17/11/25	23	12:55	30764.9	30772.9	8.02	[Signature]	-

Annexure-1

Effluent Tanker sent to Cinders-2

for the month of Oct-dec.

S.No	Date	TOC	Time	Initial Reading	Final Reading	Total	Signature	Remarks
31	17/10/25	24	9:10	30773.3	36772.7	8.05	[Signature]	-
32	17/10/25	25	10:50	30781.8	30781.8	8.07	[Signature]	-
33	18/10/25	26	12:30	30781.8	36781.8	8.01	[Signature]	-
34	18/10/25	27	13:30	30781.8	36799.8	8.03	[Signature]	-
35	18/10/25	28	14:51	30781.8	36806.1	8.04	[Signature]	-
36	18/10/25	29	09:21	30806.2	36814.3	8.07	[Signature]	-
37	18/10/25	30	10:30	30814.3	36822.3	8.06	[Signature]	-
38	18/10/25	31	11:35	30822.3	36830.4	8.05	[Signature]	-
39	18/10/25	32	12:45	30830.4	36838.4	8.04	[Signature]	-
40	20/10/25	33	14:30	30838.4	36846.5	8.03	[Signature]	-
41	20/10/25	34	10:11	30846.5	36854.5	8.05	[Signature]	-
42	20/10/25	35	11:10	30854.5	36862.5	8.03	[Signature]	-
43	20/10/25	36	12:30	30862.5	36870.5	8.01	[Signature]	-
44	20/10/25	37	14:15	30870.5	36878.6	8.02	[Signature]	-
45	21/10/25	38	15:20	30878.6	36886.6	8.04	[Signature]	-
46	21/10/25	39	11:38	30886.6	36894.6	8.03	[Signature]	-
47	21/10/25	40	10:30	30894.6	36902.7	8.05	[Signature]	-
48	21/10/25	41	3:00	30902.7	36910.7	8.03	[Signature]	-
49	21/10/25	42	4:40	30910.7	36918.7	8.04	[Signature]	-
50	24/10/25	43	15:50	36918.7	36926.8	8.05	[Signature]	-
51	25/10/25	44	9:35	36926.8	36934.9	8.07	[Signature]	-
52	25/10/25	45	9:50	36934.9	36942.9	8.03	[Signature]	-
53	26/10/25	46	11:10	36942.9	36950.00	8.03	[Signature]	-
54	26/10/25	47	16:30	36950.00	36959.00	8.05	[Signature]	-
55	27/10/25	48	09:40	36959.00		8.05	[Signature]	-
						442.9 KL	[Signature]	
						442.9 KL	[Signature]	

Total Effluent sent to Cinders-2

02 for the Month of Nov 2005

SL No	Route	Eff. Unit		Taxes	Sent to	Cm	02 for the Month of Nov 2005		Remove.
		Loc	Time		Inf. & Roadway		Final Reading	Subt	
1	1/11/2005	49	15:40		30967.		30978.05	8.05	Signature
2	1/11/2005	1	16:40		30975.05		30985.11	8.05	
3	2/11/2005	2	9:40		30983.11		30994.14	8.03	
4	2/11/2005	3	11:15		30991.11		31007.19	8.05	
5	3/11/2005	4	1:10		30999.14		31015.23	8.04	
6	3/11/2005	5	2:00		31007.19		31022.27	8.04	
7	3/11/2005	6	3:00		31015.23		31031.31	8.04	
8	3/11/2005	7	5:00		31023.27		31039.32	8.01	
9	4/11/2005	8	11:30		31031.31		31047.35	8.03	
10	4/11/2005	9	1:30		31039.32		31055.4	8.05	
11	4/11/2005	10	2:15		31047.35		31063.41	8.01	
12	5/11/2005	11	11:30		31055.4		31071.43	8.02	
13	5/11/2005	12	1:30		31063.41		31079.5	8.07	
14	5/11/2005	13	14:50		31071.43		31087.56	8.06	
15	5/11/2005	14	16:00		31079.5		31095.62	8.06	
16	6/11/2005	15	9:10		31087.56		31103.65	8.03	
17	6/11/2005	16	10:20		31095.62		31111.68	8.03	
18	6/11/2005	17	11:20		31103.65		31119.73	8.05	
19	6/11/2005	18	12:50		31111.68		31127.76	8.03	
20	7/11/2005	19	10:40		31119.73		31135.77	8.01	
21	8/11/2005	20	7:10		31127.76		31143.79	8.02	
22	8/11/2005	21	8:30		31135.77		31151.82	8.03	
23	8/11/2005	22	15:50		31143.79		31159.83	8.01	
24	8/11/2005	23	9:10		31151.82		31167.87	8.04	
25	9/11/2005	24	1:30		31159.83		31175.92	8.05	
26	9/11/2005	25	12:10		31167.87		31183.93	8.01	
27	9/11/2005	26	18:40		31175.92		31191.93	8.03	
28	9/11/2005	27	9:30		31183.93		31199.98	8.02	
29	10/11/2005	28	11:10		31191.96		31208.02	8.04	
30	10/11/2005	29	15:40		31199.98				

Annexure-1

Effluent			Time		Sent to		Control for the Month of Nov 2005		
SL NO	Date	IBC	Time	Influent Reading	Final Reading	Job	Signature	Remarks	
31	10/11/2005	30	8:15:40	31216.02	31216.05	8.03	MD		
32	13/11/2005	31	11:10	31216.05	31224.1	8.05	MD		
33	13/11/25	32	11:10	31224.1	31232.14	8.04	MD		
34	13/11/25	33	14:30	31232.14	31240.17	8.03	MD		
35	14/11/25	34	2:20	31240.17	31248.19	8.02	MD		
36	14/11/25	35	3:50	31248.19	31256.22	8.03	MD		
37	18/11/25	36	12:30	31256.22	31264.23	8.01	MD		
38	18/11/25	37	17:00	31264.23	31272.27	8.04	MD		
39	19/11/25	38	10:20	31272.27	31280.29	8.02	MD		
40	19/11/25	39	11:20	31280.29	31288.33	8.04	MD		
41	23/11/25	40	16:30	31288.33	31296.36	8.03	MD		
42	23/11/25	41	18:00	31296.36	31304.37	8.01	MD		
43	24/11/25	42	10:00	31304.37	31312.41	8.04	MD		
44	24/11/25	43	12:00	31312.41	31320.42	8.04	MD		
45	24/11/25	44	01:10	31320.42	31328.47	8.05	MD		
46	24/11/25	45	14:30	31328.47	31336.51	8.04	MD		
47	24/11/25	46	15:10	31336.51	31344.54	8.03	MD		
48	24/11/25	47	16:00	31344.54	31352.56	8.02	MD		
49	25/11/25	48	10:40	31352.56	31360.58	8.02	MD		
50	25/11/25	49	11:30	31360.58	31368.62	8.04	MD		
51	25/11/25	01	14:55	31368.62	31376.67	8.05	MD		
52	25/11/25	02	16:10	31376.67	31384.67	8	MD		
53	26/11/25	03	09:20	31384.67	31392.7	8.02	MD		
54	26/11/25	04	10:29	31392.7	31400.74	8.04	MD		
55	26/11/25	05	11:40	31400.74	31408.79	8.05	MD		
56	26/11/25	06	12:30	31408.79	31416.81	8.02	MD		
57	27/11/25	07	06:40	31416.81	31424.82	8.01	MD		
58	27/11/25	08	08:10	31424.82	31432.84	8.02	MD		
59	27/11/25	09	17:00	31432.84	31440.87	8.03	MD		
60	27/11/25	10	18:30	31440.87	31448.92	8.05	MD		

Effluent Treatment Pond		Time		Initial Reading		Final Reading		Quantity		Signature		Remarks	
Sl. No	Date	TOC	Time	Initial Reading		Final Reading		Quantity		Signature		Remarks	
2861	28/11/2025	11	09:10	31448.92		31456.98		8.06		Y721			
2862	28/11/2025	12	11:10	31456.98		31465.03		8.05		Y721			
2863	28/11/2025	13	11:50	31473.07		31481.1		8.04		Y721			
2864	28/11/2025	14	12:40	31489.15		31497.14		8.03		Y721			
2865	28/11/2025	15	15:00	31505.19		31513.26		8.06		Y721			
2866	28/11/2025	16	15:45	31521.28		31529.31		8.01		Y721			
2867	28/11/2025	17	16:35	31537.36		31545.38		8.03		Y721			
2868	28/11/2025	18	17:30	31553.41		31561.47		8.07		Y721			
2869	28/11/2025	19	18:40	31561.47		31569.51		8.02		Y721			
2870	28/11/2025	20	19:30	31577.51		31585.53		8.05		Y721			
2871	28/11/2025	21	20:10	31591.57		31599.57		8.05		Y721			
2872	28/11/2025	22	21:00	31607.51		31615.53		8.02		Y721			
2873	28/11/2025	23	22:10	31621.57		31629.57		8.03		Y721			
2874	28/11/2025	24	23:00	31637.51		31645.53		8.06		Y721			
2875	28/11/2025	25	24:00	31653.51		31661.53		8.04		Y721			
2876	28/11/2025	26	25:00	31677.51		31685.53		8.00		Y721			
2877	28/11/2025	27	26:00	31693.51		31701.53		8.02		Y721			
Total effluent sent to water for the month of Nov-25								618.53 KL					

Expendt Valley Sent to Unit 02. For too Treatment Prepare Dec 02/05

Sl No	Date	TOC	Time	Influent Reading	Final Reading	Quantity	Signature	Remarks
1	1/12/2005	28	10:10	31585.53	31593.53	8.0	Q	-
2	1/12/2005	29	11:46	31593.53	31601.58	8.05	Q	-
3	1/12/2005	30	14:00	31601.58	31609.61	8.03	Q	-
4	2/12/2005	31	12:35	31609.61	31617.63	8.02	Q	-
5	3/12/2005	32	10:10	31617.63	31625.67	8.04	Q	-
6	3/12/2005	33	11:10	31625.67	31633.72	8.05	Q	-
7	3/12/2005	34	12:30	31633.72	31641.75	8.03	Q	-
8	3/12/2005	35	14:00	31641.75	31649.8	8.05	Q	-
9	4/12/2005	36	9:30	31649.8	31657.81	8.01	Q	-
10	4/12/2005	37	11:20	31657.81	31665.85	8.04	Q	-
11	4/12/2005	38	4:00	31665.85	31673.87	8.02	Q	-
12	5/12/2005	39	11:50	31673.87	31681.92	8.05	Q	-
13	5/12/2005	40	17:10	31681.92	31689.95	8.03	Q	-
14	7/12/2005	41	16:30	31689.95	31698	8.05	Q	-
15	7/12/2005	42	17:20	31698.0	31706.04	8.04	Q	-
16	7/12/2005	43	11:40	31706.04	31714.05	8.01	Q	-
17	9/12/2005	44	6:10	31714.05	31722.08	8.03	Q	-
18	9/12/2005	45	12:10	31722.08	31730.12	8.04	Q	-
19	10/12/2005	46	8:14	31730.12	31738.13	8.01	Q	-
20	10/12/2005	47	10:05	31738.13	31746.16	8.03	Q	-
21	12/12/2005	48	7:45	31746.16	31754.2	8.04	Q	-
22	12/12/2005	49	9:40	31754.2	31762.22	8.02	Q	-
23	12/12/2005	01	4:00	31762.22	31770.24	8.02	Q	-
24	12/12/2005	02	5:20	31770.24	31778.27	8.03	Q	-
25	13/12/2005	03	10:40	31778.27	31786.28	8.01	Q	-
26	13/12/2005	04	12:10	31786.28	31794.3	8.02	Q	-
27	13/12/2005	05	7:20	31794.3	31802.34	8.04	Q	-
28	14/12/2005	06	9:10	31802.34	31810.37	8.03	Q	-
29	14/12/2005	07	8:10	31810.37	31818.37	8.0	Q	-
30	14/12/2005	08	10:24	31818.37	31826.45	8.06	Q	-

Annexure-1

FOR fee treatment purpose Dec 2025

Expenses Taken Sent to inv. 02

Sl No	Date	IOC	Time	Initial Reading	Final Reading	Quantity	Singature	Remarks
31	14/12/2025	9	12:30	31826.43	31834.44	8.01	DP	
32	14/12/2025	10	13:00	31837.44	31842.48	8.04	DP	
33	15/12/2025	11	10:05	31842.48	31850.51	8.03	DP	
34	16/12/2025	12	10:10	31850.51	31858.55	8.04	DP	
35	16/12/2025	13	10:52	31858.55	31866.59	8.02	DP	
36	16/12/2025	14	12:02	31866.59	31874.6	8.02	DP	
37	16/12/2025	15	15:40	31874.6	31882.61	8.01	DP	
38	16/12/2025	16	16:40	31882.61	31890.61	8.00	DP	
39	18/12/2025	17	9:30	31890.61	31898.62	8.01	DP	
40	18/12/2025	18	11:30	31898.62	31906.65	8.03	DP	
41	18/12/2025	19	3:30	31906.65	31914.69	8.04	DP	
42	18/12/2025	20	6:10	31914.69	31922.71	8.02	DP	
43	19/12/2025	21	10:00	31922.71	31930.76	8.05	DP	
44	19/12/2025	22	11:20	31930.76	31938.78	8.02	DP	
45	19/12/2025	23	16:00	31938.78	31946.81	8.03	DP	
46	19/12/2025	24	17:50	31946.81	31954.85	8.04	DP	
47	20/12/2025	25	10:00	31954.85	31962.86	8.01	DP	
48	20/12/2025	26	11:10	31962.86	31970.92	8.06	DP	
49	20/12/2025	27	16:40	31970.92	31978.95	8.03	DP	
50	21/12/2025	28	10:55	31978.95	31987.04	8.09	DP	
51	21/12/2025	29	12:30	31987.04	31995.04	8.00	DP	
52	22/12/2025	30	14:00	31995.04	32003.06	8.02	DP	
53	22/12/2025	31	9:30	32003.06	32011.1	8.04	DP	
54	22/12/2025	32	11:30	32011.1	32019.15	8.05	DP	
55	22/12/2025	33	16:10	32019.15	32027.17	8.02	DP	
56	22/12/2025	34	10:40	32027.17	32035.18	8.01	DP	
57	23/12/2025	35	11:55	32035.18	32043.2	8.02	DP	
58	23/12/2025	36	12:50	32043.2	32051.23	8.03	DP	
59	23/12/2025	37	14:59	32051.23	32059.28	8.05	DP	
60	24/12/2025	38	9:10	32059.28	32067.31	8.03	DP	

Annexure-1

Unit-2 for the month of Dec-25.

Effluent Treatment sent to

Sl No	Date	TBC	Time	Inflow Reading	Final Reading	Quantity	Signature	Remise
61	24/12/25	39	10:00	32067.31	32075.32	8.01	[Signature]	-
62	24/12/25	40	12:00	32075.32	32083.34	8.02	[Signature]	-
63	24/12/25	41	13:00	32083.34	32091.38	8.04	[Signature]	-
64	25/12/25	42	16:00	32091.38	32099.43	8.05	[Signature]	-
65	25/12/25	43	17:00	32099.38	32107.47	8.04	[Signature]	-
66	25/12/25	44	18:00	32107.47	32115.48	8.01	[Signature]	-
67	26/12/25	45	9:30	32115.48	32123.5	8.02	[Signature]	-
68	26/12/25	46	12:00	32123.5	32131.54	8.04	[Signature]	-
69	26/12/25	47	10:00	32131.54	32139.59	8.05	[Signature]	-
70	26/12/25	48	11:00	32139.59	32147.62	8.03	[Signature]	-
71	26/12/25	49	12:00	32147.62	32155.65	8.03	[Signature]	-
72	27/12/25	01	3:00	32155.65	32163.68	8.03	[Signature]	-
73	27/12/25	02	4:00	32163.68	32171.7	8.02	[Signature]	-
74	27/12/25	03	08:05	32171.7	32179.74	8.04	[Signature]	-
75	28/12/25	4	10:40	32179.74	32187.79	8.05	[Signature]	-
76	28/12/25	5	11:35	32187.79	32195.81	8.02	[Signature]	-
77	28/12/25	6	13:45	32195.81	32203.81	8.01	[Signature]	-
78	30/12/25	7	09:40	32203.82	32211.85	8.03	[Signature]	-
79	31/12/25	8	10:05	32211.85	32219.92	8.07	[Signature]	-
80	31/12/25	9	11:04	32219.92	32227.98	8.06	[Signature]	-
81	31/12/25	10	15:05	32227.98	32236.03	8.05	[Signature]	-
82	31/12/25	11	15:05	32236.03	32244.07	8.04	[Signature]	-
83	31/12/25	12	14:00	32244.07	32252.1	8.03	[Signature]	-
84	31/12/25	13	15:45	32252.1	32260.13	8.03	[Signature]	-
85	31/12/25	14	16:02	32260.13	32268.14	8.01	[Signature]	-
Total				Effluent sent to Unit		682.61	[Signature]	-
				for the month of Dec-25				

Annexure-1

Eggs and Pavers sent to units 2 For the Months of Jan 2026.

Sl. No	Date	Sec	Time	Initial Reading	Final Reading	Quantity	Signature
1	21.1.26	15	30:00	32268, 14	32276, 15	8, 01	CP
2	21.1.26	16	12:10	32276, 15	32284, 17	8, 02	CP
3	21.1.26	17	15:50	32284, 17	32292, 2	8, 03	CP
4	21.1.26	18	17:00	32292, 2	32300, 24	8, 04	CP
5	31.1.26	19	10:00	32300, 24	32308, 25	8, 01	CP
6	31.1.26	20	11:20	32308, 25	32316, 27	8, 02	CP
7	31.1.26	21	16:00	32316, 27	32324, 3	8, 03	CP
8	4.1.1.26	22	08:42	32324, 3	32332, 34	8, 04	CP
9	4.1.1.26	23	10:40	32332, 34	32340, 25	8, 01	CP
10	4.1.1.26	24	12:40	32340, 25	32348, 38	8, 03	CP
11	5.1.1.26	25	10:05	32348, 38	32356, 4	8, 02	CP
12	31.1.26	26	16:00	32356, 4	32364, 45	8, 05	CP
13	5.1.1.26	27	17:00	32364, 45	32372, 49	8, 04	CP
14	6.1.1.26	28	10:20	32372, 49	32380, 51	8, 02	CP
15	6.1.1.26	29	12:00	32380, 51	32388, 54	8, 03	CP
16	6.1.1.26	30	15:00	32388, 54	32396, 6	8, 06	CP
17	8.1.1.26	31	10:20	32396, 6	32404, 62	8, 02	CP
18	8.1.1.26	32	12:00	32404, 62	32412, 71	8, 09	CP
19	8.1.1.26	33	13:50	32412, 71	32420, 72	8, 01	CP
20	9.1.1.26	34	07:00	32420, 72	32428, 75	8, 03	CP
21	9.1.1.26	35	13:05	32428, 75	32436, 76	8, 01	CP
22	10.1.1.26	36	14:00	32436, 76	32444, 77	8, 01	CP
23	11.1.1.26	37	15:30	32444, 77	32452, 8	8, 03	CP
24	11.1.1.26	38	10:00	32452, 8	32460, 84	8, 04	CP
25	12.1.1.26	39	16:40	32460, 84	32468, 85	8, 01	CP
26	14.1.1.26	40	11:20	32468, 85	32476, 88	8, 03	CP
27	14.1.1.26	41	15:30	0	8, 02	8, 02	CP
28	15.1.1.26	42	9:00	8, 02	16, 07	8, 05	CP
29	16.1.1.26	43	9:20	16, 07	24, 08	8, 01	CP
30	16.1.1.26	44	16:20	24, 08	32, 4	8, 03	CP

Effluent Tanker sent to

Unit 2 for the Month of JAN 2020

Sl No	Date	Doc	Time	Initial Reading	Final Reading	Quantity	Signature	Revenue
31	17/1/2020	45	10:05	32.11	33.87	776.80		
32	18/1/2020	46	11:06	39.87	42.91	8.04	BP	
33	18/1/2020	47	8:12	47.91	55.93	8.02	BP	
34	18/1/2020	48	9:44	50.93	63.98	8.04	BP	
35	19/1/2020	01	11:00	63.98	71.98	8.00	BP	
36	19/1/2020	02	9:53	71.98	80.0	8.02	BP	
37	19/1/2020	03	12:54	80.0	88.01	8.03	BP	
38	20/1/2020	04	17:15	88.01	96.04	8.04	BP	
39	20/1/2020	05	10:05	96.04	104.08	8.01	BP	
40	20/1/2020	06	11:52	104.08	112.08	8.03	BP	
41	21/1/2020	07	15:00	112.08	120.09	8.02	BP	
42	21/1/2020	08	12:00	120.09	127.33	8.05	BP	
43	22/1/2020	09	15:50	127.33	135.35	8.04	BP	
44	23/1/2020	10	11:31	135.35	143.4	8.02	BP	
45	23/1/2020	11	7:00	143.4	151.41	8.03	BP	
46	23/1/2020	12	9:00	151.41	159.44	8.03	BP	
47	23/1/2020	13	11:00	159.44	167.38	8.02	BP	
48	24/1/2020	14	12:40	167.38	175.38	8.00	BP	
49	24/1/2020	15	10:10	175.38	183.39	8.01	BP	
50	25/1/2020	16	11:00	183.39	191.44	8.05	BP	
51	25/1/2020	17	16:30	191.44	199.45	8.01	BP	
52	26/1/2020	18	19:00	199.45	207.43	8.01	BP	
53	27/1/2020	19	16:50	207.43	215.47	8.04	BP	
54	28/1/2020	20	9:00	215.47	223.5	8.03	BP	
55	28/1/2020	21	10:20	223.5	231.53	8.03	BP	
56	29/1/2020	22	12:01	231.53	239.55	8.02	BP	
57	29/1/2020	23	17:03	239.55	247.59	8.04	BP	
58	29/1/2020	24	16:05	247.59	255.6	8.01	BP	
59	30/1/2020	25	10:05	255.6	263.63	8.03	BP	
60	30/1/2020	26	11:30	263.63	271.68	8.05	BP	

Annexure - 1

Effluent Tare sent to CWSY 2 For the Month of Jan 2026

S.No	Date	Job	Time	Original Reading	Final Reading	Weight	Signature	Remarks
61	30.1.2026	27	12.50	271.68	279.7	8.02		
62	30.1.2026	28	3.51	279.7	287.72	8.02		
63	30.1.2026	29	4.00	287.72	295.76	8.04		
64	30.1.2026	30	6.50	295.76	303.79	8.03		
65	31.1.2026	31	10.15	303.79	311.59	7.60		
66	31.1.2026	32	11.10	311.59	319.43	8.04		
67	31.1.2026	33	12.10	319.43	327.44	8.01		
68	31.1.2026	34	16.10	327.44	335.47	8.03		
							544.62 kg	

Effluent sent to water
for the
month of
Jan-26
544.62 kg

Annexure-1

Effluent Treated Sent to Unit-2 for the month of FEB-26

S/No	Date	For	Time	Initial Reading	Final Reading	Qty	Signature	Remarks
1	2/2/26	35	11:00	335.48	343.29	7.82	[Signature]	-
2	3/2/26	36	10:15	343.29	351.31	8.02	[Signature]	-
3	4/2/26	37	12:18	351.31	359.33	8.02	[Signature]	-
4	5/2/26	38	9:30	359.33	367.34	8.01	[Signature]	-
5	6/2/26	39	6:30	367.34	375.35	8.03	[Signature]	-
6	7/2/26	40	8:30	375.35	383.38	8.03	[Signature]	-
7	8/2/26	41	15:30	383.38	391.41	8.04	[Signature]	-
8	9/2/26	42	12:36	391.41	399.41	8.03	[Signature]	-
9	10/2/26	43	10:26	399.41	407.48	8	[Signature]	-
10	11/2/26	44	16:15	407.48	415.48	8.03	[Signature]	-
11	12/2/26	45	9:51	415.48	423.57	8.02	[Signature]	-
12	13/2/26	46	11:20	423.57	431.53	8.2	[Signature]	-
13	14/2/26	47	11:16	431.53	439.55	8.03	[Signature]	-
14	15/2/26	48	16:15	439.55	447.58	8.02	[Signature]	-
15	16/2/26	49	11:45	447.58	455.6	8.03	[Signature]	-
16	17/2/26	1	18:35	455.6	463.63	8.02	[Signature]	-
17	18/2/26	2	10:40	463.63	471.68	8.03	[Signature]	-
18	19/2/26	3	12:25	471.68	479.69	8.01	[Signature]	-
19	20/2/26	4	10:10	479.69	487.71	8.02	[Signature]	-
20	21/2/26	5	12:10	487.71	495.61	7.9	[Signature]	-
21	22/2/26	6	11:00	495.61	503.62	8.01	[Signature]	-
22	23/2/26	7	10:20	503.62	511.62	8.0	[Signature]	-
23	24/2/26	8	07:30	511.62	519.34	7.72	[Signature]	-
24	25/2/26	9	9:10	519.34	527.37	8.03	[Signature]	-
25	26/2/26	10	10:20	527.37	535.39	8.02	[Signature]	-
26	27/2/26	11	11:37	535.39	543.4	8.01	[Signature]	-
27	28/2/26	12	18:00	543.4	551.27	7.87	[Signature]	-
28	29/2/26	13	11:20	551.27	559.29	8.02	[Signature]	-
29	30/2/26	14	13:15	559.29	567.3	8.01	[Signature]	-
30	31/2/26	15	7:10	567.3	575.21	7.91	[Signature]	-

Annexure - 1

Effluent Tanker sent to Unit-02 for the water of Feb-26

Sl No.	Date	Doc	Time	Initial Reading	Final Reading	Qty	Signature	Remarks
31	20/2/26	16	16:17	573.22	583.22	8.01	MS	-
32	24/2/26	17	9:30	583.22	591.24	8.02	MS	-
33	24/2/26	18	11:00	591.24	599.18	7.94	MS	-
34	24/2/26	19	12:00	599.18	607.18	8	MS	-
35	24/2/26	20	12:25	607.18	615.21	8.03	MS	-
36	24/2/26	21	14:35	615.21	623.22	8.01	MS	-
37	24/2/26	22	16:15	623.22	631.24	8.02	MS	-
38	24/2/26	23	20:30	631.24	638.64	7.4	MS	-
39	25/2/26	24	11:00	638.64	646.65	8.01	MS	-
40	25/2/26	25	12:20	646.65	654.68	8.03	MS	-
41	25/2/26	26	15:40	654.68	662.71	8.03	MS	-
42	25/2/26	27	16:40	662.71	670.72	8.01	MS	-
43	25/2/26	28	17:20	670.72	678.75	8.03	MS	-
44	26/2/26	29	10:30	678.75	686.76	8.01	MS	-
45	26/2/26	30	11:30	686.76	694.77	8.01	MS	-
46	26/2/26	31	12:20	694.77	702.79	8.02	MS	-
47	26/2/26	32	16:15	702.79	710.68	7.89	MS	-
48	26/2/26	33	20:25	710.68	718.7	8.02	MS	-
49	26/2/26	34	17:30	718.7	726.71	8.01	MS	-
50	27/2/26	35	9:30	726.71	734.75	8.04	MS	-
51	27/2/26	36	10:20	734.75	742.78	8.03	MS	-
52	27/2/26	37	11:30	742.78	750.79	8.01	MS	-
53	27/2/26	38	12:15	750.79	758.82	8.03	MS	-
54	27/2/26	39	13:26	758.82	766.83	8.01	MS	-
55	27/2/26	40	15:20	766.83	774.85	8.02	MS	-
56	28/2/26	41	9:45	774.85	782.95	8.01	MS	-
57	28/2/26	42	11:02	782.95	791.35	8.04	MS	-
58	28/2/26	43	12:10	791.35	799.65	8.03	MS	-
59	28/2/26	44	15:40	799.65	807.95	8.03	MS	-
50	28/2/26	45	16:30	807.95	816.05	8.01	MS	-
61	28/2/26	46	18:00	816.05	824.05	8.0	MS	-

ANNEXURE-1

Effluent transferred to

Initial Reading
Final Reading535.42
824.00Total effluent sent to sewer
for the month of
FEB-86

488.6 KL

sewer for the month of FEB-86

FOR the month of MAR 2026.

Ejectment Treasury to cash. 02

S.No	Date	Doc	Time	Initial Reading	Final Reading	Qty	Singapore	Reverse
1	13/03/26	47	7:33	824.05	832.06	8.01	✓	—
2	13/03/26	48	9:10	832.06	840.07	8.01	✓	—
3	13/03/26	49	10:25	840.07	848.09	8.02	✓	—
4	13/03/26	01	12:10	848.09	856.1	8.01	✓	—
5	13/03/26	02	13:45	856.1	864.1	8	✓	—
6	13/03/26	03	15:00	864.1	872.12	8.02	✓	—
7	13/03/26	04	16:35	872.12	880.44	8.32	✓	—
8	13/03/26	05	2:5	880.44	888.47	8.03	✓	—
9	13/03/26	06	8:40	888.47	896.52	8.05	✓	—
10	13/03/26	07	10:00	896.52	903.53	7.01	✓	—
11	13/03/26	08	11:20	903.53	911.56	8.03	✓	—
12	13/03/26	09	12:45	911.56	919.61	8.05	✓	—
13	13/03/26	10	13:00	919.61	927.63	8.02	✓	—
14	13/03/26	11	01:20	927.63	935.67	8.04	✓	—
15	13/03/26	12	11:20	935.67	943.67	8	✓	—
16	13/03/26	13	12:10	943.67	951.68	8.01	✓	—
17	13/03/26	14	15:0	951.68	959.71	8.03	✓	—
18	13/03/26	15	15:0	959.71	967.73	8.02	✓	—
19	13/03/26	16	10:00	967.73	975.45	7.72	✓	—
20	13/03/26	17	16:00	975.45	983.46	8.01	✓	—
21	13/03/26	18	12:00	983.46	991.48	8.02	✓	—
22	13/03/26	19	10:50	991.48	999.49	8.01	✓	—
23	13/03/26	20	9:35	999.49	1007.5	8.01	✓	—
24	11/3/26	21	11:30	1007.5	1015.52	8.02	✓	—
25	11/3/26	22	12:00	1015.52	1023.53	8.01	✓	—
26	11/3/26	23	18:00	1023.53	1031.56	8.03	✓	—
27	11/3/26	24	16:00	1031.56	1038.71	7.15	✓	—
28	11/3/26	25	10:00	1038.71	1046.73	8.02	✓	—
29	13/03/26	26	11:00	1046.73	1054.75	7.92	✓	—
30	13/03/26	27	12:15	1054.75	1062.69	8.04	✓	—

Expenses Incurred to conduct for the month of MAR 2028

S.No	Date	IOC	Time	Initial Reading	Final Reading	Qty	Signature	Remark
31	14/3/26	28	10:10	1062.69	1070.21	7.52		
32	14/3/26	29	12:50	1070.21	1077.74	7.53		
33	14/3/26	30	15:15	1077.74	1085.82	8.08		
34	15/3/26	31	12:10	1085.82	1092.88	7.06		
35	15/3/26	32	2:00	1092.88	1100.06	7.18		
36	15/3/26	33	15:55	1100.06	1107.44	7.38		
37	16/3/26	34	6:20	1107.44	1114.98	7.54		
38	16/3/26	35	13:35	1114.98	1122.57	7.59		
39	16/3/26	36	15:10	1122.57	1130.58	8.01		
40	18/3/26	37	14:20	1130.58	1138.6	8.02		
41	18/3/26	38	15:30	1138.6	1146.64	8.04		
42	19/3/26	39	7:00	1146.64	1154.64	8		
43	19/3/26	40	13:00	1154.64	1162.66	8.02		
44	20/3/26	41	10:05	1162.66	1170.67	8.01		
45	20/3/26	42	15:10	1170.67	1178.68	8.01		
46	20/3/26	43	18:10	1178.68	1186.7	8.02		
47	20/3/26	44	18:25	1186.7	1194.71	8.01		
48	20/3/26	45	16:30	1194.71	1202.75	8.04		
49	21/3/26	46	12:05	1202.75	1210.77	8.02		
50	21/3/26	47	18:25	1210.77	1218.78	8.01		
51	21/3/26	48	18:30	1218.78	1226.81	8.03		
52	22/3/26	49	18:30	1226.81	1234.82	8.01		
53	22/3/26	01	20:00	1234.82	1242.85	8.03		
54	22/3/26	02	20:00	1242.85	1250.89	8.04		
55	23/3/26	03	21:00	1250.89	1258.98	7.08		
56	23/3/26	04	10:11	1258.98 1265.98	1274	8.01		
57	23/3/26	05	11:25	1274	1282.01	8.02		
58	24/3/26	06	12:05	1282.01	1290.03	8.01		
59	24/3/26	07	15:30	1290.03	1298.04	8.02		
60	24/3/26	08	18:10	1298.04	1306.07	8.03		

Annexure -1

Expenditure to cat's 02.

for the month of MAR 2026

S.No	Date	Time	Initial Reading	Final Reading	Qty	Signature	Remarks
61	24/3/26	10:50	1298.04	1306.27	8.03	YH	
62	24/3/26	13:10	1306.07	1313.22	7.2	YH	
63	25/3/26	10:10	1313.22	1320.27	7	YH	
64	25/3/26	11:50	1320.27	1326.27	6.07	YH	
65	26/3/26	13:10	1326.34	1333.74	7.4	YH	
66	26/3/26	01:00	1333.74	1341.24	7.5	YH	
67	26/3/26	11:20	1341.24	1348.74	7.7	YH	
68	27/3/26	12:00	1348.94	1356.75	8.01	YH	
69	27/3/26	14:00	1356.95	1364.98	8.03	YH	
70	27/3/26	15:10	1364.98	1372.88	7.9	YH	
71	27/3/26	16:00	1372.88	1380.89	8.01	YH	
72	27/3/26	10:00	1380.89	1388.91	8.02	YH	
73	27/3/26	11:10	1388.91	1396.92	8.01	YH	
74	28/3/26	10:10	1396.92	1404.94	8.01	YH	
75	28/3/26	15:00	1404.94	1412.95	8.02	YH	
76	28/3/26	15:30	1412.95	1420.04	8.01	YH	
77	28/3/26	10:50	1420.04	1428.03	7.99	YH	
78	28/3/26	16:00	1428.03	1436.04	8.01	YH	
79	28/3/26	17:30	1436.04	1443.89	7.85	YH	
80	29/3/26	15:53	1443.89	1451.89	8	YH	
81	29/3/26	16:55	1451.89	1459.86	7.97	YH	
82	29/3/26	10:10	1459.86	1467.88	8.02	YH	
83	29/3/26	4:00	1467.88	1475.78	7.9	YH	
84	30/3/26	10:10	1475.78	1483.98	8.2	YH	
85	30/3/26	11:10	1483.98	1491.99	8.01	YH	
86	31/3/26	12:10	1491.99	1500.00	8.01	YH	
87					675.95 KL		
88							
89							
90							

TOTAL expenditure transferred to cat's 02 for the month of March-26

ANNEXURE- 2

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2026/1017

Report Issued Date: 27.3.2026

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Date of sample receipt : 20.03.2026
4. Analysis Starting Date : 20.03.2026
5. Analysis Completion Date : 26.03.2026
6. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Sample Code	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Between PB-I&OB-III	925	8 hours	0.25	Mg/m ³	---
2	Between OB-I& Quality Block	926	8 hours	0.29	Mg/m ³	---
3	Near Hydro generation Block	927	8 hours	0.24	Mg/m ³	---
4	Near Solvent Storage Yard	928	8 hours	0.31	Mg/m ³	---

Analysed by



Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2026/105

Report Issued Date: 20.01.2026

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Date of sample receipt : 14.01.2026
4. Analysis Starting Date : 14.01.2026
5. Analysis Completion Date : 19.01.2026
6. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Sample Code	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Between PB-I&OB-III	132	8 hours	0.29	Mg/m ³	---
2	Between OB-I& Quality Block	133	8 hours	0.19	Mg/m ³	---
3	Near Hydro generation Block	134	8 hours	0.20	Mg/m ³	---
4	Near Solvent Storage Yard	135	8 hours	0.16	Mg/m ³	---

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

*** End of Report***



- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2025/5127

Report Issued Date: 27.12.2025

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Date of sample receipt : 20.12.2025
4. Analysis Starting Date : 20.12.2025
5. Analysis Completion Date : 26.12.2025
6. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Sample Code	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Between PB-I&OB-III	11065	8 hours	0.19	Mg/m ³	---
2	Between OB-I& Quality Block	11066	8 hours	0.21	Mg/m ³	---
3	Near Hydro generation Block	11067	8 hours	0.15	Mg/m ³	---
4	Near Solvent Storage Yard	11068.	8 hours	0.14	Mg/m ³	---

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanuma**thaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2025/4330

Report Issued Date: 17.11.2025

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Date of sample receipt : 07.11.2025
4. Analysis Starting Date : 08.11.2025
5. Analysis Completion Date : 15.11.2025
6. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Sample Code	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Between PB-I&OB-III	7573	8 hours	0.27	Mg/m ³	---
2	Between OB-I& Quality Block	7574	8 hours	0.18	Mg/m ³	---
3	Near Hydro generation Block	7575	8 hours	0.13	Mg/m ³	---
4	Near Solvent Storage Yard	7576	8 hours	0.1	Mg/m ³	---

Analysed by



Authorized Signatory

Hanumanthaiah.P
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
 2. Samples Will be disposed after the specified retention period.
 3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
 4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
 5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2026/666

Report Issued Date: 22.10.2025

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Date of sample receipt : 15.10.2025
4. Analysis Starting Date : 16.10.2025
5. Analysis Completion Date : 21.10.2025
6. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Sample Code	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Between PB-I&OB-III	671	8 hours	0.31	Mg/m ³	---
2	Between OB-I& Quality Block	672	8 hours	0.26	Mg/m ³	---
3	Near Hydro generation Block	673	8 hours	0.22	Mg/m ³	---
4	Near Solvent Storage Yard	674	8 hours	0.33	Mg/m ³	---

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



Annexure - 2

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2025/4340

Report Issued Date: 22.10.2025

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Date of sample receipt : 15.10.2025
4. Analysis Starting Date : 16.10.2025
5. Analysis Completion Date : 21.10.2025
6. Name of the parameter : Volatile Organic Compounds

S. No	Name of the location	Sample Code	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Between PB-I&OB-III	9522	8 hours	0.35	Mg/m ³	---
2	Between OB-I& Quality Block	9523	8 hours	0.22	Mg/m ³	---
3	Near Hydro generation Block	9524	8 hours	0.29	Mg/m ³	---
4	Near Solvent Storage Yard	9525	8 hours	0.30	Mg/m ³	---

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


ANNEXURE- 3

Annexure-3

SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1

Plot No: 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A, 4B & 5B, Deosugur Industrial area, Deosugur, Raichur-584 170,
Karnataka (India)

OCCUPATIONAL HEALTH CENTRE (OHC)



Annexure-3

SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1

Plot No: 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A, 4B & 5B, Deosugur Industrial area, Deosugur, Raichur-584 170,
Karnataka (India)

OCCUPATIONAL HEALTH CENTRE (OHC)




ANNEXURE – 4

Annexure-4

SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1
Plot No: 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A, 4B & 5B, Deosugur Industrial area, Deosugur,
Raichur-584 170, Karnataka (India)

FIRE HYDRANT SYSTEM DETAILS

S. No.	Details of Fire Hydrant Pump	Capacity
1.	Above Ground fire Hydrant Water storage tank(RCC)	380 KL available and
2.	Jockey pump	10.80 m ³ /hr-90 mtr Head
3.	Main pump Electrical	137m ³ /hr-88Mtrs Head
4.	Diesel pump	171 m ³ /hr-70Mtrs Head
5.	Single Head Fire Hydrant	29 No's




Fire Hydrant Pump house

Annexure - 4

SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1

Plot No: 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A, 4B & 5B, Deosugur Industrial area, Deosugur,
Raichur-584 170, Karnataka (India)

FIRE HYDRANT SYSTEM DETAILS



Water Sprinkler System at Solvent Yard

Annexure - 4

SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1

LIST OF FIRE EXTINGUISHER

Document No.: SPL1/EHS/SOP/GEN/0002/A01

S No.	Type of Fire Extinguisher	Capacity	Quantity in Nos
1.	CO2	4.5Kg	80
2.	CO2	9 Kg	10
3.	DCP	4 Kg	34
4.	CO2	6.5 Kg	11
5.	CO2	2 Kg	13
6.	DCP	5 Kg	15
7.	DCP	9 Kg	13
8.	Water foam	9Ltrs	12
9.	50 Ltrs foam	50 Ltrs	1
10.	DCP	10Kg	15
Total			204

ANNEXURE –5

Annexure-5

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carbouys
Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
7523	AKSHAY BABURAO GAYAKWAD	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 3s)
6350	AMBATI BRAMHESWAR A REDDY	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 2s)
2910	ANILKMAR BHEMSESETTI	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 7m 19s)
7669	ARAVIND SANTYANARAYAN.	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 6m 0s)
2117	ASHOK REDDY SHABAD	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 6m 30s)
7247	BAGADI APPARAO	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 15s)
7249	BAGADI PRAVEEN KUMAR.	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 38s)
1142	BALA MURALI KRISHNA SISTU	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 2s)

Downloaded By: 5237 - RAMAKRISHNA MITTRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Annexure - 5

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
1645	BALACHANDRU DU UMMANBOYIN A	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 12s)
1639	BALAKRISHNA MADDALA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 2s)
2208	BALAKRISHNA MALAGAVELI	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 9s)
6563	BALAKRISHNA S	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 1s)
7027	BALMUKUND SHIVAJI KUMBHAR	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 1s)
1159	BHANUPRASAD BANGARU	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 10m 10s)
6862	BHEEMAPPA BAPURAM	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 4s)
1385	BHUVNESHWAR REDDY KETHU VENKATA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 46s)

Downloaded By: 5237 - RAMAKRISHNA MITTRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Annexure-5

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
2982	BOLAGANI ANKABUSHARAO	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 4s)
7823	Bolla Jambappa BOREDDY SIVAKESAVA REDDY	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	07 Jan 2026	(0h 5m 8s)
7498	CHAITANYA KUMAR REDDY KATTAMEEDI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 6m 24s)
6652	CHANDRA SEKHAR CHAMALLAMUDI	Warehouse	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 7s)
6265	CHENHU OBALIAH YARRAMREDDY	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 36s)
6172	CHETTLA BABALIAH	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 4s)
7547		Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 3s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL/IEHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys **Target Type:** Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
1783	CHINNA VENKATESWAR LU NAGANANDHI	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 14s)
6730	DEVIDAS DHANAJI KALE	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 6m 48s)
1667	DHANUJAYA NAIDU MUDILI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	01 Jan 2026	(0h 5m 10s)
1382	DIVAKAR BURI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 16s)
6249	DNYANESHWAR N SHINDE	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 8s)
6414	DONDAPATI SHIVAKUMAR	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 6m 46s)
6678	DURGA BABU PANDI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 20s)
7729	Fakira Mohan Sahoo	Warehouse	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 37s)
1053	G M DAS	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 24s)

Downloaded By: 5237 - RAMAKRISHNA MITTRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL/IEHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
6402	GAJANAN PARASHRAM BASTWADKAR	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	08 Jan 2026	(0h 5m 3s)
2235	GANESH H KANADE	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 3s)
7444	GANESH KHALATE	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 8s)
3117	GHORPADE SRIKANTH	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	01 Jan 2026	(0h 6m 12s)
2839	GNANESHWAR SAGAR	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 5m 2s)
6524	GOGIREDDY VENKATA JAYARAMIREDDY	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 5s)
6194	GOLUSULA RAJU	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 5m 44s)
6465	GOPAL B N	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	03 Jan 2026	(0h 5m 31s)
7951	Govindu R	Warehouse	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 11m 39s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL I/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys **Target Type:** Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
7414	GUMMADAPU HARI NARAYANA RAO	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 3s)
2468	GURURAJ RAVINDRA BIDRI	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 10m 23s)
5223	GURURAJ.S. KAMALAPURE	Warehouse	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 3s)
1660	GUTTULA SRINIVASARAO RAO	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 13s)
6855	HANUMA KUMAR KARUTURI	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 3s)
3539	HAREESH JAGAM	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 1s)
1273	HEMASUNDRA RAO BAMMIDI	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 8m 19s)
8018	Indhiraan P	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	11 Jan 2026	(0h 5m 2s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
1253	JANARDHANAC HARALU PEDDINTI	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	01 Jan 2026	(0h 5m 8s)
2374	K.CHINNA RAO CHINNA	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 4s)
3048	K.ESWARA RAO	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 14m 6s)
7531	K.S. KRISHNA KUMAR	Production Peptide Block	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 47s)
3250	K.SRINIVAS RAO	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 4s)
6332	K.TIRUPATHI RAO	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 18s)
6986	KAVALI LINGAPPA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	13 Jan 2026	(0h 5m 11s)
1141	KENGUVA SURESH NAIDU NAIDU	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 10m 34s)
7806	Kiran K Devkate	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 25s)
7304	KIRAN NAKATE	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 35s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL I/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
7546	KIRAN SUDHAKAR NALKAR	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	05 Jan 2026	(0h 10m 13s)
2769	KOTINAGULU PINJALA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 53s)
7878	Krishna Chagan Ahire	Production Peptide Block	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 34s)
7811	Kuruba Eerrama	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 13m 6s)
6179	KURUBA JAGADEESH	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 7m 14s)
3715	L.SURESH KUMAR REDDY	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 7m 15s)
1417	LOKESWARA RAO DAMINENI	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 4s)
2338	M KRISHNA KONDEBOYINA	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 10m 16s)
1641	M N V SATYANARAYA NA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	01 Jan 2026	(0h 10m 24s)
1131	M.S BILGUNDI	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 6m 43s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
8305	Maddiboyina Saikrishna	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 1s)
1215	MADHU KUMAR S	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 5m 2s)
6775	MADHU KUMARI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 5s)
6687	MADHU VADDE	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 1s)
1263	MAHESHWAR REDDY ONTEDDU	Quality Assurance	N/A	Online	Sudhakar Y	29 Dec 2025	N/A	N/A
6610	MALLIKARJUN BENHALLI	Environment Health and Safety	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 54s)
4574	MOPURU NAGARAJUNA REDDY	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 45s)
5212	MUDUKAPPA ANTONI .	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 54s)
1688	MURALI KRISHNA KODALI	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	01 Jan 2026	(0h 5m 31s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys **Target Type:** Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
7684	Murali Krishna Koppaka	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 17s)
5410	N.RAVI KUMAR NAIK	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 10m 38s)
8206	NAGARAJU CHIRICHOLLA	Quality Control	NA	Online	Sudhakar Y	29 Dec 2025	N/A	N/A
3587	NAGARJUNA P.	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 5m 3s)
7433	NAGARUR SHESHAGIRI	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 47s)
6593	NAGENDRA G	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 9s)
6173	NAGESH BASAVARAJ.	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 16s)
1256	NAGESWARA RAO BAMMIDI	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	07 Jan 2026	(0h 5m 14s)
1481	NARASIMHA REDDY TULUSHUNOLLA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 6m 57s)
1212	NARASIMHULU KUTHALA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 13s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
7383	NARESH KUMAR	Production Peptide Block	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 5s)
3779	NATARAJ G.	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 17s)
5777	NAVEEN KUMAR	Production Peptide Block	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 14s)
4695	NAVEEN KUMAR VADLA	Maintenance	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 2s)
5203	NAYAKU MALI	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	01 Jan 2026	(0h 6m 3s)
6567	NITTHIN K	Human Resource & Admin	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 1s)
1146	NOOKARAJU MADUGULA	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 7m 2s)
1644	P.SIDDALINGA POOJRI	Maintenance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 48s)
7685	P.Siva Punna Rao	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 4s)
6413	PAIDI RAJASEKHAR	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 16s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
7535	PALAMARTHY YASWANTH KUMAR	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 9m 57s)
6506	PERUGU NARAYANAMU RTHY	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 1s)
7340	PRABHAKAR DUDIKI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 9m 37s)
7455	PRAKASH REDDY VENNNA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 28s)
9006	Prasad Malharao	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	09 Jan 2026	(0h 5m 18s)
7216	PRASANNA KUMAR	Production Peptide Block	Attended	Online	Sudhakar Y	29 Dec 2025	03 Jan 2026	(0h 5m 2s)
2994	PRASHANT D TELI	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 4s)
3634	PRASHANT.S. AVADUT	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 1s)
8952	PRAVEEN T.	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 2s)
1574	PRAVEEN BABU GANTA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 7m 13s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
1068	PRAVEEN KUMAR REDDY	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 3s)
5397	RAGIPINDI PRASAD	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 10s)
7696	Rahul Abasahb Ingale	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 2s)
7337	RAHUL GOKUL SHINDE	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 2s)
8164	Rahul Miskin	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 11s)
1220	RAJAVARDHAN REDDY VEMULA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	10 Jan 2026	(0h 9m 26s)
1290	RAJENDRA YEDULA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 3s)
7263	RAJESH KUMAR SINGH	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 24s)
7476	RAJKUMAR SIDDAPPA KUMBHAR	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 42s)
7352	RAJU KUMAR MANDAL	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	10 Jan 2026	(0h 5m 15s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
1015	RAM BHAT	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 32s)
5883	RAMAKRISHNA REDDY THATIPARTHAI	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 4s)
8216	RAMANJANI GOPALAPPA.	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 6s)
2966	RAMESH CHANDRAKANTH NAGUR	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 1s)
7875	Ramesh Chitrala	Warehouse	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 6m 6s)
5075	RAMESH KALLE	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 6m 18s)
7486	RAMESH MUVVA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 4s)
7536	RAMIREDDY CHALLA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 14s)
6642	RAMUDU UPPARI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 8m 18s)
1086	RAVI KULKARNI	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 50s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 – 10 – Handling Hazardous Materials of Packed in Carbouys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
2768	RAVI KUMAR TALWAR	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 4s)
7557	RAVICHAND VALICHETTI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 2s)
2902	RAVIKUMAR.C.S	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 8m 5s)
3754	RAVIRAJ RAM CHOUGULE	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 5s)
2973	REDDIGARI DHARMENDRA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	06 Jan 2026	(0h 5m 4s)
6844	RENATTI NAGARAJU	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 1s)
7362	ROCKY YADAV	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 9m 12s)
1065	S M D SAJID	Maintenance	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 9s)
9001	S Ramakrishna Kurakula	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 6m 11s)
7298	SACHIN KUMAR SHAH	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 31s)
7787	Sagar Sanjay Walave	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 1s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys **Target Type:** Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
4893	SAGAR YALLAPPA.	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 10m 9s)
1038	SALEEM ABDUL MANGALWADI	Maintenance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 17s)
6672	SAMPATH A	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 44s)
5458	SANJEEVAPPA SAYABANNA.	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 5s)
1216	SANKAR RAO NABBA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	09 Jan 2026	(0h 6m 5s)
7759	SANKAR REDDY DORNALA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 1s)
1143	SANYASI RAO UJJURU	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 21s)
1134	SARANA BASAPPA ARIVILI	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	03 Jan 2026	(0h 5m 3s)
1279	SATEESH GANDLA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 10m 4s)
7989	Saish Hanamant Chideguppakar	Production Peptide Block	Attended	Online	Sudhakar Y	29 Dec 2025	05 Jan 2026	(0h 7m 26s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
7840	Satish Kumar Y	Quality Assurance	NA	Online	Sudhakar Y	29 Dec 2025	N/A	N/A
7438	SHARANAPPA APPASAHEB TORANE	Non Onco Production	NA	Online	Sudhakar Y	29 Dec 2025	N/A	N/A
8377	Shivabasu Arabhavi	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 28s)
1363	SHIVARAMKRISHNA MAMILLAPALLI	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	13 Jan 2026	(0h 5m 8s)
2150	SHREEKANTH SATHYANARAYANA.	Warehouse	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 26s)
7479	SHUBHAM SANJAYKUMAR TAPASE	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 3s)
7462	SIDDHARAM SATRAPPA HASAPURE	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 9m 55s)
4169	SIDHARAM DEVENDRA HARALAYYA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 9s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carbous

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
7672	SIVA GOPI SARAMEKALA	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 19s)
2693	SIVADURGA PRASAD KOPPISETTI	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	03 Jan 2026	(0h 6m 7s)
7354	SREEKANTH REDDY KASA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 1s)
6455	SREENIVASULU ABBURU	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 2s)
1351	SRIKANTH REDDY PASULA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 7s)
1844	SRINIVAS RAO GADDIPATI	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 10m 1s)
1252	SRINIVAS RAO YALLA	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	03 Jan 2026	(0h 5m 16s)
1149	SRINIVASA CHITKINA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	05 Jan 2026	(0h 7m 34s)
1123	SRINIVASA RAO DABIRU	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 5m 18s)
6431	SRINIVASA RAO GOLLAPELLI	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	03 Jan 2026	(0h 10m 22s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
3467	STALIN KONDAVEETI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 43s)
7597	SUBHASH KUMAR	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 6m 46s)
4698	SUBRAMANYA M.B.	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 6m 0s)
1167	SUBRAMANYA M.KOTTE	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 29s)
7874	Sudhakar Y	Environment Health and Safety	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 19s)
1533	SUDHEER MANDALAPU	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 6m 19s)
3052	SUMANTH K	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 5m 15s)
6658	SURESH BABU JUPALLE	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	01 Jan 2026	(0h 5m 19s)
5351	SURESH PAMPANA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	03 Jan 2026	(0h 5m 11s)
1274	SURESH UNNAM	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 2s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL/1/EHS/SOP/GEN/0001 - 10 - Handling Hazardous
Materials of Packed in Carboys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
8217	SWARNIL PRABHAKAR CHAVAN	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	06 Jan 2026	(0h 5m 2s)
7300	T SRINIVASA RAO	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 9s)
3108	TELIKI KADIRAPPA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 2s)
7305	THAYAPPA BOLLA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 2s)
1650	THIRUMALESH GOLLA	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 3s)
8281	Thukaram V	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 18s)
1283	TIRUMALA RAO PADAMATI	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	03 Jan 2026	(0h 5m 45s)
5613	UDAY KUMAR BODDU	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 9s)
4592	UPPARI VENKATESWAR LU	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 7s)
3049	VK.SURENDAR VEMURI	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 15s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL I/EHS/SOP/GEN/0001 - 10 - Handling Hazardous Materials of Packed in Carbous

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
6690	VAMSI UPPALA	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 6m 53s)
2210	VASANTA RAO DUVVD	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 8m 8s)
6126	VENKATA SUBBARAO PRUDHIVI	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 55s)
1179	VENKATARAM ANA SEELAM	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	02 Jan 2026	(0h 7m 8s)
1383	VENKATESWAR LU IRUGU	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 1s)
7516	VENUGOPAL HOSURU	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 13s)
6349	VENUGOPALA REDDY REGALLA	Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 48s)
3999	VJAYVA SEKHAR B.	Quality Assurance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 8m 17s)
7465	VJAYVARAGAV AN K	Non Onco Production	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 10m 7s)
3232	VIKAS NARAYAN KAKADE	Quality Assurance	NA	Online	Sudhakar Y	29 Dec 2025	N/A	N/A

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL I/EHS/SOP/GEN/0001 - 10 - Handling Hazardous
Materials of Packed in Carbouys

Target Type: Revision

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
1642	VIKRAM DUKKNAM	Maintenance	Attended	Online	Sudhakar Y	29 Dec 2025	29 Dec 2025	(0h 5m 3s)
7271	VINOD KUMAR	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	31 Dec 2025	(0h 5m 14s)
7272	VISHNU JADHAV	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 5m 3s)
2365	VISWANADHAM BAGADI Y	Quality Control	Attended	Online	Sudhakar Y	29 Dec 2025	30 Dec 2025	(0h 6m 13s)
1138	VENKATESWAR A REDDY	Maintenance	Attended	Online	Sudhakar Y	29 Dec 2025	08 Jan 2026	(0h 5m 1s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:40:07

This is electronically generated report and there is no need of any manual signature

Target Training Trainee Attendance List

Document/Training Content: SPL I/EHS/SOP/GEN/0002 - 14 - Procedure for Operation,
Servicing and Refilling of Fire Extinguishers

Target Type: General

Employee Code	Employee Name	Department	Status	Mode of Training	Trainer Name	Training Date	Completion Date	Training Duration / Time
6610	MALLIKARJUN BENHALLI	Environment Health and Safety	Attended	Online	RAMAKRISH NA MITRA	31 Jan 2026	31 Jan 2026	(0h 5m 8s)
5237	RAMAKRISHNA MITRA	Environment Health and Safety	Attended	Online	RAMAKRISH NA MITRA	31 Jan 2026	31 Jan 2026	(0h 5m 4s)
7874	Sudhakar Y	Environment Health and Safety	Attended	Online	RAMAKRISH NA MITRA	31 Jan 2026	02 Feb 2026	(0h 5m 9s)

Downloaded By: 5237 - RAMAKRISHNA MITRA

Downloaded Date: 22 May 2026 21:25:07

This is electronically generated report and there is no need of any manual signature

**SHILPA PHARMA LIFESCIENCES
LIMITED (UNIT-1)**

EHS TRAINING ATTENDANCE RECORD

Document Number: SPL1/EHS/SOP/GEN/0036/F01-00

Title of Program : Safe lifting, machine guarding & Safe work practices
(Tm-EHS-003-26 and Tm-PSM-003-26)
Target Group : All Departments Date : 14/03/26
Trainer Name : Y. Sudhakar Time : From 14/30...To 15/30.

S. No.	Emp. Code	Employee	Designation	Department	Signature
01	6349	Venugopala Reddy	Sr. Executive	production	[Signature] 14/03/26
02	1688	K. Murali Krishna	Sr. Executive	production	[Signature] 14/03/26
03	3999	B. Vijaya Sathya	Asst. manager	QA	[Signature] 14/03/26
04	1377	Ramrath Reddy	Sr. Executive	MT	[Signature] 14/03/26
05	1644	Siddharth P	Asst. manager	MT	[Signature] 14/03/26
06	2761	T. Ravikumar	chemist	production	[Signature] 14/03/26
07	1639	M. Balakrishna	Executive	production	[Signature] 14/03/26
08	6672	A. Sampath	Sr. Chemist	Production	[Signature] 14/03/26
09	7356	S. Sudhakar	chemist	QC	[Signature] 14/03/26
10	1146	M. V. Venkatesh	Sr. Executive	QA	[Signature] 14/03/26
11	2693	KSB. prasad	Asst. manager	QA	[Signature] 14/03/26
12	7271	M. Vinod Kumar	chemist	QC	[Signature] 14/03/26
13	7462	Siddharth	chemist	QC	[Signature] 14/03/26
14	1079	K. Raghavender	Asst. manager	production	[Signature] 14/03/26
15	1131	M. S. Bilgundi	Sr. chemist	QA	[Signature] 14/03/26

Remarks: Training evaluation done with the aid of written/oral test on above said topic and training found satisfactory/not satisfactory.

Signature of Trainer:

Date:

Y. Sudhakar
14/03/26

The Content of this document are confidential and proprietary to SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-1)
This document is electronically signed and doesn't require manual signature.

Request Number: 0494	Copy Number: 00016	Copy Type: Issued Copy
Printed By: 1086-RAVI KULKARNI	Printed Date: 14 Mar 2026 14:37:17	Validity: (N/A)

**SHILPA PHARMA LIFESCIENCES
LIMITED (UNIT-1)**

EHS TRAINING ATTENDANCE RECORD

Document Number: SPL1/EHS/SOP/GEN/0036/F01-00

Title of Program : Safe lifting, machine guarding & safe work practices
(TM-EHS-003-26) (TM-PSM-003-26)
Target Group : All Departments Date : 14/03/26
Trainer Name : Y. Sudhakar Time : From 14:30 To 15:30

S. No.	Emp. Code	Employee	Designation	Department	Signature
16	8757	S. Chandimohan Krishna	Executive	PD	S. K. Singh 14/03/26
NA					
					Y. Sudhakar 14/03/26

Remarks: Training evaluation done with the aid of written/oral test on above said topic and training found satisfactory/not satisfactory.

Signature of Trainer:
Date:

The Content of this document are confidential and proprietary to SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-1)
This document is electronically signed and doesn't require manual signature.

Page No. 1 of 1

Request Number: 0494	Copy Number: 00017	Copy Type: Issued Copy
Printed By: 1086-RAVI KULKARNI	Printed Date: 14 Mar 2026 14:37:17	Validity: (N/A)

SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1	
EHS TRAINING ATTENDANCE RECORD	
Document No.: SOP/U-1/EHS/GEN/044	01
Form No: FM-EHS-066	

Title of Program : Process Safety Management (PSM) (External)

Target Group : All Departments- Date : 09/12/25

Trainer Name : Mr. Vivekanand Makari Time : From 15:00 To 17:00

S. No.	Emp. Code	Employee	Designation	Department	Signature
01	7874	Y. Sudhakar	Sr. Manager	EHS	Y. Sudhakar
02	1145	Krishnamurthy-A	Sr. Manager	Warehouse	Krishnamurthy-A
03	1054	Suresh. Sangam	SR GM	Production	Suresh. Sangam
04	1072	K. PAPA RAO	AVD-Quel	Quel	K. PAPA RAO
05	7567	B.Y.S. Sathish	Sr. Manager	MT	B.Y.S. Sathish
06	1377	Kamesh Reddy	Sr. Executive	MT	Kamesh Reddy
07	1151	B.V.N.M.J. Jaganmouli Rao	Manager - PD	PD	B.V.N.M.J. Jaganmouli Rao
08	1053	G.M. DAS	Sr. Sultank	PD	G.M. DAS
09	1119	M. Bhaskar Rao	Manager	Production	M. Bhaskar Rao
10	1644	Siddalinga. P	Asst. Manager	MT	Siddalinga. P
11	1156	A. Anjaneyulu	Dy. Manager	Production	A. Anjaneyulu
12	1387	Hari Krishna. V	DM	PD	Hari Krishna. V
13	6126	P. Venkata Subrah	Asst. Manager	Production	P. Venkata Subrah
14	1216	N. Sankar Rao	Sr. Shift Incharge	Production	N. Sankar Rao
15	7557	Ravi Chandra	Sr. Executive	Production	Ravi Chandra
16	2994	Prashant P. TRU	Executive	Production	Prashant P. TRU
17	1753	N.Ch. Venkateswarlu	Dy. Manager	QA	N.Ch. Venkateswarlu
18	2769	P. Kati Nagu	Asst. Manager	PD	P. Kati Nagu
19	2150	Shreekanth	Executive	Wkt	Shreekanth
20	5223	Gumraj K.	Asst. Manager	Wkt	Gumraj K.
21	3999	B. Vijaya Sathya	Asst. Manager	QA	B. Vijaya Sathya

Remarks: Training evaluation done with the aid of written/oral test on above said topic and training found satisfactory/not satisfactory

Signature of Trainer:  Vivekanand Makari
Date: 09/12/2025

	SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-1)
EHS TRAINING ATTENDANCE RECORD	
Document Number: SPL1/EHS/SOP/GEN/0036/F01-00	

Title of Program : Safe lifting, machine Guarding & Safe work practices
(TM-EHS-003-26) (TM-PSM-003-26)

Target Group : All Departments Date : 14/03/26

Trainer Name : Y. Sudhakar Time : From 14.30..To 15.30..

[illegible]

Remarks: Training evaluation done with the aid of written/oral test on above said topic and training found satisfactory/not satisfactory.

Signature of Trainer:
Date:

The Content of this document are confidential and proprietary to SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-1)
This document is electronically signed and doesn't require manual signature.

Page No. 1 of 1

Request Number: 0494	Copy Number: 00017	Copy Type: Issued Copy
Printed By: 1086-RAVI KULKARNI	Printed Date: 14 Mar 2026 14:37:17	Validity: (N/A)

EHS TRAINING ATTENDANCE RECORD

16

Trainer Name : Ramakrishna. m Time : From 14:50.. To 15:30..

Remarks: Training evaluation done with the aid of written/oral test on above said topic and training found satisfactory/not satisfactory.

Signature of Trainer: [Signature]
Date: 15/11/25

SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1

EHS TRAINING ATTENDANCE RECORD

Document No.: SOP/U-1/EHS/GEN/044

Form No: FM-EHS-066

15

Title of Program : Electrical Safety And Electro Static Hazard
(TM-EHS-011-25)

Target Group : All Departments.

Date : 15/11/25

Trainer Name : Ramakrishna m

Time : From 14:30 To 15:30.

S. No.	Emp. Code	Employee	Designation	Department	Signature
01	6265	Chandrasekhar Selen	Sr. Executive	Production	CS 15/11/25
02	6672	A. Sampath	Sr. Chemist	Production	AS 15/11/25
03	6593	G. Nagendra	Chemist	Production	NG 15/11/25
04	1645	Vijaya Chandrasekhar	Executive	Production	VJ 15/11/25
05	1688	K. Murali Krishna	Sr. Executive	Production	KM 15/11/25
06	1984	J. Balakrishna	Sr. Chemist	Production	JB 15/11/25
07	6362	Krishna Reddy	Sr. Chemist	Production	KR 15/11/25
08	1015	Ram Bhat	Sr. Chemist	Production	RB 15/11/25
09	8377	Shivalbharu. m	Chemist	Production	SB 15/11/25
10	7759	D. Sankar Reddy	Sr. Chemist	Production	DS 15/11/25
11	8691	M. Madanag Kumar	Sr. Chemist	Production	MP 15/11/25
12	7875	C. Ramesh	Executive	Warehouse	CR 15/11/25
13	3962	Tulsiram S. Dahifale	Tr. Executive	Production	TS 15/11/25
14	3784	(Anny) Choudhary	Sr. Executive	QA	AC 15/11/25
15	2768	T. Ravikumar	Chemist	Production	TR 15/11/25
16	1290	Y. Rajendra	Sr. Chemist	Production	YR 15/11/25
17	7987	S. Shivakumar	Executive	Maintenance	SS 15/11/25
18	5203	Nayabir Mali	Sr. Chemist	Production	NM 15/11/25
19	7019	V.V.V.S. Suresh	Sr. Executive	Production	VVS 15/11/25
20	1383	I. Venkateshwarlu	Executive	Production	IV 15/11/25
21	3108	T. Kadirappa	Tr. Executive	Production	TK 15/11/25

Remarks: Training evaluation done with the aid of written/oral test on above said topic and training found satisfactory/not satisfactory.

Signature of Trainer: *[Signature]*

Date: 15/11/25

ANNEXURE- 6



KARNATAKA INDUSTRIAL AREAS DEVELOPMENT BOARD.

(A Government of Karnataka Undertaking)

Office Of The Deputy Development Officer, Plot No: 49, Raichur Industrial Area,
Hyderabad Road, Raichur - 584101.

Website : www.kiadb.in email : ddokiadbrcr@gmail.com

No.KIADB/DDO&AEE-Raichur/2018-19/502

Date: 08/03/2019.

To,
M/s. Shilpa Medicare Ltd,
Deosugur Industrial Area,
Deosugur.

Sir,

Sub: Allotment of Land in Plot No. 1A, 1B, 2, 2A, 3A, to 3E, 4A, to 4C, 5A, 5B
of Deosugur Industrial Area, Deosugur.

Ref: 1) Your requisition letter dated: 19/02/2019.

2) DLSWCC meeting held on 19/10/1987 & 19/04/1993.

3) IDL/SWA/375/93-94 dtd:06/05/1993.

4) IADB/12202/1937/93-94 dtd: 17/05/1993.

~*~*~

With reference to the above subject, this is to inform you that in Single Window Agency held on 19/10/1987 & 19/04/1993. land has been allotted and decision has been taken to provide 3500KVA Power Supply & 100KLD Water Supply to the project & Chief Executive Officer order No: IDL/SWL/375/93-94 dated 06/05/1993 & No: IADB/12202/1937/ 93-94 dated: 17/05/1993 ordered to supply of Power & Water Supply to the unit. The unit is under production.


This is for your kind information.

Yours Faithfully


Deputy Development Officer &
Assistant Executive Engineer,
KIADB, Raichur.

ANNEXURE – 7

CAMERA



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.03.2026
5. Date of Sample Receipt : 20.03.2026
6. Sample Code : SE/1769
7. Analysis Starting Date : 20.03.2026
8. Analysis Completion Date : 26.03.2026
9. Report Issue date : 27.03.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000007603F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	121
Velocity (m/s)	9.1
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	3335	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.003	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	70.6	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	42.8	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	17.2	300

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.02.2026
5. Date of Sample Receipt : 19.02.2026
6. Sample Code : SE/1255
7. Analysis Starting Date : 19.02.2026
8. Analysis Completion Date : 24.02.2026
9. Report Issue date : 25.02.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC40712600005531F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	120
Velocity (m/s)	8.6
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	3151	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.004	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	72.6	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	41.6	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	18.3	300

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

[Signature]



Authorized Signatory

Hanumanthaiah.P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.01.2026
5. Date of Sample Receipt : 14.01.2026
6. Sample Code : SE/333
7. Analysis Starting Date : 14.01.2026
8. Analysis Completion Date : 19.01.2026
9. Report Issue date : 20.01.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000001093F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	120
Velocity (m/s)	7.3
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	2675.3	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.0041	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	63.7	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	35.7	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	23.6	300

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.12.2025
5. Date of Sample Receipt : 20.12.2025
6. Sample Code : SE/4422
7. Analysis Starting Date : 20.12.2025
8. Analysis Completion Date : 26.12.2025
9. Report Issue date : 27.12.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000030719F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	117
Velocity (m/s)	7.0
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	2721.6	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.003	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	68.5	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	38.3	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	21.8	300

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.11.2025
5. Date of Sample Receipt : 08.11.2025
6. Sample Code : SE/3398
7. Analysis Starting Date : 08.11.2025
8. Analysis Completion Date : 15.11.2025
9. Report Issue date : 17.11.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000025695F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	119
Velocity (m/s)	8.2
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	3006	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.005	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	70.2	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	39.6	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	17.4	300

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

Hanumanthaiah.P
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 15.10.2025
5. Date of Sample Receipt : 16.10.2025
6. Sample Code : SE/2954
7. Analysis Starting Date : 16.10.2025
8. Analysis Completion Date : 21.10.2025
9. Report Issue date : 22.10.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000023688F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	128
Velocity (m/s)	7.5
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	2748.6	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.00419	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	63.5	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	32.6	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	21.7	300

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthaiah.P
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvallbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvallbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Boiler - 4TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.03.2026
5. Date of Sample Receipt : 20.03.2026
6. Sample Code : SE/1768
7. Analysis Starting Date : 20.03.2026
8. Analysis Completion Date : 26.03.2026
9. Report Issue date : 27.03.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000007602F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	130
Velocity (m/s)	8.6
Height (m)	30mtrs AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	3151.7	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.0041	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	54.3	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	47.2	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	24.6	300

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),
Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Boiler - 4TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.02.2026
5. Date of Sample Receipt : 19.02.2026
6. Sample Code : SE/1254
7. Analysis Starting Date : 19.02.2026
8. Analysis Completion Date : 24.02.2026
9. Report Issue date : 25.02.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000005530F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	129
Velocity (m/s)	8.1
Height (m)	30mtrs AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	2968	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.0039	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	56.4	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	46.8	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	25.1	300

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

[Signature]

Authorized Signatory

Hanumanthaiah.P
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.01.2026
5. Date of Sample Receipt : 14.01.2026
6. Sample Code : SE/332
7. Analysis Starting Date : 14.01.2026
8. Analysis Completion Date : 19.01.2026
9. Report Issue date : 20.01.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000001092F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	124
Velocity (m/s)	6.9
Height (m)	30mtrs AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018


RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	2528.7	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.0041	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	68.1	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	44.5	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	25.1	300

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory
B.Chifna Lingana Gouda
Chief executive of the laboratory



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.12.2025
5. Date of Sample Receipt : 20.12.2025
6. Sample Code : SE/4421
7. Analysis Starting Date : 20.12.2025
8. Analysis Completion Date : 26.12.2025
9. Report Issue date : 27.12.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000030718F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	118
Velocity (m/s)	7.2
Height (m)	30mtrs AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	2638.6	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.003	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	63.4	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	41.9	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	26.2	300

INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Boiler - 4TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.11.2025
5. Date of Sample Receipt : 08.11.2025
6. Sample Code : SE/3397
7. Analysis Starting Date : 08.11.2025
8. Analysis Completion Date : 15.11.2025
9. Report Issue date : 17.11.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000025694F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	31
Stack Temperature (°C)	126
Velocity (m/s)	7.9
Height (m)	30mtrs AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	2896.0	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.0041	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	59.8	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	44.2	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	22.6	300

INFERENCE As per KSPCB Standards
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Ramya



Authorized Signatory

Hanumanthaiah.P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 15.10.2025
5. Date of Sample Receipt : 16.10.2025
6. Sample Code : SE/2953
7. Analysis Starting Date : 16.10.2025
8. Analysis Completion Date : 21.10.2025
9. Report Issue date : 22.10.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000023687F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	116
Velocity (m/s)	8.2
Height (m)	30mtrs AGL
Diameter (m)	0.36
Cross sectional area (m ²)	0.1018

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS 11255 Part-3	m ³ /hr	2749.0	---
Emission Rate of PM	IS 11255 Part-1	MT/day	0.00486	---
Particulate Matter	IS 11255 Part-1	mg/Nm ³	73.6	115
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	37.8	600
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	25.7	300

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report***



- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C. Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.03.2026
5. Date of Sample Receipt : 20.03.2026
6. Sample Code : SE/1767
7. Analysis Starting Date : 20.03.2026
8. Analysis Completion Date : 26.03.2026
9. Report Issue date : 27.03.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000007601F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	75
Velocity (m/s)	6.8
Height (m)	7 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	49.3
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	17.8
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	25.1

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.02.2026
5. Date of Sample Receipt : 19.02.2026
6. Sample Code : SE/1253
7. Analysis Starting Date : 19.02.2026
8. Analysis Completion Date : 24.02.2026
9. Report Issue date : 25.02.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000005529F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	74
Velocity (m/s)	6.2
Height (m)	7 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	48.4
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	16.3
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	24.8

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager



*** End of Report ***

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.01.2026
5. Date of Sample Receipt : 14.01.2026
6. Sample Code : SE/331
7. Analysis Starting Date : 14.01.2026
8. Analysis Completion Date : 19.01.2026
9. Report Issue date : 20.01.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000001091F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	70
Velocity (m/s)	5.9
Height (m)	7 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	48.1
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	14.5
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	26.9

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.11.2025
5. Date of Sample Receipt : 08.11.2025
6. Sample Code : SE/3396
7. Analysis Starting Date : 08.11.2025
8. Analysis Completion Date : 15.11.2025
9. Report Issue date : 17.11.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000025693F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	76
Velocity (m/s)	6.9
Height (m)	7 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	47.3
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	14.2
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	26.6

Analysed by



Authorized Signatory

Hanumanthaiah.P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.12.2025
5. Date of Sample Receipt : 20.12.2025
6. Sample Code : SE/4419
7. Analysis Starting Date : 20.12.2025
8. Analysis Completion Date : 26.12.2025
9. Report Issue date : 27.12.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000030717F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	66
Velocity (m/s)	5.7
Height (m)	7 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	43.7
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	12.9
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	23.1

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,
Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 15.10.2025
5. Date of Sample Receipt : 16.10.2025
6. Sample Code : SE/2952
7. Analysis Starting Date : 16.10.2025
8. Analysis Completion Date : 21.10.2025
9. Report Issue date : 22.10.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000023686F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	83
Velocity (m/s)	6.4
Height (m)	7 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	51.5
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	18.3
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	26.1

Analysed by

Authorized Signatory

Hanumanthaiah.P

Technical Manager

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No.19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.03.2026
5. Date of Sample Receipt : 20.03.2026
6. Sample Code : SE/1765
7. Analysis Starting Date : 20.03.2026
8. Analysis Completion Date : 26.03.2026
9. Report Issue date : 27.03.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000007599F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	80
Velocity (m/s)	7.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	35.6
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	17.2
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	25.7

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.02.2026
5. Date of Sample Receipt : 19.02.2026
6. Sample Code : SE/1251
7. Analysis Starting Date : 19.02.2026
8. Analysis Completion Date : 24.02.2026
9. Report Issue date : 25.02.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000005527F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	82
Velocity (m/s)	7.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	36.5
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	16.8
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	24.1

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.01.2026
5. Date of Sample Receipt : 14.01.2026
6. Sample Code : SE/329
7. Analysis Starting Date : 14.01.2026
8. Analysis Completion Date : 19.01.2026
9. Report Issue date : 20.01.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000001089F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	72
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	46.8
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	14.6
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	21.2

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvlabellary2018@gmail.com, labmsv@gmail.com, Website : www.msvlabellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.12.2025
5. Date of Sample Receipt : 20.12.2025
6. Sample Code : SE/4417
7. Analysis Starting Date : 20.12.2025
8. Analysis Completion Date : 26.12.2025
9. Report Issue date : 27.12.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000030715F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	63
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	42.1
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	18.4
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	26.9

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.11.2025
5. Date of Sample Receipt : 08.11.2025
6. Sample Code : SE/3394
7. Analysis Starting Date : 08.11.2025
8. Analysis Completion Date : 15.11.2025
9. Report Issue date : 17.11.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000025691F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	86
Velocity (m/s)	7.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	34.2
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	14.2
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	22.5

Analysed by



Authorized Signatory

Hanumanthaiah.P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL.
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 15.10.2025
5. Date of Sample Receipt : 16.10.2025
6. Sample Code : SE/2950
7. Analysis Starting Date : 16.10.2025
8. Analysis Completion Date : 21.10.2025
9. Report Issue date : 22.10.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000023684F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	78
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	43.6
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	17.5
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	29.4

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.03.2026
5. Date of Sample Receipt : 20.03.2026
6. Sample Code : SE/1766
7. Analysis Starting Date : 20.03.2026
8. Analysis Completion Date : 26.03.2026
9. Report Issue date : 27.03.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000007600F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	98
Velocity (m/s)	7.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	46.5
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	17.2
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	23.8

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.01.2026
5. Date of Sample Receipt : 14.01.2026
6. Sample Code : SE/330
7. Analysis Starting Date : 14.01.2026
8. Analysis Completion Date : 19.01.2026
9. Report Issue date : 20.01.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000001090F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	68
Velocity (m/s)	6.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	45.8
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	19.7
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	31.2

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda
Chief executive of the laboratory

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvallbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvallbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.02.2026
5. Date of Sample Receipt : 19.02.2026
6. Sample Code : SE/1252
7. Analysis Starting Date : 19.02.2026
8. Analysis Completion Date : 24.02.2026
9. Report Issue date : 25.02.2026

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407126000005528F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	96
Velocity (m/s)	7.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	45.7
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	16.4
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	22.8

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 19.12.2025
5. Date of Sample Receipt : 20.12.2025
6. Sample Code : SE/4418
7. Analysis Starting Date : 20.12.2025
8. Analysis Completion Date : 26.12.2025
9. Report Issue date : 27.12.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000030716F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	64
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	43.2
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	18.9
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	26.3

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,
Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.11.2025
5. Date of Sample Receipt : 08.11.2025
6. Sample Code : SE/3395
7. Analysis Starting Date : 08.11.2025
8. Analysis Completion Date : 15.11.2025
9. Report Issue date : 17.11.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407124000025692F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	94
Velocity (m/s)	7.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	47.3
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	15.5
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	24.1

Analysed by



Authorized Signatory

Hanumanthaiah.P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 15.10.2025
5. Date of Sample Receipt : 16.10.2025
6. Sample Code : SE/2951
7. Analysis Starting Date : 16.10.2025
8. Analysis Completion Date : 21.10.2025
9. Report Issue date : 22.10.2025

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack Emission

ULR No: TC407125000023685F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	89
Velocity (m/s)	6.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m ²)	0.19643

RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS 11255 Part-1	mg/Nm ³	43.6
Sulphur dioxide	IS 11255 Part-2	mg/Nm ³	17.3
Nitrogen dioxide	IS 11255 Part-7	mg/Nm ³	25.2

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

ANNEXURE – 8


SHILPA MEDICARE LIMITED

UNIT-01

SOLVENT RECOVERY SYSTEM .

- After the reaction is complete the solvents are recovered in a distillation unit.
- The distillation unit has two condensers (shell and tube type).
- The first condenser has cooling tower water, while the second condenser will have the chilled water at 0 - 2⁰ C as coolants.
- After the vapors are condensed, the condensate along with un-condensed vapors will be passing through a trap which is cooled externally with chilled water.
- The vents of condenser and receiver are connected to scrubber system.
- All the reaction vessels and centrifuges are connected to a common line. These fumes and exhausts are sucked by ID fan and scrubbed by alkali.
- The air after scrubbing is let out into the atmosphere and the scrubbed water is sent to ETP for further treatment.
- This wet scrubber absorbs acidic vapors, traces of solvents etc. and purified gas stream is let out into the atmosphere.


Typical solvent recovery system



DISTILLATION COLUMN P & I DIAGRAM

The diagram illustrates a distillation process with the following components and connections:

- Feed Tank:** A tank at the top left with a capacity of 5.0 KL and a material of construction (MOC) of SS 316L. It feeds into the distillation column.
- Distillation Column:** Labeled "DISTILLATION COLUMN SS-316L". It has a "PIPE SIZE: 200NB" at the bottom inlet.
- Condenser:** A "CONDENSER" unit that receives vapor from the top of the column. It has a "PIPE SIZE: 40NB" at the inlet and a "PIPE SIZE: 20NB" at the outlet. It is equipped with a "CIRCUIT BREAKER" and a "WATER INLET".
- Reflux Drum:** A "REFLUX DRUM CAPACITY: 0.5 KL" that receives liquid from the condenser. It has a "PIPE SIZE: 20NB" at the inlet and a "PIPE SIZE: 20NB" at the outlet.
- Reboiler:** A "RE-BOILER PB-WDC-01 CAPACITY: 5.0 KL MOC: SS 316L". It receives liquid from the bottom of the column. It has a "PIPE SIZE: 40NB" at the inlet and a "PIPE SIZE: 20NB" at the outlet.
- Collection Tank:** A "COLLECTION TANK MOC: SS 316L CAPACITY: 4.0 KL" that receives liquid from the reboiler. It has a "PIPE SIZE: 20NB" at the inlet and a "PIPE SIZE: 20NB" at the outlet.
- Storage Tanks:** Two "STORAGE TANK" units are shown, one for "WATER" and one for "WASTE". They have capacities of 5.0 KL and 1.0 KL respectively, and are made of MOC: SS 316L.
- Meters and Instruments:** Several "NOTA METER" units are used to measure flow rates. These include meters for "WATER INLET", "WASTE INLET", "REFLUX DRUM", "RE-BOILER", and "COLLECTION TANK".
- Valves:** Various valves are indicated throughout the system, including "AIR IN VALVE", "AIR OUT VALVE", "WATER IN VALVE", "WASTE IN VALVE", "REFLUX DRUM VALVE", "RE-BOILER VALVE", and "COLLECTION TANK VALVE".
- Piping:** The diagram shows a complex network of pipes connecting all the components. Pipe sizes are specified at various points, such as "PIPE SIZE: 40NB" and "PIPE SIZE: 20NB".



ANNEXURE – 9

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail:ehs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000100

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail:panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail:panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	20.66

Total quantity :
No. of Containers

20.66 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes .

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 10-11 -2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd)Unit-1) Shilpa Medicare Limited Telephone: 9945295061 E-Mail: ehs_unit1@vbshilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2025-26 / 0000101		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D) 562112 Phone: 9845831069 e-mail: panchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (Including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D) 562112 Phone: 9845831069 e-mail: panchamukipharmachem@gmail.com		
Receiver's authorisation No.	23836		
Waste description	Physical form	Qty(MT)	
	26.4. Spent solvent	Liquid	21.155
Total quantity :	21.155 MT		
No. of Containers			
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 11 -05-2025		
Transporter acknowledgement of receipt of Wastes			

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail:ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000102

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mailpanchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mailpanchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	21.33

Total quantity :
No. of Containers

21.33 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes .

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 11 -08-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy 5 (Green) - To be sent by the receiver to the State Pollution Control Board

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma llfesciences ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000103

Transporter's name and address:
(including Phone No. and e-mail)

ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone: 9845515328
e-mail: zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 0560

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadachur Industrial Area; Village _Kadachur; Tehsil & District Yadgir; Karnataka-585221
Phone: 7338464597
e-mail: lab@motherearthenviro.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
20.3. Distillation Residues	Solid	4.26
28.1. Process Residue and wastes	Solid	1.41
28.3. Spent carbon		1.05
28.2. Spent catalyst		0.13

Total quantity :
No. of Containers

6.85 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma Lifesciences Ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: ehs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/28294/2025-26/0000105

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831089
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831089
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.4. Spent solvent	Liquid	18.035

Total quantity :
No. of Containers

18.035 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes .

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 12-26 -2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000104

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	18.04

Total quantity :

18.04 MT

No. of Containers

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 12-02-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma /ifesciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: shs_unit1@vishilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000108

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	27.5

Total quantity :
No. of Containers:

27.5 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 01 -30-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma llfasciences Ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: shilpa_unit1@vishilpa.com

Sender's authorisation No.

28294

Manifest Document No.

HW/ 28294/ 2025-26 / 0000106

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No.

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty (MT)
26.4. Spent solvent	Liquid	20.205

Total quantity :
No. of Containers

20.205 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 01-08-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: shs_unit1@vishilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000107

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharma chem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharma chem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4 Spent solvent	Liquid	21.85

Total quantity :
No. of Containers

21.85 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations

Name and stamp: Signature:

MONTH-DAY-YEAR: 01 -16 -2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: ehs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000111

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	22

Total quantity :
No. of Containers

22 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 02-17-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail:ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000109

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail:panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail:panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	22.66

Total quantity :
No. of Containers

22.66 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR:02-12-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR


Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd (Unit-1) Shilpa Medicare Limited Telephone: 9945295061 E-Mail: shs_unit1@vbshilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2025-26 / 0000110		
Transporter's name and address: (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 1 2nd Phase harohalli industrial area Phone: 9986250505 e-mailsyedmoosa@hotmail.com Transporter's registration No: 22794		
Type of vehicle	Truck		
Transporter's registration No	22794		
Vehicle registration No.	KA51 D5620		
Receiver's name and mailing address (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 1 2nd Phase harohalli industrial area Phone: 9986250505 e-mailsyedmoosa@hotmail.com Receiver's authorisation No.: 22794		
Receiver's authorisation No.	22794		
Waste description	Waste Category	Physical form	Qty(MT)
	33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Solid	13.25
Total quantity : No. of Containers	13.25 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 02-16 -2026		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's Certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd (Unit-1) Shilpa Medicare Limited Telephone: 9945295061 E-Mail: ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2025-26 / 0000112		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mail: panchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mail: panchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	28
Total quantity : No. of Containers	28 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 02-20-2026		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM - 10
[See Rule 19(1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1

1.	Sender's Name and Mailing Address (Including Phone No. and e-mail)	Shilpa Pharma Life Sciences 100 Centre - 1.			
2.	Sender's Authorisation No. :	28 294			
3.	Manifest Documentation :	Hw/ 28 294 / 2025-26 / 000002			
4.	Transporter's Name and Address : (including Phone No. and e-mail)	M. Tech Petroleum			
5.	Type of Vehicle :	Truck ☐	Tanker ☐	Special Vehicle ☒	
6.	Transporter's Registration No. :				
7.	Vehicle Registration No. :	KA 05 AT 0513			
8.	Receiver's name and mailing address (including Phone No. and e-mail) :	M. Tech Petroleum Plot No 192 (B) KTAAD, Bangalore Nearby KTAAD, Tumkur 106			
9.	Receiver's authorisation No. :	PCR ID: 53142 29/08/2019			
10.	Waste Description :	Used Spent oil			
11.	Total Quantity Waste	1450 kgs			in m3 or Tone
	No. of Containers :	6			
12.	Physical Form :	☐	☐	☐	☒
		Solid	Semi Solid	Sludge	Oily Tarry Slurry Liquid
13.	Special Handling Instructions and Additional Information :	Used Special PPE's while loading & handling			
14.	Sender's Certificate	 I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and Labeled, and in all respects in proper condition for transport by road according to applicable national government regulations.			
	Name and Stamp	Signature	Month	Day	Year
			03	04	2026
15.	Transporter's Acknowledgement of Receipt of Waste				
	Name and Stamp	Signature	Month	Day	Year
			03	04	2026
16.	Receiver's Certification of Receipt of Hazardous and other Waste				
	Name and Stamp	Signature	Month	Day	Year
			03	04	2026

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail:ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000119

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail:panchamukipharmachem@gmail.com
Transporter's registration No 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 51 AL 8736

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail:panchamukipharmachem@gmail.com
Receiver's authorisation No : 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	24.15

Total quantity :
No. of Containers

24.15 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-28-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:



MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: shs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000118

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 51 AL 3736

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No : 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.5. Spent solvents	Liquid	25.25

Total quantity
No. of Containers

25.25 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-25-2026

Transporter acknowledgement of receipt of Wastes


Name and stamp: Signature:

MONTH-DAY-YEAR:

Receiver's certification for _____ of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR



KRS SHARMA

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1)
Shilpa Medicare Limited

Telephone: 9945285061
E-Mail: ehs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000117

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
582112
Phone: 9845831069
e-mail: panchamukhipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
582112
Phone: 9845831069
e-mail: panchamukhipharmachem@gmail.com
Receiver's authorisation No : 23836

Receiver's authorisation No

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	24.5

Total quantity
No. of Containers

24.5 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes

Sender's Certificate



Name and stamp: Signature:

MONTH-DAY-YEAR: 03-17-2026

Transporter acknowledgement of receipt of waste:

Name and stamp: Signature.

KRISHNA

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: ehs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000116

Transporter's name and address:
(including Phone No. and e-mail)

ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone: 9845515328
e-mail: zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AF 1922

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur; Tehsil & District Yadgir; Karnataka-585221
Phone: 7338464597
e-mail: lab@motherearthenviro.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
20.3. Distillation Residues	Semi-Solid	9.25
28.1. Process Residue and wastes	Semi-Solid	3.25
28.2. Spent catalyst	Semi-Solid	0.29
28.3. Spent carbon	Semi-Solid	2.15
28.5. Date-expired products	Semi-Solid	0.9

Total quantity
No. of Containers

15.84 MT

Physical form

Special handling instructions and additional information

used special ppe's white loading nose mask, hand glove .and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-14-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature

MONTH-DAY-YEAR



[Handwritten signature]

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: shs_unit1@vishilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000115

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
582112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 51 AL 8736

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
582112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	24.55

Total quantity
No. of Containers

24.55 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-14-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: shs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000114

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	24.55

Total quantity :
No. of Containers


24.55 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-05-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: shs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000113

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
20.2. Spent Solvents	Liquid	2.57

Total quantity
No. of Containers


21.67 MT

Physical form

Special handling instructions and additional information

Used special PPE's while loading nose mask, hand glove .and gum shoes U

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-03-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000100

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	20.66

Total quantity :
No. of Containers

20.66 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes .

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 10-11 -2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR



(Handwritten signature)

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd)Unit-1) Shilpa Medicare Limited Telephone: 9945295061 E-Mail:ehs_unit1@vbshilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2025-26 / 0000101		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com		
Receiver's authorisation No.	23836	Physical form	City(MT)
Waste description	26.4. Spent solvent	Liquid	21.155
Total quantity : No. of Containers	21.155 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 11 -05-2025		
Transporter acknowledgement of receipt of Wastes			

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: shs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000102

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	21.33

Total quantity :

21.33 MT

No. of Containers

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes .

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 11 -08-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

Copy 5 (Green) - To be sent by the receiver to the State Pollution Control Board

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma Iffesciences Ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: shs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000103

Transporter's name and address:
(including Phone No. and e-mail)

ZAHD ROADLINES
M 19 Baikampady Indl Area
Phone: 9845515328
e-mail: zahdroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AB 0560

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadachur Industrial Area; Village _Kadachur; Tehsil & District Yadgir; Karnataka-585221
Phone: 7338464597
e-mail: lab@motherearthenviro.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
20.3. Distillation Residues	Solid	4.26
28.1. Process Residue and wastes	Solid	1.41
28.3. Spent carbon		1.05
28.2. Spent catalyst		0.13

Total quantity :
No. of Containers

6.85 MT

Physical form

Special handling instructions and additional Information

used special ppe's while loading nose mask, hand glove .and gum shoes

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945285061
E-Mail: ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000105

Transporter's name and address:
(Including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kenakapura (tg) Ramanagara (D)
562112
Phone: 9845831089
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(Including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kenakapura (tg) Ramanagara (D)
562112
Phone: 9845831089
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	18.035

Total quantity :
No. of Containers

18.035 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes .

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 12-26 -2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: ehs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000104

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	18.04

Total quantity :

18.04 MT

No. of Containers

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes .

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 12-02-2025

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma Lifesciences Pvt (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: chs_unit1@vishilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000108

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
25.4. Spent solvent	Liquid	27.5

Total quantity :
No. of Containers

27.5 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes .

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 01-30-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma llfsciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: shilpa_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000105

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	20.205

Total quantity :
No. of Containers

20,205 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 01-08-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: shs_unit1@vishilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000107

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchemukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchemukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26 4 Spent solvent	Liquid	21.86

Total quantity :
No. of Containers

21.86 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove ,and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations

Name and stamp: Signature:

MONTH-DAY-YEAR: 01 -16 -2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000111

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
26.4. Spent solvent	Liquid	22

Total quantity :
No. of Containers

22 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 02-17-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000109

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	22.66

Total quantity :
No. of Containers

22.66 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 02-12-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma Lifesciences Ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: ehs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000110

Transporter's name and address:
(including Phone No. and e-mail)

HAJIRA ENTERPRISES
324 1 2nd Phase harohalli industrial area
Phone: 9986250505
e-mailsyedmoosa@hotmail.com
Transporter's registration No: 22794

Type of vehicle

Truck

Transporter's registration No

22794

Vehicle registration No.

K45 D5620

Receiver's name and mailing address
(including Phone No. and e-mail)

HAJIRA ENTERPRISES
324 1 2nd Phase harohalli industrial area
Phone: 9986250505
e-mailsyedmoosa@hotmail.com
Receiver's authorisation No.: 22794

Receiver's authorisation No.

22794

Waste description

Waste Category

Physical
form

Qty(MT)

33.1. Empty barrels/containers/liners contaminated
with hazardous chemicals /wastes

Solid

13.25

Total quantity :
No. of Containers

13.25 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes .

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately
described above by proper shipping name and are categorised, packed, marked,
and labelled, and are in all respects in proper conditions for transport by road
according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 02-16-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma Lifesciences Ltd (Unit-1) Shilpa Medicare Limited Telephone: 9945295061 E-Mail: ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2025-26 / 0000112		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mail: panchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mail: panchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	28
Total quantity : No. of Containers	28 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 02-20-2026		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM - 10
[See Rule 19(1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

1

1.	Sender's Name and Mailing Address (Including Phone No. and e-mail)	Shilpa Pharma Life Sciences C/o courier-1.			
2.	Sender's Authorisation No. :	28 294			
3.	Manifest Documentation :	Hw/ 28294 / 2025-26 / 000002			
4.	Transporter's Name and Address : (including Phone No. and e-mail)	M. Tech Petroleum			
5.	Type of Vehicle :	Truck ☐	Tanker ☐	Special Vehicle ☒	
6.	Transporter's Registration No. :				
7.	Vehicle Registration No. :	KA 05 AT 0513			
8.	Receiver's name and mailing address (including Phone No. and e-mail) :	M. Tech Petroleum Plot No 192(A) KTAAD Hassan Hassan, Karnataka 581006			
9.	Receiver's authorisation No. :	PCA ID: 53142 29/08/2019			
10.	Waste Description :	used spent oil			
11.	Total Quantity Waste	1450 kgs			in m3 or Tone
	No. of Containers :	6			
12.	Physical Form :	☐	☐	☐	☒
		Solid	Semi Solid	Sludge	Oily Tarry Slurry Liquid
13.	Special Handling Instructions and Additional Information :	used special PPEs while loading & handling			
14.	Sender's Certificate	 I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorized, packed, marked, and Labeled, and in all respects in proper condition for transport by road according to applicable national government regulations.			
	Name and Stamp	Signature	Month	Day	Year
			03	04	2026
15.	Transporter's Acknowledgement of Receipt of Waste				
	Name and Stamp	Signature	Month	Day	Year
			03	04	2026
16.	Receiver's Certification of Receipt of Hazardous and other Waste				
	Name and Stamp	Signature	Month	Day	Year
			03	04	2026

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail:ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000119

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mailpanchamukipharmachem@gmail.com
Transporter's registration No 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 51 AL 8736

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mailpanchamukipharmachem@gmail.com
Receiver's authorisation No : 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	24.5

Total quantity ;
No. of Containers

24.5 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove ,and gum shoes

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-28-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:



MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma Lifesciences Ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: ehs_unit1@vsshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000118

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AL 8736

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No : 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.5. Spent solvents	Liquid	25.25

Total quantity
No. of Containers


25.25 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-25-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for ☐ of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945285061
E-Mail: ehs_unit1@vishilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000117

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No : 23836

Receiver's authorisation No

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6 Spent solvents	Liquid	24.5

Total quantity
No. of Containers


24.5 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate



Name and stamp: Signature:

MONTH-DAY-YEAR: 03-17-2026

Transporter acknowledgement of receipt of waste:

Name and stamp: Signature:

K R S M N A

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: shs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000116

Transporter's name and address:
(including Phone No. and e-mail)

ZAHID ROADLINES
M 19 Baikampady Indl Area
Phone: 9845515328
e-mail: zahidroadlines2005@gmail.com
Transporter's registration No: 83125

Type of vehicle

Truck

Transporter's registration No

83125

Vehicle registration No.

KA 19 AF 1922

Receiver's name and mailing address
(including Phone No. and e-mail)

Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited)
Plot No. 158 to 164, KAIDB Kadachur Industrial Area; Village _Kadachur; Tehsil & District Yadgir; Karnataka-585221
Phone: 7338464597
e-mail: lab@motherearthenviro.com
Receiver's authorisation No.: 80996

Receiver's authorisation No.

80996

Waste description

Waste Category	Physical form	Qty(MT)
20.3. Distillation Residues	Semi-Solid	9.25
28.1. Process Residue and wastes	Semi-Solid	3.25
28.2. Spent catalyst	Semi-Solid	0.29
28.3. Spent carbon	Semi-Solid	2.15
28.5. Date-expired products	Semi-Solid	0.9

Total quantity
No. of Containers

15.84 MT

Physical form

Special handling instructions and additional information

used special ops while loading nose mask, hand glove and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-14-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature

MONTH-DAY-YEAR



[Handwritten signature]

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd)Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail:ehs_unit1@vbsilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000115

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mailpanchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 51 AL 8736

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mailpanchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	24.55

Total quantity
No. of Containers

24.55 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove and gum shoes

Sender's Certificate

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-14-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited
Telephone: 9945295061
E-Mail: ahs_unit1@vishilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000114

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	24.55

Total quantity :
No. of Containers


24.55 MT

Physical form

Special handling instructions and additional information

used special ppe's while loading nose mask, hand glove .and gum shoes

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-05-2026

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

FORM 10
[See rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address
(including Phone No. and e-mail)

Shilpa pharma lifesciences ltd (Unit-1)
Shilpa Medicare Limited

Telephone: 9945295061
E-Mail: ehs_unit1@vbshilpa.com

Sender's authorisation No

28294

Manifest Document No

HW/ 28294/ 2025-26 / 0000113

Transporter's name and address:
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Transporter's registration No: 23836

Type of vehicle

Tanker

Transporter's registration No

23836

Vehicle registration No.

KA 01 AP 3329

Receiver's name and mailing address
(including Phone No. and e-mail)

PANCHAMUKI PHARMA CHEM
Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D)
562112
Phone: 9845831069
e-mail: panchamukipharmachem@gmail.com
Receiver's authorisation No.: 23836

Receiver's authorisation No.

23836

Waste description

Waste Category	Physical form	Qty(MT)
20.2. Spent Solvents	Liquid	21.67

Total quantity
No. of Containers


21.67 MT

Physical form

Special handling instructions and additional information

Used special PPE's while loading nose mask, hand glove and gum shoes U

Sender's Certificate



I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

Name and stamp: Signature:

MONTH-DAY-YEAR: 03-03-2026

Transporter acknowledgement of receipt of wastes

Name and stamp: Signature:

MONTH-DAY-YEAR

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:

MONTH-DAY-YEAR

ANNEXURE –10

TOTAL SITE AREA = 69973.44 SQ. M

GREEN BELT AREA (A)	2351.192 SQ. M
GREEN BELT AREA (B)	120.00 SQ. M
GREEN BELT AREA (C)	1006.13 SQ. M
GREEN BELT AREA (D)	170.44 SQ. M
GREEN BELT AREA (E)	3000.00 SQ. M
GREEN BELT AREA (F)	446.00 SQ. M
GREEN BELT AREA (G)	500.00 SQ. M
GREEN BELT AREA (H)	3500.00 SQ. M
GREEN BELT AREA (I)	322.85 SQ. M
GREEN BELT AREA (J)	2016.00 SQ. M
GREEN BELT AREA (K)	10002.78 SQ. M
TOTAL GREEN BELT AREA = 12981.71 SQ. M	

**SHILPA PHARMA LIFESCIENCES LTD. UNIT-I
AT PLOT No.1A & 1A/P, IB, 2, 2A, 2B.**

TOTAL GRE AREA = 5997.54 SQ. IN.	
TOTAL GRE BELT AREA IS 2099.71 SQ. IN. (35.0%)	
GREEN BELT AREA (A)	251.39 SQ. IN.
GREEN BELT AREA (B)	120.0 SQ. IN.
GREEN BELT AREA (C)	1006.5 SQ. IN.
GREEN BELT AREA (D)	710.4 SQ. IN.
GREEN BELT AREA (E)	3600.0 SQ. IN.
GREEN BELT AREA (F)	449.50 SQ. IN.
GREEN BELT AREA (G)	640.0 SQ. IN.
GREEN BELT AREA (H)	560.0 SQ. IN.
GREEN BELT AREA (I)	352.50 SQ. IN.
GREEN BELT AREA (J)	2016.5 SQ. IN.
GREEN BELT AREA (K)	1050.28 SQ. IN.

SHILPA PHARMA LIFESCIENCES LTD, UNIT-1
AT PLOT No.1A & 1A^P, 1B, 2, 2A, 2B,
3A TO 3E, 4A, 4B, 4C, 5A & 5B
DEOSUGUR INDUSTRIAL AREA, DEOSUGUR,
RAICHUR, KARNATAKA










ANNEXURE –11

Environment management Cell



Certificate of Registration

This is to Certify that
Environmental Management System of

SHILPA PHARMA LIFESCIENCES LTD. UNIT -1

PLOT NO. 1A & 1A 'P', 1B,2, 2A, 2B, 3A TO 3E, 4A,5A,4B & 5B, DEOSUGUR
INDUSTRIAL AREA, DEOSUGUR – 584170, RAICHUR DISTRICT,
KARNATAKA, INDIA.

has been assessed and found to conform to the requirements of

ISO 14001:2015

for the following scope :

MANUFACTURE AND SUPPLY OF ACTIVE PHARMACEUTICAL INGREDIENTS
(APIS) AND INTERMEDIATES
IAF CODE : 13

Certificate No : **25EEOM70**
Initial Registration Date : 22/04/2025
Date of Expiry : 21/04/2028
1st Surv. Due : 22/03/2026

Issuance Date : 22/04/2025
2nd Surv. Due : 22/03/2027



Director



(Scan to Verify)

Assurance Quality Certification LLC

Head Office: Sharjah Media City, SHAMS, Sharjah, UAE. e-mail: info@aqcworld.com

Key Location: A-60, Sector - 2, Noida, Uttar Pradesh, 201301, India.

*Validity of the Certificate is subject to successful completion of surveillance audit on or before of due date. In case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawn.

Certificate Verification: Please Re-check the validity of certificate at <http://www.aqcworld.com/clients.aspx> or www.aqcworld.com at Active Clients.
Certificate is the property of Assurance Quality Certification LLC and shall be returned immediately when demanded

ANNEXURE – 12


LED Light



REDMI 14C 5G

05/05/2025 13:18


LED Light



REDMI 14C 5G

05/05/2025 13:19

LED Light



REDMI 14C 5G

05/05/2025 13:18

ANNEXURE – 13



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 15.10.2025
5. Report Issue Date : 22.10.2025
6. Method Adopted : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000023701F

S. No	Sample Location	Sample Code	Results (Day time)			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	AN/4114	72.5	68.5	70.5	75
2	Near Boiler House	AN/4115	73.6	70.2	71.9	
3	Near Office	AN/4116	64.7	61.5	63.1	
4	Near Production Block	AN/4117	72.2	68.7	70.5	
5	Near DG Set	AN/4118	74.1	71.6	72.9	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

AMBIENT NOISE LEVEL MONITORING REPORT


1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 07.11.2025
5. Report Issue Date : 17.11.2025
6. Method Adopted : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407125000025708F

S. No	Sample Location	Sample Code	Results (Day time)			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	AN/4656	68.7	62.2	65.5	75
2	Near Boiler House	AN/4657	70.2	64.5	67.4	
3	Near Office	AN/4658	65.4	59.6	62.5	
4	Near Production Block	AN/4659	72.2	68.7	70.5	
5	Near DG Set	AN/4660	73.4	70.1	71.8	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by



Authorized Signatory

Hanumanthaiah.P
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20,
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 19.12.2025
5. Report Issue Date : 27.12.2025
6. Method Adopted : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000030731F

S. No	Sample Location	Sample Code	Results (Day time)			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	AN/6235	63.4	61.9	62.7	75
2	Near Boiler House	AN/6236	66.8	64.7	65.8	
3	Near Office	AN/6237	56.7	54.3	55.5	
4	Near DG Set	AN/6238	71.9	69.3	70.6	
5	Near Solvent Area	AN/6239	65.1	63.7	64.4	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No.19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvballary2018@gmail.com, labmsv@gmail.com, Website : www.msvballary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 13.01.2026
5. Report Issue Date : 20.01.2026
6. Method Adopted : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001106F

S. No	Sample Location	Sample Code	Results (Day time)			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	AN/381	61.8	59.8	60.8	75
2	Near Boiler House	AN/382	65.9	63.7	64.8	
3	Near Office	AN/383	54.7	52.1	53.4	
4	Near DG Set	AN/384	68.4	67.1	67.8	
5	Near Solvent Area	AN/385	66.9	64.5	65.7	

INFERENCE

As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

*** End of Report***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 18.02.2026
5. Report Issue Date : 25.02.2026
6. Method Adopted : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000005544F

S. No	Sample Location	Sample Code	Results (Day time)			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	AN/1951	70.3	68.5	69.4	75
2	Near Boiler House	AN/1952	68.5	67.1	67.8	
3	Near Office	AN/1953	61.5	59.2	60.4	
4	Near Production Block	AN/1954	66.5	60.3	63.4	
5	Near DG Set	AN/1955	72.5	69.4	71.0	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

[Signature]

Authorized Signatory

[Signature]
Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S.No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



TC- 4071

MSVAL/QR/7.8/1/ Test Report

AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 19.03.2026
5. Report Issue Date : 27.03.2026
6. Method Adopted : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000007616F

S. No	Sample Location	Sample Code	Results (Day time)			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	AN/2613	74.2	72.3	73.3	75
2	Near Boiler House	AN/2614	73.1	70.6	71.9	
3	Near Office	AN/2615	70.6	68.4	69.5	
4	Near Production Block	AN/2616	72.8	65.2	69.0	
5	Near DG Set	AN/2617	72.6	70.5	71.6	

INFERENCE As per KSPCB Standards
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

*** End of Report ***



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Samples Will be disposed after the specified retention period.

3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing

4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

5. Sampling is not done by us unless otherwise specified

ANNEXURE –14

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbsilpa.com
CIN: U24100KA2020PLC134081

Annexure -4

Reference: Environmental clearance obtained from MOEF&CC vide letter No. F NoJ-11011/191/2017-1A-119(1)
dated 13th December 2019

“Cost of Remediation plan towards Socio - Economic ” as specified in the page No.4, table,2 SL. No 2 of
environment clearance.

Table No-01

SL.No	Name of the School	Address	Village	Work done	Cost
01	MPCI Colony school	GLPS MPCl Colony school Devasugur road TQ Dist Raichur	MPCI Colony Devasugur road	Donated 06 Desk	5 lakhs
02	Deosugur school	GHS Deosugur TQ Dist Raichur	Deosugur	Donated 60 Desk	
03	Nagalaour school	GHPS Nagalaour TQ Dist Raichur	Nagalaour	Donated 05 Desk	
04	Belmanchi school	GLP Belmanchi school TQ Dist Raichur	Belmanchi	Donated 05 Desk	
05	Chicksugur school	GHPS Chicksugur TQ Dist Raichur	Chicksugur	Donated 20 Desk	
06	Wadloor school	GHPS Wadloor TQ Dist Raichur	Wadloor	Donated 05 Desk	
07	Yermaras school	GHPS Yermaras TQ Dist Raichur	Yermaras	Donated 35 Desk	
08	Kadlur school	GHPS Kadlur TQ Dist Raichur	Kadlur	Donated 70 Desk	
09	Gunjalli school	GHS Gunjalli TQ Dist Raichur	Gunjalli	Donated 06 Desk	

MPCI Colony school



SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbsilpa.com
CIN: U24100KA2020PLC134081



SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbshilpa.com
CIN: U24100KA2020PLC134081



Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbshilpa.com
CIN: U24100KA2020PLC134081

[illegible]

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur - 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbsilpa.com
CIN: U24100KA2020PLC134081

Table 2			Books to the students		
SL.No	Name of the school	Address	Number of students	No of Books	Cost
01	GHPS Chikasuguru school	Chikasuguru village Tq Dist Raichur	299	1794	3.94 lakhs
02	GHPS Wadloor school	Wadloor village Tq Dist Raichur	109	654	
03	GHPS Kukanor school	Kukanor village Tq Dist Raichur	200	1200	

Book Donation Photos



Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbshilpa.com
CIN: U24100KA2020PLC134081

[illegible]

ಮಾನ್ಯ ಸ್ವಾಮೀಜಿ
ನೀನು ಮುಖ್ಯಮಂತ್ರಿ ಆಗಿದ್ದಾಗ
ನೀನು ಭಾರತದ ರಾಜಕೀಯ

ವಿಷಯ: ಬಮ್ಮೇಡು, ಸರಸಾಲಿ ಹಿರಿಯ ಪಾಠಶಾಲಕ ಕಾಲ ಮಕ್ಕಳಿಗೆ ಕಲಿಕೆ ಕಲಿಸುವುದು ಸಾಧ್ಯವಿಲ್ಲವು
 ೨೪/೧೨/೨೦೨೦

[illegible]

ಪಂದನೆಗಳೊಂದಿಗೆ

23. 7. 1971

24. 7. 1971

25. 7. 1971

26. 7. 1971

27. 7. 1971

28. 7. 1971

29. 7. 1971

30. 7. 1971

31. 7. 1971

1. 8. 1971

2. 8. 1971

3. 8. 1971

4. 8. 1971

5. 8. 1971

6. 8. 1971

7. 8. 1971

8. 8. 1971

9. 8. 1971

10. 8. 1971

11. 8. 1971

12. 8. 1971

13. 8. 1971

14. 8. 1971

15. 8. 1971

16. 8. 1971

17. 8. 1971

18. 8. 1971

19. 8. 1971

20. 8. 1971

21. 8. 1971

22. 8. 1971

23. 8. 1971

24. 8. 1971

25. 8. 1971

26. 8. 1971

27. 8. 1971

28. 8. 1971

29. 8. 1971

30. 8. 1971

31. 8. 1971

1. 9. 1971

2. 9. 1971

3. 9. 1971

4. 9. 1971

5. 9. 1971

6. 9. 1971

7. 9. 1971

8. 9. 1971

9. 9. 1971

10. 9. 1971

11. 9. 1971

12. 9. 1971

13. 9. 1971

14. 9. 1971

15. 9. 1971

16. 9. 1971

17. 9. 1971

18. 9. 1971

19. 9. 1971

20. 9. 1971

21. 9. 1971

22. 9. 1971

23. 9. 1971

24. 9. 1971

25. 9. 1971

26. 9. 1971

27. 9. 1971

28. 9. 1971

29. 9. 1971

30. 9. 1971

31. 9. 1971

1. 10. 1971

2. 10. 1971

3. 10. 1971

4. 10. 1971

5. 10. 1971

6. 10. 1971

7. 10. 1971

8. 10. 1971

9. 10. 1971

10. 10. 1971

11. 10. 1971

12. 10. 1971

13. 10. 1971

14. 10. 1971

15. 10. 1971

16. 10. 1971

17. 10. 1971

18. 10. 1971

19. 10. 1971

20. 10. 1971

21. 10. 1971

22. 10. 1971

23. 10. 1971

24. 10. 1971

25. 10. 1971

26. 10. 1971

27. 10. 1971

28. 10. 1971

29. 10. 1971

30. 10. 1971

31. 10. 1971

1. 11. 1971

2. 11. 1971

3. 11. 1971

4. 11. 1971

5. 11. 1971

6. 11. 1971

7. 11. 1971

8. 11. 1971

9. 11. 1971

10. 11. 1971

11. 11. 1971

12. 11. 1971

13. 11. 1971

14. 11. 1971

15. 11. 1971

16. 11. 1971

17. 11. 1971

18. 11. 1971

19. 11. 1971

20. 11. 1971

21. 11. 1971

22. 11. 1971

23. 11. 1971

24. 11. 1971

25. 11. 1971

26. 11. 1971

27. 11. 1971

28. 11. 1971

29. 11. 1971

30. 11. 1971

31. 11. 1971

1. 12. 1971

2. 12. 1971

3. 12. 1971

4. 12. 1971

5. 12. 1971

6. 12. 1971

7. 12. 1971

8. 12. 1971

9. 12. 1971

10. 12. 1971

11. 12. 1971

12. 12. 1971

13. 12. 1971

14. 12. 1971

15. 12. 1971

16. 12. 1971

17. 12. 1971

18. 12. 1971

19. 12. 1971

20. 12. 1971

21. 12. 1971

22. 12. 1971

23. 12. 1971

24. 12. 1971

25. 12. 1971

26. 12. 1971

27. 12. 1971

28. 12. 1971

29. 12. 1971

30. 12. 1971

31. 12. 1971

1. 1. 1972

2. 1. 1972

3. 1. 1972

4. 1. 1972

5. 1. 1972

6. 1. 1972

7. 1. 1972

8. 1. 1972

9. 1. 1972

10. 1. 1972

11. 1. 1972

12. 1. 1972

13. 1. 1972

14. 1. 1972

15. 1. 1972

16. 1. 1972

17. 1. 1972

18. 1. 1972

19. 1. 1972

20. 1. 1972

21. 1. 1972

22. 1. 1972

23. 1. 1972

24. 1. 1972

25. 1. 1972

26. 1. 1972

27. 1. 1972

28. 1. 1972

29. 1. 1972

30. 1. 1972

31. 1. 1972

1. 2. 1972

2. 2. 1972

3. 2. 1972

4. 2. 1972

5. 2. 1972

6. 2. 1972

7. 2. 1972

8. 2. 1972

9. 2. 1972

10. 2. 1972

11. 2. 1972

12. 2. 1972

13. 2. 1972

14. 2. 1972

15. 2. 1972

16. 2. 1972

17. 2. 1972

18. 2. 1972

19. 2. 1972

20. 2. 1972

21. 2. 1972

22. 2. 1972

23. 2. 1972

24. 2. 1972

25. 2. 1972

26. 2. 1972

27. 2. 1972

28. 2. 1972

29. 2. 1972

30. 2. 1972

31. 2. 1972

1. 3. 1972

2. 3. 1972

3. 3. 1972

4. 3. 1972

5. 3. 1972

6. 3. 1972

7. 3. 1972

8. 3. 1972

9. 3. 1972

10. 3. 1972

11. 3. 1972

12. 3. 1972

13. 3. 1972

14. 3. 1972

15. 3. 1972

16. 3. 1972

17. 3. 1972

18. 3. 1972

19. 3. 1972

20. 3. 1972

21. 3. 1972

22. 3. 1972

23. 3. 1972

24. 3. 1972

25. 3. 1972

26. 3. 1972

27. 3. 1972

28. 3. 1972

29. 3. 19

$\alpha_1, \alpha_2, \alpha_3$

10. 11. 1950

[illegible]

5.17.11

2024.07.15
 2024.07.15
 2024.07.15
 2024.07.15



SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbsilpa.com
CIN: U24100KA2020PLC134081

Table 3 : Toilets in Wadloor Village School

SL.No	Name of the school	Village	Number of Toilets constructed	Cost
01	GHLPS Chika Wadloor school	Chika Wadloor village Tq Dist Raichur	02	2 lakhs



SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur - 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbshilpa.com
CIN: U24100KA2020PLC134081

PROVIDING ASSISTANCE

Kanakadasa seva sikshanasamithi, Raichur - an orphanage Rs.4 Lakhs
School for Sri Manikprabhu academy blind trust - a School for poor Blind with Hostel - Rs. 5.5 Lakhs..
Assistance to Swamy Vivekananda Youth Movement Trust - Raichur. Rs. 0.5 Lakhs

Sri Kanakadasa
Seva Sikshana Samithi (R)
Orphanage Residential School

Yerragudi Camp,
Bypass Road, Hyderabad Road,
Raichur 584135. Cell: 9845137699,
9062318996, 8722238885.
shilpa@vbshilpa.com info@vbshilpa.com
www.shilpapharmalifesciences.com

Receipt No. 332 Date 28/11/2023

Received with thanks from Shilpa foundation Raichur

Rupees Four lakh Rupees Only


on account of donation by Cash/Cheque/DD/online

No. dated 28/11/2023 drawn on Union Bank of India

Rs. 400000/- Treasurer Receiver Signature

Donations are exempted U/S 80G of the Income Tax Act 1961 vide DIN 26
Order No. ITA/EKM/S/80G/2019-20/RO/25786292(1) Dated 26-02-2020

School for Sri Manikprabhu academy blind



SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbshilpa.com
CIN: U24100KA2020PLC134081

Swamy Vivekananda Holistic Health Photos



Arogya Chintana Charitable Trust
SWAMI VIVEKANANDA
HOLISTIC HEALTH AND HEALING CENTRE
Siddanath Colony, Near Navodaya Medical College,
Mantralayam Road, RAICHUR 584 103 Ph: 8762451109

Donation to this Trust is Exempted
U/S 80G of I.T. Act, 1961 Under CIT (E)
BLR/REG/2014-15/47/AABTA-1206/
Vol.2014-2015 W.E.E16-09-2015

RECEIPT

No. 105 Date: 25.8.23

Received with thanks from: Shilpa Foundation Raichur
the sum of Rupees (in words) Five Lakhs only
by cash / cheque / D.D.No. 053745 in full / part payment
towards donations/other charges.

Rs. 5,00,000/- For : Arogya Chintana Charitable Trust

Arogya Chintana Charitable Trust
SWAMI VIVEKANANDA
HOLISTIC HEALTH AND HEALING CENTRE
Siddanath Colony, Near Navodaya Medical College,
Mantralayam Road RAICHUR 584 103 Ph: 8762451109

Donation to this Trust is Exempted
U/S 80G of I.T. Act, 1961 Under CIT (E)
BLR/REG/2014-15/47/AABTA-1206/
Vol.2014-2015 W.E.E16-09-2015

RECEIPT

No. 104 Date: 25.8.23

Received with thanks from: Shilpa Foundation Raichur
the sum of Rupees (in words) Five Lakhs only
by cash / cheque / D.D.No. 715010 in full / part payment
towards donations/other charges.

Rs. 5,00,000/- For : Arogya Chintana Charitable Trust



SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbshilpa.com
CIN: U24100KA2020PLC134081

Annexure -6

Reference: Environmental clearance obtained from MOEF&CC vide letter No. F NoJ-11011/191/2017-1A-119(1) dated 13th December 2019.

“Cost of community Resource Augmentation plan” as specified in page No.5, Table 2 , Sl.No 1 of environment clearance.

“Medical Camp”

Sl.No	Location of Camp	Date of Camp	Name of the associated Hospital	Expenditure
01	Deosugur	04.04.2022	District health & family welfare Department & District Tuberculosis Elimination raichur	3Lakhs
02	Chikasuguru	15.10.202	District health & family welfare Department & District Tuberculosis Elimination raichur	
03	Yermarus	29.10.2022	District health & family welfare Department & District Tuberculosis Elimination raichur	



SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad
Road, Raichur - 584 135, Karnataka, India
Tel: +91-8532-238704;
Email: info@vbsilpa.com
CIN: U24100KA2020PLC134081

Annexure -7

Reference: Environmental clearance obtained from MOEF&CC vide letter No. F NoJ-11011/191/2017-1A-119(1) dated 13th December 2019.

"Cost of community Resource Augmentation plan" as specified in page No.5, Table 2, Sl.No 2 of environment clearance.

Sl.No	Name of the School	School Location	Number of student Benefited	Total Fund Spent
01	GHPS Chikasuguru	Chikasuguru village	11	5 Lakhs
02	GHPS Hegsanhalli	Hegsanhalli village	09	
03	GHPS Wadloor	Wadloor village	11	



ANNEXURE –15

Shilpa Pharma Lifesciences Limited

Unit-1: Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,
4B & 5B, Deosugur Industrial Area, Deosugur-584 170,
Raichur District, Karnataka State, India.

CIN: U24100KA2020PLC134081

CAPITAL AND RUNNING COSTS OF ENVIRONMENTAL MANAGEMENT SYSTEM

The detailed breakdown of the capital and running costs associated with the Environmental Management System (EMS) and a summary of those costs:

1. Man power for EHS
 - a. Sr. Manager : 01
 - b. Executive : 01
 - c. Jr. Executive : 01
 - d. Operator : 02
 - e. Helpers : 04

Total Manpower cost for EHS per Annum : Rs 43 Lakhs
 2. 30 KLD STP power consumption and chemicals consumption and maintenance cost: 38.6
 3. Electric power consumption of ETP Collection system, pre-treatment and Transfer system to Unit 2 ETP.

Power consumed	:	79156 KWH
Cost per KWH	:	Rs 6.1/-
Total Electrical cost for ETP per Annum	:	Rs 4.82 Lakhs
 4. Maintenance of green belt : Rs 41.0 Lakhs
 5. Hazardous Waste Disposal Charges Proportionate charges
Equivalent to effluent disposed to unit-2 : Rs 15.55 Lakhs
 6. Environmental Monitoring : Rs 3.5 Lakhs
 - a) ETP Treatment cost for unit incurred at Unit 2 Chemical cost

a. Analysis cost	:	Rs 1.81 Lakhs
b. Treatment cost	:	Rs 101.40 Lakhs
c. Total Chemical cost for ETP per Annum	:	Rs 98.31 Lakhs
 - b) Maintenance and repair of motors and pumps at ETP : Rs 3.90 Lakhs
 - c) Steam consumption for forced evaporation system

a. Total Steam consumed	:	5142 MT
b. Average Cost of Steam per Ton	:	Rs 1700.0
Total Cost for Steam per Annum	:	Rs 84.42 Lakhs
- Total Cost of ETP from April-2025 to March-2026 : Rs 436.35 Lakhs

Authorized Signatory

K. Sharth Reddy

Director

ANNEXURE –16

Shilpa Pharma Lifesciences Limited

Unit-1: Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,
4B & 5B, Deosugur Industrial Area, Deosugur-584 170,
Raichur District, Karnataka State, India.

CIN: U24100KA2020PLC134081

SPL/UNIT-1/EHS/41/2024-25

Date: 22.05.2025

To,

Office of the Regional office
Karnataka State Pollution Control Board,
Building at shed No, C-03
KSSIDC Industrial Estate, 3rd Cross
Hyderabad Road RAICHUR – 584 102

Respected Sir,

Sub: Submission of Environmental Statement Form-V-reg...

With reference to the above subject, please find enclosed herewith environmental statement form-V for the financial year from 1st April 2024 to 31st March 2025.

List of Annexures:-

1. Annexure - I - Process Water consumption of Batch wise of Product copy.
2. Annexure - II - Treated Water Analysis Reports.
3. Annexure – III - Environment monitoring of ambient and stacks Analysis Reports.
4. Annexure – IV - Hazardous Waste Disposal Quantities copy.
5. Annexure - V - Category Wise Hazardous Waste Disposing Methods.
6. Annexure –VI - Impact of pollution control measures on conservation of natural resources copy.
7. Annexure- VII -Solvent Recovery System
8. Annexure – VIII - Additional measures / investment proposal for environmental protection
Including abatement of pollution
9. Annexure - IX - Raw material consumption
10. Annexure - X - Environment Management System Certificate



Corporate & Admin Office : "Shilpa House", #12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India

Tel: +91-8532-238704, Fax: +91-8532-238876, Email: info@vbshilpa.com, Web: www.vbshilpa.com

Shilpa Pharma Lifesciences Limited

Unit-1: Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,
4B & 5B, Deosugur Industrial Area, Deosugur-584 170,
Raichur District, Karnataka State, India.


CIN: U24100KA2020PLC134081

Kindly acknowledge the receipt of the same and do the needful.

Thanking you,

Yours faithfully,

For **Shilpa Pharma Lifesciences Limited, Unit 1.**


Authorized Signatory.

ANNEXURE -17

Shilpa Pharma Lifesciences Limited

Unit-1: Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,
4B & 5B, Deosugur Industrial Area, Deosugur-584 170,
Raichur District, Karnataka State, India.

CIN: U24100KA2020PLC134081

SPLL/UNIT-1/EHS/026/2024-25

Date: 16/12/2025

To

The Additional principal Chief Conservator of Forests,
Regional Office,
Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing,
17th Main Road,
IInd Block Koramangala,
Bangalore-560034

Sub: Submission of EC Six Months Compliance status report – Reg.,
Ref: EC No:F.NO.IA-J-11011/300/2020-IA-II(I) Dated: 5th January 2021

Respected Sir / Madam,

We are herewith submitting compliance report for the term **April-2025 to September-2025**

Project Name: "Shilpa Pharma Lifesciences Ltd. Unit I"- bulk drugs, APIs & intermediates manufacturing industry with R&D, Plot No 1A to 5B Industrial Area, Deosugur, and Raichur 584170.

Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter No. EC No: F.NO.IA-J-11011/300/2020-IA-II (I) Dated: 5th January 2021

The Covering letter, Compliance report, EC copy, and the Environment monitoring test reports including necessary documents are enclosed as Annexures.
Kindly acknowledge the receipt of the document and e-mail.

Thanking you,
Yours faithfully

For SHILPA PHARMA LIFESCIENCES LIMITED, Unit-1



Authorized Signatory

CC to:

1. Environmental Officer, Karnataka State Pollution Control Board, building in shed C-3 KSSIDC Industrial area 3rd main road, Hyderabad Road, Raichur – 584 102.
2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49,4th & 5th Floor, Church Street, Bengaluru, Karnataka 560001.
3. The Principal secretary, Department of forest, Ecology & Environment Government of Karnataka, Room No: 404, 4th floor, II nd stage, Multi Storied Building, Bangalore-560 001

Shilpa Pharma Lifesciences Limited

Unit-1: Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,
4B & 5B, Deosugur Industrial Area, Deosugur-584 170,
Raichur District, Karnataka State, India.

CIN: U24100KA2020PLC134081

List of Annexures:-

- | | | |
|----|----------------|--|
| 1 | Annexure - I | Waste water flow meter & Test Reports. |
| 2 | Annexure - II | VOC Test Reports |
| 3 | Annexure - III | Occupational Health Centre (OHC) |
| 4 | Annexure - IV | fire prevention and control measures |
| 5 | Annexure -V | Safety training |
| 6 | Annexure -VI | KIADB water supply agreement copy |
| 7 | Annexure-VII | Web camera photo and Effluent Transfer Logbook & Stack reports |
| 8 | Annexure-VIII | Solvent recovery system |
| 9 | Annexure-IX | Manifest copies |
| 10 | Annexure-X | Greenbelt layout |
| 11 | Annexure-XI | Environmental Management Cell |
| 12 | Annexure-XII | Led light photo |
| 13 | Annexure-XIII | Noise monitoring data |
| 14 | Annexure-XIV | CER activities |
| 15 | Annexure-XV | capital and running costs of environmental management system |
| 16 | Annexure-XVI | Acknowledgment copies of Form-V and EC compliance |
| 17 | Annexure-XVII | Newspaper advertisement copy |

Kindly acknowledge the receipt of the document and email.

ANNEXURE – 18

