Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/043/2026-27 **Date: 11.11.2026**

To
Office of the Regional Office,
Karnataka State Pollution Control Board,
Building st Shed No.C-03
KSSIDC Industrial Estate, 3rd Cross,
Hyderabad Road, Raichur – 584102

Sub: Submission of CFO, HW and Additional conditions Six month's compliance wise status report-reg.
Ref: Combined Consent Order No: 356328 Dated: 08/10/2026
PCBID:28295

Respected Sir,

With reference to the above subject, we are enclosing here with Six Months CFO,HW and Additional condition wise compliance status report for the period from **April -2026 to September-2026.**

List of Annexures: -

1.	Annexure – I	:	CCO Copy
2.	Annexure – II	:	Addendum to CFO
3.	Annexure- III	:	Flow meter and camera photos
4.	Annexure – IV	:	Treated water analysis report
5.	Annexure – V	:	Noise monitoring reports
6.	Annexure – VI	:	Environment Cell Data
7.	Annexure – VII	:	Green belt Layout
8.	Annexure – VIII	:	Form-V acknowledgement copy
9.	Annexure – IX	:	Air Pollution Control System Details
10.	Annexure – X	:	CEPT acknowledgements copy
11.	Annexure – XI	:	The calibration report of OCEMS
12.	Annexure – XII	:	Copies of the CETP e-manifests
13.	Annexure – XIII	:	Stack monitoring reports
14.	Annexure – XIV	:	Ambient air quality monitoring reports
15.	Annexure – XV	:	ISO 14001:2015 Standard Certificate

Kindly acknowledge the receipt of the same and do the needful.

Thanking You,

Yours Faithfully

For Shilpa Pharma Lifesciences Ltd. 100% EOU.

SHILPA PHARMA LIFESCIENCES LIMITED Chicksugur Raichur karnataka

Authorized Signatory

CCO Conditions Compliance status Report

April-2026 to September -2026

Combined Consent Order No: 356328 **Dated: 08/10/2026** **PCB ID: 28295.**

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act, 1974 and emission under the Air (Prevention and Control of Pollution) Act, 1981

Ref: 1. Application filed by the applicant/organization on 29/06/2026.

2. Inspection of the on 21/07/2026 Industry/organization/by RO.

3. Proceedings of the ECM dated 07/09/2026, held on 07/09/2026.

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity &to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: Shilpa Pharma Life Sciences Ltd, Unit-2 (Formerly Shilpa Medicare Ltd, Unit-2)

Address: Plot no 30, 31, 32 and 35-39, 33,33A, 40 TO 47, Raichur Growth Centre

Industrial Area: Raichur Growth Centre I.A, Chikkashugur,

Taluk: Raichur, District: Raichur

CONDITIONS:

a) Discharge of effluents under the Water Act:

Sr. No	Water Code	WC (KLD)	WWG (KLD)	Remark
1	Boiler Feed	216.000	10.000	Boiler blow down will be used for spraying on the ash
2	Cooling Water	155.500	50.000	--
3	Domestic Purpose	30.000	25.000	--
4	Manufacturing Processes	161.000	150.00	Process Effluent, QC, Washing and Cleaning, Scrubber, R&D
5	Others	15.000	0.000	For Green Belt
6	Others	0.500	0.505	For Contaminated Drums & liners washing

b) Discharge of Air emissions under the Air Act from the following stacks etc.

Sl. No.	Description of chimney/outlet	Limits specified refer schedule
The details of Sources, control equipment's and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.		

<table>
<tr><th>S No</th><th colspan="5">Terms and conditions</th><th colspan="2">Compliance report</th><th>Compliance Status</th></tr>
<tr><td>A</td><td colspan="8">Treatment and disposal of effluents under the water act.</td></tr>
<tr><td>1</td><td colspan="5">The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under</td><td colspan="2">The unit is ZLD quantity water is recycled, the board is collecting the sample received water</td><td>Complied</td></tr>
<tr><td>2a)</td><td colspan="5">The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.</td><td colspan="2">sewage/domestic effluent collected in septic tank and taken into Biological treatment plant</td><td>Complied</td></tr>
<tr><td>2b)</td><td colspan="7">The treated sewage effluent discharged shall conform to the standards</td><td></td></tr>
<tr><td></td><td>S.No</td><td>Purpose</td><td>Water Consumption KLD</td><td>Waste Water generation KLD</td><td>Mode of Disposal</td><td>Mode of treatment</td><td rowspan="4">Complied, CCO copy attached as Annexure - I</td></tr>
<tr><td></td><td>I</td><td>Domestic</td><td>30</td><td>25</td><td>Domestic effluent collected in septic tank</td><td>Effluent collect in septic tank& Treated in Zero liquid discharge system</td></tr>
<tr><td>3a)</td><td colspan="5">The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall confirm to the standards stipulated by the Board</td><td>Mode of Disposal</td><td>Mode of treatment</td></tr>
<tr><td></td><td colspan="5"></td><td>The trade effluent generated in the industry is treated in the ETP and HTDS effluent from the unit-1,HTDS effluent from the unit-2 are treated in ETP & the treated water is recycled. The HTDS effluent of unit-2 is sent to CETP for further treatment.</td><td>We are treating the trade effluent in the ETP, Stripper, MEE, ATFD & RO. Treated effluent re used for cooling towers makeup/The treated water confirms to the standards stipulated by the Board.</td><td>Complied</td></tr>
<tr><td>3b)</td><td colspan="5">The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day</td><td colspan="2">Effluent is pretreated in house facility and partially sent to CETP every day and remaining effluent is treated in house and the treated effluent is recycled.</td><td>Complied

Addendum to CFO is attached as Annexure-II</td></tr>
</table>

		HTDS Quantity sent to the CETP at kadechur in the Month KLD **April- 2026** 42.22 KLD (1266.62 KL/ Month of April) **May – 2026** 40.371 KLD (1251.52 KL/ Month of May) **June – 2026** 27.05 KLD (811.5 KL/ Month of June) **July– 2026** 27.96 KLD (866.99 KL/ Month of July) **August-2026** 19.57 KLD (606.92 KL/ Month of August) **September-2026** 23.357 KLD (700.71 KL/ Month of September) **Average** 25.428 KLD LTDS and other effluents are treated in house.	
4	The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.	installed the online flow meter and camera connect the CPCB Server, Records maintained	Complied Flow meter and camera photos enclosed as **Annexure-III**
5	The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.	The unit is ZLD, the point /place of discharging not applicable, treated water is reused	Complied
6	The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.	discharges from others premises/ Storm water is not allowed to mix with the effluents is transferred to ETP by pumping	complied
7	The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order	Domestic effluent & trade effluent generation & treatment quantities with in the limit	Complied
8	The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.	Effluent treated in Zero liquid discharge, if treated effluent is used in utilities and partially disposed to CETP	Complied
B. EMISSIONS			
1	The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The tolerance limits of the	The discharge of flue gas /emissions passed through APH mdc Bag filter, the fugitive emissions are scrubbed with scrubbers nuetralizesed with the acid/Alkali and complied	Complied

	constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.	with discharge emissions are monitored.	
2	The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, Electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.	Port holes are provided for sampling with platform while sampling, electrical points are available and all necessary arrangements are provided for sampling.	Complied
3	The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board	If any modification required approval from kspcb will be informed	Complied
C .Monitoring & Reporting			
1.	The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.	The samples of effluent and treated effluents & emissions are tested by the approved By NABL approved lab.	Complied Attached **as Annexure-IV**
2.	The applicant shall maintain log books to reflect the working condition of pollution control systems and also self-monitoring results and keep it open for inspection.	Log books of this equipment maintained	Being followed.
D. Solid waste(Other than hazardous waste) Disposal			
1	The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.	We are segregating the solid waste & Hazardous Waste with in the domestic waste stored in leachate proof shed and Hazardous waste disposed to KSPCB authorized TSDF/Cement Factory without causing pollution to the surrounding Environment.& domestic waste is sent to piggery	Complied
2	The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.	The hazardous waste are stored in bags in covered shed with floor and is disposed to TSDF & Co-Processing and scientifically disposed	Complied
E. Noise pollution control			
1	The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 i.e. 75 dB(A) Leq during day time and 70 dB(A) Leq during night time as specified in under the Air (Prevention and Control of Pollution) Act, 1981.	Noise levels monitoring by MoEF& CC Approved third party laboratory as specified under the Air (Prevention and Control of Pollution) Act, 1981.All values are within 75 dB in day & 70 dB in nighttime	Complied, Attached **as annexure-V**
F. Hazardous and other wastes(Management, & Trans boundary Movement)Rules 2016			
1	The applicant shall comply with provisions of the Hazardous and other Wastes(Management & Trans boundary Movement)Rules 2016	Complying with Hazardous waste& other waste (Management & Trans boundary movement) Rules 2016	Complied,

G. GENERAL			
1.	The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.	Ground water not used.The industry is using the water supplied by KIADB	Complied
2.	The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.	other premises is not allowed to mix with that of with internal. Ours is a Zero liquid discharge plant.	Complied
3.	The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf	We are comply the orders with from board time to time	Complied
4.	The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified	We are appointing qualified and competent personnel for environment cell.	Complied, Attached **as annexure-VI**
5.	The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent	Noted	Noted
6.	The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.	If any accidental discharge of emissions/effluents into the atmosphere in excess of standards will be informed to the board.	As when occurred will be informed
7.	The applicant shall provide alternative power supply sufficient to operate all Pollution control equipment's	04 Number DG Sets available 100 % alternative Power source	Complied,
8.	The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow measuring points should made easily approachable.	The premises is maintained clean the effluent tanks inspection chambers flow measuring points are approachable easily	Complied,
9.	The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.	Consent is made evaluate to the inspection authorities.	Complied,
10.	The applicant his heirs, legal representatives or assignee shall have no claims whatsoever to the continuation or renewal of this consent after expiry of the validity of consent	Noted	Noted
11.	The applicant shall make an application for consent for subsequent period at least 120 days before expiry of this consent.	Noted	Noted
12.	The applicant shall develop and maintain adequate green belt all around the periphery	Maintained adequate greenbelt 33% in the area	Complied, Green belt Layout Attached As **Annexure-VII**
13.	The applicant shall provide rain water harvesting system and shall provide proper storm water management system. etc.	rain water harvesting system is in place & proper storm water management is in place	Complied.
14.	This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court	No Court cases	Complied,
15.	The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.	Environmental statement was submitted to KSPCB every year before the due date	Complied, Attached **As Annexure-VIII**

16.	The applicant shall display flow diagram of the pollution control system near the pollution control systems.	Flow diagrams of pollution control system are displayed near the pollution control systems.	Complied, Attached **as Annexure-IX**
17.	The applicant shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.	Raw materials are transported and stored in designated areas approved SOPs and safety procedures. Necessary measures such as proper labeling, covered storage, spill control arrangements, and safe handling practices are implemented to prevent any impact on environment, life, and property.	Complied
18.	The applicant shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix(c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipment's without the prior approval of the Board.	No change in raw materials, manufacturing process, product mix, production capacity, effluent generation, air emissions, or pollution control systems has been carried out without obtaining necessary approval from the Board.	Complied
19.	This CFO does not give any right to the Party/Project Authority/Industry to forego any other legal requirement, that is necessary for setting/operation of the plant.	Noted	Noted
20.	The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration in advance an amount equal to the cost estimated by Competent Agency or Committee.	Noted	Noted

Authorization under Hazardous & Other Wastes [Management & Transboundary Movement]Rules,2016

Category of Hazardous waste as per the Schedule I,II & IV of these rules	Description of Hazardous Waste	Quantity /Annum	Unit	Authorized Mode of Disposal or recycling or utilization or co-processing, etc.,
I	20.3~Distillation Residues	20.300	MTA	As Per Annexure
I	28.1~Process Residue and wastes	8.682	MTA	As Per Annexure
I	28.2~Spent catalyst	11.800	MTA	As Per Annexure
I	28.3~Spent carbon	3.000	MTA	As Per Annexure
I	28.5~Date-expired products	1.000	MTA	As Per Annexure
I	28.6~ Spent solvents	623.288	KLT	As Per Annexure
I	33.1~Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	60.000	MTA	As Per Annexure
I	35.3~Chemical Sludge From Waste Water Treatment	1112.857	MTA	As Per Annexure
I	5.1~Used Spent Oil	3.000	KLT	As Per Annexure

A. General Conditions of authorization:

S NO	Condition	Status	
1	The authorized person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.	Noted	Noted
2	The authorization or its renewal shall be produced for inspection at the request of an Officer authorized by the Karnataka State Pollution Control Board.	Noted	Noted
3	The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes and other wastes except what is permitted through this authorization and without obtaining prior permission of the KSPCB.	Noted	Noted
4	Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.	Noted	Noted
5	The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.	We have Onsite emergency plan .Mock drills conducted periodically, Spill control procedures ,fire fighting procedures are available	Complied
6	The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for	Noted	Noted

	Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".		
7	It is the duty of the authorized person to take prior permission of the Karnataka State Pollution Control Board to close down the facility.	Noted	Noted
8	The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.	Yes	Complied
9	The importer or exporter shall bear the cost of import or export and mitigation of damages if any.	NA, We don't import/Export any waste	NA
10	Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.	Noted	Noted
11	An application for the renewal of an authorization shall be made **'3' months** before the date of expiry.	Noted	Noted
12	The Person authorized shall bring to the notice of the Board, if any increase in quantity, change in category and handling operation. In such cases, the authorized Person has to obtain fresh authorization.	Noted	Noted
13	Karnataka State Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this authorization or to suspend or cancel this authorization.	Noted	Noted
14	The Person authorized shall take steps for reduction and prevention of the waste generated or for recycling or reuse.	Necessary steps by R&D are implemented	Noted
15	The authorized person shall maintain the records at site in Form-3 and shall submit the annual returns in Form-4 within 30th June every year for the Period April to March and manifest in Form-10.	Form-3, Form-4 and Form-10 submitted Time to Time & will be maintained	Complied
16	The record of consumption and fate of the imported hazardous and other wastes shall be maintained.	NA,we don't consumption any hazardous waste	NA
17	The hazardous and other waste which gets generated during recycling or reuse or recovery or perprocessing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.	NA	NA
18	The transportation of hazardous waste shall have to be carried out only through registered/authorized vehicles meant for transportation of hazardous waste.	Only Authorized Vehicles are allowed	Complied
19	The Person Authorized shall not store the Hazardous Waste more than ninety days as per Rule 8 (1).	HW disposed Tome to Time within 90 days	Complied
20	The Person Authorized shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.	Stored in Secure Manner & Noted	Complied
21	Display Boards: The person authorized shall display sign boards at the storage site as "Hazardous Waste Storage Site" and "Danger" and the site shall be provided with accident preventive measures.	Sign Boards are displayed	Complied

Annexure-1
Additional conditions
[PCB ID 28295 INWARD NO 352186]

S No	Terms and conditions	Compliance report	Compliance Status
	A		
3	The quantity shall not exceed the quantity indicated against the respective product mentioned in the in table	All the products manufactured are within quantity specified in the consent	Complied
4	The applicant shall comply with the conditions stipulated in Environmental Clearances issued by SEIAA & MoEF &CC and there amendments.	Noted	Noted
5	This Combined Consent for Operation under Water Act, 1974 and Air Act, 1981 and Authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 is valid for the perind from OJ .07.202 fi in 30.06.203 1.	Noted	Noted
B	**WATER POLLUTION CONTROL:**		
1	The source of water shall be from KIADB & the water consumption shall not exceed 214.6 KLD.	Noted, The water consumption did not exceed 214.6 KLD	Noted
2	**The details of water consumption, effluent generation and mode of treatment and disposal shall be as under**		

Sl. No.	Purpose	Water requirement in KLD	Effluent generation in KLD			Treatment method
			HTDS	LTDS	Total	
1	Process		26 (M/s Shilpa Pharma Life Sciences Ltd Unit-1		26	Effluent from Mls. Shilna Pharma Life Sciences Ltd U itn-1 Located at Plot No-1A 1A"P,1B,2,2A,2B,3Ato E,4AtoC,5A to B Deosueur Industrial area, Raichur - The Industry shall treat the HTDS pretreated effluent in the ETP Consisting of (Stripier, MEE & ATFD). The MEE condensate with high BOD shall be treated in FECO & FACO system (Technology provided by CLRI, Chennai). The outlet from FECO & FACO shall be further treated in multi grade filter followed by RO. RO permeate shall be reused for boiler feed & cooling tower make up to achieve ZLD. The Salts generated shall be disposed to TSDF.

2	Process	161.00	44.5	105.5	150	The Industry shall segregate HTDS & LTDS effluent at the source. The industry shall treat the LTDS effluent and Domestic Effluent in the LTDS effluent Treatment plant of 200 KLD, The Treated effluent shall be further treated in RO Plant. The RO Permeate shall be Completely used for Cooling tower Makeup & The RO Rejects shall be treated in Multiple Effect Evaporator along with IITDS effluent. HTDS effluent shall be treated in ETP Consisting of (Stripier, MEE & ATFD).
3	Drums & liner washings	0.500		0.505	0.0505	
4	Domestic	30.0			210	

						The MEE condensate with high BOD shall be treated in FEC0 & FAC0 system (Technology provided by CLRI, Chennai). The outlet from FEC0 & FAC0 shall be further treated in multi grade filter followed by RO. RO permeate shall be reused for boiler feed & cooling tower make up to achieve ZLD. The Salts generated shall be disposed to TSDF. OR The applicant shall pre-treat the effluent in pre-treatment plant separately (HTDS & LTDS effluent) to the inlet standards of CETP as stipulated in **Annexure-A (i)** & (ii). The applicant shall store the pre-treated effluent (HTDS & LTDS effluent) in separate holding tanks and shall hand over the pre-treated effluent to CETP of M/s. Mother Earth Environ Tech Pvt Ltd, Kadechur Ind1. Area, Yadgir District through dedicated tankers fitted with GPS racility. The industry shall follow E-manifest system for transportation of pre-treated effluent.
5	Boiler feed	216		10.0	10.0	Shall be used for spraying dust control during ash handling
6	Cooling tower feed	155.50		50.0	50.0	Shall be treated in ETP Comprising of High-Rate Solid Contact Clarifier, Carbon Filter, Sand Filter. & Treated effluent shall be mixed with treated water (RO Permeate) & used for Cooling tower Makeup.
7	Gardening	15.0				

Compliance Status:-The ETP is provided as prescribed above & is being operated satisfactorily. The Qty's of effluent generated is within the quantity prescribed above And **Complied**

S No	Terms and conditions	Compliance report	Compliance Status
3	Within the production area the trade effluent shall be conveyed to collection tank (provided as tank in tank system) through open drain lined with acid/alkali resistant tiles and the drain shall be clearly visible all the times. Lying of any pipe lines along the drain or through the tiles is not permitted	There is no open drain system in the plant. Trade effluent from each production block is collected block-wise in a separate collection sump. Each sump is built as RCC tank system with an RCC outer tank. From each sump, effluent is pumped through a dedicated closed pipeline to the ETP collection tank. The pipelines are laid above ground and are visible along their full length. The closed pipeline system prevents spills, fumes and mixing of effluent with storm water.	Complied.
4	Only one collection tank in each production block is permitted below ground level for collection of trade effluent by adopting tank in tank system. The outer collection shall be constructed using Reinforced Cement Concrete in which system shall be provided with automatic water level controller to facilitate emptying of effluent to collection/neutralization tank with operating philosophy that collection tank provided in the production block is always empty	Each production block has one dedicated collection tank, built below ground level with RCC. Trade effluent from the tank is sent to the ETP through a closed pipeline laid above ground level. Trained operators are on duty 24/7. They monitor the tank level and pump the effluent to the ETP, so the collection tank levels are maintained	Complied
5	The floor of the Effluent treatment Plant and collection tank area shall be provided with acid/alkali proof tiles.	ETP and collection tank areas are provided with chemical resistant flooring/acid-alkali resistant tiles in applicable areas	Complied
6	The applicant shall provide separate energy meter to Effluent Treatment Plant for recording consumption of electricity on day-to-day basis.	Separate energy meters are installed for ETP operation and records are maintained.	Complied
7	The applicant shall not allow Storm water to get mixed with the trade and/or sewage effluent on the upstream of the terminal manholes where the flow measuring devices will be installed.	Separate drains are provided for storm water, trade effluent and sewage. Storm water drains are open channels and are not	Complied

		connected to the effluent or sewage lines. Trade effluent and sewage are carried through closed pipelines to the ETP. There is no mixing of storm water with effluent or sewage before the terminal manholes/ or at any point	
8	Storm water management plan shall be prepared by engaging an expert and get it implemented before trial production of the plant.	A storm water management system is in place at the plant. Separate storm water drains are provided, and storm water does not mix with trade effluent or sewage. A storm water management plan and Standard Operating Procedure (SOP) are in place and followed.	Complied
9	The applicant shall establish Rain Water Harvesting system comprising of RCC sump/tank of adequate capacity to store the rain water harvested and provisions shall be made to completely use the rain water collected in the tank. Percolation pit for percolation of rain water inside the industry is not permitted.	A Rain Water collection tanks is provided at the plant. Rain water from the roofs is collected through open channels into a storage tank near the main gate. The collected rain water is reused for gardening and other purposes. No percolation pits for Rain water harvestingare provided inside the industry premises.	Complied
10	The floor of the process area shall be provided with acid/alkali resistant tiles or granite with chemical resistant joints with proper slope	The floor of the process area is provided with granite, with chemical resistant joints. The floor has a proper slope so that any spillage flows into the collection trough and then to the collection tank.	Complied
11	The applicant shall provide adequate storage area with permanent roof and impervious floor for storing chemicals.	A separate storage area for storage of chemicals is provided for storing chemicals. The area has a permanent roof and an impervious floor. Dyke walls are provided to hold any leakage.	Complied

12	No chemical is permitted to be stored outside on naked ground during operation of the industry.	No chemicals are stored outside or on naked ground. All chemicals are stored only in the covered chemical storage area with an impervious floor and dyke walls.	Complied
13	The applicant shall maintain record/log book for sending effluent to CETP/ treated effluent received from CETP & submit extract to the Regional Office before 5th of every month.	A log book and manifest are maintained for effluent sent to the CETP. The monthly extract is submitted to the Regional Office before the 5th of every month.	Complied. Copies of the CEPT acknowledgements are enclosed as **Annexure-X**
14	The applicant shall monitor piezometer wells within the industry premises.	Two piezometer wells are provided within the industry premises. Ground water samples from these wells are monitored through an NABL-accredited laboratory.	Complied.
B	**(I) Conditions applicable if the effluent is treated in the in-house ETP**		
1	**The applicant shall ensure continuous operation of Online Continuous Effluent Monitoring System (on 24/7 basis) comprising of**		
a	Flow meter: online flow meter with data recording facility which should be transmitted online to CPCB & KSPCB Server shall be provided separately for HTDS & LTDS line.	Online electromagnetic flow meters with data recording facility are provided at station: RO Outlet line: Emerson-Rosemount, Model 8732EMT1A1NDM4, Sr. No. 13813260 The data is transmitted online to the CPCB and KSPCB servers.	Complied
b	PTZ (Pan Tilt and Zoom) Camera: online connectivity of IP camera with PAN, Tilt and Zoom SX or above Focal length with night vision capability shall be ensured. The specification/ sensor used in online continuous monitoring system shall be in accordance with CPCB specification. The camera shall be installed in such a location where the entire ETP operation and recycling of treated effluents can be remotely monitored. The camera feed should be integrated with all camera controls (PAN, Zoom, Tilt) and shown on central platform where data on flow meter is displayed. The camera feed shall be provided without pre-requirement of any plug in software for data display or data submission and shall be available in the Google Chrome browser.	Online IP cameras are installed at the RO Outlet (CP Plus, Model CP-UNP-2013TL10, Sr. No. CP1L04229PAN00025). The cameras have Pan, Tilt and Zoom controls with night vision, as per CPCB specification. They are placed so that the ETP operation and the recycling of treated effluent can be monitored remotely. The camera feed is connected to the same central platform where the flow meter data is shown.	Complied

c	Calibration of OCEMS shall be undertaken as per CPCB Guidelines and shall submit the report on calibration to the Board within 15 days of such calibration.	The OCEMS (flow meters and analyzers) is calibrated as per CPCB guidelines.	Complied. The calibration report is enclosed for your reference as **Annexure-XI**
2	The pipelines carrying fresh water, raw - trade effluent, treated trade effluent, rain water shall be painted with distinct color for easy identification.	Color coding system is in place. Pipelines carrying fresh water, raw trade effluent, treated trade effluent and rainwater are painted in different colors for easy identification. Flow direction arrows and name labels are also marked on the lines.	Complied
3	The trade effluent from the process area (collection tanks) shall be pumped to effluent treatment Plant through dedicated pipe lines.	Trade effluent from the collection tanks in the process area is pumped to the ETP through dedicated closed pipelines laid above ground level. These lines are used only for trade effluent.	Complied
B(II)	**Conditions applicable if the effluent is sent to the CETP:**		
1	The Project Proponent shall construct pre-treatment plants, minimum of 3 feet above ground level by constructing on RCC column and Slab.	The pre-treatment plant is built on RCC columns at a height of 3 feet above ground level.	Complied
2	The pre-treated effluents shall be collected in collection/neutralization tank installed under shelter, above ground level. Permanent pumping arrangement shall be made to facilitate pumping of pre-treated High TDS and Low TDS effluent separately through dedicated pipelines with metering facility. The pipe lines shall be installed with digital flow meters as per the directions of CPCB for measuring the flow and shall be connected to CPCB server.	The pre-treated effluent is collected in a collection/neutralization tank placed above ground level. Permanent pumps are provided. High TDS and Low TDS effluent are pumped separately to the CETP through dedicated pipelines. Digital flow meters are fitted on these lines as per CPCB directions, and they are connected to the CPCB server.	Complied
3	Construction of pre-treatment units below ground level is prohibited.	All pre-treatment units are built above ground level.	Complied
4	The applicant shall install pre-treatment plant with capacity 10 % higher than the estimated quantity of effluent in order to meet any exigencies.	The High TDS effluent pre-treatment plant is built with a capacity of 150 KLD. This is handled higher than the estimated quantity, so the plant can easily handle any emergency.The LTDS pretreatment plant capacity is 350KLD	Complied

5	The floor of Pre-treatment Plant and collection tank area shall be provided with acid/alkali proof tiles.	The floor of the pre-treatment plant and the collection tank area is provided with acid/alkali proof tiles.	Complied
6	The applicant shall provide separate energy meter for pre-treatment plant recording consumption of electricity on day-to-day basis.	A separate energy meter for the pre-treatment plant is provided	Complied
7	**The applicant shall ensure continuous operation of Online Continuous Effluent Monitoring System (on 24/7 basis) comprising of**		
a	Flow meter: online flow meter with data recording facility which should be transmitted online to CPCB & KSPCB Server shall be provided separately for HTDS & LTDS line.	Online electromagnetic flow meters with data recording facility are provided at station: 1. CETP Inlet line: ZTEK Control Systems, Model ZT803, Sr. No. 23110025 The data is transmitted online to the CPCB and KSPCB servers.	Complied
b	PTZ (Pan Tilt and Zoom) Camera: online connectivity of IP camera with PAN, Tilt and Zoom 5X or above Focal length with night vision capability shall be ensured. The specification/ sensor used in online continuous monitoring system shall be in accordance with CPCB specification. The camera shall be installed in such a location where the entire pre-treatment operation and pumping of effluent /recycling of treated effluents can be remotely monitoredThe camera feed should be integrated with all camera controls (PAN, Zoom, Tilt) and shown on central platform where data on flow meter is displayed. The camera feed shall be provided without pre-requirement of any plug in software for data display or data submission and shall be available in the Google Chrome browser.	Online IP cameras are installed at the CETP Inlet (Hikvision, Model DS-2DE7A225IW-AEB, Sr. No. K06586443). The cameras have Pan, Tilt and Zoom controls with night vision, as per CPCB specification. They are placed so that the ETP operation and the recycling of treated effluent can be monitored remotely. The camera feed is connected to the same central platform where the flow meter data is shown.	Complied
8	Calibration of OCEMS shall be undertaken as per CPCB Guidelines and shall submit	The OCEMS (flow meters and analyzers) is calibrated as per CPCB guidelines	Complied. The calibration report is enclosed for your reference as **Annexure-XI**
9	The applicant shall provide separate digital flow meter for HTDS & LTDS effluent transported to CETP along with e-manifest.	Flow meters provided for both HTDS & LTDS effluent & Transported to CETP with manifesto	Complied. Copies of the e-manifests are enclosed as **Annexure--XII**

10	The trade effluent from the process area (collection tanks) shall be pumped to Pre-treatment Plant through dedicated pipe lines.	Trade effluent from the collection tanks in the process area is pumped to the pre-treatment plant through dedicated closed dedicated pipelines laid above ground level. These lines are used only for trade effluent.	Complied
C	**AIR POLLUTION CONTROL:**		
1	The discharge of air emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in Annexure - C where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under	All air emissions from the plant pass through air pollution control equipment and are released through the stacks listed in Annexure-C. The Board collect samples any time.	Complied,
2	The type of emissions, tolerance limits, stack heights and the Air pollution equipment shall be installed/provided as specified in Annexure - B the stacks shall have port holes and platforms as per the guidelines specified to facilitate monitoring of emissions.	stacks of a height of 30 m and are provided with port holes and platforms with ladders, as per guidelines, for monitoring of emissions. Stack monitoring is done monthly through an NABL-accredited laboratory.	Complied. Copies of the latest reports are enclosed as **Annexure-XIV**
3	The industry shall upgrade/modify/replace/change the control equipment /chimney height, if stack attached to any of the source/s is/ are found inadequate to meet the standards stipulated in Annexure - B. Prior permission of the Board shall be obtained for the same.	Stack emissions are within the limits set in Annexure-B, as shown in the monitoring reports .	Complied
4	The industry shall prevent solvent loss by installing double condenser systems and connecting the vents to a carbon tower to minimize the fugitive emissions.	Double condensers are provided on the reactors to recover solvents and reduce solvent loss. The condenser vents are connected to dump tanks r to reduce fugitive emissions.	Complied
5	Vents of the Centrifuge shall be connected to scrubber.	The vents of all centrifuges are connected to a scrubber.	Complied
6	In plant control measures for controlling fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage for raw materials/finished products, closed handling & conveyance of chemicals/materials, providing multi cyclone separator and water sprinkling system.	In-plant control measures are provided to control fugitive emissions from all likely sources. Raw materials and finished products are stored in closed storage areas. Chemicals and materials are handled and ransferred through closed systems such as pipelines and closed	Complied

		containers. A multi cyclone separator & Bag filter is provided on the boiler, and a water sprinkling system is provided to control dust.	
7	Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control fugitive dust emissions.	A water sprinkling system is provided at the boiler ash collection area and at the loading and unloading areas to control dust.	Complied
8	**For control of fugitive emissions, following additional measures shall be implemented;**		
a	Closed handling system shall be provided for chemicals.	Raw materials and finished products are stored in closed storage areas. Chemicals and materials are handled and transferred through closed systems such as pipelines and closed containers.	Complied
b	Reflux condenser shall be provided over reactor.	Reflux condensers are provided over all reactors.	Complied
c	System of leak detection and repair of pump/pipeline based on preventive maintenance.	Pumps, pipelines, valves and flanges are checked as per the preventive maintenance schedule. Any leak found is repaired at once, and records are kept.	Complied
d	The acid shall be taken from storage tanks to reactors through closed pipeline.	For Acids are transferred from the storage tanks to the reactors through closed pipelines .	Complied
e	Storage tanks shall be vented through trap receiver and condenser operated on chilled water.	The storage tanks are vented through a trap receiver and a condenser operated on chilled water.	Complied
9	**Prevention of Solvent Losses: The applicant shall design the appropriate scientific measures for Solvent management and implement the same during installation of equipment & same is as follows:**		
a	Reactor shall be connected to chilled brine condenser system	All applicable solvent-handling reactors are connected to chilled brine-operated condenser systems t and recovery of solvent vapours, thereby minimizing solvent losses and fugitive emissions.	Complied
b	Reactor and solvent handling pump shall have mechanical seals to prevent leakages	All reactors and solvent handling pumps are provided with mechanical seals to prevent leakages.	Complied
c	The condensers shall be provided with sufficient Heat Transfer Area (HTA) and residence time so as to achieve more than	Condensers are designed with adequate Heat Transfer Area (HTA) and appropriate	Complied

	95% recovery.	operating parameters to achieve solvent recovery exceeding 95%. Solvent recovery performance is monitored, and relevant operational records are maintained.	
d	Solvents shall be stored in a designated space specified with all safety measures including Nitrogen blanketing.	Solvents are stored in a separate solvent storage area with all safety measures. Flame arrestors, breather valves, dyke walls and fire fighting systems with foam monitors are also provided.	Complied
e	Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.	Double earthing is provided for electrical equipment in solvent handling areas. Appropriate earthing and equipotential bonding arrangements are provided for solvent storage tanks, reactors, pipelines, transfer systems, and tanker unloading stations to prevent static electricity accumulation. Earthing systems are periodically inspected and tested according to the preventive maintenance schedule, and records are maintained.	Complied
10	**The industry shall comply with the Board Office Addendum dated 19.08.2026 w.r.t. Retrofitting of Emission Control Devices (RECD) to the Diesel Generator Sets as follows:**		
a	Use of certified RECD from approved manufacturers for in-use DG Sets of 19 KW to 800 KW (1000 KVA) capacity which are older than five years from date of manufacturing and up to its useful life (i.e., 15 years from the date of manufacturing or 50,000 hours of operation, whichever is earlier) or use of duel fuel system for in-use DG Sets of less than 800 KW capacity up to its useful life as mentioned above or shifting to gen-sets meeting emission norms as per GSR 804 E dated 3.11.2022	An inventory of existing DG sets is being prepared, including capacity, manufacturing year and operating hours, to assess applicability of RECD requirements. Necessary measures, including installation of certified RECD, adoption of dual-fuel systems or replacement with compliant DG sets, will be undertaken as applicable.	Will be complied by Dec 2028
b	Adopt any suitable Air Pollution Control Device (APCD) strictly subject to compliance to emission standards notified vide GSR 489 E dated 09.07.2002 for DG Sets more than 800 KW.	NA	NA

D	**SOLID WASTE MANAGEMENT:**		
1	The industry shall establish scientific facility for collection, storage, treatment and disposal off all the solid waste generated from the process other than wastes covered under the Hazardous and Other Waste (Management &Transboundary Movement) Rules,2016 in such manner so as not to cause environmental pollution.	A scientific waste storage facility is provided for the collection, segregation, storage and disposal of solid waste generated from the plant. Non-hazardous waste is segregated at source and handed over to Piggery manufacturers. Hazardous waste is stored in a designated and secured hazardous waste storage area and periodically sent to KSPCB-authorized recyclers, co-processors, incineration facilities and TSDFs, as applicable, in accordance with the Hazardous and Other Wastes Rules, 2016. Records of waste generation, storage and disposal are maintained.	Complied
2	Provision shall be made for systematic storage of boiler ash generated. Fly ash shall be sent to brick manufacturer and details shall be submitted to Regional Office within 5thof every month.	Boiler ash is collected and stored systematically in a designated silos . Water sprinkling arrangements are provided wherever required to prevent dust emissions during ash handling /loading to the truck. Fly ash is periodically transported and supplied to brick manufacturers for beneficial utilization.	Complied
E	**HAZARDOUS WASTE MANAGEMENT:**		
1	The industry shall comply the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016	The industry complies with the applicable provisions of the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016. Hazardous waste is identified, segregated, collected, labelled, stored and disposed of through KSPCB-authorized recyclers, actual users, co-processors and TSDF facilities, as applicable. Records of hazardous waste generation, storage, transportation and disposal are maintained.& Noted	**Complied**

2	The industry shall follow e-manifest system (Web Portal) for generation of manifest as per Rule 18 of the Hazardous and Other Waste (Management and Transboundary Movement) Rules, 2016, while disposing the Hazardous /0ther Waste to authorized facility.	The online e-manifest system is followed for the transportation and disposal of hazardous and other wastes to authorized treatment, recycling, recovery and disposal facilities. Applicable e-manifest documents are generated through the designated portal, and copies are maintained for regulatory verification. Monthly hazardous waste generation and disposal reports are submitted to the concerned KSPCB Regional Office.	**Complied**
3	The industry shall provide scientifically designed, dedicated storage area with proper ventilation for storing various categories of hazardous wastes. The storage area shall be provided with impervious floor and constructed in such a way that, the area is divided into different cells to store different categories of waste.	A dedicated hazardous waste storage area is provided with an impervious flooring system and adequate ventilation. Different categories of hazardous waste are segregated and stored in designated areas/cells with appropriate identification labels. Necessary precautions are taken to prevent leakage, spillage, cross-contamination and environmental pollution. Periodic inspections of the storage area are carried out	**Complied**
4	The industry shall hand over the Hazardous and Other Wastes only to the authorized recycler /actual user of the waste after making appropriate entries in the Passbook issued by the Board to respective actual user as per Rule 6 (8) of H & OW (M & TM) Rules, 2016.	Hazardous and other wastes are handed over only to KSPCB-authorized recyclers, actual users and authorized disposal facilities, as applicable. Relevant authorization documents, waste transfer records, passbook entries, manifests and disposal acknowledgements are maintained.	**Complied**
5	The industry shall not generate and dispose any other Hazardous /0ther Waste to any transporter/waste facilitator/TSDF/Incinerator/Co-processing without obtaining prior authorization of the Board under H & OW (M & TM) Rules, 2016.	Hazardous and other wastes are generated, stored, transported and disposed of in accordance with the authorization granted by KSPCB. Waste categories and disposal methods are verified against the applicable	**Complied**

		authorization conditions. Wastes are handed over only through authorized transporters and to authorized treatment, recycling, incineration, co-processing or TSDF facilities, as applicable.	
6	The applicant shall enter Memorandum of Understanding with cement industry having co-processing facility for disposing off incinerable hazardous and other wastes such as organic residue etc.	The industry has executed arrangements with authorized cement industries & co-processing facilities for the scientific disposal and beneficial utilization of suitable incinerable hazardous and other wastes, including organic residues.	**Complied**
7	The applicant shall provide dedicated storage (shed) for storing discarded chemical containers.	A dedicated storage yard with a designated shed is provided for the temporary storage of discarded chemical containers. The containers are segregated category-wise and stored in the designated area with proper identification, safe handling and spill-prevention arrangements. Empty chemical containers are periodically handed over to KSPCB-authorized recyclers or authorized waste handlers, as applicable, with proper documentation.	**Complied**
F	**SELF MONITORING AND REPORTING:**		
1	The applicant shall carry out Environmental Quality Monitoring (Ground Water, Effluent (LTDS/HTDS), Air Emissions, Ambient Air/Noise) on monthly basis and submit the monitoring reports to the Board.	Environmental quality monitoring is being carried out on a monthly basis through recognized environmental laboratories for groundwater, LTDS/HTDS treated effluent, air emissions, ambient air quality and noise levels, as applicable. Monitoring reports are reviewed, documented and maintained. Monthly environmental monitoring reports are submitted to the concerned KSPCB Regional Office for regulatory compliance	**Complied**

2	The applicant shall carryout the ambient air quality monitoring and submit the report to the Board. The AAQM shall be carried out in all the established stations as per the requirement under the National Ambient Air Quality Monitoring Standards stipulated in Environmental (Protection) Rules, 1986. Monitoring shall include the parameters PM2.5, PM10,Sulphur dioxide, Nitrogen Oxide, Ammonia. The industry shall furnish statistical analysis for annual average of pollutants at all the locations as per Ambient Air Quality standards Notification once in a year. The monitoring shall be carried-out as per National Ambient Air Quality Standards notified by MoEF& CC vide No.GSR. 826(E) datedl6.11.2009.	Ambient Air Quality Monitoring is being carried out at designated monitoring locations through recognized environmental laboratories. Parameters include PM2.5, PM10, Sulphur Dioxide (SO_2), Nitrogen Oxides (NOx) and Ammonia (NH_3), as applicable. Monitoring results are evaluated against the National Ambient Air Quality Standards notified vide G.S.R. 826(E) dated 16.11.2009.	**Complied,**Ambient air quality report enclosed as **Annexure-XIV**
G	**GENERAL:**		
1	The area around production block, utilities, raw material storage area and the area used movement of vehicles shall be provided with RCC flooring/asphalted	RCC flooring surfaces are provided in the production blocks, utility areas, raw material storage areas and designated vehicle l e is Roads movement areas	**Complied**
2	The applicant shall provide dyke wall of sufficient height around the chemical /solvent storage tanks	Dyke walls are provided around chemical and solvent storage tanks to contain accidental spills and prevent the spread of chemicals into surrounding areas. The containment arrangements are periodically inspected and maintained.	**Complied**
3	The industry shall explore the possibility of using solar energy.	The industry is actively promoting the utilization of renewable energy as part of its and sustainability initiatives. During FY 2025–26, approximately 70% of the total electricity consumption was sourced from renewable energy sources.	**Complied**
4	The industry shall comply with Plastic Waste Management Rules and E-Waste Management Rules.	The industry complies with the applicable provisions of the Plastic Waste Management Rules and E-Waste Management Rules. Plastic packaging waste is accounted for under applicable EPR obligations, and required returns are submitted through the	**Complied**


		designated portal. E-waste is collected, segregated and handed over to authorized recyclers for environmentally sound recycling and disposal. Relevant records and acknowledgements are maintained.EPR Register NO: **2023102006544845979**	
5	The applicant shall submit half yearly consent conditions compliance report to the Board on or before 30'^ October for the period April to September and on or before 30thApril for the period October to March.	Half-yearly consent compliance reports covering the periods April–September and October–March are prepared and submitted to the KSPCB within the stipulated timelines, i.e., on or before 30th October and 30th April, respectively. Submission acknowledgements are maintained for verification.	**Complied**
6	The applicant shall submit Form-V as per Environment (Protection) Rules, 1986 before 30th September every year for the previous financial year after obtaining Consent for Operation.	Environmental Statement in Form-V for the previous financial year is prepared and submitted to the concerned Board authority on or before 30th April every year, as applicable	**Complied**
7	The industry shall conduct Awareness Programme on Environmental Pollution among Employees and community.	Environmental awareness programmers are conducted for employees and contract workers covering pollution prevention, waste segregation, water conservation, energy conservation, hazardous waste management and environmental protection. Awareness activities and training records are maintained. Community awareness activities are also undertaken as part of environmental and sustainability initiatives.	**Complied**
8	The project authorities shall obtain all other statutory permissions under all such Acts whichever is applicable. This consent will not prevent operation of other laws in force. Failing to comply with any such provision will attract penal action under such Acts. The	The industry obtained and maintains applicable statutory approvals, licenses, authorizations and permissions from the concerned regulatory	**Complied**

	project authorities shall be solely responsible for such violations. This consent should not be used to circumvent any other statutory provisions.	authorities. Compliance with relevant environmental, safety, factory and other statutory requirements is periodically reviewed to ensure continued validity.	
9	The industry shall switch over to CNG/Natural Gas as and when it is available.	The industry has switched from furnace oil to CNG Gas for applicable thermal energy requirements, thereby reducing conventional fossil fuel consumption and associated emissions.	**Complied**
10	The applicant shall not change or alter (a) raw materials or manufacturing process (b) change the product (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air equipment without the prior approval of the Board.	No changes to the approved raw materials, manufacturing processes, products, production capacity, effluent discharge or emission parameters, or pollution control systems are undertaken without obtaining prior approval from the Board	**Complied**
11	The applicant shall maintain register recording the ambient air quality, stack monitoring and analysis report of treated effluent. The register shall be open for inspection by the Board Officers at all time.	Registers containing ambient air quality monitoring results, stack emission monitoring reports and treated effluent analysis results are maintained and periodically updated. All relevant monitoring records are made available to KSPCB officials during inspections.	**Complied**
12	An inspection Register shall be opened and made available to the Board Officers during their visit to the factory	A dedicated inspection register is maintained at the factory to record observations and instructions issued by regulatory authorities during inspections. The register is made available to Board Officers whenever required.	**Complied**
13	The applicant shall submit the approved On-Site / Off-Site Emergency Plan to the Board.	The On-Site Emergency Plan is prepared and maintained to address potential emergencies involving fire, chemical spills, hazardous material releases and other industrial incidents. The approved emergency plan is submitted to the concerned Board authority, and a copy is maintained at the site for	**Complied**

		reference.	
14	The applicant shall obtain insurance under Public Liability Insurance Act 1991 and pay equivalent premium to the Environment Relief Fund (ERF) as per the said Act and submit copy to the Board	Public Liability Insurance coverage is maintained under the Public Liability Insurance Act, 1991, wherever applicable. The prescribed contribution to the Environmental Relief Fund is paid as required, and copies of the insurance policy and payment receipts are maintained and submitted to the Board.	**Complied**
15	Non-compliances to the conditions stipulated, Board has the right to withdraw the consent.	Noted	Noted
16	The applicant shall submit the CCO renewal application to the Board 120 days in advance before expiry of this consent order.	Noted	Noted
17	The applicant shall submit compliance report to this order within 30 days.	Compliance report submitted	Complied

Thanking You

For Shilpa Pharma Lifesciences 100% EOU Unit-2



Authorized Signature

Annexure -I

Karnataka State Pollution Control Board

Parisara Bhavana,No.49, Church Street,Bengaluru-560001
Tele : 080-25589112/3, 25581383/388 Fax:080-25586321 Email id: ho@kspcb.gov.in

Consent For Operation and Authorization- CfO-Renewal,HWM-Renewal

As per the provisions of

The Water (Prevention & Control of Pollution) Act, 1974,

The Air (Prevention & Control of Pollution) Act, 1981

Hazardous and other Waste (Management and Transboundary Movement) Rules, 2016,

To

Shilpa Pharma Life Sciences Ltd, Unit-2 (Formerly Shilpa Medicare Ltd, Unit-2), Raichur Growth Centre

for the Facility located at,

Shilpa Pharma Life Sciences Ltd, Unit-2 (Formerly Shilpa Medicare Ltd, Unit-2),Plot no 30, 31, 32 and 35-39, 33,33A, 40 TO 47, Raichur Growth Centre

Raichur

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
356328	28295	352186	RED/LARGE	08/10/2026

This Consent & Authorization is granted for the Products/ Activity/Service name indicated in the annexure along with the terms & conditions attached to this order

Consent & Authorization Validity through: 01/07/2026 to 30/06/2031

ISO 9001:2015 & 14001:2015 Certified

Annexure - I

(This document contains 14 pages including annexure & excluding additional conditions)

Combined Consent Order No: 356328 **PCB ID:** 28295 **GSC No :** PB0XG0000342186 **Date:** 08/10/2026

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act , 1974 and emission under the Air (Prevention and Control of Pollution)Act , 1981

Ref: 1. Application filed by the applicant/organization on 29/06/2026

2.Inspection of the Industry/organization/by RO, on 21/07/2026

3.Proceedings of the ECM dated 07/09/2026 ,held on 07/09/2026

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: Shilpa Pharma Life Sciences Ltd, Unit-2 (Formerly Shilpa Medicare Ltd, Unit-2)

Address: Plot no 30, 31, 32 and 35-39, 33,33A, 40 TO 47, Raichur Growth Centre

Industrial Area: Raichur Growth Centre I.A, Chiksugur,

Taluk: Raichur, District: Raichur

CONDITIONS:

a) Discharge of effluents under the Water Act:

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Boiler Feed	216.000	10.000	Refer Additional Conditions
2	Cooling Water	155.500	50.000	Refer Additional Conditions
3	Domestic Purpose	30.000	25.000	Refer Additional Conditions
4	Manufacturing Processes	161.000	150.000	Refer Additional Conditions
5	Others	15.000	0.000	Landscaping/ Green belt- Refer Additional Conditions
6	Others	0.500	0.505	Container Cleaning- Refer Additional Conditions

b) Discharge of Air emissions under the Air Act from the following stacks etc.

Sl. No.	Description of chimney/outlet	Limits specified refer schedule
The details of Sources, control equipments and its specification, type of fuel,constituents to be controlled in emissions etc. are detailed in Annexure-II.		

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty	Unit
1	3 alfa 7 beta dihydroxy cholanic acid	60000.0000	Kilograms/Annum
2	abiraterone acetate	2000.0000	Kilograms/Annum
3	acebrophylline	10000.0000	Kilograms/Annum
4	ambroxol hcl	10000.0000	Kilograms/Annum
5	anastrozole	100.0000	Kilograms/Annum
6	bendamustine hcl	200.0000	Kilograms/Annum
7	bicalutamide	500.0000	Kilograms/Annum
8	bortzomib	5.0000	Kilograms/Annum
9	busulfan	50.0000	Kilograms/Annum
10	cabazitaxel	10.0000	Kilograms/Annum
11	capacitabine	60000.0000	Kilograms/Annum
12	caustic potash lye solution	170.7000	Metric Tonnes/Annum

Annexure - I

(This document contains 14 pages including annexure & excluding additional conditions)

13	clofarabine	10.0000	Kilograms/Annum
14	cobicistat	100000.0000	Kilograms/Annum
15	cyclophosphamide	1000.0000	Kilograms/Annum
16	cytrabine	50.0000	Kilograms/Annum
17	decitabine	10.0000	Kilograms/Annum
18	dimethyl fumarate	12000.0000	Kilograms/Annum
19	docetaxel trihydrate	100.0000	Kilograms/Annum
20	elvitegravir	1000.0000	Kilograms/Annum
21	emitricitabine	1000.0000	Kilograms/Annum
22	erlotinib hcl	2000.0000	Kilograms/Annum
23	gemcitabine hcl	100.0000	Kilograms/Annum
24	imatinib mesylate	5000.0000	Kilograms/Annum
25	intermediate - i (3-chloro-2-florophenyl)-2,4-dimethoxyphenyl) methonone and its synonyms	102.6000	Kilograms/Annum
26	intermediate - i (s)-3-phenyl-2(pharazine-2carboxyamido) proponoic acide and it's synonyms	29.5200	Kilograms/Annum
27	intermediate - i : (2,3 -di-o-acetyl - 5 flurocylidine) and its synonyms (deleted)	72000.0000	Kilograms/Annum
28	intermediate - i : 4-(1h-1,2,4-triazol - 1-yl) methyl benzonitrile methene sulfonate and it's synonyms	151.0000	Kilograms/Annum
29	intermediate - i : dimethyl (e) butane di acitate and its synonyms	14666.0000	Kilograms/Annum
30	intermediate - i 1-methyl -2- deoxy ribose and its synonyms	155.0000	Kilograms/Annum
31	intermediate - i baccatin -iii(paclitaxel crude) and its synonyms	240.0000	Kilograms/Annum
32	intermediate - i cyclocytidine. hcl 62 and its synonyms	62.0000	Kilograms/Annum
33	intermediate - i n(4 cyano-3(tri fluromethyl)-3{(4-florophenyl)sulphanyl)2-hydroxy-2-methyl propanomide. and its synonyms	590.4000	Kilograms/Annum
34	intermediate - i temazolamide crude and its synonyms	240.0000	Kilograms/Annum
35	intermediate - ii (2,3-di-o-acety-5deoxy-deoxy-5-deoxy-fluro-n4-(n - pentyloxy) carboxyl) and it's synonyms	79200.0000	Kilograms/Annum
36	intermediate - ii : paclitaxel crude	144.0000	Kilograms/Annum
37	intermediate - ii 1 - methyl-3,5-di-o-acetyl-2 - deoxy pentafuranose and its synonyms	208.0000	Kilograms/Annum
38	intermediate - ii 2-0-benyl-7,chlo acetyl-decetaxel and its synonyms	1044.0000	Kilograms/Annum
39	intermediate - ii 3a, 7b-diacetyl , 12 a- hydoxy - methyl cholanate and its synonyms	125712.0000	Kilograms/Annum
40	intermediate - iii : (1-(3,5 - di - o - acetyl -2-deoxy-o-robofurnosol)-5-azacytosize) and its synonyms	102.0000	Kilograms/Annum
41	intermediate - iii : sodium-4-aminomethyl cyclohexana carbocylate and its synonyms	1092564.0000	Kilograms/Annum
42	intermediate - iii 3a 7a-diacetyl-12-keto-methyl cholanate and its synonyms	142800.0000	Kilograms/Annum
43	intermediate - iv : (4 amino-1(2-deoxy-bta-d-erythro pentafuranasol)1,3,5trazin-2(1-H) one and its Synonyms	20.0000	Kilograms/Annum
44	intermediate - iv 3a,7a dihydroxy - 5b- chlon 24 - oic acide and its synoms	102720.0000	Kilograms/Annum
45	intermediate - v 3a, hydoxy-7keto-cholonic acid its synonyms	79992.0000	Kilograms/Annum
46	intermediate -ii 3 - methyl-1-1(3-phenyl-2-(phrazian-2-caroxyamido)propanamindo)butyl) bromic acid	6.3960	Kilograms/Annum
47	intermediate : iii : paclitaxel crude	132.0000	Kilograms/Annum
48	intermediate i : 7,10-di-o-chloroacetyl-10-di acetyl beccatin - i N and its synon	192.0000	Kilograms/Annum
49	intermediate iii:6,7-bis-(2-methhoxyethoxy)-4(3h)-quinazolinone	2733.5000	Kilograms/Annum
50	intermediate- i : 2,2(5 bromomethyl)-1,3-phenyline)bis(2-methylprepio nitraile)	480.0000	Kilograms/Annum
51	intermediate- i : n-4-[2-(2-amino-4-di hydo-4-oxo-1 h - phyrolo [2,3-d] pyrimidin 5 yl ethyl]benzoyl)-L- glutanic acid di sodium salt.	467.0000	Kilograms/Annum
52	intermediate- i cholic acid methyl ester and its synonyms	142800.0000	Kilograms/Annum
53	intermediate-11b: 3-((cs)-terahydro-2- - oxoforum-3-yl)-1-((2-isopropylthaazol-4-yl)methyl-1-methyl urea	40659.3000	Kilograms/Annum
54	Intermediate-I -N-4-[2-(2-amino-4,7-dihydro-4-oxo-1H-ph.yrol (2,3-d) pyiimidin-5-yl)ethyl]benzoyl]-L-glutamic acid, disodium salt and its synonyms	562.0000	Kilograms/Annum
55	intermediate-i : 2- amino 3,5-di bromo-n(trans-4-hydoxycychlohexyl) benzylamine	9343.0000	Kilograms/Annum
56	intermediate-i : chromate (vi)	450.0000	Kilograms/Annum
57	intermediate-i 2 deoxy-i-a- bromo-2-b-flumo-3-5-di-o-benzyle-d-ribofluro	45.0000	Kilograms/Annum
58	Intermediate-I 2,2-Difluorodeoxycytidine and its synonyms	184.0000	Kilograms/Annum
59	intermediate-i 2-amino-4,5-bI5(2-methoxy ethoxy) benzonitrile and its synonyms	2733.5000	Kilograms/Annum

Annexure -I

60	intermediate-i: (s)-3-(4-aminophenyl)-2-(1,3-dioxo isoindoline-2-yl)propaoic acid	514.5000	Kilograms/Annum
61	intermediate-i: 1,2,3,6-tetrahydro-1 ,3di enethyl-2,6-do oxy-7 h-purine 7-acetic acid with trans-4-[{2-qmono-3,5 dibromophenyl {amino} hexanol	5940.0000	Kilograms/Annum
62	intermediate-i: 2-[(3,5- 2592 dimethyladamantan-1-yl)carbonyl]hydrazinecarboxamide	2592.0000	Kilograms/Annum
63	intermediate-i: 4-(4-aminophenoxy)- n-methyl picolinamide and it's synonyms	2850.0000	Kilograms/Annum
64	Intermediate-I: 4a-acetoxy-2a benzoyloxy-Sb,2-0-epoxy- lb, hydroxyl-7b, I Ob-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,SR)-3tert-hydroxy carbonyl-2-(4-methoxy phenyl)-4phenyl)-4-pheny	13.0000	Kilograms/Annum
65	intermediate-i: bis(2-chloroethyl)amine hydrochloride	886.0000	Kilograms/Annum
66	intermediate-i: butane-1.4 diyldimethanesulfomate and it's synonyms	171.0000	Kilograms/Annum
67	intermediate-i: de hydroepiandrosterone-17-hydrazone and it's synonyms	6600.0000	Kilograms/Day
68	intermediate-i: imidazol-1vl-acetic acid methyl ester and it's synonyms	12.5000	Kilograms/Annum
69	intermediate-i: methyl(4-4cyano cyclohexane-1-carboxylate and it's synonyms	128700.0000	Kilograms/Annum
70	intermediate-i:(1r,2r,5r)-menthyl-(2r,5s)-5(4-amino-2-oxo-2h-pyrimidin-1-yl)-[1,3] oxthiolane-2 carboxylic acid	1935.0000	Kilograms/Annum
71	intermediate-i:-9-[-r-2-[bis{[isopropoxycarconyl]oxo} methaxyl]phosphoniyl]methox]propyljadeni ne fumarate. and it's synonyms	142500.0000	Kilograms/Annum
72	intermediate-ia: 2-bromo-2-nitro- butane and it's synonyms	34865.0000	Kilograms/Annum
73	intermediate-ib:(l)-amino lactone hydrogen bromide salt and its synonyms	3486.1000	Kilograms/Annum
74	Intermediate-II Pemetrexed di acid	349.5000	Kilograms/Annum
75	intermediate-ii: 1-(4-(2-methyl carbonyl)pyridine-4-yloxy)phenyl-3- -(tri floro methanol)phenol) urea. And it's synonyms	2925.0000	Kilograms/Annum
76	intermediate-ii: 1-(5-3-chloro-2- fluorobenzyl)-2,4-dimethoxy phenyl)ethanone	918.5000	Kilograms/Annum
77	intermediate-ii: 17-bromo-androsta- 5,16-diene-3-b-ol and it's synonyms	4323.0000	Kilograms/Annum
78	intermediate-ii: 2-chloro-6-butyl 23 amido purine and its synonyms	23.0000	Kilograms/Annum
79	intermediate-ii: bis (2-chloro ethyl) phosphoramidic dichloride and its synonyms	810.0000	Kilograms/Annum
80	intermediate-ii: cabazitaxel crude	12348.0000	Kilograms/Annum
81	Intermediate-II: Di isopropyl ether solvate of 4a-acetoxy-2a benzoyloxy- Sb 2-0-epoxy-lb,hydroxyl-7b, 1 0b- linethoxy-9-oxo-11-haxane-13a yl(2R,4S,SR) 3tert butoxycarbonylamino-2 p	19.0000	Kilograms/Annum
82	Intermediate-II: Dizirconium silicide	124.0000	Kilograms/Annum
83	intermediate-ii: imidazol-lyl-acetic acid and it's synonyms	10.0000	Kilograms/Annum
84	intermediate-ii: n,n dimethyl sunitinib and it's synonyms	2700.0000	Kilograms/Annum
85	intermediate-ii: n-(4,5-bis(2 methoxyetoxy)-2-cynophenyl)-n-n-dimethyl farmamidi	2573.0000	Kilograms/Annum
86	intermediate-ii: sodium-4-amino methyl cyclohexane carboxylate it's synonyms	978318.0000	Kilograms/Annum
87	intermediate-ii:(s)-methyl-3-(4-aminophenyl)-2-(1,3-dioxoisoindoline-2-yl)propanate	342.0000	Kilograms/Annum
88	intermediate-ii:potassium2-(4-(-amino-4-ox-4,7 dihydro-3h-pyrrolo[2,3-d]pyrimidin 5yl] ethyl benzanmide) pentane doiate	3744.0000	Kilograms/Annum
89	intermediate-iia: 1-(6-ethoxy-2- (methylthio)pyrimidin-4-yl)piperidine-2-carboxylic acid	40695.0000	Kilograms/Annum
90	intermediate-iii: (1-hydroxy-2- 6 imdazol-1-phosphono-ethyl)-phosphoric acid	6.0000	Kilograms/Annum
91	intermediate-iii: 17-(3- phyridyle)androsta-5,16-diene-3-b-ol and it's synonyms	2640.0000	Kilograms/Annum
92	intermediate-iii: thyl-3-(5-3-chloro-2-fluorobenzyl)-2-4-dimethoxyphenyl)-3-oxo	965.0000	Kilograms/Annum
93	intermediate-iii:(s) methyl-3-(4-(bis(2-hydroxyethy)amino)phenyl)-2-(1,3-di oxoisoindolin-2-yl)propanate. and it's synonyms	249.0000	Kilograms/Annum
94	intermediate-iiib: (s) -ethyl-2-[3-(2)- 48151.8 isopropylthaozol-4yl methyl-3- m	48151.8000	Kilograms/Annum
95	intermediate-iv: 4-amino methyl cyclohexane carbocylate acid sodium salt and it	543312.0000	Kilograms/Annum
96	intermediate-iv: ethyl-3-(5-3-chloro- 2-fluorobenzyl)-2,4-dimethoxyphenyl)-2-((dimethylamino)methylene)-3-oxopropanate and it's synonyms	1061.4000	Kilograms/Annum

Annexure - I

97	intermediate-iv:(s)-2-amino-3-(4-(bis(2-chloro ethyl) amino)phenyl)propanoic acid hydrochloride	249.0000	Kilograms/Annum
98	intermediate-v: 4-amino methyl cyclohexane-carbocylicacid and it's synonyms	124146.0000	Kilograms/Annum
99	intermediate-v: ethyl-6(3-chloro-2- fluorobenzyl)-1,4-dihydro-1 ((s)-1- hydroxy-3methylbutan-2-yl)-7-methoxy-4-oxoguirolone-3 carboxylate and it's synonyms	1061.5000	Kilograms/Annum
100	intermediate-vi: 4-amino methyl cyclohexane-carbocylicacid and it's synonyms	113850.0000	Kilograms/Annum
101	intermediate-vi: ethyl-6(3-chloro-2- fluorobenzyl)-1,4-dihydro-1 ((s)-1- hydroxy-3 methylbutane-2-yl)7methoxy-4 oxoguirolone-3 -«acid and it's synonyms	955.0000	Kilograms/Annum
102	intermedite-ii2,2(5-(1,h-1,2,4 triazol-1yl methyl) benzine-1,3-di yl) bis(2-methyl prepiolitrile)	270.0000	Kilograms/Annum
103	lenalidomide	5000.0000	Kilograms/Annum
104	letrazole	50.0000	Kilograms/Annum
105	lntermediate-lllA: Ethyl (2S)-2-isoro12yl-l13-thiazol 4yl)methylcarbamoyamino) 4(4morpholinyl)butanoateethanedioate and it'ssynonyms	48125.0000	Kilograms/Annum
106	melphalan	25.0000	Kilograms/Annum
107	paclitaxel	100.0000	Kilograms/Annum
108	pemetrexed dipotassium	250.0000	Kilograms/Annum
109	pemetrexed disodium	250.0000	Kilograms/Annum
110	potassium acetate	142.8000	Metric Tonnes/Annum
111	pyridine hcl	39.2000	Metric Tonnes/Annum
112	recovery stage - ii 3,7,12 thrihydroxy cholan 24 oic acid crude	36000.0000	Kilograms/Annum
113	recovery stage - iv 3a,7b dihydroxy 5b cholan 24 oic acid crude	19200.0000	Kilograms/Annum
114	recovery stage : i: 3,7,12 tryhydroxy cholan 24 oic acide crude	4800.0000	Kilograms/Annum
115	recovery stage :iii: 3,7,12 tryhydroxy cholan 24 oic acide crude	9600.0000	Kilograms/Annum
116	sorafenib tosylate	3000.0000	Kilograms/Annum
117	sunitinib malate	3000.0000	Kilograms/Annum
118	temozolomide	100.0000	Kilograms/Annum
119	tenofovirdisoproxil fumarate	50000.0000	Kilograms/Annum
120	tin salt	120.0000	Metric Tonnes/Annum
121	tranexamic acid	100000.0000	Kilograms/Annum
122	zoledranic acid	5.0000	Kilograms/Annum

Validity through : 01/07/2026 **to** 30/06/2031

To,

Shilpa Pharma Life Sciences Ltd, Unit-2 (Formerly Shilpa Medicare Ltd, Unit-2)

Raichur Growth Centre;Chicksugur

COPY TO:

The Environmental Officer, KSPCB, Regional Office Raichur for information and necessary action.

2. Master Register.
3. Case file.

Consent Fee paid : Rs. 4000000

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

SCHEDULE

TERMS AND CONDITIONS

A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.

1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.

2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.

2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.

3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall confirm to the standards stipulated by the Board in Annexure-I

3(b).The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.

4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.

5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.

6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.

7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:

8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

B. EMISSIONS:

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under.The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.

2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.

3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

Annexure-I

C.MONITORING & REPORTING:

1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.

2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.

D. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1.The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.

2.The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

E. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.

b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.

c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.

d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

* dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

* A "decibel" is a unit in which noise is measured.

* "A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

* Leq: It is an energy mean of the noise level over a specified period.

F. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUDARY MOVEMENT)Rules 2016:

The applicant shall comply with the provisions of the Hazardous and other Wastes (Management & Transboundry Movement) Rules 2016.

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

G. GENERAL CONDITIONS:

1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.

2. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.

3. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.

4. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.

5. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.

6. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.

7. The applicant shall provide alternate power supply sufficient to operate all Pollution control equipments.

8. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow points should made easily approachable.

9. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.

10. The applicant his heirs, legal representatives or assignee shall have no claims what so ever to the continuation or renewal of this consent after expiry of the validity of consent.

Annexure-I

11. The applicant shall make an application for consent for subsequent period at least 120 days before expiry of this consent.

12. The applicant shall develop and maintain adequate green belt all around the periphery.

13. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.

14. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court

15. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.

16. The applicant shall display flow diagram of the pollution control system near the pollution contol system/s

17. The applicant shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.

18. The applicant shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.

19. This CFO does not give any right to the Party/Project Authority/Industry to forego any other legal requirement, that is necessary for setting/operation of the plant.

20. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration in advance an amount equal to the cost estimated by Competent Agency or Committee.

NOTE:

The Conditions Nil mentioned in the schedule are not applicable.

Additional Conditions:

1. The occupier shall comply with all the Additional Conditions and Standards stipulated in Annexures attached with this consent order.
2. This consent order contains _ pages including Additional Conditions and Annexures.
3. The products with quantities, water consumption, wastewater generation, mode of disposal with standards, air pollution sources with control measures mentioned in Additional Conditions attached with this order shall be considered and to be complied by the industry.
4. In case of any discrepancy in the name of the product & its quantity in this consent order, the name of the product and quantity indicated in the Environmental Clearance will prevail.

Annexure -2.

(This document contains 14 pages including annexure & excluding additional conditions)

Chim.No.	Chimney attached to	Capacity/ KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed,in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	1500 KVA DG Set	30	PM,SO2,NOx,CO, NMHC	75,-,710,150,100	DIE	AEC,HLS,PRT	Before Commissioning
2	Fuel Heater (Thermic)	Thermic Fluid Heater-12 LKcal/hr	30	PM,SO2,NOx,CO, NMHC	-,600,300,-,-	F.O	HLS,PRT	Before Commissioning
3	Fuel Heater (Thermic)	Thermic Fluid Heater 8 LKcal/hr	30	PM,SO2,NOx,CO, NMHC	-,600,300,-,-	F.O	HLS,PRT	Before Commissioning
4	Boiler	16 TPH	30	PM,SO2,NOx,CO, NMHC	115,600,300,-,-	HUS	DUS,ESP,PRT	Before Commissioning
5	Any Other....	600000 kilo calories/ Hr	30	PM,SO2,NOx,CO, NMHC	SO2, NOX, SPM		HLS	
6	D.G. Sets	750 KVA	11	PM,SO2,NOx,CO, NMHC	150,100,50	DIE	N.A	
7	Acid Mists	9408 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist		SCR	
8	Acid Mists	20 CFW	3	PM,SO2,NOx,CO, NMHC	150,100,50		SCR	
9	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist		SCR	
10	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist		SCR	
11	Boiler	10 TPH	30	PM,SO2,NOx,CO, NMHC	150,100,50	HUS	FIL,DUS	
12	Boiler	6 TPH	30	PM,SO2,NOx,CO, NMHC	150,100,50	HUS	FIL,DUS,MUL	
13	D.G. Sets	625 KVA	11	PM,SO2,NOx,CO, NMHC	150,100,50	DIE	N.A	
14	D.G. Sets	625 KVA	11	PM,SO2,NOx,CO, NMHC	150,100,50	DIE	N.A	

Annexure-I

15	D.G. Sets	625 KVA	11	PM,SO2,NOx,CO, NMHC	150,100,50	DIE	N.A	
16	Acid Mists	3645.6 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
17	Acid Mists	9996 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
18	Acid Mists	7644 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
19	Acid Mists	7644 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
20	Acid Mists	3234 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
21	Acid Mists	10,584 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
22	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
23	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
24	Acid Mists	9408 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
25	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	
26	Acid Mists	9408 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR	

Note:

AEC,HLS,PRT : Accoustic Enclosures

HLS,PRT : Heater/Furnace-Low Sulphur Fuel

DUS,ESP,PRT : Dust Collector

HLS : Heater/Furnace-Low Sulphur Fuel

N.A : Not Applicable

SCR : Scrubber

FIL,DUS : Bag Filter

FIL,DUS,MUL : Bag Filter

Note:

1. The DG set shall be provided with acoustic measures as per Sl.No.94 in Schedule-I of Environment (Protection)Rules.

2. There shall be no smell or odour nuisance from the industry.

Annexure -I

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2\,(\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100 mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period

3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.

4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

Authorization under Hazardous and other Waste (Management and Transboundary Movement) Rules, 2016

DETAILS OF AUTHORIZATION:

Category of Hazardous waste as per the Schedule I,II,III & IV of these rules	Description of Hazardous Waste	Quantity/Annum	Unit	Authorized Mode of Disposal or recycling or utilization or co-processing, etc.,
	20.3~Distillation Residues	20.300	MTA	As Per Annexure
I	28.1~Process Residue and wastes	8.682	MTA	As Per Annexure
I	28.2~Spent catalyst	11.800	MTA	As Per Annexure
I	28.3~Spent carbon	3.000	MTA	As Per Annexure
I	28.5~Date-expired products	1.000	MTA	As Per Annexure

14. The Person authorized shall take steps for reduction and prevention of the waste generated or for recycling or reuse.

15. The authorized person shall maintain the records at site in Form-3 and shall submit the annual returns in Form-4 within 30th June every year for the Period April to March and manifest in Form-10.

16. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.

17. The hazardous and other waste which gets generated during recycling or reuse or recovery or per-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.

18. The transportation of hazardous waste shall have to be carried out only through registered/authorized vehicles meant for transportation of hazardous waste.

19. The Person Authorized shall not store the Hazardous Waste more than ninety days as per Rule 8 (1).

20. The Person Authorized shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.

21. Display Boards: The person authorized shall display sign boards at the storage site as "Hazardous Waste Storage Site" and "Danger" and the site shall be provided with accident preventive measures.

FOR AND ON BEHALF OF
KARNATAKA STATE POLLUTION CONTROL BOARD

Signature valid
Digitally signed by
Date: 2026.10.[illegible] 19:06:04 +05:30

Annexure-I

I	28.6~ Spent solvents	623.288	KLT	As Per Annexure
I	33.1~Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	60.000	MTA	As Per Annexure
I	35.3~Chemical Sludge From Waste Water Treatment	1112.857	MTA	As Per Annexure
I	5.1~Used Spent Oil	3.000	KLT	As Per Annexure

A. GENERAL CONDITIONS OF AUTHORIZATION:

1. The authorized person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.

2. The authorization or its renewal shall be produced for inspection at the request of an Officer authorized by the Karnataka State Pollution Control Board.

3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes and other wastes except what is permitted through this authorization and without obtaining prior permission of the KSPCB.

4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.

5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.

6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".

7. It is the duty of the authorized person to take prior permission of the Karnataka State Pollution Control Board to close down the facility.

8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.

9. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.

10. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.

11. An application for the renewal of an authorization shall be made **'3' months** before the date of expiry.

12. The Person authorized shall bring to the notice of the Board, if any increase in quantity, change in category and handling operation. In such cases, the authorized Person has to obtain fresh authorization.

13. Karnataka State Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this authorization or to suspend or cancel this authorization.

Annexure-II

ಫ್ಯಾಕ್ಸ್ / Fax : 080-25586321
ಈಮೇಲ್ / E-mail : ho@kspcb.gov.in
ವೆಬ್‌ಸೈಟ್ / Website : http://kspcb.gov.in

☎ 25581383, 25589112
25588151, 25588270
25588142, 25586520

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ
Karnataka State Pollution Control Board

"ಪರಿಸರಭವನ", 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ.49, ಚರ್ಚ್‌ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ, ಭಾರತ
"Parisara Bhavana", 1st to 5th Floor, # 49, Church Street, Bengaluru - 560 001, Karnataka, INDIA

NO: PCB/054 vol-5/17 Cat/HPI/2020-22/2023/ 199 Date: 15 APR 2024

ADDENDUM TO CFO ORDER ISSUED ON 26.07.2021

Sub:- Addendum to the Consent for Operation (CFO) issued to M/s. Shilpa Pharma Lifesciences Ltd (Unit-II), Plot No.33, 33A & 40-47, Raichur Industrial Growth Center, Chikasugur Village, Raichur District-reg.

Ref:-
1. CFO issued by the Board vide No. AW-325854, dated 26.07.2021.
2. Corrigendum to Environment Clearance issued from SEIAA vide No.SEIAA-50-IND-2016 dated:31.01.2022.
3. Industry letter dated05.12.2022.
4. Proceedings of the meeting held on 29.01.2024.

---*---

The Board vide ref.(1) has issued Consent for Operation (CFO) to M/s Shilpa Pharma Lifesciences Ltd (Unit-II), Plot No.33, 33A & 40-47, Raichur Industrial Growth Center, Chikasugur Village, Raichur District for the period upto to 30.06.2026with conditions to treat effluent in MEE followed by Biological treatment plant and to re-use the treated effluent completely to achieve ZLD.

Meanwhile the industry has obtained corrigendum to Environment Clearance issued from SEIAA vide ref (2) wherein it is permitted to treat the effluent and to achieve ZLD with an option of sending the effluent to Common Effluent Treatment Plant (CETP) of M/s. Mother Earth EnvironTech Pvt Ltd (MEETPL), located at Plot No.158 to 162, KIADB Industrial Area, Kadechur Village, Yadigir Taluk and District.

Industry vide letter cited at ref.(3) requested the Board to issue Amendment/ corrigendum to the consent for operation issued vide ref (1) to permit sending 210 KLD / partial quantity of effluent to Common effluent treatment plant at Kadechur established by the M/s. Mother Earth Environ Tech Pvt Ltd, apart from operating their effluent treatment plant.

The issue was deliberated in the meeting held on 29.01.2024 with CETP of M/s MEETPL, Kadechur Village, Yadigir Taluk and District and after detailed deliberation following decisions were taken.

1. To consider the issue of addendum to CFO under Water and Air Act to Large Scale Pharmaceutical Units of Raichur Growth Center (which have obtained EC amendment

with an option of sending the effluent to CETP) for sending the pre-treated effluent (HTDS & LTDS) to CETP of M/s MEETPL, Kadechur Industrial Area, Yadgir with conditions as an option only in addition to achieving ZLD.

2. M/s MEETPL shall ensure that, the quantity of pre-treated effluent received from (Kadechur and Raichur Growth Centre) shall be within the consented capacity of CETP.
3. The pre-treated effluent (HTDS & LTDS) shall be transported separately in dedicated tankers fitted with GPS facility.
4. The industries shall maintain a separate log book for recording the quantity of HTDS /LTDS effluent generated, stored, pre-treated, quality of pre-treated HTDS/LTDS effluent sent to CETP through dedicated tankers with tanker registration number on a daily basis and submit the extract within 05th of every month to the Regional Office, KSPCB along with copies of E-Manifest.
5. The industries shall ensure that the pre-treated HTDS/LTDS effluent contained in the tanker belongs to their industry only at any given trip and also shall ensure that the pre-treated HTDS/LTDS effluent reaches the CETP of M/s MEETPL, Kadechur Industrial Area, Yadgir, and shall follow E-manifest compulsorily.
6. The CETP of M/s MEETPL, Kadechur Industrial Area, Yadgir shall also maintain a separate log book for recording the quantity/quality of HTDS /LTDS effluent received, name and address of the industry source, registration number of CETP tanker, time of exit from the industry, time of entry at the CETP on a daily basis and submit the extract within 05th of every month to the Regional Office, KSPCB along with copies of E-Manifest.
7. M/s.MEETPL, shall submit the Plan of action for establishing the CETP at Raichur Growth Center within 03 months.

Hence, the following

ORDER

In the CFO issued by the Board vide ref (1), the following additional conditions shall be inserted;

1. The industry is permitted to send the pre-treated effluent to CETP of M/s MEETPL as an option of treatment of trade effluent (HTDS/LTDS).
2. If the industry opts to send the pre-treated effluent to CETP ofM/s MEETPL the industry shall comply with the following conditions.
   a. The industry shall pre-treat the trade effluent (HTDS/LTDS) to the standards stipulated in **Annexure** before sending the effluent to CETP of M/s MEETPL and shall submit the Analysis report to the Regional Office, KSPCB, Raichur on a monthly basis.
   b. The pre-treated effluent (HTDS & LTDS) shall be transported separately in dedicated tankers fitted with GPS facility. The industry shall submit the details of tankers used for transporting the pre-treated effluent to CETP of M/s MEETPL along with vehicle registration number, capacity of tankers etc. to the Board. Transporting pre-treated effluent in any other tanker will be viewed as

non-compliance and the industry is liable for penal provisions under the Water Act.

c. The industry shall maintain a separate log book for recording the quantity of HTDS /LTDS effluent generated, stored, treated in in-house ETP.Quantity of pre-treated HTDS/LTDS effluent sent to CETP of M/s MEETPL through dedicated tankers with tanker registration number, time of exit of the tanker from the industry, time of entry of tanker at the CETP of M/s MEETPL on a daily basis and submit the extract within 05th of every month to the Regional Office, KSPCB along with copies of E-Manifest. Further, each CETP tanker exit from the industry and each tanker entry to the CETP of M/s MEETPL shall be captured in the form of GPS photo as an evidence and the said records shall be maintained by the industry/CETP and shall submit the same to Regional Office within 5th of every month.

d. The industry shall ensure that the pre-treated HTDS/LTDS effluent contained in the tanker belongs to their industry only at any given trip and also shall ensure that the pre-treated HTDS/LTDS effluent reaches the CETP of M/s MEETPL Kadechur Industrial Area, Yadgir, shall follow E-manifest compulsorily.

e. The applicant shall ensure continuous operation and online connectivity to CPCB servers of Online Continuous Effluent Monitoring System (on 24/7 basis) comprising of

   i. *Flow meter:*Online flow meter with data recording facility which should be transmitted online to CPCB & KSPCB Server shall be provided separately for HTDS & LTDS line. Separate flow meters should be provided for recycling line and effluent pumping line to CETP tankers.

   ii. *PTZ (Pan Tilt and Zoom) Camera:* Online connectivity of IP camera with PAN, Tilt and Zoom 5X or above Focal length with night vision capability shall be ensured. The specification/ sensor used in online continuous monitoring system shall be in accordance with CPCB specification. The camera shall be installed in such a location where the entire ETP operation and recycling of treated effluents/pumping of effluent to CETP tankers can be remotely monitored. The camera feed should be integrated with all camera controls (PAN, Zoom, Tilt) and shown on central platform where data on flow meter is displayed. The camera feed shall be provided without pre-requirement of any plug in software for data display or data submission and shall be available in the Google Chrome browser.Separate Camera should be provided for recycling line and effluent pumping line to CETP tankers.

   iii. Calibration of OCEMS shall be undertaken as per CPCB Guidelines and shall submit the report on calibration to the Board within 15 days of such calibration

All other terms and conditions mentioned in Consent order vide ref (1) issued by the Board for the period up to 30.06.2026 remains unaltered and are binding on the Industry /Occupier and shall comply.

Annexure-II

Any one instance of non-compliance to the above conditions, this permission to discharge the pre-treated effluent to CETP is deemed to be withdrawn without giving any further notice.

MEMBER SECRETARY

Encl: As above

Draft Approved By
Member Secretary

To,
The Occupier,
M/s .Shilpa Pharma Lifesciences Ltd (Unit-II),
Plot No.33, 33A & 40-47,
Raichur Industrial Growth Center,
Chikasugur Village,
Raichur District

Annexure-II

ANNEXURE

i. Standards for discharge of High TDS Trade Effluent to CETP :

SI. No	Parameters	Maximum concentration permitted to discharge (All values are in mg/l except pH)
1	pH	5-9
2	Total Dissolved Solids	100000
3	Total Suspended Solids	8000
4	Total Hardness as $CaC0_3$	5000
5	Chlorides as CI	20000
6	Total Alkalinity as $CaC0_3$	3000
7	Oil & Grease	100
8	Organic Solvents	4000
9	Chemical Oxygen Demand	100000
10	BOD (3 Days at 27^0C),	20000

ii. Standards for discharge of Low TDS Trade Effluent to CETP

SI. No	**Parameters**	Maximum concentration permitted to discharge (All values are in mg/l except pH)
1	pH	5-9
2	Total Dissolved Solids	13500
3	Total Suspended Solids	1000
4	Total Hardness as $CaC0_3$	1000
5	Chlorides as CI	5000
6	Total Alkalinity as $CaC0_3$	1000
7	Oil & Grease	60
8	Organic Solvents	1500
9	Chemical Oxygen Demand	20000
10	BOD (3 Days at 27^0C)	12000

MEMBER SECRETARY

Draft Approved by
Member Secretary

Annexure - III

OCEMS Camera (CETP)



Annexure - IV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	20.04.2026
7.	Date of sample receipt	:	21.04.2026
8.	Sample Code	:	WW/983
9.	Analysis Starting Date	:	21.04.2026
10.	Analysis Completion Date	:	27.04.2026
11.	Report Issue Date	:	28.04.2026
12.	Latitude	:	16.311464
13.	Longitude	:	77.356265

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000001O936F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
		Physical parameters			
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.12	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.5	---
		Chemical parameters			
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	20	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	394	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	20	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	68	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure - IV


GPS Map Camera
Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.311464° Long 77.356265°
20/04/2026 05:48 PM GMT +05:30
Google

Annexure - IV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	27.05.2026
7.	Date of sample receipt	:	28.05.2026
8.	Sample Code	:	WW/1247
9.	Analysis Starting Date	:	28.05.2026
10.	Analysis Completion Date	:	01.06.2026
11.	Report Issue Date	:	02.06.2026
12.	Latitude	:	16.311633
13.	Longitude	:	77.356184

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000014737F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
	Physical parameters				
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.32	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.2	---
	Chemical parameters				
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	14	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	92	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	7	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	26	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	74	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - IV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (0) : 08392-255169,**
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-IV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	18.06.2026
7.	Date of sample receipt	:	19.06.2026
8.	Sample Code	:	WW/1364
9.	Analysis Starting Date	:	20.06.2026
10.	Analysis Completion Date	:	23.06.2026
11.	Report Issue Date	:	24.06.2026
12.	Latitude	:	16.311655
13.	Longitude	:	77.356015

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000016652F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
		Physical parameters			
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.42	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.3	---
		Chemical parameters			
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	16	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	94	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	28	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	72	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

MSV ANALYTICAL LABORATORY BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - IV

MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - IV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	24.07.2026
7.	Date of sample receipt	:	25.07.2026
8.	Sample Code	:	WW/1606
9.	Analysis Starting Date	:	25.07.2026
10.	Analysis Completion Date	:	29.07.2026
11.	Report Issue Date	:	30.07.2026
12.	Latitude	:	16.310409
13.	Longitude	:	77.356292

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000019874F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
		Physical parameters			
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.56	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.4	---
		Chemical parameters			
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	14	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	176	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	8	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	12	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	36.4	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-IV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-IV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	19.08.2026
7.	Date of sample receipt	:	20.08.2026
8.	Sample Code	:	WW/7244
9.	Analysis Starting Date	:	20.08.2026
10.	Analysis Completion Date	:	24.08.2026
11.	Report Issue Date	:	25.08.2026
12.	Latitude	:	16.311618
13.	Longitude	:	77.35601

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000022034F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
		Physical parameters			
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.77	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.3	---
		Chemical parameters			
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	20	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	186	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	18	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	76.2	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-- END OF REPORT --

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-IV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-IV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	23.09.2026
7.	Date of sample receipt	:	24.09.2026
8.	Sample Code	:	WW/2052
9.	Analysis Starting Date	:	24.09.2026
10.	Analysis Completion Date	:	28.09.2026
11.	Report Issue Date	:	29.09.2026
12.	Latitude	:	16.311632
13.	Longitude	:	77.356259

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000025146F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
		Physical parameters			
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.68	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.4	---
		Chemical parameters			
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	23	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	189	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	7	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	19	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	77.4	250

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

Annexure -IV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000010931F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	66.8	62.5	64.7	75
2		At 08:00 AM	64.2	61.8	63.0	
3		At 09:00 AM	60.6	58.6	59.6	
4		At 10:00 AM	68.4	66.2	67.3	
5		At 11:00 AM	64.5	62.3	63.4	
6		At 12:00 PM	66.3	64.2	65.3	
7		At 01:00 PM	67.8	65.3	66.6	
8		At 02:00 PM	65.6	63.8	64.7	
9		At 03:00 PM	63.2	61.6	62.4	
10		At 04:00 PM	62.1	60.7	61.4	
11		At 05:00 PM	64.8	62.3	63.6	
12		At 06:00 PM	61.5	59.8	60.7	
13		At 07:00 PM	60.2	58.2	59.2	
14		At 08:00 PM	62.6	60.3	61.5	
15		At 09:00 PM	60.9	57.6	59.3	
16		At 10:00 PM	59.2	56.3	57.8	
17		At 11:00 PM	55.6	52.1	53.9	70
18		At 12:00 AM	53.8	51.9	52.9	
19		At 01:00 AM	51.6	53.4	52.5	
20		At 02:00 AM	52.1	50.2	51.2	
21		At 03:00 AM	50.6	48.6	49.6	
22		At 04:00 AM	52.8	46.3	49.6	
23		At 05:00 AM	51.9	48.2	50.1	
24		At 06:00 AM	49.6	44.8	47.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001O932F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	72.5	70.2	71.4	75
2		At 08:00 AM	70.6	68.8	69.7	
3		At 09:00 AM	66.9	64.3	65.6	
4		At 10:00 AM	68.2	66.2	67.2	
5		At 11:00 AM	66.3	63.2	64.8	
6		At 12:00 PM	68.5	66.5	67.5	
7		At 01:00 PM	67.6	65.4	66.5	
8		At 02:00 PM	65.2	63.8	64.5	
9		At 03:00 PM	66.9	64.3	65.6	
10		At 04:00 PM	62.1	60.7	61.4	
11		At 05:00 PM	60.8	58.2	59.5	
12		At 06:00 PM	63.6	61.9	62.8	
13		At 07:00 PM	67.2	65.3	66.3	
14		At 08:00 PM	62.6	60.4	61.5	
15		At 09:00 PM	59.2	56.2	57.7	
16		At 10:00 PM	57.8	55.3	56.6	
17		At 11:00 PM	55.3	52.1	53.7	70
18		At 12:00 AM	52.1	50.7	51.4	
19		At 01:00 AM	50.9	48.6	49.8	
20		At 02:00 AM	55.2	53.1	54.2	
21		At 03:00 AM	52.3	50.7	51.5	
22		At 04:00 AM	56.6	53.4	55.0	
23		At 05:00 AM	57.2	55.3	56.3	
24		At 06:00 AM	59.6	56.9	58.3	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure - V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001093 3F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	64.5	62.3	63.4	75
2		At 08:00 AM	67.2	65.2	66.2	
3		At 09:00 AM	68.2	67.2	67.7	
4		At 10:00 AM	70.6	68.2	69.4	
5		At 11:00 AM	72.3	70.4	71.4	
6		At 12:00 PM	68.2	66.3	67.3	
7		At 01:00 PM	69.2	67.1	68.2	
8		At 02:00 PM	66.8	64.2	65.5	
9		At 03:00 PM	65.3	63.4	64.4	
10		At 04:00 PM	64.1	62.7	63.4	
11		At 05:00 PM	63.9	61.8	62.9	
12		At 06:00 PM	61.9	59.3	60.6	
13		At 07:00 PM	63.7	61.7	62.7	
14		At 08:00 PM	62.5	60.5	61.5	
15		At 09:00 PM	64.3	62.8	63.6	
16		At 10:00 PM	60.5	58.7	59.6	
17		At 11:00 PM	61.3	57.6	59.5	70
18		At 12:00 AM	59.2	54.3	56.8	
19		At 01:00 AM	58.4	56.2	57.3	
20		At 02:00 AM	56.2	54.7	55.5	
21		At 03:00 AM	53.7	51.8	52.8	
22		At 04:00 AM	56.2	54.3	55.3	
23		At 05:00 AM	57.2	55.9	56.6	
24		At 06:00 AM	59.4	57.6	58.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-END OF REPORT-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001093 4F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	65.8	63.5	64.7	75
2		At 08:00 AM	66.5	64.2	65.4	
3		At 09:00 AM	68.3	66.7	67.5	
4		At 10:00 AM	62.4	59.8	61.1	
5		At 11:00 AM	63.6	61.8	62.7	
6		At 12:00 PM	60.6	58.6	59.6	
7		At 01:00 PM	66.2	64.3	65.3	
8		At 02:00 PM	68.4	66.8	67.6	
9		At 03:00 PM	67.2	65.4	66.3	
10		At 04:00 PM	69.3	66.2	67.8	
11		At 05:00 PM	67.5	65.5	66.5	
12		At 06:00 PM	62.6	60.7	61.7	
13		At 07:00 PM	62.7	60.3	61.5	
14		At 08:00 PM	63.6	61.5	62.6	
15		At 09:00 PM	60.6	58.3	59.5	
16		At 10:00 PM	63.9	61.7	62.8	
17		At 11:00 PM	61.2	57.4	59.3	70
18		At 12:00 AM	60.7	58.7	59.7	
19		At 01:00 AM	63.5	61.8	62.7	
20		At 02:00 AM	58.2	56.5	57.4	
21		At 03:00 AM	54.5	52.1	53.3	
22		At 04:00 AM	56.9	53.4	55.2	
23		At 05:00 AM	59.4	57.8	58.6	
24		At 06:00 AM	56.7	54.4	55.6	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure - V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000014732F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	64.2	60.3	62.3	75
2		At 08:00 AM	65.1	63.5	64.3	
3		At 09:00 AM	62.3	60.8	61.6	
4		At 10:00 AM	66.8	62.8	64.8	
5		At 11:00 AM	68.3	64.3	66.3	
6		At 12:00 PM	70.2	66.2	68.2	
7		At 01:00 PM	71.3	67.3	69.3	
8		At 02:00 PM	72.6	68.6	70.6	
9		At 03:00 PM	70.5	66.5	68.5	
10		At 04:00 PM	71.6	68.6	70.1	
11		At 05:00 PM	70.3	67.3	68.8	
12		At 06:00 PM	68.2	65.2	66.7	
13		At 07:00 PM	67.3	64.3	65.8	
14		At 08:00 PM	66.5	63.5	65.0	
15		At 09:00 PM	65.4	60.4	62.9	
16		At 10:00 PM	60.3	55.3	57.8	
17		At 11:00 PM	61.2	56.2	58.7	70
18		At 12:00 AM	58.3	53.3	55.8	
19		At 01:00 AM	56.4	51.4	53.9	
20		At 02:00 AM	53.1	48.1	50.6	
21		At 03:00 AM	52.6	47.6	50.1	
22		At 04:00 AM	55.4	50.4	52.9	
23		At 05:00 AM	54.3	49.3	51.8	
24		At 06:00 AM	55.6	50.6	53.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits.

Analysed by

Authorized Signatory

MSV ANALYTICAL LABORATORIES BALLARI

Hanumanthaiah P
Technical Manager

--END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

AMBIENT NOISE LEVEL MONITORING REPORT

MSVAL/QR/7.8/01

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000014733F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	73.5	60.3	66.9	75
2		At 08:00 AM	71.2	63.5	67.4	
3		At 09:00 AM	72.8	60.8	66.8	
4		At 10:00 AM	70.5	66.5	68.5	
5		At 11:00 AM	69.3	65.3	67.3	
6		At 12:00 PM	68.5	64.5	66.5	
7		At 01:00 PM	71.5	67.5	69.5	
8		At 02:00 PM	72.6	68.6	70.6	
9		At 03:00 PM	69.3	65.3	67.3	
10		At 04:00 PM	68.5	65.5	67.0	
11		At 05:00 PM	67.5	64.5	66.0	
12		At 06:00 PM	66.3	63.3	64.8	
13		At 07:00 PM	69.4	66.4	67.9	
14		At 08:00 PM	65.2	62.2	63.7	
15		At 09:00 PM	68.2	63.2	65.7	
16		At 10:00 PM	66.3	61.3	63.8	
17		At 11:00 PM	65.4	60.4	62.9	70
18		At 12:00 AM	64.2	59.2	61.7	
19		At 01:00 AM	61.6	56.6	59.1	
20		At 02:00 AM	62.8	57.8	60.3	
21		At 03:00 AM	63.2	58.2	60.7	
22		At 04:00 AM	61.5	56.5	59.0	
23		At 05:00 AM	60.8	55.8	58.3	
24		At 06:00 AM	61.3	56.3	58.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000014734F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	67.3	60.3	63.8	75
2		At 08:00 AM	64.2	63.5	61.8	
3		At 09:00 AM	67.3	60.8	59.3	
4		At 10:00 AM	65.3	61.3	67.4	
5		At 11:00 AM	68.2	64.2	66.5	
6		At 12:00 PM	69.3	65.3	61.5	
7		At 01:00 PM	69.5	65.5	59.8	
8		At 02:00 PM	69.1	65.1	60.9	
9		At 03:00 PM	67.2	63.2	66	
10		At 04:00 PM	66.3	63.3	64.8	
11		At 05:00 PM	65.8	62.8	68.2	
12		At 06:00 PM	66.5	63.5	66.1	
13		At 07:00 PM	66.8	63.8	65	
14		At 08:00 PM	67.3	64.3	63.5	
15		At 09:00 PM	65.2	60.2	66.8	
16		At 10:00 PM	64.3	59.3	64.7	
17		At 11:00 PM	63.5	58.5	63.9	70
18		At 12:00 AM	62.8	57.8	61.4	
19		At 01:00 AM	61.5	56.5	57.1	
20		At 02:00 AM	58.3	53.3	58.3	
21		At 03:00 AM	56.2	51.2	55.4	
22		At 04:00 AM	55.3	50.3	52.4	
23		At 05:00 AM	50.2	45.2	51.8	
24		At 06:00 AM	51.6	46.6	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000014735F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	66.5	60.3	63.8	75
2		At 08:00 AM	67.3	63.5	61.8	
3		At 09:00 AM	68.5	60.8	59.3	
4		At 10:00 AM	69.4	65.4	67.4	
5		At 11:00 AM	67.2	63.2	66.5	
6		At 12:00 PM	65.1	61.1	61.5	
7		At 01:00 PM	64.3	60.3	59.8	
8		At 02:00 PM	63.8	59.8	60.9	
9		At 03:00 PM	65.2	61.2	66	
10		At 04:00 PM	66.3	63.3	64.8	
11		At 05:00 PM	67.2	64.2	68.2	
12		At 06:00 PM	65.3	62.3	66.1	
13		At 07:00 PM	64.3	61.3	65	
14		At 08:00 PM	63.8	60.8	63.5	
15		At 09:00 PM	61.5	56.5	66.8	
16		At 10:00 PM	60.2	55.2	64.7	
17		At 11:00 PM	59.2	54.2	63.9	70
18		At 12:00 AM	56.3	51.3	61.4	
19		At 01:00 AM	55.4	50.4	57.1	
20		At 02:00 AM	53.2	48.2	58.3	
21		At 03:00 AM	53.8	48.8	55.4	
22		At 04:00 AM	52.6	47.6	52.4	
23		At 05:00 AM	51.2	46.2	51.8	
24		At 06:00 AM	51.6	46.6	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016648F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	72.8	61.3	67.1	75
2		At 08:00 AM	72.3	62.5	67.4	
3		At 09:00 AM	73.6	63.4	68.5	
4		At 10:00 AM	71.4	68.2	69.8	
5		At 11:00 AM	68.2	63.1	65.7	
6		At 12:00 PM	67.3	64.1	65.7	
7		At 01:00 PM	70.5	65.3	67.9	
8		At 02:00 PM	73.6	67.2	70.4	
9		At 03:00 PM	68.1	63.5	65.8	
10		At 04:00 PM	67.2	62.8	65.0	
11		At 05:00 PM	66.4	61.6	64.0	
12		At 06:00 PM	64.2	62.8	63.5	
13		At 07:00 PM	68.2	63.4	65.8	
14		At 08:00 PM	67.1	62.4	64.8	
15		At 09:00 PM	66.3	62.8	64.6	
16		At 10:00 PM	64.1	58.1	61.1	
17		At 11:00 PM	64.2	57.1	60.7	70
18		At 12:00 AM	63.2	56.1	59.7	
19		At 01:00 AM	60.8	54.2	57.5	
20		At 02:00 AM	61.8	52.3	57.1	
21		At 03:00 AM	62.4	56.1	59.3	
22		At 04:00 AM	61.5	55.2	58.4	
23		At 05:00 AM	60.8	54.1	57.5	
24		At 06:00 AM	62.3	55.2	58.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016647F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	65.2	61.2	63.2	75
2		At 08:00 AM	66.3	62.3	64.3	
3		At 09:00 AM	63.8	62.3	63.1	
4		At 10:00 AM	67.1	64.5	65.8	
5		At 11:00 AM	69.3	63.8	66.6	
6		At 12:00 PM	72.8	68.8	70.8	
7		At 01:00 PM	72.3	67.2	69.8	
8		At 02:00 PM	73.4	68.3	70.9	
9		At 03:00 PM	71.2	66.5	68.9	
10		At 04:00 PM	72.5	68.1	70.3	
11		At 05:00 PM	71.9	66.3	69.1	
12		At 06:00 PM	69.4	65.2	67.3	
13		At 07:00 PM	68.3	64.3	66.3	
14		At 08:00 PM	67.5	62.3	64.9	
15		At 09:00 PM	66.2	63.5	64.9	
16		At 10:00 PM	61.4	57.1	59.3	
17		At 11:00 PM	62.3	58.1	60.2	70
18		At 12:00 AM	59.1	56.1	57.6	
19		At 01:00 AM	57.3	53.4	55.4	
20		At 02:00 AM	52.3	48.3	50.3	
21		At 03:00 AM	54.2	47.2	50.7	
22		At 04:00 AM	56.1	50.3	53.2	
23		At 05:00 AM	55.2	51.2	53.2	
24		At 06:00 AM	56.1	52.3	54.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016649F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	66.3	61.2	63.8	75
2		At 08:00 AM	65.2	62.8	61.8	
3		At 09:00 AM	64.3	61.4	59.3	
4		At 10:00 AM	63.8	58.4	67.4	
5		At 11:00 AM	66.5	60.3	66.5	
6		At 12:00 PM	68.1	63.5	61.5	
7		At 01:00 PM	67.3	60.2	59.8	
8		At 02:00 PM	68.2	63.5	60.9	
9		At 03:00 PM	66.2	64.2	66	
10		At 04:00 PM	65.1	61.5	64.8	
11		At 05:00 PM	64.3	60.3	68.2	
12		At 06:00 PM	63.5	59.2	66.1	
13		At 07:00 PM	65.2	61.5	65	
14		At 08:00 PM	66.4	60.3	63.5	
15		At 09:00 PM	64.8	58.1	66.8	
16		At 10:00 PM	62.4	56.3	64.7	
17		At 11:00 PM	62.3	58.2	63.9	70
18		At 12:00 AM	60.4	56.1	61.4	
19		At 01:00 AM	62.8	56.4	57.1	
20		At 02:00 AM	57.5	51.3	58.3	
21		At 03:00 AM	55.3	49.2	55.4	
22		At 04:00 AM	54.2	48.3	52.4	
23		At 05:00 AM	51.6	45.7	51.8	
24		At 06:00 AM	52.8	46.1	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016650F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	68.2	59.2	63.8	75
2		At 08:00 AM	66.3	64.1	61.8	
3		At 09:00 AM	65.3	61.2	59.3	
4		At 10:00 AM	67.2	62.8	67.4	
5		At 11:00 AM	62.3	59.3	66.5	
6		At 12:00 PM	64.8	61.4	61.5	
7		At 01:00 PM	61.8	56.2	59.8	
8		At 02:00 PM	60.5	57.2	60.9	
9		At 03:00 PM	63.8	58.1	66	
10		At 04:00 PM	64.1	61.1	64.8	
11		At 05:00 PM	62.8	58.3	68.2	
12		At 06:00 PM	66.5	62.5	66.1	
13		At 07:00 PM	65.1	63.4	65	
14		At 08:00 PM	62.4	58.1	63.5	
15		At 09:00 PM	62.8	56.4	66.8	
16		At 10:00 PM	62.5	55.2	64.7	
17		At 11:00 PM	58.1	50.4	63.9	70
18		At 12:00 AM	57.2	51.6	61.4	
19		At 01:00 AM	56.3	52.3	57.1	
20		At 02:00 AM	52.6	48.3	58.3	
21		At 03:00 AM	50.3	46.5	55.4	
22		At 04:00 AM	51.4	47.3	52.4	
23		At 05:00 AM	50.2	46.1	51.8	
24		At 06:00 AM	52.3	47.3	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019869F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	62.4	60.3	61.4	75
2		At 08:00 AM	63.5	61.7	62.6	
3		At 09:00 AM	65.6	63.4	64.5	
4		At 10:00 AM	69.2	67.5	68.4	
5		At 11:00 AM	70.3	68.2	69.3	
6		At 12:00 PM	73.5	71.6	72.6	
7		At 01:00 PM	71.8	69.2	70.5	
8		At 02:00 PM	74.3	72.5	73.4	
9		At 03:00 PM	70.7	68.2	69.5	
10		At 04:00 PM	72.5	69.8	71.2	
11		At 05:00 PM	69.3	66.7	68.0	
12		At 06:00 PM	68.2	67.2	67.7	
13		At 07:00 PM	66.2	64.3	65.3	
14		At 08:00 PM	65.3	62.1	63.7	
15		At 09:00 PM	67.2	65.3	66.3	
16		At 10:00 PM	64.3	61.8	63.1	
17		At 11:00 PM	63.8	60.7	62.3	70
18		At 12:00 AM	57.2	55.3	56.3	
19		At 01:00 AM	55.2	52.1	53.7	
20		At 02:00 AM	50.3	47.5	48.9	
21		At 03:00 AM	52.1	49.4	50.8	
22		At 04:00 AM	54.6	51.7	53.2	
23		At 05:00 AM	56.3	53.8	55.1	
24		At 06:00 AM	52.7	49.6	51.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019870F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	70.6	68.2	69.4	75
2		At 08:00 AM	73.8	71.3	72.6	
3		At 09:00 AM	72.1	70.5	71.3	
4		At 10:00 AM	71.9	68.9	70.4	
5		At 11:00 AM	67.4	65.3	66.4	
6		At 12:00 PM	65.3	62.7	64.0	
7		At 01:00 PM	68.2	66.3	67.3	
8		At 02:00 PM	66.9	63.8	65.4	
9		At 03:00 PM	67.2	65.1	66.2	
10		At 04:00 PM	64.2	62.7	63.5	
11		At 05:00 PM	63.7	61.3	62.5	
12		At 06:00 PM	65.6	63.4	64.5	
13		At 07:00 PM	63.8	61.2	62.5	
14		At 08:00 PM	65.2	63.8	64.5	
15		At 09:00 PM	68.4	65.4	66.9	
16		At 10:00 PM	62.3	60.8	61.6	
17		At 11:00 PM	61.8	58.7	60.3	70
18		At 12:00 AM	60.6	57.2	58.9	
19		At 01:00 AM	63.5	61.3	62.4	
20		At 02:00 AM	65.4	63.8	64.6	
21		At 03:00 AM	61.9	59.7	60.8	
22		At 04:00 AM	59.2	56.3	57.8	
23		At 05:00 AM	57.6	55.4	56.5	
24		At 06:00 AM	55.8	53.2	54.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019872F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	70.6	68.5	69.6	75
2		At 08:00 AM	68.4	66.3	67.4	
3		At 09:00 AM	63.6	61.7	62.7	
4		At 10:00 AM	73.8	71.2	72.5	
5		At 11:00 AM	72.6	70.9	71.8	
6		At 12:00 PM	74.6	72.4	73.5	
7		At 01:00 PM	71.5	69.2	70.4	
8		At 02:00 PM	65.6	63.2	64.4	
9		At 03:00 PM	67.5	65.9	66.7	
10		At 04:00 PM	64.8	62.1	63.5	
11		At 05:00 PM	60.8	58.4	59.6	
12		At 06:00 PM	66.5	63.4	65.0	
13		At 07:00 PM	65.1	62.1	63.6	
14		At 08:00 PM	60.6	58.7	59.7	
15		At 09:00 PM	61.8	59.3	60.6	
16		At 10:00 PM	64.6	62.1	63.4	
17		At 11:00 PM	60.3	57.3	58.8	70
18		At 12:00 AM	62.4	60.2	61.3	
19		At 01:00 AM	58.7	56.3	57.5	
20		At 02:00 AM	56.3	54.7	55.5	
21		At 03:00 AM	54.2	52.3	53.3	
22		At 04:00 AM	53.8	51.7	52.8	
23		At 05:00 AM	51.4	48.4	49.9	
24		At 06:00 AM	50.6	47.2	48.9	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

: END OF REPORT :

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019871F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	64.2	62.1	63.2	75
2		At 08:00 AM	63.5	61.7	62.6	
3		At 09:00 AM	62.6	60.3	61.5	
4		At 10:00 AM	61.7	58.7	60.2	
5		At 11:00 AM	63.4	60.3	61.9	
6		At 12:00 PM	66.9	63.5	65.2	
7		At 01:00 PM	65.1	62.8	64.0	
8		At 02:00 PM	67.2	65.7	66.5	
9		At 03:00 PM	65.4	63.2	64.3	
10		At 04:00 PM	64.3	62.9	63.6	
11		At 05:00 PM	63.5	61.4	62.5	
12		At 06:00 PM	61.5	58.5	60.0	
13		At 07:00 PM	62.9	60.3	61.6	
14		At 08:00 PM	65.4	62.7	64.1	
15		At 09:00 PM	62.9	59.8	61.4	
16		At 10:00 PM	63.5	61.7	62.6	
17		At 11:00 PM	60.2	57.2	58.7	70
18		At 12:00 AM	58.7	56.3	57.5	
19		At 01:00 AM	61.8	58.5	60.2	
20		At 02:00 AM	55.4	52.3	53.9	
21		At 03:00 AM	53.6	51.8	52.7	
22		At 04:00 AM	52.8	50.6	51.7	
23		At 05:00 AM	50.4	48.7	49.6	
24		At 06:00 AM	51.5	47.2	49.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022030F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	70.3	66.3	68.3	75
2		At 08:00 AM	71.6	67.6	69.6	
3		At 09:00 AM	74.2	72.2	73.2	
4		At 10:00 AM	71.8	69.8	70.8	
5		At 11:00 AM	69.3	65.3	67.3	
6		At 12:00 PM	66.4	62.4	64.4	
7		At 01:00 PM	72.8	68.8	70.8	
8		At 02:00 PM	71.5	68.5	70.0	
9		At 03:00 PM	67.3	65.3	66.3	
10		At 04:00 PM	65.1	60.1	62.6	
11		At 05:00 PM	66.4	61.4	63.9	
12		At 06:00 PM	67.2	63.2	65.2	
13		At 07:00 PM	66.3	62.3	64.3	
14		At 08:00 PM	65.2	60.2	62.7	
15		At 09:00 PM	64.3	60.3	62.3	
16		At 10:00 PM	60.2	57.2	58.7	
17		At 11:00 PM	61.2	58.2	59.7	70
18		At 12:00 AM	62.8	59.8	61.3	
19		At 01:00 AM	61.7	58.7	60.2	
20		At 02:00 AM	60.2	57.2	58.7	
21		At 03:00 AM	60.3	56.3	58.3	
22		At 04:00 AM	58.4	54.4	56.4	
23		At 05:00 AM	57.6	52.6	55.1	
24		At 06:00 AM	55.2	50.2	52.7	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022029F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	66.5	62.5	64.5	75
2		At 08:00 AM	64.2	60.2	62.2	
3		At 09:00 AM	60.5	58.5	59.5	
4		At 10:00 AM	63.1	61.1	62.1	
5		At 11:00 AM	65.3	61.3	63.3	
6		At 12:00 PM	70.4	66.4	68.4	
7		At 01:00 PM	73.1	69.1	71.1	
8		At 02:00 PM	70.6	66.6	68.6	
9		At 03:00 PM	72.8	67.8	70.3	
10		At 04:00 PM	74.1	69.1	71.6	
11		At 05:00 PM	68.3	63.3	65.8	
12		At 06:00 PM	67.2	63.2	65.2	
13		At 07:00 PM	66.4	62.4	64.4	
14		At 08:00 PM	65.1	61.1	63.1	
15		At 09:00 PM	64.3	60.3	62.3	
16		At 10:00 PM	60.2	57.2	58.7	
17		At 11:00 PM	64.1	61.1	62.6	70
18		At 12:00 AM	55.2	52.2	53.7	
19		At 01:00 AM	54.1	51.1	52.6	
20		At 02:00 AM	53.6	50.6	52.1	
21		At 03:00 AM	53.1	49.1	51.1	
22		At 04:00 AM	55.1	51.1	53.1	
23		At 05:00 AM	54.1	49.1	51.6	
24		At 06:00 AM	53.8	48.8	51.3	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022031F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	65.1	61.1	63.8	75
2		At 08:00 AM	63.8	60.8	61.8	
3		At 09:00 AM	62.6	60.6	59.3	
4		At 10:00 AM	61.5	59.5	67.4	
5		At 11:00 AM	60.3	56.3	66.5	
6		At 12:00 PM	67.4	64.4	61.5	
7		At 01:00 PM	61.3	58.3	59.8	
8		At 02:00 PM	66.3	62.3	60.9	
9		At 03:00 PM	64.1	59.1	66	
10		At 04:00 PM	62.7	57.7	64.8	
11		At 05:00 PM	63.4	58.4	68.2	
12		At 06:00 PM	61.2	57.2	66.1	
13		At 07:00 PM	67.8	63.8	65	
14		At 08:00 PM	63.2	59.2	63.5	
15		At 09:00 PM	61.4	57.4	66.8	
16		At 10:00 PM	60.3	57.3	64.7	
17		At 11:00 PM	58.4	55.4	63.9	70
18		At 12:00 AM	59.6	56.6	61.4	
19		At 01:00 AM	61.3	58.3	57.1	
20		At 02:00 AM	56.4	53.4	58.3	
21		At 03:00 AM	54.2	50.2	55.4	
22		At 04:00 AM	53.6	49.6	52.4	
23		At 05:00 AM	50.8	45.8	51.8	
24		At 06:00 AM	51.2	46.2	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI MSV

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022032F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	66.1	62.1	63.8	75
2		At 08:00 AM	63.5	59.5	61.8	
3		At 09:00 AM	61.2	59.2	59.3	
4		At 10:00 AM	64.3	62.3	67.4	
5		At 11:00 AM	60.5	56.5	66.5	
6		At 12:00 PM	62.8	58.8	61.5	
7		At 01:00 PM	62.3	58.3	59.8	
8		At 02:00 PM	61.4	57.4	60.9	
9		At 03:00 PM	65.8	60.8	66	
10		At 04:00 PM	63.4	58.4	64.8	
11		At 05:00 PM	61.2	56.2	68.2	
12		At 06:00 PM	64.3	60.3	66.1	
13		At 07:00 PM	66.8	62.8	65	
14		At 08:00 PM	63.1	59.1	63.5	
15		At 09:00 PM	60.5	56.5	66.8	
16		At 10:00 PM	64.6	61.6	64.7	
17		At 11:00 PM	56.2	53.2	63.9	70
18		At 12:00 AM	55.3	52.3	61.4	
19		At 01:00 AM	54.1	51.1	57.1	
20		At 02:00 AM	50.2	47.2	58.3	
21		At 03:00 AM	51.3	47.3	55.4	
22		At 04:00 AM	48.2	44.2	52.4	
23		At 05:00 AM	47.3	42.3	51.8	
24		At 06:00 AM	50.2	45.2	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	23.09.2026
5.	Report Issue Date	:	29.09.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000025141F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	68.2	59.2	63.8	75
2		At 08:00 AM	66.3	64.1	61.8	
3		At 09:00 AM	65.3	61.2	59.3	
4		At 10:00 AM	67.2	62.8	67.4	
5		At 11:00 AM	62.3	59.3	66.5	
6		At 12:00 PM	64.8	61.4	61.5	
7		At 01:00 PM	61.8	56.2	59.8	
8		At 02:00 PM	60.5	57.2	60.9	
9		At 03:00 PM	63.8	58.1	66	
10		At 04:00 PM	64.1	61.1	64.8	
11		At 05:00 PM	62.8	58.3	68.2	
12		At 06:00 PM	66.5	62.5	66.1	
13		At 07:00 PM	65.1	63.4	65	
14		At 08:00 PM	62.4	58.1	63.5	
15		At 09:00 PM	62.8	56.4	66.8	
16		At 10:00 PM	62.5	55.2	64.7	
17		At 11:00 PM	58.1	50.4	63.9	70
18		At 12:00 AM	57.2	51.6	61.4	
19		At 01:00 AM	56.3	52.3	57.1	
20		At 02:00 AM	52.6	48.3	58.3	
21		At 03:00 AM	50.3	46.5	55.4	
22		At 04:00 AM	51.4	47.3	52.4	
23		At 05:00 AM	50.2	46.1	51.8	
24		At 06:00 AM	52.3	47.3	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure -V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	**Name of the industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
3.	**Particulars of Sample Collected**	:	Noise meter
4.	**Date of Monitoring**	:	23.09.2026
5.	**Report Issue Date**	:	29.09.2026
6.	**Method Adopted**	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000025142F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	72.8	61.3	67.1	75
2		At 08:00 AM	72.3	62.5	67.4	
3		At 09:00 AM	73.6	63.4	68.5	
4		At 10:00 AM	71.4	68.2	69.8	
5		At 11:00 AM	68.2	63.1	65.7	
6		At 12:00 PM	67.3	64.1	65.7	
7		At 01:00 PM	70.5	65.3	67.9	
8		At 02:00 PM	73.6	67.2	70.4	
9		At 03:00 PM	68.1	63.5	65.8	
10		At 04:00 PM	67.2	62.8	65.0	
11		At 05:00 PM	66.4	61.6	64.0	
12		At 06:00 PM	64.2	62.8	63.5	
13		At 07:00 PM	68.2	63.4	65.8	
14		At 08:00 PM	67.1	62.4	64.8	
15		At 09:00 PM	66.3	62.8	64.6	
16		At 10:00 PM	64.1	58.1	61.1	
17		At 11:00 PM	64.2	57.1	60.7	70
18		At 12:00 AM	63.2	56.1	59.7	
19		At 01:00 AM	60.8	54.2	57.5	
20		At 02:00 AM	61.8	52.3	57.1	
21		At 03:00 AM	62.4	56.1	59.3	
22		At 04:00 AM	61.5	55.2	58.4	
23		At 05:00 AM	60.8	54.1	57.5	
24		At 06:00 AM	62.3	55.2	58.8	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure - V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	**Name of the industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
3.	**Particulars of Sample Collected**	:	Noise meter
4.	**Date of Monitoring**	:	23.09.2026
5.	**Report Issue Date**	:	29.09.2026
6.	**Method Adopted**	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000025143F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	66.3	61.2	63.7	75
2		At 08:00 AM	65.2	62.8	64.0	
3		At 09:00 AM	64.3	61.4	62.8	
4		At 10:00 AM	63.8	58.4	61.1	
5		At 11:00 AM	66.5	60.3	63.4	
6		At 12:00 PM	68.1	63.5	65.8	
7		At 01:00 PM	67.3	60.2	63.7	
8		At 02:00 PM	68.2	63.5	65.8	
9		At 03:00 PM	66.2	64.2	65.2	
10		At 04:00 PM	65.1	61.5	63.3	
11		At 05:00 PM	64.3	60.3	62.3	
12		At 06:00 PM	63.5	59.2	61.3	
13		At 07:00 PM	65.2	61.5	63.3	
14		At 08:00 PM	66.4	60.3	63.3	
15		At 09:00 PM	64.8	58.1	61.4	
16		At 10:00 PM	62.4	56.3	59.3	
17		At 11:00 PM	62.3	58.2	60.2	70
18		At 12:00 AM	60.4	56.1	58.2	
19		At 01:00 AM	62.8	56.4	59.6	
20		At 02:00 AM	57.5	51.3	54.4	
21		At 03:00 AM	55.3	49.2	52.2	
22		At 04:00 AM	54.2	48.3	51.2	
23		At 05:00 AM	51.6	45.7	48.6	
24		At 06:00 AM	52.8	46.1	49.4	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-V

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	23.09.2026
5.	Report Issue Date	:	29.09.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000025144F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	65.2	61.2	63.2	75
2		At 08:00 AM	66.3	62.3	64.3	
3		At 09:00 AM	63.8	62.3	63.1	
4		At 10:00 AM	67.1	64.5	65.8	
5		At 11:00 AM	69.3	63.8	66.6	
6		At 12:00 PM	72.8	68.8	70.8	
7		At 01:00 PM	72.3	67.2	69.8	
8		At 02:00 PM	73.4	68.3	70.9	
9		At 03:00 PM	71.2	66.5	68.9	
10		At 04:00 PM	72.5	68.1	70.3	
11		At 05:00 PM	71.9	66.3	69.1	
12		At 06:00 PM	69.4	65.2	67.3	
13		At 07:00 PM	68.3	64.3	66.3	
14		At 08:00 PM	67.5	62.3	64.9	
15		At 09:00 PM	66.2	63.5	64.9	
16		At 10:00 PM	61.4	57.1	59.3	
17		At 11:00 PM	62.3	58.1	60.2	70
18		At 12:00 AM	59.1	56.1	57.6	
19		At 01:00 AM	57.3	53.4	55.4	
20		At 02:00 AM	52.3	48.3	50.3	
21		At 03:00 AM	54.2	47.2	50.7	
22		At 04:00 AM	56.1	50.3	53.2	
23		At 05:00 AM	55.2	51.2	53.2	
24		At 06:00 AM	56.1	52.3	54.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT


Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

Environment management Cell

Annexure-VI



Annexure - VII



S.NO	MARK	DESCRIPTION	Block Dimension in Meter LENGTH	BREADTH	Area in Sq. Meter TOTAL AREA
01	A	PRODUCTION BLOCK(FUTURE)	ALLOTED TO A0, A01 BLOCK		
02	B	FIRE HYDRANT PUMP HOUSE	13.5	4.96	66.96
03	C	PRODUCTION BLOCK-C	40.07	28.74	1151.61
04	D	PRODUCTION BLOCK-D	27.6	15.4	425.31
05	E	PRODUCTION BLOCK-E	40.07	28.74	1151.61
06	F	SOLVENT DRUM STORAGE	17.26	16	276.16
07	F1	HAZARDOUS MATERIAL STORAGE	20.71	11.5	238.16
08	G	DISTILLATION COLUMN	17.91	13.0	232.89
09	H	PRODUCTION BLOCK-H	37.16	15.39	571.89
10	I	PRODUCTION BLOCK-I	34.56	15.41	532.56
11	J	UTILITY BLOCK	31.43	15	471.45
12	J'	GENERATOR D.G.-04	--	--	--
13	J"	DIESEL TANK	6.59	7.96	52.49
14	K	FURNACE OIL TANK	7.84	7.96	62.44
15	L	PCC ROOM	20.2	12.49	252.29
16	M	PURIFIED WATER GENERATION	20.0	10.67	213.4
17	N	GENERAL TOILETS	17.03	3.57	60.90
18	O	SCRAP YARD	--	--	--
19	P	BOILER HOUSE	29.68	20.0	593.6
20	Q	FUTURE PRODUCTION	ALLOTED TO A06 A07 BLOCK		
21	R1	R&D & SCALEUP LAB	39.5	17.5	691.25
22	R'2	ADMIN BLOCK	27.5	17.5	481.25
23	R'3	QUALITY BLOCK	35.0	22.1	773.5
24	R'4	CANTEEN	17.5	12	210
25	S	WARE HOUSE	38.45	24.5	940.02
26	T	SOLVENT TANK YARD	24.66	16.16	398.50
27	U	ETP	--	--	--
		COUNTER FLOW COOLING TOWER	6.90	6.90	47.61
		ETP CTBT	--	--	35.03
		ETP REVAMPING	--	--	113.84
		FICCO, FACCO, HETERO FENTON & CATALYTICAL FUNCTIONALISATION UNIT	--	--	150.90
		FILTER PRESS	6.10	5.75	35.0
28	U'	WATER TANKS FOR RO SYSTEM	--	--	--
29	V	WATER TREATMENT TANK	10.69	5.23	55.90
30	W	PANEL ROOM	7.96	5.46	43.46
31	X	RAW WATER TANK	37.92	5.23	198.32
32	X'	SECURITY, HR, & OHC	8.47	5.9	50.00
33	Y	VEHICLE PARKING	--	--	--
34	Z	U.G.SUMP (2Lacs Cap)	13.46	12.46	167.71
35	AA	ENGINEERING DEPT	16.0	12.64	202.24
36	AB	TEMPLE	14.72	9.8	144.30
37	AC	TANKER (LORRY) PLATFORM	12.86	6.0	77.17
38	AD	CLARIFIER TANK	--	--	--
39	AE	SOFTENERS	3.28ø	A	3.28ø
40	AF	EVAPORATION SYSTEM	10.34	4.88	50.49
41	AG	INSULATION SHED	6.0	3.0	44.72
42	AH	CHILLER SHED	6.65	6.65	44.22
43	AI	PILOT PLANT	23.03	15	345.51
44	AJ	AJ-BLOCK	16.05	14.32	229.83
45	AK	DRUM STORAGE	27.0	10.4	280.8
46	AL	MULTIPLE EFFECT EVAPORATOR	16.0	4.5	72.0
		MCC PANEL ROOM OF MEE	5.1	4.46	22.74
		HAZARDOUS STORAGE AREA	8.3	4.8	39.84
		COOLING TOWER OF MEE	8.46	8.46	71.57
47	AM	LOW VOLUME NON-ONCO PRODUCTION BLOCK	20.71	7.94	164.43
48	AP	STRIPPER COLUMN BUILDING	9.6	5.1	48.96
49	AO	T-PROJECT PRODUCTION BLOCK-I	23.72	23.13	548.85
50	AO1	T-PROJECT PRODUCTION BLOCK-II	23.50	12.32	289.69
51	AO2	CHILLING PLANT ROOM	16.3	11.25	183.37
52	AO3	THERMIC FLUID HEATER & MULTIPLE EFFECT EVAPORATOR	14.96	8.4	125.66
53	AO4	BI-POLAR MEMBRANE ROOM & ION EXCHANGE ROOM	15.44 8.83	9.08 3.29	140.19 29.05
54	AO5	H2SO4 & HCL TANKS,ETP FOR AO BLOCK	14.49	10.46	151.56
55	AQ	DISTILLATION COLUMN FEED & RECOVERED SOLVENT TANKS AREA.	--	--	199.5
56	AR	PRETREATMENT PLANT FOR WATER	--	--	112.13
57	AS	UNDER GROUND SUMP TANK	5.45	4.4	23.98
58	AT	NEUTRALISATION OF ML'S FROM E-BLOCK	7.65	6.11	46.83
59	AU	FRESH MDC STORAGE TANKS	8.01	4.39	35.22
60	AV	RECOVERED SOLVENT STORAGE	8.01	6.33	50.75
61	AW	BOILER RO PLANT	8.83	4.87	43.00

TOTAL SITE AREA : 136525.076 M²
Total Green Belt Area is 33.28%

GREEN BELT AREA (A)	11918.95 M²
GREEN BELT AREA (B)	12166.13 M²
GREEN BELT AREA (C)	813.96 M²
GREEN BELT AREA (D)	750.96 M²
GREEN BELT AREA (E)	2507.31 M²
GREEN BELT AREA (F)	505.64 M²
GREEN BELT AREA (G)	2697.87 M²
GREEN BELT AREA (H)	2550.74 M²
GREEN BELT AREA (I)	4100.72 M²
GREEN BELT AREA (J)	996.91 M²
GREEN BELT AREA (K)	2058.56 M²
GREEN BELT AREA (L)	3160.00 M²
GREEN BELT AREA (M)	1215.06 M²
TOTAL GREEN BELT AREA :	45442.81 M²

S.NO	MARK	DESCRIPTION	LENGTH	BREADTH	TOTAL AREA
62	AX	AX-BLOCK	15.60	5.33	83.17
		ION EXCHANGE	--	--	00
63	AO12	AMMONIA CYLINDER STORAGE SHED	6.15	5.60	34.47
64	AO6	STORAGE TANK AREA FOR AO-BLOCK	26.18	8.70	228.01
65	AY	RO WATER SYSTEM & PROJECT STORE	10.67	7.37	78.69
66	AO7	HYDROGENATION BLOCK (AO7 BLOCK)	24.41	14.1	344.18
67	AO8	THERMIC FLUID HEATER	16.45	10.2	167.79
68	AO9	COOLING TOWER OF AO7	15.2	13	197.6
69	AO10	ION EXCHANGE ROOM	10.45	6.45	67.40
70	AO11	ELECTRICAL PANEL ROOM	14.2	4.82	68.51
71	AO13	TRUCK BAY	12.3	6.2	76.26
72	AO14	AMMONIA PURGING & DMCD CHARGING	12.37	8.0	99.0
73	AAB	SULHURIC ACID TANK YARD	5.0	5.0	25.0
74	AM1	AM-BLOCK EXTENSION	8.15	4.75	38.71
75	AAG	ENGINEERING STORE SHED	16.6	7.0	116.2
76	AAL	COOLING TOWER	8.15	8.15	66.42
77	AAM	625 KVA DG SET FOUNDATION	7.5	3.1	23.25
78	AAN	1500 KVA SDG SET	9.5	3.4	32.3
79	AAO	PARKING AREA	--	--	--
80	AAP	PROPOSED PRODUCTION BLOCK	15.00	30.00	450.0
81	AAT	AMMONIA CYLINDER SHED	9.45	10.79	101.96
82	AAU	HYDROGEN CYLINDER STORAGE SHED	9.60	10.80	103.68

SHILPA PHARMA LIFESCIENCES LTD
100% EOU, PLOT No.30, 31, 32, 33, 33A, 35 TO 39 & 40 TO 47
Raichur Industrial Growth Center
Chicksugur Village-584134,Raichur.

TITLE: **SITE LAYOUT**

	NAME	SIGNATURE	DATE
DRAWN			
PREPARED			
CHECKED			
APPROVED			

Annexure – VIII

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/015/2026-27 **Date: 27.05.2026**

To,
Office of the Regional Office
Karnataka State Pollution Control Board,
Building at Shed No. C-03,
KSSIDC Industrial Estate,3rd Cross,
Hydrabad Road,Raichur – 584 102.

Respected Sir,

Sub:Submission of Environmental Statement Form-V-reg

With reference to the above subject, please find enclosed herewith-environmental statement form-V for the financial year ending 31st March 2026 in duplicate.

List of Annexures:-

1.	Annexure – I	:	Process Water consumption of Batch wise of Product copy.
2.	Annexure – II	:	Raw material consumption details.
3.	Annexure – III	:	Treated Water Analysis Reports.
4.	Annexure – IV	:	Environment monitoring of ambient air Quality and stacks Analysis Reports.
5.	Annexure – V	:	Hazardous Waste Disposal Quantities copy.
6.	Annexure – VI	:	Category wise Hazardous Waste disposing methods.
7.	Annexure – VII	:	Impact of pollution control measures on conservation of natural resources copy.
8.	Annexure – VIII	:	Additional measures/investment proposal for environmental protection including abatement of pollution.
9.	Annexure – IX	:	Solvent Recovery System.
10.	Annexure – X	:	Environment Management System Certificate – ISO 14000:2015.

Kindly acknowledge the receipt of the same and do the needful.

Thanking you,

Yours faithfully,

For Shilpa Pharma Lifesciences Limited 100% EOU.

SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2) Chicksugur Raichur karnataka

Authorised Signatory.

Corporate & Admin Office : "Shilpa House", #12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India
Tel: +91-8532-238704, Fax: +91-8532-238876, Email: info@vbshilpa.com, Web: www.vbshilpa.com

Annexure - 9

Air Pollution Controlling Equipments

Scrubber details

Scrubber systems are a diverse group of air pollution control devices that can be used to remove particulates and/or gases from industrial exhaust streams. Traditionally, the term "scrubber" has reference to pollution control devices that used liquid to "scrub" unwanted pollutants from a gas stream. Recently, the term is also used to describe systems that inject a dry reagent or slurry into a dirty exhaust stream to "scrub out" acid gases. Scrubbers are one of the primary devices that control gaseous emissions, especially acid gases.

Wet scrubber is a form of pollution control technology in which the polluted gas stream is brought into contact with the scrubbing liquid by spraying it with the liquid, by forcing it through a pool of liquid, or by some other contact method, so as to remove the pollutants.

The design of wet scrubbers or any air pollution control device depends on the industrial process conditions and the nature of the air pollutants involved. Inlet gas characteristics and dust properties (if particles are present) are of primary importance. Scrubbers can be designed to collect particulate matter and/or gaseous pollutants. Wet scrubbers remove dust particles by capturing them in liquid droplets; remove pollutant gases by dissolving or absorbing them into the liquid.

Any droplets that are in the scrubber inlet gas must be separated from the outlet gas stream by means of another device referred to as a mist eliminator or entrainment separator (these terms are interchangeable). Also, the resultant scrubbing liquid must be treated prior to any ultimate discharge or before being reused in the plant.

There are numerous configurations of scrubbers and scrubbing systems, all designed to provide good contact between the liquid and polluted gas stream.
The process and solvent recovery sections are provided with scrubber to scrub the fumes and vapors generated in order to remove such emissions before it is let out into the atmosphere.

Scrubber Details:

1) Scrubbing system for C block intermediate reactors

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1250 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick

Annexure - 9

Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	18000 CMH
Stat. Pressure	:	150 mmwg
Motor	:	20 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	250, 350, 450 & 700 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

2) Scrubbing System for Pharma Block Centrifuges:

CSSR-15& CGLR-14, CSSANFD-02

Ducting from Each Reactor from Ist floor& from CSSANFD Ground Floor. Ducting,Scrubber, Blower, MS structure &pump.

System for Centrifuges:

- CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, RCVD-01, RCVD-02, ANFD-01,
- **a) Scrubber Details:**

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	700 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	4 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings.
Size	:	40 mm dia x 40 mm height.
Filter Plate	:	PP Perforated - 15 mm thick.
Spray	:	Polypropylene Jet Spray System.

b) Blower:

Type	:	Backward Curve SISW

Annexure - 9

Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	5500 CMH
Stat. Pressure	:	150 mmwg
Motor	:	7.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	200, 275 & 375 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	2 K L
PP	:	5 mm
FRP	:	6 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	120 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 63 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

3). <u>Wet Scrubbing System at Production Block – D:</u>

Equipments Connected to the System:

- DSSR-04, DSSR-05, , DGLR-01, DGLR-02, DGLR-03, DGLR-06, DGLR-07, DSSRF-01, DSSRF-02, DSSRF-03, DSSVTD-01, DSSVTD02, DSSVTD-03, Isolator & 3 spare points

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1100 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	13000 CMH
Stat.Pressure	:	150 mmwg

Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 225, 250, 450, 500 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

4) Scrubbing System for Pharma Area:

DGLR-08, DSSR-09 in first Floor& ANFD Isolator In Ground floor must given with separate scrubber &Ducting

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1100 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	13000 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 225, 250, 450, 500 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

5). <u>Wet Scrubbing System at Production Block – E:</u>

System for Reactors:

- ESSR-01, ESSR-02, ESSR-03, ESSR-04, ESSR-08, ESSR-10, ESSR-11, ESSR-12, ESSR-14, EGLR-05, EGLR-06, EGLR-07, EGLR-09 & EGLR-13

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	17000 CMH
Stat.Pressure	:	150 mmwg
Motor	:	20 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	250, 350, 450 & 675 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm

FRP : 7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

6) Scrubbing System for Pharma Block reactors &Centrifuges:

EGLR-13 & ESSR-14,ESSCF-05.

Ducting from Each Reactors from Ist floor& from Ground Floor centrifuge .Ducting, Scrubber, Blower, MS structure

System for Centrifuges:

CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, ESSRVCD-01, ESSRVCD-02, ESSTD01 & ESSANFD-01

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	750 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	4 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	6200 CMH
Stat.Pressure	:	150 mmwg
Motor	:	7.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 300 & 400 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	2 K L
PP	:	5 mm
FRP	:	6 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	120 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 63 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

7. Wet Scrubbing System at Production Block – H:

Equipments Connected to the System:

HSSR-01, HSSR-02, HSSR-03, HSSR-04, HSSR-05, HSSR-07, HGLR-06, HGLR-08, HGLR-10, HGLR-09, , HSSRF-01, HSSRF-02, HSSRF-03, HSSRF-04, VTD-01, VTD-02, VTD-03, ANFD & 3 SPARE POINTS

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	16000 CMH
Stat.Pressure	:	150 mm wg
Motor	:	17.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	200, 425, 475 & 650 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating

8. Wet Scrubbing System at Production Block – H:

Equipments Connected to the System:

HGLR-11, HGLR-12, HGLR-13 in First Floor & ANFD isolator in Ground floor Must given Separately with ducting Blower.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	16000 CMH
Stat.Pressure	:	150 mm wg
Motor	:	17.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 200, 275, 300, 450, 550 & 650mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE

Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating

9. Wet Scrubbing System at Production Block – I :

Equipments Connected to the System:

IGLR-01, IGLR-02, IGLR-03, IGLR-04, IGLR-05, IAGR-06, IGLR-09, IGLR-07, IGLR-08, IGLR-10, ISSRF-01, ESSRF-02, ISSRF-03, VTD-01, VTD-02, VTD-03, & 3 SPARE POINTS.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

Annexure -9

10. Scrubbing System For Pharma Area:

IGLR-11, IGLR-12 in First floor& &ANFD isolator in ground floor must be given with separate scrubber, ducting

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

11. Wet Scrubbing System at Production Block – AI:

Equipments Connected to the System:

AI/RE-01, AI/RE-02, AI/RE-03, AI/RE-04, AI/RE-05, AI/RE-06, AI/RE-07, AI/RE-08, AI/RE-09, AI/RE-10, AI/RE-11, AI/RE-11, AI/ISNF-01, AI/ISVTD-01, AI/IS-01, AI/PIS-01, AI/VTD-01, AI/VTD-02, AI/VTD-03, AI/VTD-04.

Annexure - 9

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

11.Wet Scrubbing System at Production Block – AJ:

Equipments Connected to the System:

AJ/RE-01, AJ/RE-02, AJ/RE-03, AJ/RE-04, AJ/RE-05, AJ/RE-06.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm

FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

12. Ammonia Scrubbing System at Production Block – AO:

Equipments Connected to the System:

AO/RE-01, AO/RE-02, AO/RE-03, AO/RE-04, AO/RE-05, AO/RE-06.

a) Process Data for 300 NB SCH 20 X MS Column:

Normal Pressure -0.3 kg/cm2 (300 MM WC),
Design Pressure -0.35 kg/cm2 (350 MM WC),
Normal Temperature -50 Deg C,
Design Temprature -100 Deg C,
Dish Dimension = Top, Bottom Dish X 5 Thk X 10% Torispherical,
Shell Dimension = 300 NB SCH 20 X 6.825 M Length,
Sections-02 No's,
Body Flange Gasket MOC : Teflon Envelope non metallic asbestos Free (TENMAF),

Annexure -9

Body Flange MOC : MS as per ASME B16.5 Class150,
MOC - Shell = MS,MOC of Nozzle Pipe = MS,MOC of Nozzle Flanges = MS,MOC- Support = MS, MOC of bolts / nuts shall be hot dipped galvanized,
SA 193 Gr. B7 / SA 194 Gr. 2H,MOC (Contact Parts) = MS,MOC: Sight & Light Glass= MS,
Nozzles = As Per Drawing. Support = 2 No's, Lugs Supports in Each Section,
Joint Efficiency (Shell / Dish): 85% / 100 %,
Radiography (Shell/Dish): 10% / 100%,
External Painting = On MS Parts 2 Coats of Red Oxide Primer. Feed/Reflux pipe assembly,
Support cleat fro packing support& other parts welded to shell

b) Blower:

Type	:	Backward Curve 6 damper
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	200 CFW
Start .Pressure	:	300 mm wC
Motor	:	1 HP NFLP – 12880 RPM
Make	:	HMM
Drive	:	Direct

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) MS Support Structure for Scrubber with Anti Corrosive Coating:

Vertical Design 6 L Kcal Capacity Oil fired Thermic Fluid Heater:

Equipments Connected to the System:

AO/RE-01

Technical specifications:

MODEL	VRT-HT-06
HEAT OUTPUT [KCAL/H]	600000
THERMIC FLUID FLOW THROUGH THE	UNIT [L/H] 79000
TEMPERATURE AT HEATER OUTLET	345 ° C
THERMAL EFFICIENCY [%]	88
FUEL OIL CONSUMPTION AT MAX. OUTPUT [KG/H]	FO/LDO
- FURNACE OIL 9650 KCAL/KG NCV	70.65
- LDO OF 10200 KCAL/KG NCV	66.85
ELECTRICAL CONNECTED LOADS [KW]	
THERMIC FLUID PUMP MOTOR	22 KW
BLOWER MOTOR	3.7 KW
FUEL OIL PUMP	0.37 KW
ELECTRICAL OIL PRE HEATER	(3.0+3.0+3) KW

Annexure -9

ELECTRIC SUPPLY	AC;3PHASE;415±5%V;50±3% HZ;4WIRE SYSTEM
APPROX. OVERALL SIZE [MM]	
LENGTH	2650
WIDTH	1650
HEIGHT	2520
APPROX. DRY WEIGHT [KG]	3100

a) **Technical Comparison for Thermic Fluid Heater**

Sr. No	Item Description	
1	Make	Maxima
2	Model	VRT-HT-06
3	Type	Fully automatic, coil type, pressurized, Thermic fluid tube. Vertical Unit
4	Heat output	600000 kcal/Hr
5	Thermic fluid inlet temperature 0C	325 Deg C
6	Thermic fluid outlet temperature 0C	340 Deg C
7	Furnace oil consumption (kg/hr)	71 Kgs/Hr
8	Thermal Efficiency	88%
9	Overall dimensions including space for cleaning and maintenance (L X B X H), mm	L-2100 x W-2100 x H-2950 add another 3.0 mtr for coil removal
10	Empty weight of the unit	3100 Kgs
11	Operating weight of the unit	3397 Kgs
12	Dimensions of coil (Dia X Length X no of turns)	
a	Quantity of Thermic fluid required	Coil Hold-up 297 Litrs
b	Pressure Drop across Hot Oil Unit	20 MLC
13	Expansion tank 3 KL	
a	Dimensions (L x B x H), mm	1900 x 1300 x 1300 mm
b	MOC	IS 2062
c	Empty weight (kg)	1296 Kgs
d	Operating weight (kg)	4406 Kgs

Annexure - 9

14	Thermic fluid storage tank or Dump Tank 5 KL	
a	Dimensions (L x B x H), mm	2500 x 1600 x 1850 mm
b	MOC	IS 2062
c	Empty weight (kg)	1719 Kgs
d	Operating weight (kg)	6746 Kgs
15	Furnace oil day tank 0.99 KL	
a	Dimensions (L x B x H), mm	1000 x 1000 x 990 mm
b	MOC	IS 2062
c	Empty weight (kg)	380 Kgs
d	Operating weight (kg)	1370 Kgs
16	Thermic fluid circulation pumps	
a	Capacity 79 M3/Hr	
b	Head	60 MLC
c	Speed	2900 rpm
d	BKW / Recommended motor	BKW - 18 / KW- 22KW
e	MOC of casing	CI
f	MOC of impeller	CI
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
17	Thermic fluid filling pump	
a	Capacity	1000 LPH


Annexure - 9

b	Head	50 MLC
c	Speed	1440 rpm
d	BKW / Recommended motor	BKW - 0.5 / KW- 0.75 KW
e	MOC of casing	CI/CS
f	MOC of impeller	EN (Gear + Shaft)
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
18	Blower	
a	Capacity	1800 M3/Hr
b	Head	400 mm Wc
c	BKW / Rec. motor (KW)	BKW - 3 / KW- 3.7 KW
19	Thermic fluid Drain pump Not Required	
a	Capacity	1000 LPH
b	Head	50 MLC
c	Speed	1440 rpm
d	BKW / Recommended motor	BKW - 0.5 / KW- 0.75 KW
e	MOC of casing	CI/CS
f	MOC of impeller	EN (Gear + Shaft)
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
20	Stack Details Customer Scope	

Annexure -9

a	Diameter	350 mm
b	Height	30.5 Mtr
c	M.O.C.	IS 2062
d	Type	Self Supported, as per IS 6533
e	Connected Electric load	22.22 KW
21	OIL PUMP Make	Prakash /Eqvt
a	Type	Gear
b	Capacity	300 LPH
c	Head	300 mWC
d	BKW / Recommended motor	BKW - 0.6 / KW- 0.75 KW
22	BURNER Make	Maxima
a	Type	Pr. Jet Spill return
b	Capacity	0.8 MW
c	Modulation	Two stage

Annexure - 9




NOTE: APPROXIMATE DUCT
PIPE LENGTH 25.00 M

Annexure - 9

Mechanical dust collector / Multi cyclone

Capacity of boiler	:	8 Ton
Output gas flow	:	24000 CMH
Type of fuel	:	Coal/husk
Temp of flue gases	:	180°C-220°C
Air quantity to be handled	:	24000 CMH
Pressure drop across the system	:	70-75 MMWG
Total no of cyclones	:	16 No.'s
Size of output pipe	:	Φ 150 mm
Thickness of cones	:	10 mm
Material of construction of cones	:	IS 210
Thickness of outer casing & hopper	:	3.15 mm

Fig 5: Multicyclone



LONGITUDINAL SECTION OF MULTICYCLONE FOR DUST COLLECTION

Annexure - X

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)
Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/033/2026-27 **Dates: 10.09.2026**

To
Office of the Regional Office,
Karnataka State Pollution Control Board,
Building st Shed No.C-03
KSSIDC Industrial Estate, 3rd Cross,
Hyderabad Road, Raichur – 584102

Sub: Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)

Respected Sir,
With reference of the above subject we are submitting the **Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)** for the month of **August– 2026**.

Enclosed:

- Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)-**Annexure-I**
- Summary Of CETP Disposal Details – Month Of **August-Annexure-II**
- Manifest-**Annexure-III**

Thanking you,

Yours faithfully,

For **Shilpa Pharma Lifesciences Limited, 100% EOU**

Authorized Signatory

SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2) Chicksugur Raichur karnataka

Annexure – X

O/C

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/037/2026-27 **Dates: 12.10.2026**

To
Office of the Regional Office,
Karnataka State Pollution Control Board,
Building st Shed No.C-03
KSSIDC Industrial Estate, 3rd Cross,
Hyderabad Road, Raichur – 584102

Sub: Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)

Respected Sir,
With reference of the above subject we are submitting the **Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)** for the month of **September– 2026.**

Enclosed:

- Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)-**Annexure-I**
- Summary Of CETP Disposal Details – Month Of **September-Annexure-II**
- Manifest-**Annexure-III**

Thanking you,

Yours faithfully,

For **Shilpa Pharma Lifesciences Limited, 100% EOU**

Authorized Signatory

SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2) Chicksugur Raichur karnataka

Received 13/10/26

Annexure - X

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/029/2026-27 **Dates: 13.08.2026**

To
Office of the Regional Office,
Karnataka State Pollution Control Board,
Building st Shed No.C-03
KSSIDC Industrial Estate, 3rd Cross,
Hyderabad Road, Raichur – 584102

Sub: Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)

Respected Sir,
With reference of the above subject we are submitting the **Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)** for the month of **July– 2026.**

Enclosed:

- Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)-**Annexure-I**
- Summary Of CETP Disposal Details – Month Of **July-Annexure-II**
- Manifest-**Annexure-III**

Thanking you,

Yours faithfully,

For **Shilpa Pharma Lifesciences Limited, 100% EOU**

Received 13/8/26

SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2) Chicksugur Raichur karnataka

Authorized Signatory

Annexure - I

O/C

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/025/2026-27 **Dates: 10.07.2026**

To
Office of the Regional Office,
Karnataka State Pollution Control Board,
Building st Shed No.C-03
KSSIDC Industrial Estate, 3rd Cross,
Hyderabad Road, Raichur – 584102

Sub: Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)

Respected Sir,
With reference of the above subject we are submitting the **Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)** for the month of **June– 2026**.

Enclosed:

- Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)-**Annexure-I**
- Summary Of CETP Disposal Details – Month Of **June-Annexure-II**
- Manifest-**Annexure-III**

Thanking you,

Yours faithfully,

For **Shilpa Pharma Lifesciences Limited, 100% EOU**

Authorized Signatory

SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2) Chicksugur Raichur karnataka

Received 13/7/26

Annexure - X

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)
Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/019/2026-27 **Dates: 12.06.2026**

To
Office of the Regional Office,
Karnataka State Pollution Control Board,
Building st Shed No.C-03
KSSIDC Industrial Estate, 3rd Cross,
Hyderabad Road, Raichur – 584102

Sub: Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)

Respected Sir,
With reference of the above subject we are submitting the **Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)** for the month of **May– 2026**.

Enclosed:

- Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)-**Annexure-I**
- Summary Of CETP Disposal Details – Month Of **May-Annexure-II**
- Manifest-**Annexure-III**

Thanking you,

Yours faithfully,

For **Shilpa Pharma Lifesciences Limited, 100% EOU**

Authorized Signatory

SHILPA PHARMA LIFESCIENCES LIMITED, (UNIT-2) Chicksugur Raichur Karnataka

Received Date: 17/06/2026

Annexure - X

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)
Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/006/2026-27 **Dates: 12.05.2026**

To
Office of the Regional Office,
Karnataka State Pollution Control Board,
Building st Shed No.C-03
KSSIDC Industrial Estate, 3rd Cross,
Hyderabad Road, Raichur – 584102

Sub: Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)

Respected Sir,
With reference of the above subject we are submitting the **Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)** for the month of **April– 2026**.

Enclosed:

- Details regarding Treatment & Disposal of Effluent (HTDS & LTDS)-**Annexure-I**
- Summary Of CETP Disposal Details – Month Of April-**Annexure-II**
- Manifest-**Annexure-III**

Thanking you,

Yours faithfully,

For **Shilpa Pharma Lifesciences Limited, 100% EOU**

Authorized Signatory

SHILPA PHARMA LIFESCIENCES LIMITED, (UNIT-2) Chicksugur Raichur karnataka

Annexure - XI

R Y B Technologies
For all Kinds of Industrial needs

ISO 9001:2015 CERTIFIED

CALIBRATION CERTIFICATE

For : M/s. SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

(100% EOU) Plot #33, 33A & 40 to 47, Raichur Growth Centre, Chicksugur Village, Raichur - 584 134, Karnataka.

Calibration Report No.	: RYB/26/03/S004/055	**Instrument ID**	: FT-152
Instrument Name	: Flow Transmitter	**SRF No.**	: S004
Department / Block	: ETP	**SRF Date**	: 01/03/2026
Location	: ETP	**Calibration Date**	: 06/03/2026
Make & Model	: Krohne	**Calibration Due Date**	: 05/03/2027
Range	: 0 to 22 m³/h	**Certificate Issue Date**	: 06/03/2026
Least Count	: 0.0001 m³/h	**Equipment ID**	: -NA-
Specified Accuracy (±)	: 1% FSD		
Environment Condition		**Calibration SOP No.**	: WI/28
Temperature	: Ambient	Relative Humidity	: Ambient

Sr.No	Input / Cal. Point	CALIBRATION RESULTS				Remarks
		Master Reading	UUC Reading	Error (UUC-Master)	Acceptance Criteria (±)	
	Units of Measurments:		m³/h			
1	5	5.0004	5.0000	-0.0004	0.22 m³/h	OK
2	10	10.012	10.0000	-0.0120		OK
3	15	15.019	15.0000	-0.0190		OK

CALIBRATION STANDARDS USED :

Name & Make	Range	Serial No.	Certificate No.	Calibration Done On	Calibration Valid Up To
Handheld Ultrasonic Flow Meter & Burhan Electronics	20 to 6000mm	81981074H	TCS/25-26/6763-1	05/07/2025	04/07/2026

REMARKS :

- The Flow Transmitter FT-152 is calibrated within the Accuracy.
- This report refers only to the particular item Calibrated at Site.
- The Calibration results reported in this certificate are valid at the time of & under the stated condition of environment.
- The Calibration standard used are traceable to National / International Standards.
- 'UUC' Unit under calibration, 'SRF' Service Request Form, 'SOP' Standard Operating Procedure, 'FSD' Full Scale Deflection.
- Calibration is done for points selected in full scale as per the user requirement.

Note : This calibration certificate shall not be reproduced in full,except with prior written approval of RYB Technologies

RYB Technologies Calibration Section Bangalore

Sign..... 06/03/2026	07/03/26
Prepared By: RYB Technologies	Checked By: SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

AN ISO/IEC 17025 NABL Accredited Lab
Site No.11, Gajanana Layout, Totada Guddadahalli, Nagasandra Post, Bengaluru - 560 073.
Flat No.102, "Sri Lakshmi Sai Nilayam", Lakeview Colony, Jai Bharat Nagar, Nizampet, Hyderabad - 500090.
E-mail : sales@rybtechnologies.in | info@rybtechnologies.in | Mobile : +91 99637 14224 | +91 90719 25295

Annexure - XI

R Y B Technologies
For all Kinds of Industrial needs

ISO 9001:2015 CERTIFIED

CALIBRATION CERTIFICATE

For : M/s. SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

(100% EOU) Plot #33, 33A & 40 to 47, Raichur Growth Centre, Chicksugur Village, Raichur - 584 134, Karnataka.

Calibration Report No.	: RYB/26/02/S004/108	**Instrument ID**	: FT-151
Instrument Name	: Flow Transmitter	**SRF No.**	: S004
Department / Block	: ETP	**SRF Date**	: 01/02/2026
Location	: ETP/ Feed Flow	**Calibration Date**	: 05/02/2026
Make & Model	: GF	**Calibration Due Date**	: **04/02/2027**
Range	: 0 to 99999.99 L/h	**Certificate Issue Date**	: 05/02/2026
Least Count	: 0.01 L/h	**Equipment ID**	: -NA-
Specified Accuracy (±)	: 1% FSD		
Environment Condition		**Calibration SOP No.**	: WI/28
Temperature	: Ambient	Relative Humidity	: Ambient

Sr.No	Input / Cal. Point	CALIBRATION RESULTS				Remarks
		Master Reading	UUC Reading	Error (UUC-Master)	Acceptance Criteria (±)	
	Units of Measurments:		L/h			
1	2500.0	2500.9	2500.00	-0.90	999.9999 L/h	OK

CALIBRATION STANDARDS USED :

Name & Make	Range	Serial No.	Certificate No.	Calibration Done On	Calibration Valid Up To
Handheld Ultrasonic Flow Meter & Burhan Electronics	20 to 6000mm	81981074H	TCS/25-26/6763-1	05/07/2025	04/07/2026

REMARKS :

- The Flow Transmitter FT-151 is calibrated within the Accuracy.
- This report refers only to the particular item Calibrated at Site.
- The Calibration results reported in this certificate are valid at the time of & under the stated condition of environment.
- The Calibration standard used are traceable to National / International Standards.
- `UUC' Unit under calibration, 'SRF' Service Request Form, 'SOP' Standard Operating Procedure, 'FSD' Full Scale Deflection.
- Calibration is done for points selected in full scale as per the user requirement.

Note : This calibration certificate shall not be reproduced in full,except with prior written approval of RYB Technologies

RYB Technologies ★ Calibration & Validation Services ★ Bangalore

Sign..... 06/02/2026	06/02/26
Prepared By: RYB Technologies	Checked By: SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

AN ISO/IEC 17025 NABL Accredited Lab
Site No.11, Gajanana Layout, Totada Guddadahalli, Nagasandra Post, Bengaluru - 560 073.
Flat No.102, "Sri Lakshmi Sai Nilayam", Lakeview Colony, Jai Bharat Nagar, Nizampet, Hyderabad - 500090.
E-mail : sales@rybtechnologies.in | info@rybtechnologies.in | Mobile : +91 99637 14224 | +91 90719 25295

Annexure - XI

R Y B Technologies
For all Kinds of Industrial needs

ISO 9001:2015 CERTIFIED

CALIBRATION CERTIFICATE

For : M/s. SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

(100% EOU) Plot #33, 33A & 40 to 47, Raichur Growth Centre, Chicksugur Village, Raichur - 584 134, Karnataka.

Calibration Report No.	**: RYB/26/02/S004/109**	**Instrument ID**	**: FT-180**
Instrument Name	: Flow Transmitter	**SRF No.**	: S004
Department / Block	: ETP	**SRF Date**	: 01/02/2026
Location	: ETP/ Permeate Flow	**Calibration Date**	: 05/02/2026
Make & Model	: GF	**Calibration Due Date**	**: 04/02/2027**
Range	: 0 to 99999.99 L/h	**Certificate Issue Date**	: 05/02/2026
Least Count	: 0.01 L/h	**Equipment ID**	: -NA-
Specified Accuracy (±)	: 1% FSD		
Environment Condition		**Calibration SOP No.**	: WI/28
Temperature	**: Ambient**	Relative Humidity	**: Ambient**

Sr.No	Input / Cal. Point	CALIBRATION RESULTS				Remarks
		Master Reading	UUC Reading	Error (UUC-Master)	Acceptance Criteria (±)	
	Units of Measurments:		L/h			
1	2500.0	2500.6	2500.00	-0.60	999.9999 L/h	OK

CALIBRATION STANDARDS USED :

Name & Make	Range	Serial No.	Certificate No.	Calibration Done On	Calibration Valid Up To
Handheld Ultrasonic Flow Meter & Burhan Electronics	20 to 6000mm	81981074H	TCS/25-26/6763-1	05/07/2025	04/07/2026

REMARKS :

- The Flow Transmitter FT-180 is calibrated within the Accuracy.
- This report refers only to the particular item Calibrated at Site.
- The Calibration results reported in this certificate are valid at the time of & under the stated condition of environment.
- The Calibration standard used are traceable to National / International Standards.
- 'UUC' Unit under calibration, 'SRF' Service Request Form, 'SOP' Standard Operating Procedure, 'FSD' Full Scale Deflection.
- Calibration is done for points selected in full scale as per the user requirement.

Note : This calibration certificate shall not be reproduced in full,except with prior written approval of RYB Technologies

RYB Technologies Calibration & Validation Services Bangalore

Sign..... 06/02/2026	06/02/26
Prepared By: RYB Technologies	Checked By: SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

AN ISO/IEC 17025 NABL Accredited Lab
Site No.11, Gajanana Layout, Totada Guddadahalli, Nagasandra Post, Bengaluru - 560 073.
Flat No.102, "Sri Lakshmi Sai Nilayam", Lakeview Colony, Jai Bharat Nagar, Nizampet, Hyderabad - 500090.
E-mail : sales@rybtechnologies.in | info@rybtechnologies.in | Mobile : +91 99637 14224 | +91 90719 25295

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000156**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
25680	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-27-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000157**
Transporter's name and address: (Including Phone No. and e-mail)	S J Enterprises, #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (Including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mailab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27290	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and addition	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-28-2026**

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000158**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29810	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional Information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-28-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000159**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26190	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-29-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000160**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27220	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-30-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000134**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30060	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-11-2026**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000135**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
31490	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-12-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000136**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mailtab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27070	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-12-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000137**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29790	Liters	Pretreated	7.2	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-13-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure -XII

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000138**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
31110	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**use ppe while loading and unloading . any spillage wash with plenty of water . HIGH TDS EFFLUENT .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-13-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Annexure -xii

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000139**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Truck**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27410	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-13-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

FORM 10

Annexure – XII

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000140**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
25250	Liters	Pretreated	7.43	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING . ANY SPILLAGE WASH WITH PLENTY OF WATE-HIGH TDS EFFLUENT .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-14-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000141**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Truck**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27240	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-15-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000142**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30070	Liters	Pretreated	7.2	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-15-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000143**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
25920	Liters	Pretreated	7.2	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-16-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000145**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26960	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-17-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000146**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29470	Liters	Pretreated	7.2	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-18-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000147**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29440	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-19-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000149**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
24860	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-20-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000148**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27010	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-20-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000151**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	**Quantity of Effluent:** 26590 KL; **Unit Type:** Liters; **Effluent is Pretreated:** Pretreated; **PH of Effluent:** 7.5; **Type of Effluent:** Both Organic and Inorganic
Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR **MONTH-DAY-YEAR:**04-20-2026
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000152**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30210	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-22-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000153**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@rnotherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26850	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**use ppe while loading and un loading if any spillage wash with plenty of water high tds water**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-23-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000154**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27270	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and [illegible]rmation	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-23-2026**

PHARMA LIFESCIENCES LIMITED RAICHUR SHILPA

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000115**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
31430	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-01-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

opy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000155**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mailllab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29910	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-25-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000118**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
25520	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-03-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000117**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26380	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-02-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000119**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27230	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-04-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000119**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27230	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-04-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000119**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27230	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-04-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000120**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
31290	Liters	Pretreated	7.2	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**use ppe while loading and unloading . any spillage wash with plenty of waste - HIGH TDS EFFLEUTN .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-04-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000122**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
25150	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-06-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000121**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27060	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-05-2026**

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000123**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Truck**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27490	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-06-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000124**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29320	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING -ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-07-2026**

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000125**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Truck**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27020	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-07-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000126**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker** –
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
31420	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-08-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000127**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27120	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-08-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000128**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29710	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-08-2026**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000129**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
24210	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-09-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000130**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27210	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-09-2026**

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000131**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
31060	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-10-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

Effluent manifest

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000132**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30080	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-10-2026**
Transporter acknowledgement of receipt of Waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LTD RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000133**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Truck**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27310	Liters	Pretreated	7.8	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**Use ppe while loading and unloading . Any spillage wash with plenty of water - High TDS EFFLUENT EATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-11-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000200**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30310	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-26-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy I (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000201**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29090	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-27-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000202**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29590	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-27-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000203**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26780	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-28-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Effluent manifest

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000204**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29930	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-29-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000206**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir . District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	86865

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
33860	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-31-2026**

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000180**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
21590	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-13-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000181**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27020	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waste**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-13-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LTD. RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

...der's name and mailing address ...luding Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sa...der's authorisation No	**28295**
M... Vest Document No	**EF/28295/2026-27/0000182**
...sporter's name and address: ...ding Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
...of vehicle	**Tanker**
...nsporter's registration No	**278461**
...hicle registration No.	**AP 28 TC 1012**
...eiver's name and mailing address ...ding Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
...iver's authorisation No.	**86865**
...te description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27400	Liters	Pretreated	7.3	Both Organic and Inorganic

...sical form	**Both Organic and Inorganic**
...ial handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
...der's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
...me and stamp: Signature:	**MONTH-DAY-YEAR:05-14-2026**
...nsporter acknowledgement of receipt of wastes	
...e and stamp: Signature:	**MONTH-DAY-YEAR**
...eiver's certification for receipt of hazardous and other waste	
...me and stamp: Signature:	**MONTH-DAY-YEAR**

...ote: - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ter's name and mailing address luding Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000182**
nsporter's name and address: ding Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address luding Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
iver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27400	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
ial handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
e and stamp: Signature:	**MONTH-DAY-YEAR:05-14-2026**
Transporter acknowledgement of receipt of wastes	
e and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
e and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFESCIENCES LIMITED RAICHUR

Note - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000183**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26580	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-15-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000184**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
23690	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-16-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000185**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27140	Liters	Pretreated	7.2	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-16-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	EF/28295/2026-27/0000186
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com
Type of vehicle	Tanker
Transporter's registration No	278461
Vehicle registration No.	AP 28 TC 1012
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur. Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	86865

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26950	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	Both Organic and Inorganic
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:05-17-2026
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000187**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26160	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent water**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-17-2026**

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	EF/28295/2026-27/0000188
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	Tanker
Transporter's registration No	278461
Vehicle registration No.	AP 28 TC 1012
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	86865

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26860	Liters	Pretreated	7.4	Both Organic and inorganic

Physical form	Both Organic and Inorganic
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:05-17-2026
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47. Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000189**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block. Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
25100	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and [illegible] information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-18-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre . Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000190**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27400	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling Instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-19-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000191**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 9939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
25550	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-20-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFESCIENCES LIMITED RAICHUR SHILPA

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre . Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000192**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26010	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-20-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000193**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29970	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-21-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMALIFESCIENCES LTD RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000194**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30210	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-22-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000195**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30230	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-23-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000197**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30280	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-24-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, industrial Growth Centre . Chicksugur, Raichur Taluk District **Telephone:**96457 45068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000196**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27410	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-23-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000198**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30120	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-25-2026**
Transporter acknowledgement of receipt of Waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000199**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9886116789 e-mail:sjenterprises3939@gmail.com Transporter s registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
28950	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-25-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000162**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (Including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27050	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-01-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000161**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30200	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-01-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000163**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Truck**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26990	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-02-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000164**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29590	Liters	Pretreated	7.2	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-02-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000165**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26870	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional info	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-02-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000166**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26870	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-03-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

Effluent manifest

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000167**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26120	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-03-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature: 7/1/2026	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000168**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29540	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-04-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000169**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29650	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-04-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000170**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Truck**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27340	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-05-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000171**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26870	Liters	Pretreated	7.2	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurataly described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-05-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000172**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30510	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-06-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000173**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30510	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-07-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000174**
Transporter's name and address: (including Phone No. and e-mail)	S.J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
25720	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**use ppe while loading and unloading . amy spillage wash with plenty of water-HIGH TDS EFFLUENT WATER .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-08-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000175**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
23440	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and [illegible]ation	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-10-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000176**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27370	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-11-2026**

SHILPA PHARMA LIFE SCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000177**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 07 UE 3279**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26730	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certific	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-11-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000178**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Truck**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27470	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-11-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District **Telephone:**98457+5068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000179**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar Bangalore Phone:9866116789, e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
28500	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-12-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the vendor to the State Pollution Control Board after signing all the seven copies

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000229**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34310	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-25-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000230**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mailllab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27110	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-26-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000231**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27560	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-27-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000232**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30700	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-28-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000233**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30200	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-29-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000234**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	**Quantity of Effluent:** 27140 Liters; **Unit Type:** Pretreated; **Effluent is Pretreated:** 7.6; **PH of Effluent:** Both Organic and Inorganic; **Type of Effluent**
Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**Use ppe while loading and unloading**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-30-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy I (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Growth Centre Chicksugur, Raichur **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000208**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29940	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR **MONTH-DAY-YEAR:06-04-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the Sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbsshilpa.com
Sender's authorisation No	28295
Manifest Document No	EF/28295/2026-27/0000209
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	Tanker
Transporter's registration No	278461
Vehicle registration No.	AP 28 TC 1012
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	86865

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26920	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	Both Organic and Inorganic
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:06-05-2026
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000210**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29310	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-06-2026**

PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000211**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
35600	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-07-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000212**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34950	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent water**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-08-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000213**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30120	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**use ppe while loading and unloading any spillage wash with plenty of water -high tds effluent**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-08-2026**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

. Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	EF/28295/2026-27/0000214
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	Tanker
Transporter's registration No	278461
Vehicle registration No.	AP-28 TC-1012
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	86865

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26900	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	Both Organic and Inorganic
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:06-10-2026
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy I (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000215**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29040	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-12-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000216**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30940	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-12-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/00002!7**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30690	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS EFFLUENT WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-13-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 [White] - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000219**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mail:sjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taiuk : Yadgir , District : Yadgir Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
31450	Liters	Pretreated	7.8	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**Use ppe while loading and unloading - effluent water sent to CETP**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-14-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFESCIENCES LIMITED RAICHUR IHS

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	EF/28295/2026-27/0000219
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mail:sjenterprises393@gmail.com Transporter's registration No.: 278461
Type of vehicle	Tanker
Transporter's registration No	278461
Vehicle registration No.	TS 08 UJ 3939
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	86865

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30060	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	Both Organic and Inorganic
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature	MONTH-DAY-YEAR:06-15-2026
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000220**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29860	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-17-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMA LIFESCIENCES LTD. RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000221**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30060	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-18-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000222**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
31010	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS EFFLUENT WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-19-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFESCIENCES Limited RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000223**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116769 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30060	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	Both Organic and Inorganic
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-21-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000224**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30880	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR **MONTH-DAY-YEAR:06-21-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000225**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30260	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-22-2026**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Receiver's certification for receipt of hazardous and other waste

Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000226**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mailllab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26960	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-24-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000227**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30250	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent waster**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-24-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000283**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Truck**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26590	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-06-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000284**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30840	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-07-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

VBSHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000285**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30450	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS EFFLUENT WASTER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-07-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

VB PHARMA LIFESCIENCES LIMITED RAICHUR

opy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000286**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30670	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-08-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

opy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000287**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 7116**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34010	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-09-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

opy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000288**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
31160	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-10-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000289**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 7116**
Receiver's name and mailing address (Including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34310	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-12-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

(White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000290**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30640	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-12-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000291**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30810	Liters	Pretreated	7.8	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -high tds effluent water**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-13-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XV

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000293**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 3435**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30940	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and**

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000292**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29980	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-14-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

opy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000294**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 7116**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34770	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-16-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

y 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000295**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG08T7557**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26280	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-16-2026**

PHARMALIFESCIENCES LIMITED RAICHUR

Transporter acknowledgement of receipt of Wastes

Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy I (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ıg address e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
)	**28295**
	EF/28295/2026-27/0000296
ddress: e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
	Tanker
No	**278461**
	TS 08 UL 9339
ıg address -mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
),	**86865**

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30030	Liters	Pretreated	7.4	Both Organic and Inorganic

Both Organic and Inorganic

ıs and additional information

USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

MONTH-DAY-YEAR:09-18-2026

ınt of receipt of Wastes

MONTH-DAY-YEAR

Annexure-XII

Effluent manifest

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ıailing address and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
n No	**28295**
lo	**EF/28295/2026-27/0000297**
nd address: and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
	Tanker
tion No	**278461**
o.	**TG 08 T 7116**
mailing address and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
on No.	**86865**

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
33990	Liters	Pretreated	7.4	Both Organic and Inorganic

Both Organic and Inorganic

uctions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
ıature:	**MONTH-DAY-YEAR:09-19-2026**
dgement of receipt of Wastes	
ıature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ailing address and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
ı No	**28295**
o	**EF/28295/2026-27/0000298**
ıd address: and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
	Tanker
:ion No	**278461**
ɔ.	**TS 08 UL 9339**
nailing address ınd e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
ɔn No.	**86865**

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34480	Liters	Pretreated	7.5	Both Organic and Inorganic

Both Organic and Inorganic

ıctions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
ature:	**MONTH-DAY-YEAR:09-21-2026**
ɨgement of receipt of Wastes	
ature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ender's name and mailing address ncluding Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
ender's authorisation No	**28295**
lanifest Document No	**EF/28295/2026-27/0000299**
ransporter's name and address: ncluding Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
ype of vehicle	**Tanker**
ransporter's registration No	**278461**
ehicle registration No.	**TG 08 T 7566**
eceiver's name and mailing address ncluding Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
eceiver's authorisation No.	**86865**

'aste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34170	Liters	Pretreated	7.6	Both Organic and Inorganic

ıysical form	**Both Organic and Inorganic**
ıecial handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
ınder's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
ıme and stamp: Signature:	**MONTH-DAY-YEAR:09-21-2026**
ansporter acknowledgement of receipt of Wastes	
ıme and stamp: Signature:	**MONTH-DAY-YEAR**
ceiver's certification for receipt of hazardous and other waste	
me and stamp: Signature:	**MONTH-DAY-YEAR**

White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000300**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 7566**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
33450	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-23-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

r 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

Effluent manifest

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ıailing address and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
ı No	**28295**
o	**EF/28295/2026-27/0000301**
ıd address: ınd e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
	Tanker
on No	**278461**
,	**TG 08 T 7116**
ailing address ıd e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
ı No.	**86865**

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34650	Liters	Pretreated	7.6	Both Organic and Inorganic

Both Organic and Inorganic

:ions and additional information

USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT

I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

ıre: **MONTH-DAY-YEAR:09-24-2026**

ment of receipt of Wastes

ıre: **MONTH-DAY-YEAR**

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

mailing address o. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
ion No	**28295**
No	**EF/28295/2026-27/0000302**
and address: . and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
	Tanker
ation No	**278461**
No.	**TG 08 T 7116**
mailing address and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
ion No.	**86865**

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
33940	Liters	Pretreated	7.5	Both Organic and Inorganic

Both Organic and Inorganic

uctions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
ature:	**MONTH-DAY-YEAR:09-27-2026**
dgement of receipt of Wastes	
ature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ıailing address and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
n No	**28295**
o	**EF/28295/2026-27/0000303**
ıd address: and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
	Tanker
ion No	**278461**
).	**TG 08 T 1122**
ıailing address nd e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
n No.	**86865**

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29690	Liters	Pretreated	7.5	Both Organic and Inorganic

Both Organic and Inorganic

tions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
ure:	**MONTH-DAY-YEAR:09-29-2026**
ement of receipt of Waste	
ure:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ıailing address and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
n No	**28295**
lo	**EF/28295/2026-27/0000304**
ıd address: and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
	Tanker
:ion No	**278461**
ɔ.	**TG 08 T 7116**
nailing address ınd e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
ɔn No.	**86865**

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34540	Liters	Pretreated	7.3	Both Organic and Inorganic

Both Organic and Inorganic

ctions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
ture:	**MONTH-DAY-YEAR:09-30-2026**
gement of receipt of Wastes	
ture:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000264**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30230	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-01-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000265**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30180	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-02-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000266**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30390	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-04-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000267**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30730	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-06-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
ender's authorisation No	**28295**
fanifest Document No	**EF/28295/2026-27/0000268**
ransporter's name and address: ncluding Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
pe of vehicle	**Tanker**
ansporter's registration No	**278461**
hicle registration No.	**TS 08 UL 9339**
ceiver's name and mailing address cluding Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
eiver's authorisation No.	**86865**
ste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30740	Liters	Pretreated	7.4	Both Organic and Inorganic

ical form	**Both Organic and Inorganic**
ial handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
ler's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
e and stamp: Signature:	**MONTH-DAY-YEAR:08-06-2026**
porter acknowledgement of receipt of Wastes	
and stamp: Signature:	**MONTH-DAY-YEAR**
ver's certification for receipt of hazardous and other waste	
and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

I - To be forwarded by the tender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000269**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**AP 28 TC 1012**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
27040	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-10-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**



Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000270**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30190	Liters	Pretreated	7.8	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS EFFLUENT WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-11-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000271**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34490	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS EFFLUENT WASTER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-12-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000272**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34520	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-13-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000273**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 7566**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34870	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS EFFLUENT WASTER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-14-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no:33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000274**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1113**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30550	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS EFFLUENT WASTER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-15-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SCIENCES LIMITED RAICHUR SHILPA PHARMA

y 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000275**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 1122**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34900	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-17-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000276**
Transporter's name and address: (including Phone No. and e-mail)	S.J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TG 08 T 7566**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34320	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-18-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000277**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private LImited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30700	Liters	Pretreated	7.5	Both Organic and Inorganic

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-23-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000278**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30470	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	MONTH-DAY-YEAR:08-24-2026
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No-	**28295**
Manifest Document No	**EF/28295/2026-27/0000279**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 5577**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mail:lab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**
Waste description	

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
33040	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-26-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000280**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30170	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-27-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000281**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 5577**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mailiab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
35200	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-28-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

opy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000282**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
34910	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-30-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000261**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29890	Liters	Pretreated	7.3	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS effluent water**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-29-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000262**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30240	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-30-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no:33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000263**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30230	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-31-2026**
Transporter acknowledgement of receipt	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000260**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30040	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-28-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMA LIFESCIENCES LIMITED RAICHUR SHILPA

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000259**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29020	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HIGH TDS EFFLUENT WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-27-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFE SCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000258**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30580	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-26-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000257**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29960	Liters	Pretreated	7.5	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-25-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure -XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000256**
Transporter's name and address: (including Phone No. and e-mail)	S.J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UJ 3939**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30030	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-24-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**EF/28295/2026-27/0000254**
Transporter's name and address: (including Phone No. and e-mail)	S J Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 278461
Type of vehicle	**Tanker**
Transporter's registration No	**278461**
Vehicle registration No.	**TS 08 UL 9339**
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	**86865**

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30000	Liters	Pretreated	7.4	Both Organic and Inorganic

Physical form	**Both Organic and Inorganic**
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-23-2026**
Transporter acknowledgement of receipt of Waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure – XII

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma Lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	FF/28295/2026-27/0000253
Transporter's name and address: (including Phone No. and e-mail)	SJ Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 27846
Type of vehicle	Tanker
Transporter's registration No	278461
Vehicle registration No.	TS 08 UI 9339
Receiver's name and mailing address (including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 162, KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-mailllab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	86865

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
29370	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	Both Organic and Inorganic
Special handling instructions and additional information	USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -HITDS TDS effluent water
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:07-22-2026
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Copy (White) - to be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure - XII

Effluent manifest

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	Shilpa pharma Lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	FF/28295/2026-27/0000252
Transporter's name and address: (Including Phone No. and e-mail)	SJ Enterprises #64, 13th Main, Raghavendra Block, Srinagar, Bangalore Phone:9866116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 27846
Type of vehicle	Tanker
Transporter's registration No	278461
Vehicle registration No.	AP 28 TC 1012
Receiver's name and mailing address (Including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 62 , KIADB Kadechur Industrial Estate,Village Kadechur, Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	86865

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
26840	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	Both Organic and Inorganic
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING ANY SPILLAGE WASH WITH PLENTY OF WATE-HIGH TDS EFFLUENT .
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature	MONTH-DAY-YEAR:07-21-2026
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

Copy (White) to be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure - XII

Effluent manifest

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (Including Phone No. and e-mail)	Shilpa pharma lifesciences ltd Plot no.33,33A,40to47, Industrial Growth Centre Chickalgur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	28295
Manifest Document No	FF/28295/2026-27/0000251
Transporter's name and address: (Including Phone No. and e-mail)	SJ Enterprises #64, 13th Main, Raghavendra Block, Srinagar Bangalore Phone:9886116789 e-mailsjenterprises3939@gmail.com Transporter's registration No: 27846
Type of vehicle	Tanker
Transporter's registration No	278461
Vehicle registration No.	TS 08 UJ 3939
Receiver's name and mailing address (Including Phone No. and e-mail)	CETP Project of Mother Earth Environ Tech Private Limited Plot Nos. 62 , KIADB Kadechur Industrial Estate,Village Kadechur Yadgiri Industrial Area : Kadechuru , Taluk : Yadgir , District : Yadgir Phone:7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 86865
Receiver's authorisation No.	86865

Waste description

Quantity of Effluent	Unit Type	Effluent is Pretreated	PH of Effluent	Type of Effluent
30220	Liters	Pretreated	7.6	Both Organic and Inorganic

Physical form	Both Organic and Inorganic
Special handling instructions and additional information	USE PPE WHILE LOADING AND UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER - HIGH TDS EFFLUENT WATER
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature:	MONTH-DAY-YEAR:07-20-2026
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

Copy (White) - to be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2655
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092lF

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	123
Velocity (m/s)	8.8
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	31223.8	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	16.5	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	36	<150
Carbon Dioxide as CO_2		%	8.4	<12

BDL: Below Detection limit

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure - XIII



Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3422
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.30986
11.	Longitude	:	77.357057

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014722F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	120
Velocity (m/s)	8.4
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	29805	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	17.6	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	38	<150
Carbon Dioxide as CO_2		%	7.5	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory


Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3900
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.30986
11.	Longitude	:	77.357057

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016637F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	122
Velocity (m/s)	8.1
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	29804	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	73.4	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	16.2	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	34	<150
Carbon Dioxide as CO_2		%	7.2	<12

BDL: Below Detection limit

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORY BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6279
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309673
11.	Longitude	:	77.356992

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019859F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	125
Velocity (m/s)	8.4
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	29804	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.4	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	14.8	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	32	<150
Carbon Dioxide as CO_2		%	7.5	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6802
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309685
11.	Longitude	:	77.357078

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022019F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	126
Velocity (m/s)	8.1
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	28740	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	73.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	17.5	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	38	<150
Carbon Dioxide as CO_2		%	8.2	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI


Authorized Signatory
Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure – XIII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7520
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.309693
11.	Longitude	:	77.357087

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025131F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	130
Velocity (m/s)	8.5
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	30159	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	75.2	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	18.1	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	35	<150
Carbon Dioxide as CO_2		%	8.6	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory


Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2660
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309634
11.	Longitude	:	77.356786

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 6F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	68
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	74.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	19.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	25.4	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

ANALYTICAL LABORATORIES BALLARI

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-XIII



Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2661
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309637
11.	Longitude	:	77.356783

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 7F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	66
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	61.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	14.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	26.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure -XIII



Annexure - XII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	Stack ID	:	**DG – Set 625KVA– III**
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2662
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309535
11.	Longitude	:	77.357008

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000001092 8F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	64
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	56.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	20.1	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.4	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure – XIII



Annexure – XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2663
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 9F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	78
Velocity (m/s)	7.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	75.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	26.8	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	32.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-END OF REPORT-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3427
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.312012
11.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014727F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	65
Velocity (m/s)	5.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	73.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	14.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	19.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3428
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.312012
11.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014728F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	63
Velocity (m/s)	5.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	66.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	12.5	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	22.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


Annexure-XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3429
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.312012
11.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014729F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	61
Velocity (m/s)	5.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m²)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	50.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	21.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	24.2	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**
E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3430
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014730F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	74
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	74.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	23.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES MSV BALLARI
END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3905
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309606
11.	Longitude	:	77.356763

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016642F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	68
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	70.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	16.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	21.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3906
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309603
11.	Longitude	:	77.356764

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016643F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	65
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	64.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	13.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	24.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

: END OF REPORT :

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3907
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309603
11.	Longitude	:	77.356764

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016644F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	62
Velocity (m/s)	5.6
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	52.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	23.5	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	27.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3908
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016645F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	76
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	72.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	20.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	26.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6284
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309676
11.	Longitude	:	77.35673

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019864F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	66
Velocity (m/s)	5.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	72.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	18.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	24.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XVI

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6285
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309609
11.	Longitude	:	77.356761

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019865F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	68
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	67.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	16.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	27.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

END OF REPORT:-


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6286
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309559
11.	Longitude	:	77.356971

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019866F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	65
Velocity (m/s)	5.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	50.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	21.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure -XIII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6287
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019867F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	74
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	74.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	23.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	29.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6807
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309641
11.	Longitude	:	77.356771

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022024F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	65
Velocity (m/s)	5.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	74.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	16.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	23.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount, Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6808
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309641
11.	Longitude	:	77.356771

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022025F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	66
Velocity (m/s)	5.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	65.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	14.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	25.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIII.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6809
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309641
11.	Longitude	:	77.356771

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022026F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	64
Velocity (m/s)	5.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	52.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	20.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	22.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah. P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6810
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022027F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	72
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	71.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	22.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	27.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure -XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7525
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000025136F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	68
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m²)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	78.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	18.5	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7526
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025137F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	69
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	69.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	16.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	26.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure-XLII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7527
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025138F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	70
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	60.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	25.4	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	20.6	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

: END OF REPORT :

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure-XIII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIII

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7528
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025139F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	70
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	73.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	25.8	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	29.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure – XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	20.04.2026
7.	Date of Sample Receipt	:	21.04.2026
8.	Analysis Starting Date	:	21.04.2026
9.	Analysis Completion Date	:	27.04.2026
10.	Report Issue Date	:	28.04.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310613
13.	Longitude	:	77.356098

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1601

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1621	1622	1623			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

MSV ANALYTICAL LABORATORIES ★ BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIV



Annexure -XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	27.05.2026
7.	Date of Sample Receipt	:	28.05.2026
8.	Analysis Starting Date	:	28.05.2026
9.	Analysis Completion Date	:	01.06.2026
10.	Report Issue Date	:	02.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.312012
13.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000014720F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/3743	AAQ/3744	AAQ/3745			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	82.5	76.1	73.1	µg/m³	77.2	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	30.4	27.5	24.8	µg/m³	27.6	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	24.6	20.8	17.2	µg/m³	20.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	35.1	33.6	28.4	µg/m³	32.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.74	0.62	0.55	mg/m³	0.64	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	27.05.2026
7.	Date of Sample Receipt	:	28.05.2026
8.	Analysis Starting Date	:	28.05.2026
9.	Analysis Completion Date	:	01.06.2026
10.	Report Issue Date	:	02.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.312012
13.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1969

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2022	2023	2024			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:- END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	27.05.2026
7.	Date of Sample Receipt	:	28.05.2026
8.	Analysis Starting Date	:	28.05.2026
9.	Analysis Completion Date	:	01.06.2026
10.	Report Issue Date	:	02.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.312012
13.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000014721F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/3746	AAQ/3747	AAQ/3748			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	74.5	72.8	68.4	µg/m³	71.9	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	26.1	23.5	19.2	µg/m³	22.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	20.6	19.5	13.6	µg/m³	17.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	25.3	23.5	19.6	µg/m³	22.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.55	0.51	0.42	mg/m³	0.49	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

MSV ANALYTICAL LABORATORIES * BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-XN

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	27.05.2026
7.	Date of Sample Receipt	:	28.05.2026
8.	Analysis Starting Date	:	28.05.2026
9.	Analysis Completion Date	:	01.06.2026
10.	Report Issue Date	:	02.06.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.312012
13.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1970

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2025	2026	2027			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31164
13.	Longitude	:	77.358044

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000016635F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4156	AAQ/4157	AAQ/4158			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	83.2	77.2	72.3	µg/m³	77.6	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	31.2	26.4	23.1	µg/m³	26.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	23.8	19.1	16.3	µg/m³	19.7	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	36.2	32.5	29.1	µg/m³	32.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.72	0.61	0.52	mg/m³	0.62	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31164
13.	Longitude	:	77.358044

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2150

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2020	2021	2022			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF ~~REPORT:-~~

ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310603
13.	Longitude	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000016636F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4159	AAQ/4160	AAQ/4161			
1	Particulate Matter (Size less than 10	IS-5182(Part-23):2017	73.2	70.6	67.1	µg/m³	70.3	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	25.3	22.3	18.5	µg/m³	22.0	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	21.3	18.5	12.4	µg/m³	17.4	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	24.6	22.8	18.3	µg/m³	21.9	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.54	0.52	0.41	mg/m³	0.49	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website : www.msvalbellary.com**

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	18.06.2026
7.	**Date of Sample Receipt**	:	19.06.2026
8.	**Analysis Starting Date**	:	20.06.2026
9.	**Analysis Completion Date**	:	23.06.2026
10.	**Report Issue Date**	:	24.06.2026
11.	**Sampling Protocol**	:	IS 5182 : Part 14
12.	**Latitude**	:	16.310603
13.	**Longitude**	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2151

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2023	2024	2025			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories


Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311648
13.	Longitude	:	77.358001

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000019857F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4803	AAQ/4804	AAQ/4805			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	85.6	79.6	74.2	µg/m³	79.8	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	33.8	28.4	25.1	µg/m³	29.1	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	26.8	21.3	17.6	µg/m³	21.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	38.9	34.8	30.7	µg/m³	34.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.75	0.67	0.58	mg/m³	0.67	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

:- END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311648
13.	Longitude	:	77.358001

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2361

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2541	2542	2543			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

END OF REPORT

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

Annexure-XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310651
13.	Longitude	:	77.356028

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000019858F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4806	AAQ/4807	AAQ/4808			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	71.4	68.5	64.3	µg/m³	68.1	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	23.8	20.4	16.5	µg/m³	20.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	18.9	15.1	10.3	µg/m³	14.8	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	22.1	19.6	16.8	µg/m³	19.5	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.51	0.48	0.42	mg/m³	0.47	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Ballary Jurisdiction Only.

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310651
13.	Longitude	:	77.356028

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2362

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2544	2545	2546			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311654
13.	Longitude	:	77.358006

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000022017F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5190	AAQ/5191	AAQ/5192			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	83.5	75.1	76.3	$\mu g/m^3$	78.3	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	43.1	36.5	31.2	$\mu g/m^3$	36.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	24.3	18.6	14.2	$\mu g/m^3$	19.0	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	28.5	25.1	18.3	$\mu g/m^3$	24.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.68	0.52	0.41	mg/m^3	0.54	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure – XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311654
13.	Longitude	:	77.358006

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2586

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2793	2794	2796			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure- XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310603
13.	Longitude	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000022018F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5193	AAQ/5194	AAQ/5195			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	76.2	71.2	63.5	µg/m³	70.3	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	33.5	28.5	24.6	µg/m³	28.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	21.4	12.4	9.7	µg/m³	14.5	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	24.5	21.3	13.2	µg/m³	19.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.44	0.31	0.23	mg/m³	0.33	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	19.08.2026
7.	**Date of Sample Receipt**	:	20.08.2026
8.	**Analysis Starting Date**	:	20.08.2026
9.	**Analysis Completion Date**	:	24.08.2026
10.	**Report Issue Date**	:	25.08.2026
11.	**Sampling Protocol**	:	IS 5182 : Part 14
12.	**Latitude**	:	16.310603
13.	**Longitude**	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2587

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2797	2798	2799			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-XII

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount, Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311625
13.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000025129F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5730	AAQ/5731	AAQ/5732			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	84.2	79.6	77.2	µg/m³	80.3	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	44.3	38.2	30.6	µg/m³	37.7	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	25.1	19.3	15.8	µg/m³	20.1	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	29.1	24.6	20.4	µg/m³	24.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.71	0.62	0.44	mg/m³	0.59	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

--END OF REPORT--

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311625
13.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/3076

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			3026	3027	3028			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.358056

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000025130F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5733	AAQ/5734	AAQ/5735			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	74.1	70.3	62.5	µg/m³	69.0	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	34.2	30.2	26.1	µg/m³	30.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	20.5	13.2	10.3	µg/m³	14.7	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	23.1	20.5	12.6	µg/m³	18.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.42	0.36	0.27	mg/m³	0.35	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.358056

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/3077

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			3029	3030	3031			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	20.04.2026
7.	Date of Sample Receipt	:	21.04.2026
8.	Analysis Starting Date	:	21.04.2026
9.	Analysis Completion Date	:	27.04.2026
10.	Report Issue Date	:	28.04.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310613
13.	Longitude	:	77.356098

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000001092OF

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/2841	AAQ/2842	AAQ/2843			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	70.6	71.2	66.3	µg/m³	72.7	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	24.3	21.9	17.5	µg/m³	24.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	20.7	15.4	12.6	µg/m³	18.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	25.1	22.1	18.7	µg/m³	24.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.54	0.48	0.39	mg/m³	0.51	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure - XIV



Annexure - XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Main Gate**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	20.04.2026
7.	**Date of Sample Receipt**	:	21.04.2026
8.	**Analysis Starting Date**	:	21.04.2026
9.	**Analysis Completion Date**	:	27.04.2026
10.	**Report Issue Date**	:	28.04.2026
11.	**Sampling Protocol**	:	IS 5182:Part 14
12.	**Latitude**	:	16.31163
13.	**Longitude**	:	77.358031

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1600

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1618	1619	1620			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure -XIV

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	20.04.2026
7.	Date of Sample Receipt	:	21.04.2026
8.	Analysis Starting Date	:	21.04.2026
9.	Analysis Completion Date	:	27.04.2026
10.	Report Issue Date	:	28.04.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31163
13.	Longitude	:	77.358031

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000000010919F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/2838	AAQ/2839	AAQ/2840			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	84.5	77.5	73.5	µg/m³	75.7	100
2	Particulate Matter (Size less than 2.5 µm) or	IS-5182(Part-24):2019	33.5	28.6	24.6	µg/m³	25.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	26.7	23.5	20.3	µg/m³	19.6	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	38.9	34.5	31.4	µg/m³	31.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.67	0.56	0.51	mg/m³	0.52	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure – XV

Certificate of Registration

ISO 14001:2015

This is to Certify that
Environmental Management System of

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU, UNIT-II

PLOT NO. 33, 33A & 40-47, RAICHUR INDUSTRIAL GROWTH CENTRE,
CHICKSUGUR - 584134, DIST. & TALUK RAICHUR, KARNATAKA, INDIA.

has been assessed and found to conform to the requirements of

ISO 14001:2015

for the following scope :

MANUFACTURE AND SUPPLY OF ACTIVE PHARMACEUTICAL INGREDIENTS(APIs), INTERMEDIATES AND POLYMERS – BIOMEDICAL & HIGH ENERGY APPLICATION
IAF CODE : 13,12

Certificate No	: **25EEOP64**		
Initial Registration Date	: 21/04/2025	Issuance Date	: 21/04/2025
Date of Expiry	: 20/04/2028		
1st Surv. Due	: 21/03/2026	2nd Surv. Due	: 21/03/2027

Director

EGAC Accredited
EMS Certification
CAB # 012226

MEMBER OF MULTILATERAL RECOGNITION ARRANGEMENT IAF

(Scan to Verify)

Assurance Quality Certification LLC

Head Office: Sharjah Media City, SHAMS, Sharjah, UAE. e-mail: info@aqcworld.com,
Key Location: A-60, Sector - 2, Noida, Uttar Pradesh, 201301, India.

**Validity of the Certificate is subject to successful completion of surveillance audit on or before of due date. (In case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawn).*

Certificate Verification: Please Re-check the validity of certificate at http://www.aqcworld.com/activeclients.aspx or www.aqcworld.com at Active Clients.

Certificate is the property of Assurance Quality Certification LLC and shall be returned immediately when demanded