Your (Half Yearly Compliance Report) has been Submitted with following details	
Proposal No	EC No:IA-J-11011/301/2020-IA-II(I) Dated 2021
Compliance ID	1247010756
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1247010756/2026
Reporting Year	2026
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	06-11-2026
RO/SRO Name	Shri S Senthil Kumar
RO/SRO Email	jk083.ifs@nic.in
State	KARNATAKA
RO/SRO Office Address	Integrated Regional Offices, Bengaluru
Note:- SMS and E-Mail has been sent to Shri S Senthil Kumar, KARNATAKA with Notification to Project Proponent.	

Outlook

Half yearly EC compliance report for the term April -2026 to September-2026

From EHS <ehs@shilpapharma.com>
Date Tue 2026-10-27 16:11
To Env Section Regional Office Bengaluru <rosz.bng-mefcc@gov.in>
Cc R Elangovan <r.elangovan@shilpapharma.com>; K.Sharath Reddy <sharath@shilpapharma.com>

1 attachment (29 MB)
EC Compliance EC No IA-J-11011 301 2020—IA-II(I)Dated 05.01.2021.pdf;

To
The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing,17th Main Road,
II nd Block, Koramangala, Banglore-560034.

Respected Sir / Madam,

Sub : Submission of EC Six Months Compliance status report for the term **April -2026 to September-2026** – Reg

Ref : 1. EC No: IA-J-11011/301/2020—IA-II(I)Dated 05.01.2021
2. Corrigendum No: F.No. IA-J-11011/301/2020-II(I)Date30.09.2021
3. EC Transfer letter IA-J-11011/301/2020-II(I) dtd 20th June 2022

We are herewith submitting half yearly compliance report for the term **April -2026 to September-2026**

Project Name : "Shilpa Pharma LifeSciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Pharma Lifesciences Ltd Unit-II, Plot no 30,31,32and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134.
Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAAIAJ-11011/301/2020—IA-II (I)Dated 05.11.2021.; Corrigendum Dtd 30-09-2021 & EC transfer letter dtd 20th June 2022

The following documents are attached

Sl. No.	Description	Annexure No.
1	Waste Water Monitoring Reports	Annexure-1
2	VOC Copy	Annexure-2
3	Ambient Air Quality Reports	Annexure-3
4	Water Mass Balance Chart	Annexure-4
5	Medical Report (One Employee)	Annexure-5
6	Fire Hydrant System Photographs	Annexure-6
7	Sample Training Record	Annexure-7
8	KIADB Agreement Copy	Annexure-8

9	Stack Emission Reports	Annexure-9
10	One-Day Flow Meter Record	Annexure-10
11	Hazardous Waste Manifest Copy	Annexure-11
12	Green Belt Layout Plan	Annexure-12
13	Environment Cell Details	Annexure-13
14	Noise Monitoring Reports	Annexure-14
15	CER Activities Details	Annexure-15
16	Capital and Running Costs of Environmental Management System	Annexure-16
17	Copy of Letter Submitted to Gram Panchayat	Annexure-17
18	Form-V (Environmental Statement)	Annexure-18
19	EC Advertisement in Deccan Herald (English) for SML Unit-2	Annexure-19
20	EC Advertisement in Prajavani (Kannada) for SML Unit-2	Annexure-20
21	Environmental Clearance (EC), Corrigendum and EC Transfer Letter	Annexure-21

Kindly acknowledge the receipt of the document and e-mail.

Thanks & Regards,
Vijay Kumar N
Environment, Health & Safety
Mob No 8884683004
Shilpa Pharma LifeSciences Limited, Unit-2
Raichur Industrial growth Center, Chicksugur-584134

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

SPL/100%EOU/EHS/041/2026-27 **Date: 27.10.2026**

To
The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing,17th Main Road,
II nd Block, Koramangala, Banglore-560034.

Respected Sir / Madam,

Sub : Submission of EC Six Months Compliance status report for the term **April -2026 to September-2026** – Reg

Ref : 1. EC No: IA-J-11011/301/2020—IA-II(I)Dated 05.01.2021
2. Corrigendum No: F.No. IA-J-11011/301/2020-II(I)Date30.09.2021
3. EC Transfer letter IA-J-11011/301/2020-II(I) dtd 20th June 2022

We are herewith submitting half yearly compliance report for the term **April -2026 to September-2026**

Project Name : "Shilpa Pharma LifeSciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Pharma Lifesciences Ltd Unit-II, Plot no 30,31,32and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134. Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAAIAJ-11011/301/2020—IA-II (I)Dated 05.11.2021.; Corrigendum Dtd 30-09-2021 & EC transfer letter dtd 20th June 2022

The following documents are attached

Sl. No.	Description	Annexure No.
1	Waste Water Monitoring Reports	Annexure-1
2	VOC Copy	Annexure-2
3	Ambient Air Quality Reports	Annexure-3
4	Water Mass Balance Chart	Annexure-4
5	Medical Report (One Employee)	Annexure-5
6	Fire Hydrant System Photographs	Annexure-6
7	Sample Training Record	Annexure-7
8	KIADB Agreement Copy	Annexure-8

Corporate & Admin Office : "Shilpa House", #12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India
Tel: +91-8532-238704, Fax: +91-8532-238876, Email: info@vbshilpa.com, Web: www.vbshilpa.com

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

9	Stack Emission Reports	Annexure-9
10	One-Day Flow Meter Record	Annexure-10
11	Hazardous Waste Manifest Copy	Annexure-11
12	Green Belt Layout Plan	Annexure-12
13	Environment Cell Details	Annexure-13
14	Noise Monitoring Reports	Annexure-14
15	CER Activities Details	Annexure-15
16	Capital and Running Costs of Environmental Management System	Annexure-16
17	Copy of Letter Submitted to Gram Panchayat	Annexure-17
18	Form-V (Environmental Statement)	Annexure-18
19	EC Advertisement in Deccan Herald (English) for SML Unit-2	Annexure-19
20	EC Advertisement in Prajavani (Kannada) for SML Unit-2	Annexure-20
21	Environmental Clearance (EC), Corrigendum and EC Transfer Letter	Annexure-21

Kindly acknowledge the receipt of the document and e-mail.

Thanking you,

Yours faithfully

For SHILPA PHARMA LIFESCIENCES LIMITED-UNIT-02

SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2) Chicksugur Raichur Karnataka

Authorized Signatory

CC to:

1. Office of the Regional Office,Karnataka State Pollution Control Board, Building st Shed No.C-03 KSSIDC Industrial Estate, 3rd Cross,Hyderabad Road, Raichur – 584102 (✓)
2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49,4th & 5th Floor, Church Street, Bengaluru, Karnataka 560001.**(By Mail)**
3. The Principal secretary, Department of forest, Ecology & Environment Government of Karnataka, Room No: 404, 4th floor, II nd stage, Multi Storied Building, Bangalore-560 001**(By Mail)**

Corporate & Admin Office : "Shilpa House", #12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India
Tel: +91-8532-238704, Fax: +91-8532-238876, Email: info@vbshilpa.com, Web: www.vbshilpa.com

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

MoEF Conditions Compliance Status Report

(From April -2026 to September -2026)

Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by Mls Shilpa Medicare Limited, 100°/ EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding

The Project is under implementation CFE is obtained and after completion CFO will be obtained & the expansion activities will be commissioned; all the systems for all the conditions are in place, The water consumption & waste water generation will be generated as per the conditions after the completion of the implementation of the expansion & obtaining the CFO

Shilpa Medicare limited, 100% EOU Environment clearance F.NO.IA-J-1101/301/202-IA-II (I) dated 5-01-2021 compliance status.

Part-A/Specific Conditions

1.	**A. Specific condition** (i). The Unit shall install waste water flow meter at the outlet of Unit - I and inlet of Unit- II, and keep record of waste water flow from Unit-I to Unit- II. The monitoring report shall be submitted to the SPCB/MoEFCC Regional office.	Flow meters installed at Unit-1 & unit-2 & kept the Records & submitted	Complied, Waste water monitoring reports attached As **Annexure-1**
2.	(ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	The company has implemented all the environmental Protection measures and safeguards proposed in the docs submitted to the ministry & All the recommendations in EIA/EMP implemented . Following Details of Env. Protection measures implemented. • ZLD treatment plant • Scrubber installed to control process emission • Condenser are installed to control the VOC & odour emission • Acoustic enclosure in diesel generator for noise level reduction	The Expansion project under this EC is not yet implemented

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

MoEF Conditions Compliance Status Report

(From April -2026 to September -2026)

		• Installed bag filter for dust emission control • Installed isolators for controlling dust exposures	
3.	(iii). Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.	Effective chilled water circulation given to the condensers to control the fugitive emissions & VOCs are controlled to 99.997% , Regularly VOC's are monitored	Complied, VOC Copy's attached as **Annexure No-2** & Ambient air Quality reports attached as **Annexure No-3**
4.	(iv). As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.	Zero Liquid discharge system is installed & effectively functioning & treated effluent is reused in utilities	Complied, water mass balance chart from Apr-26 September-26 attached as **Annexure no-4**
5.	(v). Occupational health center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection..	Ocupational Health Centre is available , Health data of the workers is maintained & is used for allocating work location & The workers are provided with safety kits & PPE's	Complied, Medical reports attached , one employee report as **Annexure -5**
6.	(vi). The unit shall arrange for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	The Industry has taken all the control measures to prevent the Fire in the premises & Firefighting systems are in place as pe the relevant codes	Complied, Fire hydrant system photos Attached as **Annexure -6**
7.	(vii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees..	Training class room & onjob is imparted to all the employees/workers on Storage & Handling of Hazardous chemicals	Complied Sample training records attached as **Annexure -7**
8.	(viii). Total fresh water requirement shall not exceed 293.114 m3/day, proposed to be met from KIADB sourced from River Krishna. Prior permission in this regard shall be obtained from the concerned regulatory authority.	Fresh water water intake does not exceed 293.114 M3/Day, will be met from KIADB water supply ; this qty will be used after completion of the expansion	Complied, KIDBI Agreement copy attached as **Annexure-8**
9.	. (ix). Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting	Storm water from the roof tops is collected &	Complied,

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

MoEF Conditions Compliance Status Report

(From April -2026 to September -2026)

	of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm	stored & reused & is not Recharged(200KL Roof top rain water harvesting tank capacity) , The Process effluents or waste water is not allowed to mixed into storm water , The effluent is transferred through pipe lines to ETP by pumping	
10.	(x). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.	Stack emission Reports are attached and are within the limits , Flow meter & Camera is installed	Complied, Monthly stack emission Reports are attached as **Annexure -9**; Flow meter Record of one month attached as **Annexure-10** , Having 24x7 Monitoring system will be installed before obtaining CFO under this EC,(EC/Under implementation)
11.	(i). Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled water condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flameproof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled water circulation.	1) All the Reactors sub Condensers are connected with Chilled water 2)All solvents handling pumps are provided with mechanical seals 3) Solvents are stored separately & is segreagated with all the all the safety Measures in place 4) All the equipment , electrical installations are provided with earthing 5) All the electrical fittings in the plant are Flameproof fittings 6) The solvents storage tanks are provided with the Breather valves	Complied,

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

MoEF Conditions Compliance Status Report

(From April -2026 to September -2026)

		7) The solvent storage tanks are connected to the vent condensers with chilled water circulation	
12.	(ii). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Process residues & spent Carbon shall be sent to the co processing in cement plants , The ETP sludge , inorganic salts from Process & evaporation salts shall be disposed to the TSDF	Complied, Manifesto attached as **Annexure-11**
13.	(iii). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	1) All the Raw materials are metered /weighed on the scales & only the required quantities are taken 2) The Byproducts are reused in the other processes by other industries 3) All the solvents & raw materials are handling in closed loop system with level transitters & flow transmitters to avoid the spillages 4) All the vapours are condensed before venting 5) Pressure cleaning systems are used to reduce the waste water generation	Complied,
14.	(iv). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Green belt of 33% of the area is developed with local species , Records are monitored green belt photos attached	Complied; The green belt layout attached as **Annexure-12**
15.	(v). The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. Preference shall be given to local	All the socio economic issues in the study area as committed in the emp will be completed in time Preference is given to locals for employment in	Complied

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

MoEF Conditions Compliance Status Report

(From April -2026 to September -2026)

	villagers for employment in the unit. Preference shall be given to local villagers for employment in the unit.	the unit	
16.	(vi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Environmental Management cell with Qualified personnel is in place The Laboratory is set up to array out the day to day monitoring the Effluent treatment	Complied Environment cell attached as **Annexure-13**
17.	(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIM, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIM, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	No expnansions other than that of those envisaged in the EMP will be carried out with out Clearance from the ministry/SEIAA	Complied
18.	(ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment	All the light fittings are with LED lamps	Complied
19.	(iii). The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods. Silencers, enclosures etc. On all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night tme).	Acoustic enclosures are installed for DG sets & maintain the noise levels within 75 DBA in Day & 70 DBA in night Reports attached	Complied; Noise reports attached as **Annexure - 14**
20.	(iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	The CER activities are undertaken , The company is spending the amount as committed for CER activities	Complied, The CER activities details attached as **Annexure-15**
21.	(v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	The industry has invested in the Pollution control Measures & Recurring costs are budgeted as committed in the EMP The funds earmarked shall not be diverted for other purposes	Complied, capital and running costs of environmental management system attached as **Annexure-16**

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

MoEF Conditions Compliance Status Report

(From April -2026 to September -2026)

General Conditions

1.	(vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishat/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Copy of the EC is submitted to the grampanchayat	Complied; Copy of the letter submitted to Grampanchayat is attached as **Annexure -17**
2.	(vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	The Industry is Submitting the 6 monthly compliance to Regional office of MOEF ,CPCB & SPCB , & is posted in its website	Complied,
3.	(viii) The environmental statement for each financial year ending 31st March in Form-Vas is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Ruler,, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	The environmental statement form –V is submitted to SPCB Yearly & is posted on its website	Complied, Form –V attached as **Annexure No-18**
4.	(ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh'.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	News paper advertisement is given to two local papers intimating the public about the accordance of EC for this project news paper images attached	Complied, advertisement attached as **Annexure No-19&20**
5.	(x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	The Financial closure of this expansion activity and the date of start of will be intimated to the ministry	Complied,
6.	(xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.		Noted
7.	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the		Noted

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

MoEF Conditions Compliance Status Report

(From April -2026 to September -2026)

	above conditions is not found satisfactory.		
8.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.		Noted
9.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.		Noted
10.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.		Noted
11.	This issues with the approval of the competent authority		Noted

Amendment in EC with the details are as under				
S. No.	**Para of EC**	**Details as per the EC**	**To be revised / read as**	**Compliance Status**
1	Page 6, Sl. no. 7	There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river	There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km & 7.84 km respectively in North, South West & South West direction respectively. Total water requirement is 625.667 m3/day of which fresh water requirement of 293.114 m3/day will be met from KIADB sourced from River Krishna. The Total effluent generation from unit II after expansion and industrial effluents from unit I will be treated in ETP of Unit II. Effluent quantities generated is in the table below.	Expansion project is not yet implemented. Boiler & thermic fluid heaters installed and the project is stopped due to the market conditions are not good.

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

MoEF Conditions Compliance Status Report

(From April -2026 to September -2026)

		Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km & 7.84 km respectively in North, South West & South West direction respectively. Total water requirement is 625.667 m3/day of which fresh water requirement of 293.114 m3/day will be met from KIADB Water sourced from River Krishna. Domestic sewage of Unit II will be treated along with LTDS effluent in SML Unit II. The total effluent generation from Unit I after expansion and HTDS effluent from Unit I will be treated in ETP of Unit II. Treatment facility has / will be developed as mentioned in the EMP report.	**Effluent from SML Unit**	**Waste water Generated (in KLD)**	**Treated Effluent Reused (in KLD)**	**Utilization / Reused At**		
			Unit I: a) HTDS Effluent	61.5	40.93	SML Unit I		
					20.57	SML Unit II		
			b) Cooling Tower Bleed	8.04	8.04	SML UnitII		
			Unit II: a)HTDS Effluent = 80.539 KLD					
			b)LTDS Effluent = 123.704 KLD					
			c)Cooling Tower Bleed = 29.5 KLD	308.743	308.743	SML Unit II		
			d)DM regenerate = 45 KLD					
			e)Domestic Sewage = 30 KLD					
				378.283	**378.283**			
			In ETP of Unit II. **_ Domestic sewage of Unit II will be treated along with LTDS effluent in SML Unit II. Treatment facility has / will be developed as mentioned in the EMP report.					

SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

MoEF Conditions Compliance Status Report

(From April -2026 to September -2026)

<table>
<tr><td>2</td><td>Page 7, Sl. No. 9</td><td>Existing unit has 1 × 10 TPH and 1 × 6 TPH Rice Husk / Coal / Briquette fired boilers. Additionally, 1 × 16 TPH Rice Husk / Coal / Briquette fired boiler will be installed. Electrostatic Precipitator with a stack of height of 30m AGL will be installed for controlling the particulate emission within the statutory limit of 115mg/Nm3 for the proposed boilers</td><td colspan="6">The Emission Sources, the fuel and the APC measures are as under:</td><td></td></tr>
<tr><td></td><td></td><td></td><td>S. No.</td><td>Source</td><td>Capacity</td><td>Fuel Used</td><td>APC Equipment</td><td>Stack Height</td><td></td></tr>
<tr><td></td><td></td><td></td><td>1</td><td>Boiler</td><td>10 TPH</td><td rowspan="2">Rice Husk / Coal / Briquette</td><td rowspan="2">Bag Filter</td><td rowspan="2">Common Stack of 30 m AGL</td><td>Complied</td></tr>
<tr><td></td><td></td><td></td><td>2</td><td>Boiler</td><td>6 TPH</td><td>Complied</td></tr>
<tr><td></td><td></td><td></td><td>3</td><td>Boiler – New</td><td>16 TPH</td><td>Rice Husk / Coal / Briquette</td><td>ESP</td><td>New Stack of 30 m AGL</td><td>6TPH Gas fire boiler installed not yet commissioned because project is stopped due to market conditions are not good</td></tr>
<tr><td></td><td></td><td></td><td>4</td><td>Thermic Fluid Heater</td><td>6 Lakh kcal</td><td rowspan="2">Furnace Oil</td><td rowspan="2">Chimney</td><td rowspan="2">Common Chimney of 30 m AGL</td><td>Complied</td></tr>
<tr><td></td><td></td><td></td><td>5</td><td>Thermic Fluid Heater</td><td>8 Lakh kcal</td><td>4X2 Lakh Kcal installed not yet commissioned because project is stopped due to market conditions are not good</td></tr>
<tr><td></td><td></td><td></td><td>6</td><td>Thermal Fluid Heater (New)</td><td>12 Lakh kcal</td><td>Furnace Oil</td><td>Chimney</td><td>New chimney of 30 m AGL</td><td>Installed not yet commissioned because project is stopped due to market conditions are not good</td></tr>
</table>

Thanking you,

For SHILPA PHARMA LIFE SCIENCES LIMITED, 100% EOU

SHILPA PHARMA LIFESCIENCES LIMITED, (UNIT-2) Chicksugur Raichur karnataka

Authorized Signatory

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure -1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Marked as**	:	**Effluent treated Water**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Sample quantity**	:	Pet Bottle, 2 Liter.
5.	**Sample Description/condition**	:	Water/Good
6.	**Date of Sample Collection**	:	20.04.2026
7.	**Date of sample receipt**	:	21.04.2026
8.	**Sample Code**	:	WW/983
9.	**Analysis Starting Date**	:	21.04.2026
10.	**Analysis Completion Date**	:	27.04.2026
11.	**Report Issue Date**	:	28.04.2026
12.	**Latitude**	:	16.311464
13.	**Longitude**	:	77.356265

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000010936F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
		Physical parameters			
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.12	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.5	---
		Chemical parameters			
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	20	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	394	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	20	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	68	250

Analysed by


Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-1


GPS Map Camera
Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.311464° Long 77.356265°
20/04/2026 05:48 PM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	27.05.2026
7.	Date of sample receipt	:	28.05.2026
8.	Sample Code	:	WW/1247
9.	Analysis Starting Date	:	28.05.2026
10.	Analysis Completion Date	:	01.06.2026
11.	Report Issue Date	:	02.06.2026
12.	Latitude	:	16.311633
13.	Longitude	:	77.356184

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000014737F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
	Physical parameters				
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.32	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.2	---
	Chemical parameters				
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	14	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	92	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	7	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	26	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	74	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	18.06.2026
7.	Date of sample receipt	:	19.06.2026
8.	Sample Code	:	WW/1364
9.	Analysis Starting Date	:	20.06.2026
10.	Analysis Completion Date	:	23.06.2026
11.	Report Issue Date	:	24.06.2026
12.	Latitude	:	16.311655
13.	Longitude	:	77.356015

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000016652F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
		Physical parameters			
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.42	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.3	---
		Chemical parameters			
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	16	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	94	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	28	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	72	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

MSV ANALYTICAL LABORATORY BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	24.07.2026
7.	Date of sample receipt	:	25.07.2026
8.	Sample Code	:	WW/1606
9.	Analysis Starting Date	:	25.07.2026
10.	Analysis Completion Date	:	29.07.2026
11.	Report Issue Date	:	30.07.2026
12.	Latitude	:	16.310409
13.	Longitude	:	77.356292

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000019874F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
		Physical parameters			
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.56	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.4	---
		Chemical parameters			
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	14	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	176	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	8	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	12	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	36.4	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure - 1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	19.08.2026
7.	Date of sample receipt	:	20.08.2026
8.	Sample Code	:	WW/7244
9.	Analysis Starting Date	:	20.08.2026
10.	Analysis Completion Date	:	24.08.2026
11.	Report Issue Date	:	25.08.2026
12.	Latitude	:	16.311618
13.	Longitude	:	77.35601

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000022034F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
	Physical parameters				
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.77	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.3	---
	Chemical parameters				
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	20	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	186	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	6	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	18	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	76.2	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI MSV


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF WATER QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Marked as	:	Effluent treated Water
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Sample quantity	:	Pet Bottle, 2 Liter.
5.	Sample Description/condition	:	Water/Good
6.	Date of Sample Collection	:	23.09.2026
7.	Date of sample receipt	:	24.09.2026
8.	Sample Code	:	WW/2052
9.	Analysis Starting Date	:	24.09.2026
10.	Analysis Completion Date	:	28.09.2026
11.	Report Issue Date	:	29.09.2026
12.	Latitude	:	16.311632
13.	Longitude	:	77.356259

Discipline: Chemical Group: Pollution & Environment Sub Group: Waste Water ULR No: TC407126000025146F

S.No	Parameters	Protocol	Unit	Result	KSPCB Standards
		Physical parameters			
1	Color	IS : 3025(Part-4)	Hazen	<5	---
2	Odor	IS : 3025(Part-5)	---	Unobjectionable	---
3	pH @ 25°C	4500 H+ BAPHA 23rdEdn: 2017	-	7.68	6.5-8.5
4	Turbidity	2530 B-APHA 23rd Edition :2017	NTU	0.4	---
		Chemical parameters			
5	Total Suspended solids	2540 F APHA 23rd Edn : 2017	mg/L	23	100
6	Total Dissolved Solids	2540 C APHA 23rd Edn : 2017	mg/L	189	2250
7	Oil & Grease	5520 D APHA 23rd Edition :2017	mg/L	7	10
8	Bio-chemical Oxygen Demand (3 days at 27°C)	IS 3025(Part-44): 2019	mg/L	19	30
9	Chemical Oxygen Demand	5230 B-APHA23rd Edn : 2017	mg/L	77.4	250

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 2

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2026 /1922 **Issued Date: 24.06.2026**

1. **Name of the Industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary.
3. **Name of the parameter** : **Volatile Organic Compounds**

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Near Boiler chimney Area	18.06.2026	8hours	1.19	Mg/m³	---
2	Near Production Block Ao	18.06.2026	8hours	1.34	Mg/m³	---
3	C- Block intermediate area	18.06.2026	8hours	1.28	Mg/m³	---
4	C- Block pharma Area	19.06.2026	8hours	1.22	Mg/m³	---
5	D- Block intermediate area	19.06.2026	8hours	1.16	Mg/m³	---
6	D- Block pharma Area	19.06.2026	8hours	1.29	Mg/m³	---
7	E- Block intermediate area	20.06.2026	8hours	1.24	Mg/m³	---
8	G- Block intermediate area	20.06.2026	8hours	1.30	Mg/m³	---
9	Aj- Block intermediate area	20.06.2026	8hours	1.16	Mg/m³	---
10	I- Block intermediate area	22.06.2026	8hours	1.19	Mg/m³	---
11	H- Block intermediate area	22.06.2026	8hours	1.21	Mg/m³	---

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES * BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure - 3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	20.04.2026
7.	Date of Sample Receipt	:	21.04.2026
8.	Analysis Starting Date	:	21.04.2026
9.	Analysis Completion Date	:	27.04.2026
10.	Report Issue Date	:	28.04.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31163
13.	Longitude	:	77.358031

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000010919F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/2838	AAQ/2839	AAQ/2840			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	84.5	77.5	73.5	µg/m³	75.7	100
2	Particulate Matter (Size less than 2.5 µm) or	IS-5182(Part-24):2019	33.5	28.6	24.6	µg/m³	25.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	26.7	23.5	20.3	µg/m³	19.6	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	38.9	34.5	31.4	µg/m³	31.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.67	0.56	0.51	mg/m³	0.52	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	20.04.2026
7.	Date of Sample Receipt	:	21.04.2026
8.	Analysis Starting Date	:	21.04.2026
9.	Analysis Completion Date	:	27.04.2026
10.	Report Issue Date	:	28.04.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31163
13.	Longitude	:	77.358031

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1600

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1618	1619	1620			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-3


AURA
AURA INSTRUMENTS & SERVICES
Combined Sampler
CS-AIS-126
AURA
GPS Map Camera
Wadloor, Karnataka, India
Shilpa Pharma Lifesciences Limited (a Subsidiary Of Shilpa Medicare Limited, Formerly Shilpa Corporate Holdings),plot # 33, 33a & 40 To 47 Raichur Growth Centre, Chicksugur Village Raichur 584134 Karnataka-indiaraichur Industrial Growth Centre, Chicksugur 584 134, Wadloor, Karnataka 584134, India
Lat 16.31163° Long 77.358031°
20/04/2026 09:29 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	20.04.2026
7.	Date of Sample Receipt	:	21.04.2026
8.	Analysis Starting Date	:	21.04.2026
9.	Analysis Completion Date	:	27.04.2026
10.	Report Issue Date	:	28.04.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310613
13.	Longitude	:	77.356098

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000010920F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/2841	AAQ/2842	AAQ/2843			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	70.6	71.2	66.3	µg/m³	72.7	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	24.3	21.9	17.5	µg/m³	24.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	20.7	15.4	12.6	µg/m³	18.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	25.1	22.1	18.7	µg/m³	24.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.54	0.48	0.39	mg/m³	0.51	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	20.04.2026
7.	Date of Sample Receipt	:	21.04.2026
8.	Analysis Starting Date	:	21.04.2026
9.	Analysis Completion Date	:	27.04.2026
10.	Report Issue Date	:	28.04.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310613
13.	Longitude	:	77.356098

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1601

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1621	1622	1623			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

MSV ANALYTICAL LABORATORIES ★ BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-3


AURA
AURA INSTRUMENTS & SERVICES
Combined Sampler
CS-AIS-126
AURA
GPS Map Camera
Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.310613° Long 77.356098°
20/04/2026 09:37 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	27.05.2026
7.	Date of Sample Receipt	:	28.05.2026
8.	Analysis Starting Date	:	28.05.2026
9.	Analysis Completion Date	:	01.06.2026
10.	Report Issue Date	:	02.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.312012
13.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000014720F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/3743	AAQ/3744	AAQ/3745			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	82.5	76.1	73.1	µg/m³	77.2	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	30.4	27.5	24.8	µg/m³	27.6	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	24.6	20.8	17.2	µg/m³	20.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	35.1	33.6	28.4	µg/m³	32.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.74	0.62	0.55	mg/m³	0.64	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	27.05.2026
7.	Date of Sample Receipt	:	28.05.2026
8.	Analysis Starting Date	:	28.05.2026
9.	Analysis Completion Date	:	01.06.2026
10.	Report Issue Date	:	02.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.312012
13.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1969

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2022	2023	2024			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure -3



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure 3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	27.05.2026
7.	**Date of Sample Receipt**	:	28.05.2026
8.	**Analysis Starting Date**	:	28.05.2026
9.	**Analysis Completion Date**	:	01.06.2026
10.	**Report Issue Date**	:	02.06.2026
11.	**Sampling Protocol**	:	IS 5182:Part 14
12.	**Latitude**	:	16.312012
13.	**Longitude**	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000014721F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/3746	AAQ/3747	AAQ/3748			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	74.5	72.8	68.4	µg/m³	71.9	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	26.1	23.5	19.2	µg/m³	22.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	20.6	19.5	13.6	µg/m³	17.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	25.3	23.5	19.6	µg/m³	22.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.55	0.51	0.42	mg/m³	0.49	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	27.05.2026
7.	**Date of Sample Receipt**	:	28.05.2026
8.	**Analysis Starting Date**	:	28.05.2026
9.	**Analysis Completion Date**	:	01.06.2026
10.	**Report Issue Date**	:	02.06.2026
11.	**Sampling Protocol**	:	IS 5182 : Part 14
12.	**Latitude**	:	16.312012
13.	**Longitude**	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1970

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2025	2026	2027			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website : www.msvalbellary.com**

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure -3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31164
13.	Longitude	:	77.358044

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000016635F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4156	AAQ/4157	AAQ/4158			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	83.2	77.2	72.3	µg/m³	77.6	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	31.2	26.4	23.1	µg/m³	26.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	23.8	19.1	16.3	µg/m³	19.7	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	36.2	32.5	29.1	µg/m³	32.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.72	0.61	0.52	mg/m³	0.62	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31164
13.	Longitude	:	77.358044

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2150

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2020	2021	2022			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310603
13.	Longitude	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000016636F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4159	AAQ/4160	AAQ/4161			
1	Particulate Matter (Size less than 10	IS-5182(Part-23):2017	73.2	70.6	67.1	µg/m³	70.3	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	25.3	22.3	18.5	µg/m³	22.0	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	21.3	18.5	12.4	µg/m³	17.4	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	24.6	22.8	18.3	µg/m³	21.9	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.54	0.52	0.41	mg/m³	0.49	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310603
13.	Longitude	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2151

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2023	2024	2025			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-3



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311648
13.	Longitude	:	77.358001

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000019857F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4803	AAQ/4804	AAQ/4805			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	85.6	79.6	74.2	µg/m³	79.8	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	33.8	28.4	25.1	µg/m³	29.1	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	26.8	21.3	17.6	µg/m³	21.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	38.9	34.8	30.7	µg/m³	34.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.75	0.67	0.58	mg/m³	0.67	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311648
13.	Longitude	:	77.358001

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2361

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2541	2542	2543			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-3



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310651
13.	Longitude	:	77.356028

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000019858F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4806	AAQ/4807	AAQ/4808			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	71.4	68.5	64.3	µg/m³	68.1	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	23.8	20.4	16.5	µg/m³	20.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	18.9	15.1	10.3	µg/m³	14.8	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	22.1	19.6	16.8	µg/m³	19.5	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.51	0.48	0.42	mg/m³	0.47	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310651
13.	Longitude	:	77.356028

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2362

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2544	2545	2546			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-3



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311654
13.	Longitude	:	77.358006

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000022017F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5190	AAQ/5191	AAQ/5192			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	83.5	75.1	76.3	$\mu g/m^3$	78.3	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	43.1	36.5	31.2	$\mu g/m^3$	36.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	24.3	18.6	14.2	$\mu g/m^3$	19.0	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	28.5	25.1	18.3	$\mu g/m^3$	24.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.68	0.52	0.41	mg/m^3	0.54	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT:-

Authorized Signatory
Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311654
13.	Longitude	:	77.358006

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2586

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2793	2794	2796			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-:END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-3



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310603
13.	Longitude	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000022018F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5193	AAQ/5194	AAQ/5195			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	76.2	71.2	63.5	µg/m³	70.3	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	33.5	28.5	24.6	µg/m³	28.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	21.4	12.4	9.7	µg/m³	14.5	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	24.5	21.3	13.2	µg/m³	19.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.44	0.31	0.23	mg/m³	0.33	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

:: END OF REPORT ::

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure -3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	19.08.2026
7.	**Date of Sample Receipt**	:	20.08.2026
8.	**Analysis Starting Date**	:	20.08.2026
9.	**Analysis Completion Date**	:	24.08.2026
10.	**Report Issue Date**	:	25.08.2026
11.	**Sampling Protocol**	:	IS 5182 : Part 14
12.	**Latitude**	:	16.310603
13.	**Longitude**	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2587

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2797	2798	2799			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-3



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311625
13.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000025129F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5730	AAQ/5731	AAQ/5732			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	84.2	79.6	77.2	µg/m³	80.3	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	44.3	38.2	30.6	µg/m³	37.7	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	25.1	19.3	15.8	µg/m³	20.1	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	29.1	24.6	20.4	µg/m³	24.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.71	0.62	0.44	mg/m³	0.59	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311625
13.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/3076

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			3026	3027	3028			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-


MSV ANALYTICAL LABORATORIES ★ BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-3



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.358056

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000025130F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5733	AAQ/5734	AAQ/5735			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	74.1	70.3	62.5	µg/m³	69.0	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	34.2	30.2	26.1	µg/m³	30.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	20.5	13.2	10.3	µg/m³	14.7	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	23.1	20.5	12.6	µg/m³	18.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.42	0.36	0.27	mg/m³	0.35	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure -3

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.358056

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/3077

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			3029	3030	3031			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-


MSV ANALYTICAL LABORATORIES ★ BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com


Annexure-3



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-4

WATER BALANCE CHART Apr-Sep 2026



PANCHASHEEL
MEDICAL SERVICES PVT. LTD.,
INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH

ISO 9001:2015 Certified Company

401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.
Cell: 90001 44488, 99634 17491 | Email: drraaj@hotmail.com | Website: www.panchasheel.com

Annexure-5

Confidential

SHILPA PHARMA LIFESCEINCES LTD UNIT-2
Plot No:33,33A & 40-47, Raichur Industrial Growth Centre Chicksugur-584134,Raichur, District, Karnataka State, India
MEDICAL SURVEILLANCE PROFORMA

DATE: 25/11/2025

NAME	:	Mr.Boya Mallikarjuna	DEPARTMENT	:	Production Documentation
D.O.B/SEX	:	02/05/1990 / Male	SECTION	:	Production Documentation
Lab No / E. Code	:	4230 / 2836	D.O.J	:	19/07/2017
DIET	:	Normal (Mixed)	**BLOOD GROUP**	**:**	**"AB" Positive**
ALLERGY	:	No			

PERSONAL HISTORY

	SMOKING	ALCOHOL	TOBACCO CHEWING	SNUFF
QUANTITY				
DURATION	No	No	No	No
TYPE				

PRESENTING COMPLAINTS	Nil
PAST HISTORY	Nil Particular
FAMILY HISTORY	DM:- No HTN:- No


GENERAL PHYSICAL EXAMINATION

DEFECTS/DISABILITY : No

Height	: 165Cms	**Weight**	: 67 Kgs	**Body Mass Index (BMI)**	:	24.6 kg/m²	
Ideal Weight	: 65 Kgs	**Pulse Rate** (Normal : 60-100pm)	: 80per Min	**Blood Pressure (BP)** (Normal : 120/80) mmhg	:	120/80 mmhg	
Normal Weight	: 60 - 70 Kgs						

Interpreting Your BODY MASS INDEX

Adults	Women	Men
Under weight	<19.1	<20.7
In normal range	19.1-25.8	20.7-26.4
Marginally over weight	25.8-27.3	26.4-27.8
Over weight	27.3-32.3	27.8-31.1
Very overweight or obese	>32.3	>31.1



+2-30

Anonymous

Vent. Rate(BPM) : 60

PR Int.(ms) : 151
P/QRS/T Int.(ms) : 106 106 162
QT/QTc Int.(ms) : 367 426
P/QRS/T Axis(Deg.) : 44 50 34
RV1/SV5 Amp.(mV) : 0.02 0.24
RV5/SV1 Amp.(mV) : 1.48 0.47

ECG Analysis Result:

800 Normal Sinus Rhythm
*** Normal ECG ***

ST LEVEL(mV)

I	II	III	aVR	aVL	aVF
+0.01	+0.05	+0.04	-0.03	-0.01	+0.04
V1	V2	V3	V4	V5	V6
+0.00	+0.05	+0.11	+0.07	+0.01	+0.01

V2.21 Technician :

Note : Unconfirmed Report Need to Review.

PANCHASHEEL
MEDICAL SERVICES PVT. LTD.,
INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH

ISO 9001:2015 Certified Company

401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.
Cell: 90001 44488, 99634 17491 | Email: drraaj@hotmail.com | Website: www.panchasheel.com

Annexure-5

Lab No / E. Code	:	4230 / 2836

VISUAL ACUITY

VISION	DISTANT VISION	NEAR VISION	COLOUR VISION	CORRECTIONS
RIGHT	6/6	N6	Normal	Normal Vision
LEFT	6/6	N6	Normal	

SYSTEMIC EXAMINATION

RESPIRATORY SYSTEM	Respiratory Sounds are Clear.
CARDIO-VASCULAR SYSTEM	S1 S2 Normal.
CENTRAL NERVOUS SYSTEM	Normal.
ELECTRO CARDIOGRAM (ECG)	Within Normal Limits.
CHEST X-RAY IMPRESSION	Normal Chest Radiograph.
ABDOMEN	Liver and Spleen Not Palpable

LAB INVESTIGATION

BLOOD

Test	Result	Normal Range
HB	13.1	M14 to 18 gm/dL F 12 to 16 gm/dL
RBC	5.03	4.0 - 6.0 mill/cumm
TC	8410	4000 - 11000 cells/cumm
DLC (%)	P-58 L-35 E-03 M-04	Neutrophils (or segs): 40 - 70% Lymphocytes: 20 - 40% Eosinophils: 02 - 06% Moncytes: 02 -08% Basophils: 0.4% - 1%
AEC	252.3	40-440 cells/cumm
RBC Smear	Normocytic Normochromic	
WBC Smear	Within Normal Limits	
VDRL	Non-Reactive	Non-Reactive
RBS	100	70 - 160 mg/dl

URINE

Test	Result	Normal Range
Colour	Pale Yellow	White to Yellow
Appearance	Clear	Clear
Reaction	Acidic	Acidic
Albumin	Nil	Nil
Sugar	Nil	Nil
Pus cells	Nil	1-5/hpf
RBC	Nil	Nil
EP CELLS	Occasional	1-5/hpf
Others	Nil	Nil

SPUTUM FOR AFB: Negative.
(Acid fast bacillus)


ADVICE/REMARKS: Healthy & free from contagious diseases.

FIT TO WORK

Dr. RAJA VOJJALA
MBBS,MD(Path)AFIH(CLI)
Physician Industrial Medicine
Regd. No: 13067

Medical officer

Anonymous-5



Annexure-6



Document Completed Training Report

Annexure-7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1045-VEERESHAPPA .	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Associate Vice President	9545 - MANICKAVASAGAM J
1069-CHANNA REDDY .	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 29s	Senior Incharge	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI
1070-GOVINDARAJULU MENDI SRINIVASULU	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 7s	Senior Shift Incharge	1355 - ARUN KUMAR SINGH

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1071-PARMANAND RAMANNA PATIL	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 25s	Senior Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1135-ANJALIYA BABU DANDU	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 21s	Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1140-PRAVEEN KUMAR MANNUR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 6m 32s	Senior Chemist	1198 - SASIDHAR AVULA
1147-VIJAY KUMAR KURUVA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 29m 43s	Senior Shift Incharge	1355 - ARUN KUMAR SINGH

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1155-KHAJA SAB	29 Sep 2026	04 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 53s	Senior Operator	4332 - MANJUNATHA D N
1157-KRISHNA .	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 2s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
1161- M.VEERENDRA KUMAR	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 3s	Senior Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1162- S.NANDAKISHORE .	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 12m 16s	Deputy Manager	4332 - MANJUNATHA D N

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-3

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1168-BIJAY KETAN MANGARAJ	29 Sep 2026	16 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 38s	Associate Vice President	7538 - KARUNAKAR ANATAM
1169-MARUTHIRAO JANGITI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 10s	Deputy Manager	1219 - SARAVANAN N
1171-RAMACHANDRA RAO PAIDI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Deputy Manager	8767 - SANDIPOGU SHARATH BABU
1173-GANGANNA NAGALLAPUR	29 Sep 2026	10 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 30s	Senior Operator	4332 - MANJUNATHA D N

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-I

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1178-ABDUL AZEEM	29 Sep 2026	06 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 18s	Senior Operator	4332 - MANJUNATHA D N
1184-MEER MASOOD ALI	29 Sep 2026	13 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 27s	Senior Chemist	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1186-BHARMANNA SHIVARAYA PETARGE	29 Sep 2026	10 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 21m 47s	Assistant general manager	1168 - BIJAY KETAN MANGARAJ
1190-VENKATESHWARULU C	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 6s	Senior Chemist	1045 - VEERESHAPPA .

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure 7

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1192-SURESH .	29 Sep 2026	02 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 8m 54s	Senior Operator	4332 - MANJUNATHA D N
1193-JINDAPPA K	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1196-UDAY KUMAR TALLAPALLY	29 Sep 2026	06 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 33s	Senior Chemist	1198 - SASIDHAR AVULA
1198-SASIDHAR AVULA	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 25s	Senior Manager	9559 - NAGARAJ RAMA NAIK

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-I

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1199-PRAVEEN CHINTALAPATI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 10s	Executive	9646 - KUTALA ANANDA
1200-NAGABABU CHENNU	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 9s	Assistant Manager	1198 - SASIDHAR AVULA
1205-RAJSHEKAR REDDY KANALA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 30s	Assistant Manager	9646 - KUTALA ANANDA
1206-S JAYADEV GORANTLA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 11m 49s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-3

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1209-DEVENDRA PRATAP SINGH	29 Sep 2026	07 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 14s	Deputy General Manager	1045 - VEERESHAPPA .
1210-ARUN KUMAR .CHAUHAN	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 0s	Deputy Manager	9646 - KUTALA ANANDA
1218-RAMAKRISHNA KALIPINDI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 39s	Shift Incharge	6808 - ELANGOVAN .
1219-SARAVANAN N	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 22s	Deputy General Manager	7538 - KARUNAKAR ANATAM

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-1

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1221-BALAJI KISANRAO KADAM	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 16m 18s	Deputy Manager	7461 - Dr. AVSS. PRASAD
1222-ANUPAM KAPOOR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 26s	Assistant general manager	9545 - MANICKAVASAGAM J
1234-SANDEEP KULKARNI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 23s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-2

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1243-SHARANAPPA NAMMAKAM	29 Sep 2026	08 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 35s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI
1247-SIDDHARTHA REDDY PAMURI	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 5s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1248-DEVARAJA .	29 Sep 2026	07 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 14m 10s	Senior Manager	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1251-SANDEEP GADDYAPPA VADIGERI	29 Sep 2026	10 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 30s	Deputy Manager	4332 - MANJUNATHA D N
1257-NARASIMAHLU GADWAL	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI
1262-VENKATA SUBBA REDDY DHANI REDDY	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 7s	Assistant Manager	1198 - SASIDHAR AVULA

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-2

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1275-MURALI KRISHNA PINAKANA	29 Sep 2026	13 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 54m 5s	Engineer	6595 - LAV KUMAR GUPTA
1296-CHINNA BHEEMARAJU VIDAPANURU VIRUPANNA GARI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 11s	Assistant Manager	1219 - SARAVANAN N
1299-N PRASAD ACHANTA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 56s	Senior Manager	1219 - SARAVANAN N
1304-UMESH JALKOTE	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 45s	Senior Chemist	1372 - NAGESWARA RAO GUDAVALLI

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-1

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1307-ARUN KUMAR GUNJANUR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 11m 17s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH
1308-PRAVEEN KUMAR GADWAL	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 23s	Senior Chemist	1355 - ARUN KUMAR SINGH
1310-SRINIVAS AVULA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 1s	Senior Executive	1198 - SASIDHAR AVULA
1311-KAPIL KHANDELWAL	29 Sep 2026	15 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 4s	Manager	2766 - ARVIND KUMAR SINGH

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-I

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1318-SRINIVASA RAO KODALI	29 Sep 2026	02 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 8s	Deputy Manager	4332 - MANJUNATHA D N
1321-ANIL GANGADHAR BOLLINENI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 19s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1347-SUMAN MIDDE	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 16s	Senior Executive	1355 - ARUN KUMAR SINGH
1355-ARUN KUMAR SINGH	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 9s	Assistant general manager	1045 - VEERESHAPPA .

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-2

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1360-LAKSHMI KANTH .	29 Sep 2026	05 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 59s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
1364-NAGESHWAR RAO PADAMATI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 6s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
1372-NAGESWARA RAO GUDAVALLI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 35s	Assistant Manager	1045 - VEERESHAPPA .
1379-GOVINDA PEDDRAI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 23s	Computer Operator	1045 - VEERESHAPPA .

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-8

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1386-NARESH K	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 28s	Senior Assistant	2766 - ARVIND KUMAR SINGH
1389-GURUNATH LOMADA	29 Sep 2026	04 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 13s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1392-AMARE GOUDA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 6s	Document Assistant	1045 - VEERESHAPPA .
1394-SURESH AKKENA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 3s	Executive	6808 - ELANGOVAN .

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1395-ANANTHA SENA REDDY GAUNOLLA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 51s	Senior Executive	1219 - SARAVANAN N
1404-KRISHNA .	29 Sep 2026	06 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 5s	Assistant Manager	4332 - MANJUNATHA D N
1406-SHIVARAJ JOJAN	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 5s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1411-VITTHAL ABASO BABAR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 16s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1413-SHIVYOGI SHANKAR KOGNURE	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 6m 14s	Assistant Manager	1209 - DEVENDRA PRATAP SINGH
1418-SURESH SHIVAMURTHI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 37s	Senior Chemist	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1423-UMAKANTH PATIL	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 11s	Assistant Manager	2766 - ARVIND KUMAR SINGH
1479-MAHESH NARASIMHULU	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 54s	Electrician	8767 - SANDIPOGU SHARATH BABU

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1482-S P PRABHAKAR SIDDESHWAR KUMBHAR	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 6s	Senior Executive	1372 - NAGESWARA RAO GUDAVALLI
1483-SUDHAKAR CHINDUKURI	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 11m 35s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1486-SURESH GOUD SHAGALA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 11m 28s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ
1489-SATISH BABU KOTA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 6s	Assistant Manager	1219 - SARAVANAN N

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annex. 7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1495-BALAVEERAIAH VALADASU	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 7s	Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1497-SHARAN PRASAD HAMPAYYASWAMI SHIVALING	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 40s	Senior Manager	1168 - BIJAY KETAN MANGARAJ
1563-LINGA REDDY BANAVASI	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 32s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1569-SURESH KUMAR REDDY PATCHARLA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 19s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1588-NAGESH NALLAGORLA	29 Sep 2026	02 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 10s	Senior Executive	1497 - SHARAN PRASAD HAMPAYYAS WAMI SHIVALING
1595-RAJESH BARI	29 Sep 2026	02 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 47s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-4

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1604-G.NAGARJUNA .	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 43s	Deputy Manager	1209 - DEVENDRA PRATAP SINGH
1610-JALANDAR PASULA	29 Sep 2026	05 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 7m 4s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ
1618-BHARATH KUMAR PISAY	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 1s	Manager	4332 - MANJUNATHA D N
1625-ANWAR BASHA KATIKA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 51s	Senior Executive	1219 - SARAVANAN N

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1627-EDIGA KHAJAN GOUD	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 36s	Executive	1168 - BIJAY KETAN MANGARAJ
1657-PAVAN .	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 0s	Senior Executive	8767 - SANDIPOGU SHARATH BABU
1679-M.NARESH KUMAR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 8s	Senior Executive	1355 - ARUN KUMAR SINGH
1697-YOGESH PATIL	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 9s	Senior Executive	4332 - MANJUNATHA D N

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-1

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1716-MUJAHID HUSSAIN	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 6s	Executive	1219 - SARAVANAN N
1719-RAJA BABU KAVETI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Senior Manager	1219 - SARAVANAN N
1756-VENKATA REDDY PADALA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 6m 15s	Senior Executive	1219 - SARAVANAN N
1784-CHINNA MASUM KASANNA GARI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 2s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1793-MEENAPPA MADIGA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 20s	Manager	4332 - MANJUNATHA D N
1798-RAJA KUMAR ANIPE	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 25s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ
1842-HARI OM KUMAR	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 3s	Senior Executive	1198 - SASIDHAR AVULA
1846-PULLA GOWREDDY	29 Sep 2026	04 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 18s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-1

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1900-VENKAIAH YADAVA GOLLA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 14s	Supervisor	8767 - SANDIPOGU SHARATH BABU
1902-SHIVAPPA .	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 13s	Senior Electrician	8767 - SANDIPOGU SHARATH BABU
1903-GOUSE MOHINUDDIN	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 8s	Senior Electrician	8767 - SANDIPOGU SHARATH BABU

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1913-DEVARAJA .	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Assistant	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI
1916-VIVEKANAND HOSUR	29 Sep 2026	05 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 4s	Executive	1168 - BIJAY KETAN MANGARAJ
1937-NARASIMHA MURTHY VENKATA NANDURI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 27s	Assistant Manager	9646 - KUTALA ANANDA

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1945-ESWAR RAO BANISETTI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 7s	Deputy Manager	1355 - ARUN KUMAR SINGH
1958-M RAMU .	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 18s	Manager	9646 - KUTALA ANANDA
1959-BASAVARAJ BASAVALINGAIAH	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 31s	Executive	8767 - SANDIPOGU SHARATH BABU
1962-RANGA RAO BAGGU	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 39s	Senior Executive	1198 - SASIDHAR AVULA

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-7

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1974-VENKATARAO SAANA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 12s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1978-CHANUKYA SHAUKAR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 24s	Executive	1168 - BIJAY KETAN MANGARAJ
2016-MAGANTI VENKATA HARIDEEP	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 8s	Senior Executive	8767 - SANDIPOGU SHARATH BABU
2025-ALURE VASANT	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 57s	Assistant Manager	9646 - KUTALA ANANDA

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-1

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2027-SANTHOSH MIRJI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 37s	Senior Executive	4332 - MANJUNATHA D N
2033-PAVAN BIJJI	29 Sep 2026	05 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 7m 41s	Executive	1168 - BIJAY KETAN MANGARAJ
2040-DEVA KUMAR AMBIGAR	29 Sep 2026	11 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Executive	1168 - BIJAY KETAN MANGARAJ
2059-MAHESH NARASU BHANDARI	29 Sep 2026	06 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 13s	Executive	4332 - MANJUNATHA D N

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure 4

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	02	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	0h 51m 34s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1218-RAMAKRISHNA KALIPINDI	26 Mar 2026	31 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 3s	Shift Incharge	6808 - ELANGOVAN .
1394-SURESH AKKENA	26 Mar 2026	30 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	90.00	0h 5m 2s	Executive	6808 - ELANGOVAN .
2789-SRINIVASULU REDDY KONDA	26 Mar 2026	30 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 10m 12s	Executive	6808 - ELANGOVAN .
3784-NARASIMHULU AMJALA	26 Mar 2026	30 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	90.00	0h 5m 12s	Chemist	6808 - ELANGOVAN .
5503-S SUMAN .	26 Mar 2026	04 Apr 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 18s	Executive	6808 - ELANGOVAN .

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:16:09

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-I

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	02	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	0h 51m 34s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
7188-BADESAB HUSEN SHAIKH	26 Mar 2026	31 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 9m 42s	Junior Executive	6808 - ELANGOVAN .
7260-NAGARAJ GANGANNAVAR	26 Mar 2026	04 Apr 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 44s	Junior Executive	6808 - ELANGOVAN .
9273-TADI SIVA RAMA KRISHNA REDDY	26 Mar 2026	30 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 21s	Senior Chemist	6808 - ELANGOVAN .

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:16:09

This is electronically generated report and there is no need of any manual signature

Annexure-8

सत्यमेव जयते

INDIA NON JUDICIAL

Government of Karnataka

e-Stamp

Certificate No.	:	IN-KA80755190001275M
Certificate Issued Date	:	16-Jun-2014 11:47 AM
Account Reference	:	NONACC (BK)/ kakscub08/ RAICHUR/ KA-RC
Unique Doc. Reference	:	SUBIN-KAKAKSCUB08162411097606662M
Purchased by	:	SHILPA MEDICARE LTD RAICHUR
Description of Document	:	Article 12 Bond
Description	:	AGREEMENT
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	SHILPA MEDICARE LTD RAICHUR
Second Party	:	K I A D B RAICHUR
Stamp Duty Paid By	:	SHILPA MEDICARE LTD RAICHUR
Stamp Duty Amount(Rs.)	:	200 (Two Hundred only)

Authorised Officer
Raichur City Urban Co-op Bank Ltd
Gunj Road Raichur.

----------Please write or type below this line----------

An Agreement entered into the 17th day of June Month Two Thousand Fourteen and / between The Karnataka Industrial Areas Development Board herein after called the supplier and M/s. Shilpa Medicare Ltd. here in after referred to as the consumer which terms wherever it occur in these presents will include its successors, interest, heirs, administrators assigns.

For Shilpa Medicare Ltd. 100% EOU

Managing Director

For:Karnataka Industrial Area Development Board

Deputy Development Officer

Cont.....2.

Statutory Alert:
1. The authenticity of this Stamp Certificate should be verified at "www.shcilestamp.com". Any discrepancy in the details on this Certificate and as available on the website renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

Annexure-8

Whereas the consumer applied for supply of 500.00 Kilo Liters of water per day for Shilpa Medicare Limited at Plot No: 33, 33A, 40 to 47, of Raichur Growth Centre Industrial Area and whereas the suppliers agreed to supply water from their water mains subject to terms and conditions enumerated hereinafter.

PROVISION OF WATER METER :

For the purpose of measuring the quantity of water supplied to the consumer, the consumer shall provide water meter as per the directions of the supplier and shall keep it in a good working conditions of the at the cost of the consumer. If at any time, it is found defective of out of order, the consumer shall have it replaced or repairs at his cost and during the period it is defective, the charges will be levied bases on the average consumption for three months prior to the month is which the defect was noticed.

METER READING

The supplier shall arrange for the meter reading every month & furnish a return of the meter reading every month to the consumer.

WATER CHARGES :

The quantities of water supply shall be charged at Rs. 30.00 Per Kilo liters only

Consumer shall pay the charges regularly on presentation of the bill by the supplier within fifteen days of the posting of the Bill. Failing which the water supply shall be dis-connected. If a reconnection is given, the consumer shall be charges with Rs. 100.00 (Rupees. One Hundred only) as reconnection charges.

REVISION IN WATER CHARGES

The consumer shall pay the water supply charges at such other revised rates as may be fixed by the Board from time to time.

Cont.....3.

For:Karnataka Industrial Area Development Board

Deputy Development Officer

For Shilpa Medicare Ltd. 100% EOU

Managing Director

Annexure-8

IN CORRECT WATER METER READING :

In the event of meter reading appearing to be incorrect in the opinion of the consumer the meter shall be tested by the supplier an application made by the consumer and if found defective water charges will be revised basis on the cost results provided on such revision shall be made if the error is less then 3%.

INTERRUPTION :

The supplier shall as for as practicable give notice in case of inability on his part to supply water on account of temporary shut down of power of break down in supply system or any other reason. As regards permanent stoppage of water supply the consumer to make his owner arrangements.

REVISION IN QUANTITIES :

If the quantity of water to be supplied has to be revised in future based on charged conditions and circumstances prior intimation in this regard will be given by the supplier to the consumer and for such supply of revised quantity of water, the rate applicable is subject to determination a fresh by the supplier.

EXESS USAGE :

The supplier is not bound to supply more water than the quantity hereby agreed upon. However, if the consumer draws more than the agreed quantity of water he is liable to charge at double, the aforesaid rate for the excess quantity so drawn, the connection is liable to be disconnected in the even of the supplier being unable to permit the excess drawl after issue of a notice in writing giver to the consumer for the consumption within the agreed quantity.

USE OF WATER :

It is expressly agreed between the supplier and the consumer that the water supply shall be employed for domestic/industrial use only.The consumer shall endeavor to avoid any wastage of water by leakage or otherwise if the consumer is found to misuse or waste the water supply will be disconnected.

ARBEITRATION :

In meter of dispute closing out of this agreement which cannot be settled by the General examination of the supplier and the consumer, the matter shall be referred to the Chairman of the Board whose decision shall be final and legally binding on both the parties, not with standing any thing herein contained. However, the parties to this agreement by giving to the other party at any time three months notice in writing by registered post to the last known address.

For:Karnataka Industrial Area Development Board

Cont.....4.

For Shilpa Medicare Ltd. 100% EOU

Deputy Development Officer

Managing Director

Annexure-8

IN WITNESS WHEREOF :

The supplier hath caused it's the Deputy Development Officer, to set his hand and affix the official seal there to and the consumer hath set his hand official seal on the day and year first above written.

Signed, Sealed and Delivered,
On behalf of KIADB,
By
Deputy Development Officer,
Karnataka Industrial Areas Development Board,
Plot No: 49, Raichur Industrial Area,
Hyderabad Road,
RAICHUR.

For:Karnataka Industrial Area Development Board

Deputy Development Officer

In the presence of :

1)

2)

For Shilpa Medicare Ltd. 100% EOU

Managing Director

Signed, Sealed and Delivered,

By the above named lessee:
In the presence of :

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2655
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092lF

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	123
Velocity (m/s)	8.8
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	31223.8	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	16.5	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	36	<150
Carbon Dioxide as CO_2		%	8.4	<12

BDL: Below Detection limit

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-9


GPS Map Camera
Chicksugur, Karnataka, India
100% Export Oriented Unit, Plot #33, Raichur Growth Centre,
33a & 40 To 47, Chicksugur, Karnataka 584134, India
Lat 16.311643° Long 77.358016°
20/04/2026 11:48 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure - 9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3422
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.30986
11.	Longitude	:	77.357057

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014722F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	120
Velocity (m/s)	8.4
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	29805	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	17.6	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	38	<150
Carbon Dioxide as CO_2		%	7.5	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) - 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3900
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.30986
11.	Longitude	:	77.357057

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016637F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	122
Velocity (m/s)	8.1
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	29804	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	73.4	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	16.2	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	34	<150
Carbon Dioxide as CO_2		%	7.2	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

ANALYTICAL LABORATORY BALLARI

Authorized Signatory


Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6279
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309673
11.	Longitude	:	77.356992

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019859F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	125
Velocity (m/s)	8.4
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	29804	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.4	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	14.8	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	32	<150
Carbon Dioxide as CO_2		%	7.5	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6802
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309685
11.	Longitude	:	77.357078

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022019F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	126
Velocity (m/s)	8.1
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	28740	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	73.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	17.5	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	38	<150
Carbon Dioxide as CO_2		%	8.2	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory


Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure -9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7520
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.309693
11.	Longitude	:	77.357087

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025131F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	130
Velocity (m/s)	8.5
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	30159	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	75.2	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	18.1	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	35	<150
Carbon Dioxide as CO_2		%	8.6	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory


Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2660
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309634
11.	Longitude	:	77.356786

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 6F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	68
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	74.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	19.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	25.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

ANALYTICAL LABORATORIES BALLARI

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-9


GPS Map Camera
Chicksugur, Karnataka, India
8954+rc3, Chicksugur, Karnataka 584134, India
Lat 16.309634° Long 77.356786°
20/04/2026 09:46 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2661
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309637
11.	Longitude	:	77.356783

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000000010927F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	66
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	61.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	14.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	26.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-9


GPS Map Camera
Chicksugur, Karnataka, India
8954+rc3, Chicksugur, Karnataka 584134, India
Lat 16.309637° Long 77.356783°
20/04/2026 10:21 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2662
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309535
11.	Longitude	:	77.357008

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000001092 8F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	64
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	56.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	20.1	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-9


GPS Map Camera
Chicksugur, Karnataka, India
59, Chicksugur, Karnataka 584134, India
Lat 16.309535° Long 77.357008°
20/04/2026 11:09 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure -9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2663
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000010929F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	78
Velocity (m/s)	7.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	75.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	26.8	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	32.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-END OF REPORT-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3427
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.312012
11.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014727F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	65
Velocity (m/s)	5.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	73.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	14.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	19.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3428
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.312012
11.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014728F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	63
Velocity (m/s)	5.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	66.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	12.5	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	22.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3429
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.312012
11.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014729F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	61
Velocity (m/s)	5.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	50.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	21.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	24.2	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah. P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure -9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3430
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014730F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	74
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m²)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	74.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	23.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexur-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3905
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309606
11.	Longitude	:	77.356763

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016642F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	68
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	70.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	16.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	21.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3906
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309603
11.	Longitude	:	77.356764

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016643F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	65
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	64.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	13.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	24.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3907
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309603
11.	Longitude	:	77.356764

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016644F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	62
Velocity (m/s)	5.6
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	52.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	23.5	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	27.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3908
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016645F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	76
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	72.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	20.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	26.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6284
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309676
11.	Longitude	:	77.35673

~~Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019864F~~

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	66
Velocity (m/s)	5.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	72.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	18.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	24.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6285
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309609
11.	Longitude	:	77.356761

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019865F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	68
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	67.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	16.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	27.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6286
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309559
11.	Longitude	:	77.356971

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019866F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	65
Velocity (m/s)	5.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	50.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	21.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6287
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019867F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	74
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	74.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	23.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	29.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI MSW

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6807
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309641
11.	Longitude	:	77.356771

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000022024F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	65
Velocity (m/s)	5.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	74.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	16.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	23.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6808
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309641
11.	Longitude	:	77.356771

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000022025F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	66
Velocity (m/s)	5.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	65.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	14.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6809
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309641
11.	Longitude	:	77.356771

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022026F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	64
Velocity (m/s)	5.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	52.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	20.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	22.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah. P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure 9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6810
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical – Group: Atmospheric Pollution – Sub Group: Stack Emission – ULR No: TC407126000022027F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	72
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	71.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	22.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	27.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory
Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7525
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025136F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	68
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	78.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	18.5	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7526
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025137F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	69
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	69.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	16.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	26.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7527
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025138F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	70
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	60.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	25.4	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	20.6	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure -9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7528
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025139F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	70
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	73.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	25.8	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	29.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2656
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310237
11.	Longitude	:	77.355474

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000001092 2F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	38
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m³/hr	1174.2	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	49.6	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm³	11.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

--END OF REPORT:-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	1624
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310237
11.	Longitude	:	77.355474

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1602

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	38
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.006	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES * BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-9


GPS Map Camera
Chicksugur, Karnataka, India
34/p1, Chicksugur, Karnataka 584134, India
Lat 16.310237° Long 77.355474°
20/04/2026 04:04 PM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2657
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310832
11.	Longitude	:	77.355334

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 3F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	32
Stack Temperature (°C)	37
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1211.7	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	48.9	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.1	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	1625
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310832
11.	Longitude	:	77.355334

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1603

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	37
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-9


GPS Map Camera
Chicksugur, Karnataka, India
34/p1, Chicksugur, Karnataka 584134, India
Lat 16.310832° Long 77.355334°
20/04/2026 04:53 PM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-SCR-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2658
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309902
11.	Longitude	:	77.355857

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000001092 4F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	41
Velocity (m/s)	5.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m^3/hr	1763.2	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm^3	40.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Anamisen

ANALYSIS REPORT FOR SOURCE EMMISSION

MSVAL/QR/7.8/01

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-SCR-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	1626
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309902
11.	Longitude	:	77.355857

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1604

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	41
Velocity (m/s)	5.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

END OF REPORT.

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-9


GPS Map Camera
Chicksugur, Karnataka, India
8954+rc3, Chicksugur, Karnataka 584134, India
Lat 16.309902° Long 77.355857°
20/04/2026 03:07 PM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-SCR-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2659
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310596
11.	Longitude	:	77.356174

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092SF

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	37
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1601.7	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	37.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9

ANALYSIS REPORT FOR SOURCE EMMISSION

MSVAL/QR/7.8/01

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-SCR-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	1627
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310596
11.	Longitude	:	77.356174

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1605

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	37
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-9


GPS Map Camera
Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.310596° Long 77.356174°
20/04/2026 02:16 PM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure -9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AJ Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3423
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014723F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	33
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	930	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	50.5	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

-:END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AJ Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	2028
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1970

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	33
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- D Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3424
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014724F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1045	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	43.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure 9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- D Block-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	2029
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1972

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3425
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.310077
11.	Longitude	:	77.356043

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014725F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	35
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1437	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	6.1	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	2030
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.310077
11.	Longitude	:	77.356043

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1973

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	35
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure -9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3426
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000014726F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	33
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m^3/hr	1438	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm^3	42.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	9.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	2031
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1974

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	33
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3901
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016638F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	974	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	52.4	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.5	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	2026
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2152

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3902
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310488
11.	Longitude	:	77.355497

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016639F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1092	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	42.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.1	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

- END OF REPORT -

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	2027
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310488
11.	Longitude	:	77.355497

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2153

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure 19



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure 4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3903
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016640F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	36
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1534	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	42.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	6.7	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

- END OF REPORT -

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	20.06.2026
6.	Sample Code	:	2028
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2154

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	36
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BELLARY

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure -9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	2029
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2155

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

MSV ANALYTICAL LABORATORY BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure - 9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3904
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016641F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1503	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	43.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6280
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000019860F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	34
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1041	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	49.5	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	15.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	2547
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2363

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	34
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LAB BALLARI


-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6281
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.31035
11.	Longitude	:	77.356327

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019861F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	34
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1140	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	45.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	2548
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.31035
11.	Longitude	:	77.356327

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2364

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	34
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-- END OF REPORT --

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure -9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6282
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309884
11.	Longitude	:	77.356188

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019862F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1600	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	47.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

--END OF REPORT--

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	2549
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309884
11.	Longitude	:	77.356188

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2365

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure - 9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6283
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.310409
11.	Longitude	:	77.356292

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000019863F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	32
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1438	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	2550
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.310409
11.	Longitude	:	77.356292

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2366

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	32
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT:-


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6803
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000022020F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	996.9	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	44.2	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.3	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	2800
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission _Test Report No: MSVAL/2026/2588

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

:: END OF REPORT ::

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6804
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022021F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1092.9	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	47.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

ANALYTICAL LABORATORIES BALLARI MSV

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	2801
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2589

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6805
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022022F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	34
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1371.3	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	45.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	7.3	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory
Hanumanthaiah P
Technical Manager

--END OF REPORT--

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	2802
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2590

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	34
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.001	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6806
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022023F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	30
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1340.2	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	38.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	11.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT:-

Authorized Signatory
Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure -9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	2803
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2591

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	30
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI MSV


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7521
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025132F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	35
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1041.2	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	45.1	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

: END OF REPORT :

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	3023
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical — Group: Atmospheric Pollution — Sub Group: Stack Emission — Test Report No: MSVAL/2026/3078

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	35
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES * BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure -4



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7522
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025133F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	29
Velocity (m/s)	4.3
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1021.6	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	48.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	14.3	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	3024
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/3079

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	29
Velocity (m/s)	4.3
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


MSV ANALYTICAL LABORATORIES BALLARI END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7523
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.310409
11.	Longitude	:	77.356292

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000025134F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1501.9	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	43.9	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

END OF REPORT

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	3025
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.310409
11.	Longitude	:	77.356292

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/3079

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.001	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthraiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7524
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.3110478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025135F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1569	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.7	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	3026
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.3110478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/3080

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-9



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-10

Central Pollution Control Board	
Industry Name: Shilpa Pharma Lifesciences Ltd Unit 2	
Station Name: OD20KA04578_Effluent_ROPermeate	
Start Date: 2026-09-01 End Date: 2026-09-30	
Date	Flow Outlet(m^3/hr)
2026-09-01 00:00:00	11.5
2026-09-01 12:00:00	10.7
2026-09-02 00:00:00	10.6
2026-09-02 12:00:00	10.8
2026-09-03 00:00:00	8.6
2026-09-03 12:00:00	10.2
2026-09-04 00:00:00	7.7
2026-09-04 12:00:00	10.6
2026-09-05 00:00:00	4.6
2026-09-05 12:00:00	7.7
2026-09-06 00:00:00	8.9
2026-09-06 12:00:00	11.3
2026-09-07 00:00:00	12.4
2026-09-07 12:00:00	8.3
2026-09-08 00:00:00	10.8
2026-09-08 12:00:00	8.3
2026-09-09 00:00:00	10.2
2026-09-09 12:00:00	9.6
2026-09-10 00:00:00	10
2026-09-10 12:00:00	7.9
2026-09-11 00:00:00	9
2026-09-11 12:00:00	7.8
2026-09-12 00:00:00	9.1
2026-09-12 12:00:00	6.6
2026-09-13 00:00:00	4.1
2026-09-13 12:00:00	6.7
2026-09-14 00:00:00	7.6
2026-09-14 12:00:00	5.4
2026-09-15 00:00:00	6.1
2026-09-15 12:00:00	6.2
2026-09-16 00:00:00	6.4
2026-09-16 12:00:00	5.6
2026-09-17 00:00:00	6.7
2026-09-17 12:00:00	6.5
2026-09-18 00:00:00	6.2
2026-09-18 12:00:00	6.2
2026-09-19 00:00:00	7.3
2026-09-19 12:00:00	5.4
2026-09-20 00:00:00	6.4
2026-09-20 12:00:00	4.9
2026-09-21 00:00:00	5.5
2026-09-21 12:00:00	7.2
2026-09-22 00:00:00	6.6
2026-09-22 12:00:00	6.1
2026-09-23 00:00:00	7.3

Annual-CO

2026-09-23 12:00:00	6.3
2026-09-24 00:00:00	6.8
2026-09-24 12:00:00	5.8
2026-09-25 00:00:00	5.3
2026-09-25 12:00:00	5.1
2026-09-26 00:00:00	6.5
2026-09-26 12:00:00	5.5
2026-09-27 00:00:00	5.9
2026-09-27 12:00:00	5.7
2026-09-28 00:00:00	5.4
2026-09-28 12:00:00	5.2
2026-09-29 00:00:00	6.4
2026-09-29 12:00:00	5.5
2026-09-30 00:00:00	6.5
2026-09-30 12:00:00	8.6

Annexure-10

Shilpa Pharma Lifesciences Ltd Unit


2 OD20KA04578_Effluent_ROPermeate

Plot No: 30,31,32,35 to39, 33, 33A & 40-47, Raichur Industrial Growth Center, Chicksugur-584 134, Raichur District, Karnataka State, India.

Start Date - 2026-09-01
End Date - 2026-09-30
Average - 12 Hours

Chart View | Grid View

CPCB



Flow Outlet(m³/hr)

Close(X)

2026-09-01

* End Date

2026-09-30

* Data Type

Good Data

* Average Duration

12 Hours

Submit

Print | Excel

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000255**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AD 7429**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**
Waste description	**Waste Category** / **Physical form** / **Qty(MT)** 35.3.Chemical Sludge From Waste Water Treatment / Semi-Solid / 22.7
Total quantity : No. of Containers	**22.7 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading . any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-25-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES Limited RAICHUR

ZAHID ROADLINES 1st Floor, Bantwal Chambers Baikampady, MANGALORE - 575 011

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure-V

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000254**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 01 AH 7908**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**
Waste description	**Waste Category** / **Physical form** / **Qty(MT)** 35.3.Chemical Sludge From Waste Water Treatment / Semi-Solid / 30.36
Total quantity : No. of Containers	**30.36 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading . any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-17-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LTD RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000252**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	21.1

Total quantity : No. of Containers	**21.1 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading. and any spillage wash with plenty of water**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-14-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Shilpa Lifesciences Limited RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000251**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 0560**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**
Waste description	**Waste Category** | **Physical form** | **Qty(MT)** 35.3.Chemical Sludge From Waste Water Treatment | Semi-Solid | 15.36
Total quantity : No. of Containers	**15.36 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-07-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000250**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 01 AH 7908**
Receiver's name and mailing address (Including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village : Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**
Waste description	**Waste Category** | **Physical form** | **Qty(MT)** 35.3.Chemical Sludge From Waste Water Treatment | Semi-Solid | 24.66
Total quantity : No. of Containers	**24.66 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-06-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000253**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**
Waste description	**Waste Category** | **Physical form** | **Qty(MT)** 28.6. Spent solvents | Liquid | 26.17
Total quantity : **No. of Containers**	**26.17 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading . any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-17-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000268**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**
Waste description	

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	27.24

Total quantity : No. of Containers	**27.24 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-11-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000269**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	27.03

Total quantity : No. of Containers	**27.03 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-22-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:9845745068** **E-Mail:sharath@vbshilpa.com**
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000270**
Transporter's name and address: (including Phone No. and e-mail)	Indian Eco Solutions Pvt Ltd vasanthanarasapura Phone:9686529172 e-mailindianecosolutions@gmail.com Transporter's registration No: 134428
Type of vehicle	**Truck**
Transporter's registration No	**134428**
Vehicle registration No.	**KA 52 C 1619**
Receiver's name and mailing address (including Phone No. and e-mail)	Indian Eco Solutions Pvt Ltd vasanthanarasapura Phone:9686529172 e-mailindianecosolutions@gmail.com Receiver's authorisation No.: 134428
Receiver's authorisation No.	**134428**
Waste description	

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	24.16

Total quantity : No. of Containers	**24.16 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-26-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

y 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000271**
Transporter's name and address: (including Phone No. and e-mail)	Mathrubai Transport Plt No. 158 to 164, KIADB Kadechur Industrial Area, Yadgir-585221, Corresponding Address: #29, Venkatappa Street, Chikka Mavalli, Bangalore-560004. Phone:9449523738 e-mailswaroopms.1996@gmail.com Transporter's registration No: 99411
Type of vehicle	**Truck**
Transporter's registration No	**99411**
Vehicle registration No.	**KA 01 AL 2160**
Receiver's name and mailing address (including Phone No. and e-mail)	Karnataka Waste Management Project (A Division of Re Sustainability Limited) Dabaspet Industrial Area, NH 207, Doddaballapur Road, Nelamangala Taluk, Bangalore Rural District Phone:9980177640 e-mailamitchaudhary@ramky.com Receiver's authorisation No.: 10269
Receiver's authorisation No.	**10269**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Siudge From Waste Water Treatment	Semi-Solid	21.08

Total quantity : No. of Containers	**21.08 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-29-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre., Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000272**
Transporter's name and address: (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area **Phone:**9986250505 e-mailsyedmoosa@hotmail.com Transporter's registration No: 22794
Type of vehicle	**Truck**
Transporter's registration No	**22794**
Vehicle registration No.	**KA51D8455**
Receiver's name and mailing address (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Receiver's authorisation No.: 22794
Receiver's authorisation No.	**22794**

Waste description

Waste Category	Physical form	Qty(MT)
33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Solid	12.25

Total quantity : No. of Containers	**12.25 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING . ANY SPILLAGE WASH WITH PLENTY OF WATE**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-29-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-17

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ender's name and mailing address ncluding Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
ender's authorisation No	**28295**
lanifest Document No	**HW/28295/2026-27/0000273**
ransporter's name and address: ncluding Phone No. and e-mail)	Mathrubal Transport Plt No. 158 to 164, KIADB Kadechur Industrial Area, Yadgir-585221, Corresponding Address: #29, Venkatappa Street, Chikka Mavalli, Bangalore-560004. Phone:9449523738 e-mailswaroopms.1996@gmail.com Transporter's registration No: 99411
ype of vehicle	**Truck**
ransporter's registration No	**99411**
ehicle registration No.	**KA 04 MR 9633**
eceiver's name and mailing address ncluding Phone No. and e-mail)	Karnataka Waste Management Project (A Division of Re Sustainability Limited) Dabaspet Industrial Area, NH 207, Doddaballapur Road, Nelamangala Taluk, Bangalore Rural District Phone:9980177640 e-mailamitchaudhary@ramky.com Receiver's authorisation No.: 10269
eceiver's authorisation No.	**10269**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.38

otal quantity : lo. of Containers	**22.38 MT**
hysical form	
pecial handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
ender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
lame and stamp: Signature:	**MONTH-DAY-YEAR:08-30-2026**
ransporter acknowledgement of receipt of wastes	
lame and stamp: Signature:	**MONTH-DAY-YEAR**
eceiver's certification for receipt of hazardous and other waste	
lame and stamp: Signature:	**MONTH-DAY-YEAR**

y 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

HWW

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000266**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	24.2

Total quantity : No. of Containers	**24.2 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-04-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the render to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000267**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**
Waste description	

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26

Total quantity : No. of Containers	**26 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-29-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

\py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19-(1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000262**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	21.88

Total quantity : **No. of Containers**	**21.88 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-05-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for the receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

ZAHID ROADLINES
1st Floor, Bantwal Chambers
Baikampady, Mangaluru-575011

Copy I (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Copy 6 (Blue) - To be sent by the receiver to the sender.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000263**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
28.1.Process Residue and wastes	Slurry	2.017
28.2.Spent catalyst	Slurry	2.236
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.417

Total quantity : No. of Containers	**22.67 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-08-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

ZAHID ROADLINES
1st Floor, Bantwal Chambers
Baikampady, Mangaluru-575011

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sendor's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000264**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.26

Total quantity : **No. of Containers**	**26.26 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-13-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000265**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AD 6834**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.42

Total quantity : **No. of Containers**	**22.42 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-13-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000256**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**
Waste description	**Waste Category** / **Physical form** / **Qty(MT)** 28.6. Spent solvents / Liquid / 26.08
Total quantity : No. of Containers	**26.08 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-06-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000257**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AD 8668**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	24.86

Total quantity : No. of Containers	**24.86 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-08-2026**
Transporter acknowledgement of receipt of Waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexum -11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000258**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 0560**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-mail:lab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.84

Total quantity : **No. of Containers**	**18.84 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-09-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000259**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	24.36

Total quantity : No. of Containers	**24.36 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-21-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000260**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 0560**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.33

Total quantity : **No. of Containers**	**19.33 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-22-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 2 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure - II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000261**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.31

Total quantity : No. of Containers	**22.31 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading . any spillage wash wtih plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-26-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

HWW

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000275**
Transporter's name and address: (including Phone No. and e-mail)	Mathrubai Transport Plt No. 158 to 164, KIADB Kadechur Industrial Area, Yadgir-585221, Corresponding Address: #29, Venkatappa Street, Chikka Mavalli, Bangalore-560004. Phone:9449523738 e-mailswaroopms.1996@gmail.com Transporter's registration No: 99411
Type of vehicle	**Truck**
Transporter's registration No	**99411**
Vehicle registration No.	**KA 51 AM 4374**
Receiver's name and mailing address (including Phone No. and e-mail)	Karnataka Waste Management Project (A Division of Re Sustainability Limited) Dabaspet Industrial Area, NH 207, Doddaballapur Road, Nelamangala Taluk, Bangalore Rural District Phone:9980177640 e-mailamitchaudhary@ramky.com Receiver's authorisation No.: 10269
Receiver's authorisation No.	**10269**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	26.62

Total quantity : **No. of Containers**	**26.62 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading . If any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-05-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

MATHRUBAI TRANSPORT
29, Venkatappa Street,
Chickmavalli, Bangalore-560 004.

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000273**
Transporter's name and address: (including Phone No. and e-mail)	Mathrubal Transport Plt No. 158 to 164, KIADB Kadechur Industrial Area, Yadgir-585221, Corresponding Address: #29, Venkatappa Street, Chikka Mavalli, Bangalore-560004. Phone:9449523738 e-mailswaroopms.1996@gmail.com Transporter's registration No: 99411
Type of vehicle	**Truck**
Transporter's registration No	**99411**
Vehicle registration No.	**KA 04 MR 9633**
Receiver's name and mailing address (including Phone No. and e-mail)	Karnataka Waste Management Project (A Division of Re Sustainability Limited) Dabaspet Industrial Area, NH 207, Doddaballapur Road, Nelamangala Taluk, Bangalore Rural District Phone:9980177640 e-mailamitchaudhary@ramky.com Receiver's authorisation No.: 10269
Receiver's authorisation No.	**10269**
Waste description	

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.38

Total quantity : No. of Containers	**22.38 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-30-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ler's name and mailing address uding Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
ler's authorisation No	**28295**
ifest Document No	**HW/28295/2026-27/0000277**
sporter's name and address: uding Phone No. and e-mail)	Indian Eco Solutions Pvt Ltd vasanthanarasapura Phone:9686529172 e-mailindianecosolutions@gmail.com Transporter's registration No: 134428
of vehicle	**Truck**
sporter's registration No	**134428**
cle registration No.	**KA 52 C 1619**
iver's name and mailing address uding Phone No. and e-mail)	Indian Eco Solutions Pvt Ltd vasanthanarasapura Phone:9686529172 e-mailindianecosolutions@gmail.com Receiver's authorisation No.: 134428
iver's authorisation No.	**134428**

e description

Waste Category	Physical form	Qty(MT)
28.1.Process Residue and wastes	Slurry	2.25
20.3.Distillation Residues	Slurry	4.2
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.1

quantity : f Containers	**25.55 MT**
ical form	
ial handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
er's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
e and stamp: Signature:	**MONTH-DAY-YEAR:09-13-2026**
porter acknowledgement of receipt of Wastes	
e and stamp: Signature:	**MONTH-DAY-YEAR**
iver's certification for receipt of hazardous and other waste	
e and stamp: Signature:	**MONTH-DAY-YEAR**

e) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-V

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000276**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	20.85

Total quantity : No. of Containers	**20.85 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-08-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000274**
Transporter's name and address: (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Transporter's registration No: 22794
Type of vehicle	**Truck**
Transporter's registration No	**22794**
Vehicle registration No.	**KA01AP1139**
Receiver's name and mailing address (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Receiver's authorisation No.: 22794
Receiver's authorisation No.	**22794**


Waste description

Waste Category	Physical form	Qty(MT)
33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Solid	12.355

Total quantity : No. of Containers	**12.355 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-05-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-12



S.NO	MARK	DESCRIPTION	Block Dimension in Meter LENGTH	BREADTH	Area in Sq. Meter TOTAL AREA
01	A	PRODUCTION BLOCK(FUTURE)	ALLOTED TO A0, A01 BLOCK		
02	B	FIRE HYDRANT PUMP HOUSE	13.5	4.96	66.96
03	C	PRODUCTION BLOCK–C	40.07	28.74	1151.61
04	D	PRODUCTION BLOCK–D	27.6	15.4	425.31
05	E	PRODUCTION BLOCK–E	40.07	28.74	1151.61
06	F	SOLVENT DRUM STORAGE	17.26	16	276.16
07	F1	HAZARDOUS MATERIAL STORAGE	20.71	11.5	238.16
08	G	DISTILLATION COLUMN	17.91	13.0	232.89
09	H	PRODUCTION BLOCK–H	37.16	15.39	571.89
10	I	PRODUCTION BLOCK–I	34.56	15.41	532.56
11	J	UTILITY BLOCK	31.43	15	471.45
12	J'	GENERATOR D.G.–04	––	––	––
13	J"	DIESEL TANK	6.59	7.96	52.49
14	K	FURNACE OIL TANK	7.84	7.96	62.44
15	L	PCC ROOM	20.2	12.49	252.29
16	M	PURIFIED WATER GENERATION	20.0	10.67	213.4
17	N	GENERAL TOILETS	17.03	3.57	60.90
18	O	SCRAP YARD	––	––	––
19	P	BOILER HOUSE	29.68	20.0	593.6
20	Q	FUTURE PRODUCTION	ALLOTED TO A06 A07 BLOCK		
21	R1	R&D & SCALEUP LAB	39.5	17.5	691.25
22	R'2	ADMIN BLOCK	27.5	17.5	481.25
23	R'3	QUALITY BLOCK	35.0	22.1	773.5
24	R'4	CANTEEN	17.5	12	210
25	S	WARE HOUSE	38.45	24.5	940.02
26	T	SOLVENT TANK YARD	24.66	16.16	398.50
27	U	ETP	––	––	––
		COUNTER FLOW COOLING TOWER	6.90	6.90	47.61
		ETP CTBT	––	––	35.03
		ETP REVAMPING	––	––	113.84
		FICCO, FACCO, HETERO FENTON & CATALYTICAL FUNCTIONALISATION UNIT	––	––	150.90
		FILTER PRESS	6.10	5.75	35.0
28	U'	WATER TANKS FOR RO SYSTEM	––	––	––
29	V	WATER TREATMENT TANK	10.69	5.23	55.90
30	W	PANEL ROOM	7.96	5.46	43.46
31	X	RAW WATER TANK	37.92	5.23	198.32
32	X'	SECURITY, HR, & OHC	8.47	5.9	50.00
33	Y	VEHICLE PARKING	––	––	––
34	Z	U.G.SUMP (2Lacs Cap)	13.46	12.46	167.71
35	AA	ENGINEERING DEPT	16.0	12.64	202.24
36	AB	TEMPLE	14.72	9.8	144.30
37	AC	TANKER (LORRY) PLATFORM	12.86	6.0	77.17
38	AD	CLARIFIER TANK	––	––	––
39	AE	SOFTENERS	3.28ø	A	3.28ø
40	AF	EVAPORATION SYSTEM	10.34	4.88	50.49
41	AG	INSULATION SHED	6.0	3.0	44.72
42	AH	CHILLER SHED	6.65	6.65	44.22
43	AI	PILOT PLANT	23.03	15	345.51
44	AJ	AJ–BLOCK	16.05	14.32	229.83
45	AK	DRUM STORAGE	27.0	10.4	280.8
46	AL	MULTIPLE EFFECT EVAPORATOR	16.0	4.5	72.0
		MCC PANEL ROOM OF MEE	5.1	4.46	22.74
		HAZARDOUS STORAGE AREA	8.3	4.8	39.84
		COOLING TOWER OF MEE	8.46	8.46	71.57
47	AM	LOW VOLUME NON–ONCO PRODUCTION BLOCK	20.71	7.94	164.43
48	AP	STRIPPER COLUMN BUILDING	9.6	5.1	48.96
49	AO	T–PROJECT PRODUCTION BLOCK–I	23.72	23.13	548.85
50	AO1	T–PROJECT PRODUCTION BLOCK–II	23.50	12.32	289.69
51	AO2	CHILLING PLANT ROOM	16.3	11.25	183.37
52	AO3	THERMIC FLUID HEATER & MULTIPLE EFFECT EVAPORATOR	14.96	8.4	125.66
53	AO4	BI–POLAR MEMBRANE ROOM & ION EXCHANGE ROOM	15.44 8.83	9.08 3.29	140.19 29.05
54	AO5	H2SO4 & HCL TANKS,ETP FOR AO BLOCK	14.49	10.46	151.56
55	AQ	DISTILLATION COLUMN FEED & RECOVERED SOLVENT TANKS AREA.	––	––	199.5
56	AR	PRETREATMENT PLANT FOR WATER	––	––	112.13
57	AS	UNDER GROUND SUMP TANK	5.45	4.4	23.98
58	AT	NEUTRALISATION OF ML'S FROM E–BLOCK	7.65	6.11	46.83
59	AU	FRESH MDC STORAGE TANKS	8.01	4.39	35.22
60	AV	RECOVERED SOLVENT STORAGE	8.01	6.33	50.75
61	AW	BOILER RO PLANT	8.83	4.87	43.00

S.NO	MARK	DESCRIPTION	LENGTH	BREADTH	TOTAL AREA
62	AX	AX–BLOCK	15.60	5.33	83.17
		ION EXCHANGE	––	––	00
63	AO12	AMMONIA CYLINDER STORAGE SHED	6.15	5.60	34.47
64	AO6	STORAGE TANK AREA FOR AO–BLOCK	26.18	8.70	228.01
65	AY	RO WATER SYSTEM & PROJECT STORE	10.67	7.37	78.69
66	AO7	HYDROGENATION BLOCK (AO7 BLOCK)	24.41	14.1	344.18
67	AO8	THERMIC FLUID HEATER	16.45	10.2	167.79
68	AO9	COOLING TOWER OF AO7	15.2	13	197.6
69	AO10	ION EXCHANGE ROOM	10.45	6.45	67.40
70	AO11	ELECTRICAL PANEL ROOM	14.2	4.82	68.51
71	AO13	TRUCK BAY	12.3	6.2	76.26
72	AO14	AMMONIA PURGING & DMCD CHARGING	12.37	8.0	99.0
73	AAB	SULHURIC ACID TANK YARD	5.0	5.0	25.0
74	AM1	AM–BLOCK EXTENSION	8.15	4.75	38.71
75	AAG	ENGINEERING STORE SHED	16.6	7.0	116.2
76	AAL	COOLING TOWER	8.15	8.15	66.42
77	AAM	625 KVA DG SET FOUNDATION	7.5	3.1	23.25
78	AAN	1500 KVA SDG SET	9.5	3.4	32.3
79	AAO	PARKING AREA	––	––	––
80	AAP	PROPOSED PRODUCTION BLOCK	15.00	30.00	450.0
81	AAT	AMMONIA CYLINDER SHED	9.45	10.79	101.96
82	AAU	HYDROGEN CYLINDER STORAGE SHED	9.60	10.80	103.68

TOTAL SITE AREA : 136525.076 M²
Total Green Belt Area is 33.28%

GREEN BELT AREA (A)	11918.95 M²
GREEN BELT AREA (B)	12166.13 M²
GREEN BELT AREA (C)	813.96 M²
GREEN BELT AREA (D)	750.96 M²
GREEN BELT AREA (E)	2507.31 M²
GREEN BELT AREA (F)	505.64 M²
GREEN BELT AREA (G)	2697.87 M²
GREEN BELT AREA (H)	2550.74 M²
GREEN BELT AREA (I)	4100.72 M²
GREEN BELT AREA (J)	996.91 M²
GREEN BELT AREA (K)	2058.56 M²
GREEN BELT AREA (L)	3160.00 M²
GREEN BELT AREA (M)	1215.06 M²
TOTAL GREEN BELT AREA	45442.81 M²


SHILPA PHARMA LIFESCIENCES LTD
100% EOU, PLOT No.30, 31, 32, 33, 33A, 35 TO 39 & 40 TO 47
Raichur Industrial Growth Center
Chicksugur Village-584134,Raichur.

TITLE: **SITE LAYOUT**

	NAME	SIGNATURE	DATE
DRAWN			
PREPARED			
CHECKED			
APPROVED			

Environment management Cell

Annexure-13



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-IV

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC4071260000010931F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	66.8	62.5	64.7	75
2		At 08:00 AM	64.2	61.8	63.0	
3		At 09:00 AM	60.6	58.6	59.6	
4		At 10:00 AM	68.4	66.2	67.3	
5		At 11:00 AM	64.5	62.3	63.4	
6		At 12:00 PM	66.3	64.2	65.3	
7		At 01:00 PM	67.8	65.3	66.6	
8		At 02:00 PM	65.6	63.8	64.7	
9		At 03:00 PM	63.2	61.6	62.4	
10		At 04:00 PM	62.1	60.7	61.4	
11		At 05:00 PM	64.8	62.3	63.6	
12		At 06:00 PM	61.5	59.8	60.7	
13		At 07:00 PM	60.2	58.2	59.2	
14		At 08:00 PM	62.6	60.3	61.5	
15		At 09:00 PM	60.9	57.6	59.3	
16		At 10:00 PM	59.2	56.3	57.8	
17		At 11:00 PM	55.6	52.1	53.9	70
18		At 12:00 AM	53.8	51.9	52.9	
19		At 01:00 AM	51.6	53.4	52.5	
20		At 02:00 AM	52.1	50.2	51.2	
21		At 03:00 AM	50.6	48.6	49.6	
22		At 04:00 AM	52.8	46.3	49.6	
23		At 05:00 AM	51.9	48.2	50.1	
24		At 06:00 AM	49.6	44.8	47.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT:-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC4071260000010932F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	72.5	70.2	71.4	75
2		At 08:00 AM	70.6	68.8	69.7	
3		At 09:00 AM	66.9	64.3	65.6	
4		At 10:00 AM	68.2	66.2	67.2	
5		At 11:00 AM	66.3	63.2	64.8	
6		At 12:00 PM	68.5	66.5	67.5	
7		At 01:00 PM	67.6	65.4	66.5	
8		At 02:00 PM	65.2	63.8	64.5	
9		At 03:00 PM	66.9	64.3	65.6	
10		At 04:00 PM	62.1	60.7	61.4	
11		At 05:00 PM	60.8	58.2	59.5	
12		At 06:00 PM	63.6	61.9	62.8	
13		At 07:00 PM	67.2	65.3	66.3	
14		At 08:00 PM	62.6	60.4	61.5	
15		At 09:00 PM	59.2	56.2	57.7	
16		At 10:00 PM	57.8	55.3	56.6	
17		At 11:00 PM	55.3	52.1	53.7	70
18		At 12:00 AM	52.1	50.7	51.4	
19		At 01:00 AM	50.9	48.6	49.8	
20		At 02:00 AM	55.2	53.1	54.2	
21		At 03:00 AM	52.3	50.7	51.5	
22		At 04:00 AM	56.6	53.4	55.0	
23		At 05:00 AM	57.2	55.3	56.3	
24		At 06:00 AM	59.6	56.9	58.3	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001093 3F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	64.5	62.3	63.4	75
2		At 08:00 AM	67.2	65.2	66.2	
3		At 09:00 AM	68.2	67.2	67.7	
4		At 10:00 AM	70.6	68.2	69.4	
5		At 11:00 AM	72.3	70.4	71.4	
6		At 12:00 PM	68.2	66.3	67.3	
7		At 01:00 PM	69.2	67.1	68.2	
8		At 02:00 PM	66.8	64.2	65.5	
9		At 03:00 PM	65.3	63.4	64.4	
10		At 04:00 PM	64.1	62.7	63.4	
11		At 05:00 PM	63.9	61.8	62.9	
12		At 06:00 PM	61.9	59.3	60.6	
13		At 07:00 PM	63.7	61.7	62.7	
14		At 08:00 PM	62.5	60.5	61.5	
15		At 09:00 PM	64.3	62.8	63.6	
16		At 10:00 PM	60.5	58.7	59.6	
17		At 11:00 PM	61.3	57.6	59.5	70
18		At 12:00 AM	59.2	54.3	56.8	
19		At 01:00 AM	58.4	56.2	57.3	
20		At 02:00 AM	56.2	54.7	55.5	
21		At 03:00 AM	53.7	51.8	52.8	
22		At 04:00 AM	56.2	54.3	55.3	
23		At 05:00 AM	57.2	55.9	56.6	
24		At 06:00 AM	59.4	57.6	58.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-END OF REPORT-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001O934F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	65.8	63.5	64.7	75
2		At 08:00 AM	66.5	64.2	65.4	
3		At 09:00 AM	68.3	66.7	67.5	
4		At 10:00 AM	62.4	59.8	61.1	
5		At 11:00 AM	63.6	61.8	62.7	
6		At 12:00 PM	60.6	58.6	59.6	
7		At 01:00 PM	66.2	64.3	65.3	
8		At 02:00 PM	68.4	66.8	67.6	
9		At 03:00 PM	67.2	65.4	66.3	
10		At 04:00 PM	69.3	66.2	67.8	
11		At 05:00 PM	67.5	65.5	66.5	
12		At 06:00 PM	62.6	60.7	61.7	
13		At 07:00 PM	62.7	60.3	61.5	
14		At 08:00 PM	63.6	61.5	62.6	
15		At 09:00 PM	60.6	58.3	59.5	
16		At 10:00 PM	63.9	61.7	62.8	
17		At 11:00 PM	61.2	57.4	59.3	70
18		At 12:00 AM	60.7	58.7	59.7	
19		At 01:00 AM	63.5	61.8	62.7	
20		At 02:00 AM	58.2	56.5	57.4	
21		At 03:00 AM	54.5	52.1	53.3	
22		At 04:00 AM	56.9	53.4	55.2	
23		At 05:00 AM	59.4	57.8	58.6	
24		At 06:00 AM	56.7	54.4	55.6	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-IV

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000014732F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	64.2	60.3	62.3	75
2		At 08:00 AM	65.1	63.5	64.3	
3		At 09:00 AM	62.3	60.8	61.6	
4		At 10:00 AM	66.8	62.8	64.8	
5		At 11:00 AM	68.3	64.3	66.3	
6		At 12:00 PM	70.2	66.2	68.2	
7		At 01:00 PM	71.3	67.3	69.3	
8		At 02:00 PM	72.6	68.6	70.6	
9		At 03:00 PM	70.5	66.5	68.5	
10		At 04:00 PM	71.6	68.6	70.1	
11		At 05:00 PM	70.3	67.3	68.8	
12		At 06:00 PM	68.2	65.2	66.7	
13		At 07:00 PM	67.3	64.3	65.8	
14		At 08:00 PM	66.5	63.5	65.0	
15		At 09:00 PM	65.4	60.4	62.9	
16		At 10:00 PM	60.3	55.3	57.8	
17		At 11:00 PM	61.2	56.2	58.7	70
18		At 12:00 AM	58.3	53.3	55.8	
19		At 01:00 AM	56.4	51.4	53.9	
20		At 02:00 AM	53.1	48.1	50.6	
21		At 03:00 AM	52.6	47.6	50.1	
22		At 04:00 AM	55.4	50.4	52.9	
23		At 05:00 AM	54.3	49.3	51.8	
24		At 06:00 AM	55.6	50.6	53.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

--END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure -14

AMBIENT NOISE LEVEL MONITORING REPORT

MSVAL/QR/7.8/01

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407126000014733F**

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	73.5	60.3	66.9	75
2		At 08:00 AM	71.2	63.5	67.4	
3		At 09:00 AM	72.8	60.8	66.8	
4		At 10:00 AM	70.5	66.5	68.5	
5		At 11:00 AM	69.3	65.3	67.3	
6		At 12:00 PM	68.5	64.5	66.5	
7		At 01:00 PM	71.5	67.5	69.5	
8		At 02:00 PM	72.6	68.6	70.6	
9		At 03:00 PM	69.3	65.3	67.3	
10		At 04:00 PM	68.5	65.5	67.0	
11		At 05:00 PM	67.5	64.5	66.0	
12		At 06:00 PM	66.3	63.3	64.8	
13		At 07:00 PM	69.4	66.4	67.9	
14		At 08:00 PM	65.2	62.2	63.7	
15		At 09:00 PM	68.2	63.2	65.7	
16		At 10:00 PM	66.3	61.3	63.8	
17		At 11:00 PM	65.4	60.4	62.9	70
18		At 12:00 AM	64.2	59.2	61.7	
19		At 01:00 AM	61.6	56.6	59.1	
20		At 02:00 AM	62.8	57.8	60.3	
21		At 03:00 AM	63.2	58.2	60.7	
22		At 04:00 AM	61.5	56.5	59.0	
23		At 05:00 AM	60.8	55.8	58.3	
24		At 06:00 AM	61.3	56.3	58.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Poilution Sub Group: Ambient Noise ULR No: TC407126000014734F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	67.3	60.3	63.8	75
2		At 08:00 AM	64.2	63.5	61.8	
3		At 09:00 AM	67.3	60.8	59.3	
4		At 10:00 AM	65.3	61.3	67.4	
5		At 11:00 AM	68.2	64.2	66.5	
6		At 12:00 PM	69.3	65.3	61.5	
7		At 01:00 PM	69.5	65.5	59.8	
8		At 02:00 PM	69.1	65.1	60.9	
9		At 03:00 PM	67.2	63.2	66	
10		At 04:00 PM	66.3	63.3	64.8	
11		At 05:00 PM	65.8	62.8	68.2	
12		At 06:00 PM	66.5	63.5	66.1	
13		At 07:00 PM	66.8	63.8	65	
14		At 08:00 PM	67.3	64.3	63.5	
15		At 09:00 PM	65.2	60.2	66.8	
16		At 10:00 PM	64.3	59.3	64.7	
17		At 11:00 PM	63.5	58.5	63.9	70
18		At 12:00 AM	62.8	57.8	61.4	
19		At 01:00 AM	61.5	56.5	57.1	
20		At 02:00 AM	58.3	53.3	58.3	
21		At 03:00 AM	56.2	51.2	55.4	
22		At 04:00 AM	55.3	50.3	52.4	
23		At 05:00 AM	50.2	45.2	51.8	
24		At 06:00 AM	51.6	46.6	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES * BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000014735F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	66.5	60.3	63.8	75
2		At 08:00 AM	67.3	63.5	61.8	
3		At 09:00 AM	68.5	60.8	59.3	
4		At 10:00 AM	69.4	65.4	67.4	
5		At 11:00 AM	67.2	63.2	66.5	
6		At 12:00 PM	65.1	61.1	61.5	
7		At 01:00 PM	64.3	60.3	59.8	
8		At 02:00 PM	63.8	59.8	60.9	
9		At 03:00 PM	65.2	61.2	66	
10		At 04:00 PM	66.3	63.3	64.8	
11		At 05:00 PM	67.2	64.2	68.2	
12		At 06:00 PM	65.3	62.3	66.1	
13		At 07:00 PM	64.3	61.3	65	
14		At 08:00 PM	63.8	60.8	63.5	
15		At 09:00 PM	61.5	56.5	66.8	
16		At 10:00 PM	60.2	55.2	64.7	
17		At 11:00 PM	59.2	54.2	63.9	70
18		At 12:00 AM	56.3	51.3	61.4	
19		At 01:00 AM	55.4	50.4	57.1	
20		At 02:00 AM	53.2	48.2	58.3	
21		At 03:00 AM	53.8	48.8	55.4	
22		At 04:00 AM	52.6	47.6	52.4	
23		At 05:00 AM	51.2	46.2	51.8	
24		At 06:00 AM	51.6	46.6	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016647F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	65.2	61.2	63.2	75
2		At 08:00 AM	66.3	62.3	64.3	
3		At 09:00 AM	63.8	62.3	63.1	
4		At 10:00 AM	67.1	64.5	65.8	
5		At 11:00 AM	69.3	63.8	66.6	
6		At 12:00 PM	72.8	68.8	70.8	
7		At 01:00 PM	72.3	67.2	69.8	
8		At 02:00 PM	73.4	68.3	70.9	
9		At 03:00 PM	71.2	66.5	68.9	
10		At 04:00 PM	72.5	68.1	70.3	
11		At 05:00 PM	71.9	66.3	69.1	
12		At 06:00 PM	69.4	65.2	67.3	
13		At 07:00 PM	68.3	64.3	66.3	
14		At 08:00 PM	67.5	62.3	64.9	
15		At 09:00 PM	66.2	63.5	64.9	
16		At 10:00 PM	61.4	57.1	59.3	
17		At 11:00 PM	62.3	58.1	60.2	70
18		At 12:00 AM	59.1	56.1	57.6	
19		At 01:00 AM	57.3	53.4	55.4	
20		At 02:00 AM	52.3	48.3	50.3	
21		At 03:00 AM	54.2	47.2	50.7	
22		At 04:00 AM	56.1	50.3	53.2	
23		At 05:00 AM	55.2	51.2	53.2	
24		At 06:00 AM	56.1	52.3	54.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016648F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	72.8	61.3	67.1	75
2		At 08:00 AM	72.3	62.5	67.4	
3		At 09:00 AM	73.6	63.4	68.5	
4		At 10:00 AM	71.4	68.2	69.8	
5		At 11:00 AM	68.2	63.1	65.7	
6		At 12:00 PM	67.3	64.1	65.7	
7		At 01:00 PM	70.5	65.3	67.9	
8		At 02:00 PM	73.6	67.2	70.4	
9		At 03:00 PM	68.1	63.5	65.8	
10		At 04:00 PM	67.2	62.8	65.0	
11		At 05:00 PM	66.4	61.6	64.0	
12		At 06:00 PM	64.2	62.8	63.5	
13		At 07:00 PM	68.2	63.4	65.8	
14		At 08:00 PM	67.1	62.4	64.8	
15		At 09:00 PM	66.3	62.8	64.6	
16		At 10:00 PM	64.1	58.1	61.1	
17		At 11:00 PM	64.2	57.1	60.7	70
18		At 12:00 AM	63.2	56.1	59.7	
19		At 01:00 AM	60.8	54.2	57.5	
20		At 02:00 AM	61.8	52.3	57.1	
21		At 03:00 AM	62.4	56.1	59.3	
22		At 04:00 AM	61.5	55.2	58.4	
23		At 05:00 AM	60.8	54.1	57.5	
24		At 06:00 AM	62.3	55.2	58.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016649F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	66.3	61.2	63.8	75
2		At 08:00 AM	65.2	62.8	61.8	
3		At 09:00 AM	64.3	61.4	59.3	
4		At 10:00 AM	63.8	58.4	67.4	
5		At 11:00 AM	66.5	60.3	66.5	
6		At 12:00 PM	68.1	63.5	61.5	
7		At 01:00 PM	67.3	60.2	59.8	
8		At 02:00 PM	68.2	63.5	60.9	
9		At 03:00 PM	66.2	64.2	66	
10		At 04:00 PM	65.1	61.5	64.8	
11		At 05:00 PM	64.3	60.3	68.2	
12		At 06:00 PM	63.5	59.2	66.1	
13		At 07:00 PM	65.2	61.5	65	
14		At 08:00 PM	66.4	60.3	63.5	
15		At 09:00 PM	64.8	58.1	66.8	
16		At 10:00 PM	62.4	56.3	64.7	
17		At 11:00 PM	62.3	58.2	63.9	70
18		At 12:00 AM	60.4	56.1	61.4	
19		At 01:00 AM	62.8	56.4	57.1	
20		At 02:00 AM	57.5	51.3	58.3	
21		At 03:00 AM	55.3	49.2	55.4	
22		At 04:00 AM	54.2	48.3	52.4	
23		At 05:00 AM	51.6	45.7	51.8	
24		At 06:00 AM	52.8	46.1	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016650F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	68.2	59.2	63.8	75
2		At 08:00 AM	66.3	64.1	61.8	
3		At 09:00 AM	65.3	61.2	59.3	
4		At 10:00 AM	67.2	62.8	67.4	
5		At 11:00 AM	62.3	59.3	66.5	
6		At 12:00 PM	64.8	61.4	61.5	
7		At 01:00 PM	61.8	56.2	59.8	
8		At 02:00 PM	60.5	57.2	60.9	
9		At 03:00 PM	63.8	58.1	66	
10		At 04:00 PM	64.1	61.1	64.8	
11		At 05:00 PM	62.8	58.3	68.2	
12		At 06:00 PM	66.5	62.5	66.1	
13		At 07:00 PM	65.1	63.4	65	
14		At 08:00 PM	62.4	58.1	63.5	
15		At 09:00 PM	62.8	56.4	66.8	
16		At 10:00 PM	62.5	55.2	64.7	
17		At 11:00 PM	58.1	50.4	63.9	70
18		At 12:00 AM	57.2	51.6	61.4	
19		At 01:00 AM	56.3	52.3	57.1	
20		At 02:00 AM	52.6	48.3	58.3	
21		At 03:00 AM	50.3	46.5	55.4	
22		At 04:00 AM	51.4	47.3	52.4	
23		At 05:00 AM	50.2	46.1	51.8	
24		At 06:00 AM	52.3	47.3	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019869F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	62.4	60.3	61.4	75
2		At 08:00 AM	63.5	61.7	62.6	
3		At 09:00 AM	65.6	63.4	64.5	
4		At 10:00 AM	69.2	67.5	68.4	
5		At 11:00 AM	70.3	68.2	69.3	
6		At 12:00 PM	73.5	71.6	72.6	
7		At 01:00 PM	71.8	69.2	70.5	
8		At 02:00 PM	74.3	72.5	73.4	
9		At 03:00 PM	70.7	68.2	69.5	
10		At 04:00 PM	72.5	69.8	71.2	
11		At 05:00 PM	69.3	66.7	68.0	
12		At 06:00 PM	68.2	67.2	67.7	
13		At 07:00 PM	66.2	64.3	65.3	
14		At 08:00 PM	65.3	62.1	63.7	
15		At 09:00 PM	67.2	65.3	66.3	
16		At 10:00 PM	64.3	61.8	63.1	
17		At 11:00 PM	63.8	60.7	62.3	70
18		At 12:00 AM	57.2	55.3	56.3	
19		At 01:00 AM	55.2	52.1	53.7	
20		At 02:00 AM	50.3	47.5	48.9	
21		At 03:00 AM	52.1	49.4	50.8	
22		At 04:00 AM	54.6	51.7	53.2	
23		At 05:00 AM	56.3	53.8	55.1	
24		At 06:00 AM	52.7	49.6	51.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019870F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	70.6	68.2	69.4	75
2		At 08:00 AM	73.8	71.3	72.6	
3		At 09:00 AM	72.1	70.5	71.3	
4		At 10:00 AM	71.9	68.9	70.4	
5		At 11:00 AM	67.4	65.3	66.4	
6		At 12:00 PM	65.3	62.7	64.0	
7		At 01:00 PM	68.2	66.3	67.3	
8		At 02:00 PM	66.9	63.8	65.4	
9		At 03:00 PM	67.2	65.1	66.2	
10		At 04:00 PM	64.2	62.7	63.5	
11		At 05:00 PM	63.7	61.3	62.5	
12		At 06:00 PM	65.6	63.4	64.5	
13		At 07:00 PM	63.8	61.2	62.5	
14		At 08:00 PM	65.2	63.8	64.5	
15		At 09:00 PM	68.4	65.4	66.9	
16		At 10:00 PM	62.3	60.8	61.6	
17		At 11:00 PM	61.8	58.7	60.3	70
18		At 12:00 AM	60.6	57.2	58.9	
19		At 01:00 AM	63.5	61.3	62.4	
20		At 02:00 AM	65.4	63.8	64.6	
21		At 03:00 AM	61.9	59.7	60.8	
22		At 04:00 AM	59.2	56.3	57.8	
23		At 05:00 AM	57.6	55.4	56.5	
24		At 06:00 AM	55.8	53.2	54.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019871F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	64.2	62.1	63.2	75
2		At 08:00 AM	63.5	61.7	62.6	
3		At 09:00 AM	62.6	60.3	61.5	
4		At 10:00 AM	61.7	58.7	60.2	
5		At 11:00 AM	63.4	60.3	61.9	
6		At 12:00 PM	66.9	63.5	65.2	
7		At 01:00 PM	65.1	62.8	64.0	
8		At 02:00 PM	67.2	65.7	66.5	
9		At 03:00 PM	65.4	63.2	64.3	
10		At 04:00 PM	64.3	62.9	63.6	
11		At 05:00 PM	63.5	61.4	62.5	
12		At 06:00 PM	61.5	58.5	60.0	
13		At 07:00 PM	62.9	60.3	61.6	
14		At 08:00 PM	65.4	62.7	64.1	
15		At 09:00 PM	62.9	59.8	61.4	
16		At 10:00 PM	63.5	61.7	62.6	
17		At 11:00 PM	60.2	57.2	58.7	70
18		At 12:00 AM	58.7	56.3	57.5	
19		At 01:00 AM	61.8	58.5	60.2	
20		At 02:00 AM	55.4	52.3	53.9	
21		At 03:00 AM	53.6	51.8	52.7	
22		At 04:00 AM	52.8	50.6	51.7	
23		At 05:00 AM	50.4	48.7	49.6	
24		At 06:00 AM	51.5	47.2	49.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019872F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	70.6	68.5	69.6	75
2		At 08:00 AM	68.4	66.3	67.4	
3		At 09:00 AM	63.6	61.7	62.7	
4		At 10:00 AM	73.8	71.2	72.5	
5		At 11:00 AM	72.6	70.9	71.8	
6		At 12:00 PM	74.6	72.4	73.5	
7		At 01:00 PM	71.5	69.2	70.4	
8		At 02:00 PM	65.6	63.2	64.4	
9		At 03:00 PM	67.5	65.9	66.7	
10		At 04:00 PM	64.8	62.1	63.5	
11		At 05:00 PM	60.8	58.4	59.6	
12		At 06:00 PM	66.5	63.4	65.0	
13		At 07:00 PM	65.1	62.1	63.6	
14		At 08:00 PM	60.6	58.7	59.7	
15		At 09:00 PM	61.8	59.3	60.6	
16		At 10:00 PM	64.6	62.1	63.4	
17		At 11:00 PM	60.3	57.3	58.8	70
18		At 12:00 AM	62.4	60.2	61.3	
19		At 01:00 AM	58.7	56.3	57.5	
20		At 02:00 AM	56.3	54.7	55.5	
21		At 03:00 AM	54.2	52.3	53.3	
22		At 04:00 AM	53.8	51.7	52.8	
23		At 05:00 AM	51.4	48.4	49.9	
24		At 06:00 AM	50.6	47.2	48.9	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

:: END OF REPORT ::

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022029F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	DG Set Area	At 07:00 AM	66.5	62.5	64.5	75
2		At 08:00 AM	64.2	60.2	62.2	
3		At 09:00 AM	60.5	58.5	59.5	
4		At 10:00 AM	63.1	61.1	62.1	
5		At 11:00 AM	65.3	61.3	63.3	
6		At 12:00 PM	70.4	66.4	68.4	
7		At 01:00 PM	73.1	69.1	71.1	
8		At 02:00 PM	70.6	66.6	68.6	
9		At 03:00 PM	72.8	67.8	70.3	
10		At 04:00 PM	74.1	69.1	71.6	
11		At 05:00 PM	68.3	63.3	65.8	
12		At 06:00 PM	67.2	63.2	65.2	
13		At 07:00 PM	66.4	62.4	64.4	
14		At 08:00 PM	65.1	61.1	63.1	
15		At 09:00 PM	64.3	60.3	62.3	
16		At 10:00 PM	60.2	57.2	58.7	
17		At 11:00 PM	64.1	61.1	62.6	70
18		At 12:00 AM	55.2	52.2	53.7	
19		At 01:00 AM	54.1	51.1	52.6	
20		At 02:00 AM	53.6	50.6	52.1	
21		At 03:00 AM	53.1	49.1	51.1	
22		At 04:00 AM	55.1	51.1	53.1	
23		At 05:00 AM	54.1	49.1	51.6	
24		At 06:00 AM	53.8	48.8	51.3	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022030F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	70.3	66.3	68.3	75
2		At 08:00 AM	71.6	67.6	69.6	
3		At 09:00 AM	74.2	72.2	73.2	
4		At 10:00 AM	71.8	69.8	70.8	
5		At 11:00 AM	69.3	65.3	67.3	
6		At 12:00 PM	66.4	62.4	64.4	
7		At 01:00 PM	72.8	68.8	70.8	
8		At 02:00 PM	71.5	68.5	70.0	
9		At 03:00 PM	67.3	65.3	66.3	
10		At 04:00 PM	65.1	60.1	62.6	
11		At 05:00 PM	66.4	61.4	63.9	
12		At 06:00 PM	67.2	63.2	65.2	
13		At 07:00 PM	66.3	62.3	64.3	
14		At 08:00 PM	65.2	60.2	62.7	
15		At 09:00 PM	64.3	60.3	62.3	
16		At 10:00 PM	60.2	57.2	58.7	
17		At 11:00 PM	61.2	58.2	59.7	70
18		At 12:00 AM	62.8	59.8	61.3	
19		At 01:00 AM	61.7	58.7	60.2	
20		At 02:00 AM	60.2	57.2	58.7	
21		At 03:00 AM	60.3	56.3	58.3	
22		At 04:00 AM	58.4	54.4	56.4	
23		At 05:00 AM	57.6	52.6	55.1	
24		At 06:00 AM	55.2	50.2	52.7	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022031F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	65.1	61.1	63.8	75
2		At 08:00 AM	63.8	60.8	61.8	
3		At 09:00 AM	62.6	60.6	59.3	
4		At 10:00 AM	61.5	59.5	67.4	
5		At 11:00 AM	60.3	56.3	66.5	
6		At 12:00 PM	67.4	64.4	61.5	
7		At 01:00 PM	61.3	58.3	59.8	
8		At 02:00 PM	66.3	62.3	60.9	
9		At 03:00 PM	64.1	59.1	66	
10		At 04:00 PM	62.7	57.7	64.8	
11		At 05:00 PM	63.4	58.4	68.2	
12		At 06:00 PM	61.2	57.2	66.1	
13		At 07:00 PM	67.8	63.8	65	
14		At 08:00 PM	63.2	59.2	63.5	
15		At 09:00 PM	61.4	57.4	66.8	
16		At 10:00 PM	60.3	57.3	64.7	
17		At 11:00 PM	58.4	55.4	63.9	70
18		At 12:00 AM	59.6	56.6	61.4	
19		At 01:00 AM	61.3	58.3	57.1	
20		At 02:00 AM	56.4	53.4	58.3	
21		At 03:00 AM	54.2	50.2	55.4	
22		At 04:00 AM	53.6	49.6	52.4	
23		At 05:00 AM	50.8	45.8	51.8	
24		At 06:00 AM	51.2	46.2	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022032F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	66.1	62.1	63.8	75
2		At 08:00 AM	63.5	59.5	61.8	
3		At 09:00 AM	61.2	59.2	59.3	
4		At 10:00 AM	64.3	62.3	67.4	
5		At 11:00 AM	60.5	56.5	66.5	
6		At 12:00 PM	62.8	58.8	61.5	
7		At 01:00 PM	62.3	58.3	59.8	
8		At 02:00 PM	61.4	57.4	60.9	
9		At 03:00 PM	65.8	60.8	66	
10		At 04:00 PM	63.4	58.4	64.8	
11		At 05:00 PM	61.2	56.2	68.2	
12		At 06:00 PM	64.3	60.3	66.1	
13		At 07:00 PM	66.8	62.8	65	
14		At 08:00 PM	63.1	59.1	63.5	
15		At 09:00 PM	60.5	56.5	66.8	
16		At 10:00 PM	64.6	61.6	64.7	
17		At 11:00 PM	56.2	53.2	63.9	70
18		At 12:00 AM	55.3	52.3	61.4	
19		At 01:00 AM	54.1	51.1	57.1	
20		At 02:00 AM	50.2	47.2	58.3	
21		At 03:00 AM	51.3	47.3	55.4	
22		At 04:00 AM	48.2	44.2	52.4	
23		At 05:00 AM	47.3	42.3	51.8	
24		At 06:00 AM	50.2	45.2	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure -14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	23.09.2026
5.	Report Issue Date	:	29.09.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000025141F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	68.2	59.2	63.8	75
2		At 08:00 AM	66.3	64.1	61.8	
3		At 09:00 AM	65.3	61.2	59.3	
4		At 10:00 AM	67.2	62.8	67.4	
5		At 11:00 AM	62.3	59.3	66.5	
6		At 12:00 PM	64.8	61.4	61.5	
7		At 01:00 PM	61.8	56.2	59.8	
8		At 02:00 PM	60.5	57.2	60.9	
9		At 03:00 PM	63.8	58.1	66	
10		At 04:00 PM	64.1	61.1	64.8	
11		At 05:00 PM	62.8	58.3	68.2	
12		At 06:00 PM	66.5	62.5	66.1	
13		At 07:00 PM	65.1	63.4	65	
14		At 08:00 PM	62.4	58.1	63.5	
15		At 09:00 PM	62.8	56.4	66.8	
16		At 10:00 PM	62.5	55.2	64.7	
17		At 11:00 PM	58.1	50.4	63.9	70
18		At 12:00 AM	57.2	51.6	61.4	
19		At 01:00 AM	56.3	52.3	57.1	
20		At 02:00 AM	52.6	48.3	58.3	
21		At 03:00 AM	50.3	46.5	55.4	
22		At 04:00 AM	51.4	47.3	52.4	
23		At 05:00 AM	50.2	46.1	51.8	
24		At 06:00 AM	52.3	47.3	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure -14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	23.09.2026
5.	Report Issue Date	:	29.09.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000025142F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	72.8	61.3	67.1	75
2		At 08:00 AM	72.3	62.5	67.4	
3		At 09:00 AM	73.6	63.4	68.5	
4		At 10:00 AM	71.4	68.2	69.8	
5		At 11:00 AM	68.2	63.1	65.7	
6		At 12:00 PM	67.3	64.1	65.7	
7		At 01:00 PM	70.5	65.3	67.9	
8		At 02:00 PM	73.6	67.2	70.4	
9		At 03:00 PM	68.1	63.5	65.8	
10		At 04:00 PM	67.2	62.8	65.0	
11		At 05:00 PM	66.4	61.6	64.0	
12		At 06:00 PM	64.2	62.8	63.5	
13		At 07:00 PM	68.2	63.4	65.8	
14		At 08:00 PM	67.1	62.4	64.8	
15		At 09:00 PM	66.3	62.8	64.6	
16		At 10:00 PM	64.1	58.1	61.1	
17		At 11:00 PM	64.2	57.1	60.7	70
18		At 12:00 AM	63.2	56.1	59.7	
19		At 01:00 AM	60.8	54.2	57.5	
20		At 02:00 AM	61.8	52.3	57.1	
21		At 03:00 AM	62.4	56.1	59.3	
22		At 04:00 AM	61.5	55.2	58.4	
23		At 05:00 AM	60.8	54.1	57.5	
24		At 06:00 AM	62.3	55.2	58.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	**Name of the industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
3.	**Particulars of Sample Collected**	:	Noise meter
4.	**Date of Monitoring**	:	23.09.2026
5.	**Report Issue Date**	:	29.09.2026
6.	**Method Adopted**	:	IS 9989: 2020

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407126000025143F**

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	66.3	61.2	63.7	75
2		At 08:00 AM	65.2	62.8	64.0	
3		At 09:00 AM	64.3	61.4	62.8	
4		At 10:00 AM	63.8	58.4	61.1	
5		At 11:00 AM	66.5	60.3	63.4	
6		At 12:00 PM	68.1	63.5	65.8	
7		At 01:00 PM	67.3	60.2	63.7	
8		At 02:00 PM	68.2	63.5	65.8	
9		At 03:00 PM	66.2	64.2	65.2	
10		At 04:00 PM	65.1	61.5	63.3	
11		At 05:00 PM	64.3	60.3	62.3	
12		At 06:00 PM	63.5	59.2	61.3	
13		At 07:00 PM	65.2	61.5	63.3	
14		At 08:00 PM	66.4	60.3	63.3	
15		At 09:00 PM	64.8	58.1	61.4	
16		At 10:00 PM	62.4	56.3	59.3	
17		At 11:00 PM	62.3	58.2	60.2	70
18		At 12:00 AM	60.4	56.1	58.2	
19		At 01:00 AM	62.8	56.4	59.6	
20		At 02:00 AM	57.5	51.3	54.4	
21		At 03:00 AM	55.3	49.2	52.2	
22		At 04:00 AM	54.2	48.3	51.2	
23		At 05:00 AM	51.6	45.7	48.6	
24		At 06:00 AM	52.8	46.1	49.4	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-14

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	23.09.2026
5.	Report Issue Date	:	29.09.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000025144F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	65.2	61.2	63.2	75
2		At 08:00 AM	66.3	62.3	64.3	
3		At 09:00 AM	63.8	62.3	63.1	
4		At 10:00 AM	67.1	64.5	65.8	
5		At 11:00 AM	69.3	63.8	66.6	
6		At 12:00 PM	72.8	68.8	70.8	
7		At 01:00 PM	72.3	67.2	69.8	
8		At 02:00 PM	73.4	68.3	70.9	
9		At 03:00 PM	71.2	66.5	68.9	
10		At 04:00 PM	72.5	68.1	70.3	
11		At 05:00 PM	71.9	66.3	69.1	
12		At 06:00 PM	69.4	65.2	67.3	
13		At 07:00 PM	68.3	64.3	66.3	
14		At 08:00 PM	67.5	62.3	64.9	
15		At 09:00 PM	66.2	63.5	64.9	
16		At 10:00 PM	61.4	57.1	59.3	
17		At 11:00 PM	62.3	58.1	60.2	70
18		At 12:00 AM	59.1	56.1	57.6	
19		At 01:00 AM	57.3	53.4	55.4	
20		At 02:00 AM	52.3	48.3	50.3	
21		At 03:00 AM	54.2	47.2	50.7	
22		At 04:00 AM	56.1	50.3	53.2	
23		At 05:00 AM	55.2	51.2	53.2	
24		At 06:00 AM	56.1	52.3	54.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

Annexure-15

Shilpa Pharma Lifesciences Ltd Unit-2

Corporate Environment Responsibility		
Sl.No	**Particulars**	**Amount**
1	Corporate Environment Responsibility Trees Plantation	2898394
2	Donation to Govt Hospital Children Raichur	1851285
3	Donation to Govt Hospital Children Devadurga	2883993
4	Donation to RO Plant @ Rims Raichu r	240000
5	Tractor Purchase Green Raichur for water Trees Plantation	890210
6	Health Expenses Diagnostics	1837500
7	Women Empowerment	150000
8	Donation to Arogya Chintana Charitable Trust	1000000
9	Oxygen Cylinder	1416000
10	Education	3900000
11	Toilets Construction Raichur	1313312
	Total	**18380694**

Sl.No	Particulars	Amount
1	Sport Promotion	451000
2	Raichur City Tennis	350000
3	Animal Welfare Expenses	500000
4	Environment Expenses	1194642
5	Covid-2019 (Food and Grocery Distributions)	1150000
6	Education Promotion Expenses	1500000
7	Covid -2019 Oxygen Concentrator	1900013
8	Claning Aam Talab Raichur	603365
	Total	**7649020**

Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081

Supported for Karnataka state Badminton Championship













Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081








Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081

Raichur City Tennis Fixed the flood Lights for Player playing













Annexure-15


SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081

Animal welfare activity





Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081

Environment Activities








Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081













Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081

Plants maintaining Photos









Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081








Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081

COVID-19 FOOD AND GROCERY AND OXGEN CONCNETRATOR DISTRIBUTION













Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081








Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081








Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081

Education Activities and Promotion








Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081








Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081













Annexure-15

SHILPA PHARMA LIFESCIENCES LIMITED

Registered Office: #12-6-214/A-1, Hyderabad Road, Raichur – 584 135, Karnataka, India
Tel: +91-8532-238704;
Email:info@vbshilpa.com
CIN: U24100KA2020PLC134081

Aam Talab Water pond desilting work







Annexure -16

Additional measures/investment proposal for environmental protection including abatement of pollution.

1.	Proposed New laboratory equipment and chemicals ETP	:	Rs 6.50 Lacs
2.	Proposed development work for effluent water Treatment	:	Rs 45.00 Lacs
3.	Proposed cost of power for ETP	:	Rs 120.00 Lacs
4.	Proposed cost of man power for ETP	:	Rs 240.00 Lacs
5.	Proposed cleaning for ETP Tanks	:	Rs 5.0 Lacs
6.	Proposed cost of chemicals for pretreatment and cleaning	:	Rs 105.0 Lacs
7.	Analysis of water and air pollution Parameters at outside lab	:	Rs 6.0 Lacs
8.	Proposed steam cost of MEE & Stripper	:	Rs. 198.00 Lacs
9.	Proposed maintenance cost of ETP	:	Rs 70.6 Lacs
10.	Proposed to Disposal cost of Hazardous Waste	:	Rs 58.0 Lacs
11.	Proposed to Disposal cost of CETP	:	Rs 657.0 Lacs
12.	Proposed to Disposal cost of Biomedical Waste	:	Rs 2.4 Lacs
Total proposed cost (April-26-March-27)		**:**	**Rs 1413.5 Lac**

Annexure – 17

O/C

Innovating for affordable healthcare

Shilpa Medicare Limited
(Unit-2: 100% Export Oriented Unit)
Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN: L85110KA1987PLC008739

SML/UNIT-I/EHS/38/20-2021 Date: 20.01.2021

To
The President,
Chicksugur Grama Panchayath,
Chicksugur,
Raichur Taluk & District,
Karnataka -584 134.

Respected Sir,

Sub : Regarding Submission of Environmental Clearance copy of Shilpa Medicare limited (Unit-2)
Ref : EC NoF.No.IA-J-11011-301-2020-IA-II(I) dated 05-01-2021

We are pleased to inform your kind office that M/S Shilpa Medicare Ltd, Unit-2, Plot No: 30, 31,32 and 35-39 and 35-39,33,33A and 40-47, Industrial Growth center, Wadloor Road, Chicksugur, Raichur, Karnataka have been granted Environmental Clearance (EC) for Expansion and Modification of the Active Pharmaceutical Ingredients (API's) Manufacturing Unit with R&D Activity by Ministry of Environment, Forest & Climate Change, Government of India. The copy of the EC is attached here with.

Kindly acknowledge the receipt of the same.

Yours faithfully,

For Shilpa Medicare Limited, Unit-2

Authorized Signatory.

27/01/2021

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

Annexure-18

SPL/100%EOU/EHS/015/2026-27 **Date: 27.05.2026**

To,
Office of the Regional Office
Karnataka State Pollution Control Board,
Building at Shed No. C-03,
KSSIDC Industrial Estate,3rd Cross,
Hydrabad Road,Raichur – 584 102.

Respected Sir,

Sub:Submission of Environmental Statement Form-V-reg

With reference to the above subject, please find enclosed herewith-environmental statement form-V for the financial year ending 31st March 2026 in duplicate.

List of Annexures:-

1.	Annexure – I	:	Process Water consumption of Batch wise of Product copy.
2.	Annexure – II	:	Raw material consumption details.
3.	Annexure – III	:	Treated Water Analysis Reports.
4.	Annexure – IV	:	Environment monitoring of ambient air Quality and stacks Analysis Reports.
5.	Annexure – V	:	Hazardous Waste Disposal Quantities copy.
6.	Annexure – VI	:	Category wise Hazardous Waste disposing methods.
7.	Annexure – VII	:	Impact of pollution control measures on conservation of natural resources copy.
8.	Annexure – VIII	:	Additional measures/investment proposal for environmental protection including abatement of pollution.
9.	Annexure – IX	:	Solvent Recovery System.
10.	Annexure – X	:	Environment Management System Certificate – ISO 14000:2015.

Kindly acknowledge the receipt of the same and do the needful.

Thanking you,

Yours faithfully,

For Shilpa Pharma Lifesciences Limited 100% EOU.

SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2) Chicksugur Raichur karnataka

Authorized Signatory.

Corporate & Admin Office : "Shilpa House", #12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India
Tel: +91-8532-238704, Fax: +91-8532-238876, Email: info@vbshilpa.com, Web: www.vbshilpa.com

Annexure-19

1306 healthcare workers avail Covid vaccine on Monday

KALABURAGI, DHNS: Deputy Commissioner V V Jyothi on said that a total of 1,306 healthcare workers against the target of 2068 workers took Covid vaccine at 33 centres of the district on Monday.

The district has achieved 50.90% target in the vaccination drive.

As many as 1,350 healthcare workers who registered for the vaccination and have been deployed for work at other locations didn't take jab, she explained.

A total of 269 workers at eight centres of Kalaburagi, 219 workers in five centres of Afzalpur taluk, 180 staff in 3 centres of Aland taluk, 132 workers in four taluk centres of Sedam taluk, 145 workers in four centres of Chittapur taluk, 147 in four centres of Jewargi taluk and a total of 127 workers have taken the vaccine in four centres of Chincholi taluk, the DC explained.

The doctors monitored those who availed vaccine at the observation centre for 30 minutes. No side effect cases were reported and the vaccination process was run smoothly, the officials informed.

Senior Cong leaders stay away from Sankalp convention

Training planned for candidates during elections

KALABURAGI, DHNS

The absence of leaders like Opposition Leader in Legislative Assembly Siddaramaiah, Rajya Sabha Member Mallikarjun Kharge, former deputy chief minister G Parameshwar and others was striking at the divisional level Sankalp convention organised by the KPCC to strengthen the party at the grassroots level here on Monday.

It was informed that Siddaramaiah stayed away from the function as he was unwell. However, no reason was cited for the absence of other leaders.

Speaking after inaugurating the function, KPCC President D K Shivakumar appealed to the party leaders to strengthen the party at the grassroots level to come back to power in the next assembly polls and chalk out a series of struggles against the failures of the both Union and State governments.

The grand-old-party has announced year 2023 as the year of organisation and fight against the government and urged the workers should take a pledge that the Congress should be installed in the State as well as the centre by overthrowing the BJP government, he advised.

"We are all workers and leaders of the party. There need to be a feeling to move on stage in the Congress events. Those who were strengthening the party at the village level were sitting in front of the dais and 'white collars' used to be on the dais. To end this culture, we have introduced a system in which everybody will be assigned with a duty.

A speaker should come and speak and should return to his seat. This decision has been taken after a discussion with the 20 State level leaders and the high command," Shivakumar explained.

A leader should not be included more than one committee in any of taluk level or district level. Training will be given to a trained manpower in those who will contest for the coming Zilla Panchayat and Assembly polls by a team led by KPCC Working President Satish Jarkiholi in week of three to four days proper training, Shivakumar said.

Congress leaders of all the units of Kalyana Karnataka region took part in the convention.



Congress MLAs, MLCs, former ministers, district and block Congress committee presidents are seen at the divisional level sankalp convention organised in Kalaburagi on Monday.

Mumbai-Bidar train service

* BIDAR, DHNS: The train service between Mumbai-Bidar would resume from January 30. The service was waithheld due to Covid-19.

More people died in road accidents than Covid

Awareness drive on helmet rule taken out in Hosapete

HOSAPETE, DHNS

Police took out a helmet awareness rally here on Monday as part of the National Road Safety Week.

DySP V Raghukumar flagged off the rally with the slogans of 'Sadak Surakshe, Jeevan Surakshe' near Town Police Station. Police personnel, Home Guards, Bharat Scouts and Junior Chamber of India members took out the rally through Rotary Circle, Dr B R Ambedkar Circle, College Road, Siddapriya Kalyan Mantap Road, Subhas Circle, Vidhana Circle, Ram Talkies and Mahatma Gandhi Circle to return to Town Police Station.

V Raghukumar told reporters that less than one per cent of the total population died due to Covid-19 in the State but more than a lakh people died due to road accidents in a year. The main cause for the death was head injury in the accidents. As a safety measure, all motorbike riders should wear helmets, he said.

Awareness drive would continue for a month and action would be taken against the motorbike riders who violate the helmet rule. People should voluntarily wear helmets while riding bikes. Without the participation of people no law could be implemented effectively, he said.

He claimed that traffic jams and parking problems were addressed on the main roads of the city. Smooth movement of vehicles would be ensured on other roads too. Cameras installed at many locations in the city were damaged. They would be replaced soon. Signals would also be installed at selected areas. The city required 70 traffic police personnel but only 36 have been managing the work at present, he explained.

He said, the motorbike riders who remove the silencers and run the bikes were fined. A meeting of mechanical shops was also called and they were instructed not to remove the silencers from the bikes. Awareness programmes would be held in colleges too, he informed.

Town Police Station Inspector M Srinivas, TB Dam Police Inspector V Narayana and others were present.



DySP V Raghukumar flags off the helmet awareness rally in Hosapete on Monday.

Covid warriors to be felicitated on Republic Day

YADGIR, DHNS: The Republic Day celebrations on January 26 in the district would not be grand but the district administration has decided to celebrate the occasion in a meaningful way, informed Deputy Commissioner Ragapriya R.

She was speaking at the preparatory meeting held at her office auditorium recently. She said, all the government officers should attend the flag hoisting programme at Government Pre-University College ground at 9 am. They should hoist flags in respective offices between 7 am and 8 am that day.

Covid-19 guidelines should be strictly followed during the celebrations. Masks should be worn and social distancing should be maintained in the programme.

Five from the Health Department who served people during the Covid crisis and Covid warriors would be felicitated on the occasion. Artists, litterateurs and journalists who served the society would also be felicitated.

Discussions were held on selecting the art troupes, preparing the stage, levelling the ground, pramod and arranging other facilities for the Republic Day programme were held at the meeting.

Applications invited for music, dance training

KOPPAL, DHNS: Karnataka Music & Dance Academy has invited applications from eligible scheduled caste and scheduled tribe candidates to avail music and dance training.

The last date to submit the filled in applications is January 30. Application forms could be obtained from Kannada & Culture Department's assistant director's office or from the Academy office.

For further details interested can visit hirpal.karnatakamusicanddanceacademy.com, according to a press release.

Govt will not part with an inch of Belagavi, says Karjol

VIJAYPUR, DHNS

Belagavi is an integral part of Karnataka and the State government is committed not to part even with an inch of Belagavi, asserted Deputy CM Govind Karjol.

Speaking to media persons after performing "bhoomi pooja" for the construction of a bridge cum barrage across Borshalla near Hattalli village of Chadachan taluk on Monday, he stated that there is no compromise in the issues related to land, border and water of the State. Karjol recalled how the Marathi speaking population of Belagavi had actively participated in the Vishwa Kannada Sammelana held at Belagavi.

He claimed that both the Kannada speaking and Marathi speaking people of Belgavi and of other parts of the State have lived in perfected harmony since the days of Chatrapati Shivaji.

Karjol who holds the PWD portfolio informed that the Borshalla bridge cum barrage would be constructed by the National Highway Division of Vijayapur at a cost of Rs five crore. He also revealed that development of battered roads in Chadachan region would be developed at a cost of Rs 30 crore out of the allocation of grants of the year 2020 and out of the funds available for the year 2021. 520 km of roads would be repaired at a cost of Rs 980 crore, MP Ramesh Jigajinagi, Nagathan MLA Devananda Chavan, ZP CEO Laxmikant Reddy, Assistant Commissioner Rahul Shindhe, PWD Executive Engineer B S Patil, NH Division Executive Engineer Arun Patil and others were present.

'Govts must improve living conditions of labourers'

KALABURAGI, DHNS: Both

SHILPA MEDICARE LTD UNIT-I

Plot No.1A,1A*,2B,2,2A,2B,3A to 3E,4A,4B,4C,5A & 5B,20,Demnagar Industrial Area, Deomagar, Taluk and District Raichur-584170, Karnataka.

Environmental Clearance obtained for the Shilpa Medicare Ltd, Unit-I for Expansion and Modification of the active pharmaceutical ingredients (APIs), and Manufacturing unit with R&D Facility.

EC No:F.No.IA-J-11011/300/2020-IA-II(I)

Dated:05-01-2021

Details are available at www.moef.nic.in

Sd/- MANAGING DIRECTOR

SHILPA MEDICARE LTD 100% EOU, UNIT-II

Plot No.20A,21,22 and 23,23A,23B and 30 to 37, Raichur Industrial growth Center, Wadloor Road, Chick sugar, Raichur-584134, Karnataka.

Environmental Clearance obtained for the Shilpa Medicare Ltd 100% EOU, Unit-II for Expansion and Modification of the active pharmaceutical ingredients (APIs), and Manufacturing unit with R&D activity.

EC No:F.No.IA-J-11011/301/2020-IA-II(I)

Dated:05-01-2021

Details are available at www.moef.nic.in

Sd/- MANAGING DIRECTOR.

CHANGE OF NAME

I, ZAHURTAJ (Old name) R/o. Hamid Nagar, W.No. 30, Near Sakal Ross, Vijayapur, have changed my name as

ZAHUR TAJ F. JAGIRDAR

(New name) Vide affidavit sworn before Ayoub M. Bagalkot notary at Vijayapur dtd 18-1-2022.

CHANGE OF NAME

I, Khaleel Ur Rehman Rachale S/o Mohammad Ustad Karoom Rachale (Old Name) R/o. H.No. 7-766, Manzil Manzil, Munnolipura, Kalaburagi-585104 Have Changed My Name As Mr. Mohammad Khaleel Ur Rehman Rachale (New Name) Vide affidavit Dated : 12-01-2022 sworn before Advocate & Notary Mahendra Kumar V. Mulagi at Kalaburagi.

CHANGE OF NAME

I, Md. Haseel and Mohammad Abdul Ur Rehman S/o Mohammad Abdul Karoom Rachale (Old Name) R/o. H.No. 7-766/A, Manzil Manzil, Munnolipura, Kalaburagi-585104 India Changed My Name As "Mr. Mohammad Abdul Ur Rehman Rachale (New Name)

NOTICE INVITING e-TENDER

Deputy Chief Electrical Engineer/Construction/Traction Distribution, South Central Railway, Secunderabad invites e-tender on behalf of the President of India for the following works in Single packet system of tendering.

Cl.No: 1. NIT No. E.20/CTR/DSC/11/2021-22 dt. 18.01.2021 Name of the work: Tender No. E.20/CTR/DSC/11/2021-22 dt. 18.01.2021 Design, supply, erection, testing and commissioning of 25 kV, 50Hz single phase A.C. traction overhead equipment with 65 sq.mm catenary and 107sq.mm HDE copper contact wire, LT supply, transformer boxes including modifications to the existing OHE installations in view of proposed "CONSTRUCTION OF BYE PASS LINES (UP & DOWN) NEAR WADI UNDER (UP & DOWN) BETWEEN WALWAR AND BOLERAKALI STATIONS" in South Central Railway (Approx. 26 TKM). Details: Estimate Cost: Rs. 4,90,49,353.84 + GST. NIL. Bid Security declaration in lieu of Bid Security Earnest Money Deposit, has to be submitted by the tenderer. Document Cost: Online tender. Document can be downloaded free of cost. Completion period: 18 Months. Date of Opening: 08.02.2021 at 15:00 hrs

(i) For bid document and other details, please login to website www.ireps.gov.in

(ii) Contractors are advised to make payments against the tender towards earnest money only through online payment modes available on IREPS portal like net banking, debit card, credit card etc. Manual payment through Demand Draft, Banker's Cheque, Pay Order, FDR etc. are not acceptable.

IN PICTURES



Participants seen at the valedictory of a free yoga camp conducted at Channabasaveshwara temple in Bhalki.



The construction workers support the protest of farmers in front of the tahsildar's office at Aland in Kalaburagi district.



The Rathotsava of Channabasaveshwara and Martandeshwara being conducted at Mailalapur village near Kamalapur in Kalaburagi district.



All India Democratic Students' Organisation district unit members submit a memorandum to the government through an official at Raichur demanding the reopening of hostels and resuming bus service to villages.



Social worker N Dinesh Hegde inaugurates a Gosala at Amruvana in Kodekal village of Hurisagi taluk.



Women block the road at Hatihal village in Sirwar taluk urging the government to close a liquor shop in the village.

ಕಲಬುರ್ಗಿ ವಿಭಾಗ ಮಟ್ಟದ ಸಂಕಲ್ಪ ಸಮಾವೇಶಕ್ಕೆ ಕೆಪಿಸಿಸಿ ಅಧ್ಯಕ್ಷ ಡಿ.ಕೆ.ಶಿವಕುಮಾರ್ ಚಾಲನೆ

‘ಸಂಘಟನೆಯ ಜತೆ ಹೋರಾಟ ನಡೆಸಿ’

ಪ್ರಜಾವಾಣಿ ವಾರ್ತೆ

ಕಲಬುರ್ಗಿ: ಕಾಂಗ್ರೆಸ್ ಪಕ್ಷವು 2021ನ್ನು ಸಂಘಟನೆ ಹಾಗೂ ಹೋರಾಟದ ವರ್ಷವನ್ನಾಗಿ ಪರಿಗಣಿಸಿದ್ದು, ಮುಂಬರುವ ವಿಧಾನಸಭಾ ಚುನಾವಣೆವರೆಗೂ ಪಕ್ಷವನ್ನು ತಳಮಟ್ಟದಿಂದ ಸಂಘಟಿಸಬೇಕು. ಜೊತೆಗೆ ಬಿಜೆಪಿ ನೇತೃತ್ವದ ಕೇಂದ್ರ ಹಾಗೂ ರಾಜ್ಯ ಸರ್ಕಾರಗಳ ವೈಫಲ್ಯವನ್ನು ಜನರ ಮುಂದಿಟ್ಟು ಹೋರಾಟ ರೂಪಿಸಬೇಕು ಎಂದು ಕರ್ನಾಟಕ ಪ್ರದೇಶ ಕಾಂಗ್ರೆಸ್ ಸಮಿತಿ (ಕೆಪಿಸಿಸಿ) ಅಧ್ಯಕ್ಷ ಡಿ.ಕೆ.ಶಿವಕುಮಾರ್ ಕಾರ್ಯಕರ್ತರಿಗೆ ಸಲಹೆ ನೀಡಿದರು.

ನಗರದಲ್ಲಿ ಸೋಮವಾರ ಆಯೋಜಿಸಿದ್ದ ಪಕ್ಷದ ವಿಭಾಗ ಮಟ್ಟದ ಸಂಕಲ್ಪ ಸಮಾವೇಶಕ್ಕೆ ಚಾಲನೆ ನೀಡಿ ಮಾತನಾಡಿದ ಅವರು, ಎರಡೂ ಸರ್ಕಾರಗಳು ಪ್ರಕೃತಿ ವಿಕೋಪ ಪರಿಹಾರ ನಿಧಿಯನ್ನು ಸರಿಯಾಗಿ ಜನರಿಗೆ ತಲುಪಿಸಿಲ್ಲ. ಆಟೊ ಚಾಲಕರಿಗೆ ಕೋವಿಡ್ ಸಂದರ್ಭದಲ್ಲಿ ತಲಾ ₹ 5 ಸಾವಿರ ನೀಡುವುದಾಗಿ ಸರ್ಕಾರ ಹೇಳಿತ್ತು. ತಮಗೆ ಇನ್ನೂ ಆ ಹಣ ಬಂದಿಲ್ಲ ಎಂದು ಆಟೊ ಚಾಲಕರಿಗೆ ಇತ್ತೀಚೆಗೆ ನನ್ನನ್ನು ಭೇಟಿ ಮಾಡಿ ಬೇಸರ ವ್ಯಕ್ತಪಡಿಸಿದರು. ಜನರಿಗೆ ಯಾವ ನೆರವನ್ನೂ ನೀಡದ ಸರ್ಕಾರಗಳನ್ನು ಅಲುಗಿಸಿ ಮತ್ತೆ ಕೇಂದ್ರ ಹಾಗೂ ರಾಜ್ಯದಲ್ಲಿ ಪಕ್ಷವನ್ನು ಅಧಿಕಾರಕ್ಕೆ ತರುವ

ವ್ಯಕ್ತಿ ಪೂಜೆ ಮಾಡುವ ಬದಲು ಪಕ್ಷವನ್ನು ಪೂಜೆ ಮಾಡುವ ಸಂಸ್ಕೃತಿಯನ್ನು ಕಾರ್ಯಕರ್ತರು ರೂಢಿಸಿಕೊಳ್ಳಬೇಕು. ಯುದ್ಧಕಾಲೇ ಶಸ್ತ್ರಾಭ್ಯಾಸ ಎನ್ನುವ ಧೋರಣೆ ಸರಿಯಲ್ಲ.

ಡಿ.ಕೆ.ಶಿವಕುಮಾರ್, ಕೆಪಿಸಿಸಿ ಅಧ್ಯಕ್ಷ

ಸಂಕಲ್ಪ ಮಾಡಬೇಕಿದೆ ಎಂದರು.

‘ಕಾಂಗ್ರೆಸ್ ಮೊದಲಿನಿಂದಲೂ ಸಮೂಹ (ಮಾಸ್) ಆಧಾರಿತ ಪಕ್ಷವಾಗಿ ಗುರುತಿಸಿಕೊಂಡಿದ್ದು, ಈಗ ಅದನ್ನು ಕಾರ್ಯಕರ್ತರನ್ನು (ಕೇಡರ್) ಆಧರಿಸಿದ ಪಕ್ಷವನ್ನಾಗಿಸುವ ಪ್ರಯತ್ನ ನಡೆದಿದೆ. ಪಕ್ಷದಲ್ಲಿ ಅಮೂಲಾಗ್ರ ಬದಲಾವಣೆಗಳಾಗಲಿದ್ದು, ಪಕ್ಷದ ಕಟ್ಟಕಡೆಯ ಕಾರ್ಯಕರ್ತನ ಅಭಿಪ್ರಾಯ ಪಡೆಯಲಾಗುವುದು’ ಎಂದು ನಂತರ ಅವರು ಸುದ್ದಿಗೋಷ್ಠಿಯಲ್ಲಿ ತಿಳಿಸಿದರು.

‘ಕೆಲವೇ ದಿನಗಳಲ್ಲಿ ಪಕ್ಷದ ಜಿಲ್ಲಾ ಘಟಕದ ಅಧ್ಯಕ್ಷರು, ಪ್ರದೇಶ ಕಾಂಗ್ರೆಸ್ ಸಮಿತಿ ಸೇರಿದಂತೆ ವಿವಿಧ ಸ್ಥಾನಗಳಿಗೆ ಮುಖಂಡರನ್ನು ಆಯ್ಕೆ ಮಾಡುವಾಗ ಸಂಘಟನಾ ಸಾಮರ್ಥ್ಯ ಪರಿಗಣಿಸಲಾಗುವುದು. ಚೆನ್ನಾಗಿ ವಿಷಯ ಮಂಡಿಸುವ, ನಾಯಕತ್ವ ಗುಣ ಇರುವ ಮಹಿಳೆಯರಿಗೂ ಆದ್ಯತೆ ನೀಡಲಾಗುವುದು’ ಎಂದರು.

20ರಂದು ಹೈಕಮಾಂಡ್‌ಗೆ ವರದಿ: ‘ಬಸವ ಕಲ್ಯಾಣ ಉಪಚುನಾವಣೆಯಲ್ಲಿ ಕಾಂಗ್ರೆಸ್‌ನಿಂದ ಸ್ಪರ್ಧಿಸಲು ಅರ್ಜಿ ಸಲ್ಲಿಸಿದವರಿಗೆ ಜ.20ರಂದು ಭೇಟಿ ಮಾಡಲು ಹೇಳಿದ್ದು, ಆ ಬಳಿಕ ಹೈಕಮಾಂಡ್‌ಗೆ ಯಾರಿಗೆ ಟಿಕೆಟ್ ನೀಡಬೇಕು ಎಂಬುದರ ಬಗ್ಗೆ ವರದಿ ಸಲ್ಲಿಸುವೆ. ಪಕ್ಷದ ಕಾರ್ಯಾಧ್ಯಕ್ಷರಿಗೂ ಮಾಹಿತಿ ಸಂಗ್ರಹಿಸಲು ಹೇಳಿರುವೆ’ ಎಂದರು.

ಕೆಪಿಸಿಸಿ ಕಾರ್ಯಾಧ್ಯಕ್ಷರಾದ ಈಶ್ವರ ಖಂಡ್ರೆ, ಸತೀಶ ಜಾರಕಿಹೊಳಿ, ರಾಜ್ಯಸಭಾ ಸದಸ್ಯ ನಾಸಿರ್ ಹುಸೇನ್, ಶಾಸಕರಾದ ಪ್ರಿಯಾಂಕ್ ಖರ್ಗೆ, ಎಂ.ವೈ. ಪಾಟೀಲ, ಶರಣಬಸಪ್ಪ ದರ್ಶನಾಪುರ, ಖನೀಜ್ ಫಾತಿಮಾ, ರಾಘವೇಂದ್ರ ಹಿಟ್ನಾಳ, ವಿಧಾನಸಿಡಿ ಸದಸ್ಯ ಅರವಿಂದ ಅರಳಿ, ಮಾಜಿ ಸಚಿವ ಬಸವರಾಜ ರಾಯರಡ್ಡಿ, ಮಾಜಿ ಸಂಸದರಾದ ವಿ.ಎಸ್. ಉಗ್ರಪ್ಪ, ಕೆ.ಬಿ. ಶಾಣಪ್ಪ, ಮಾಜಿ ಶಾಸಕರಾದ ವಿ.ಎಸ್. ಸುದರ್ಶನ್, ಬಿ.ಆರ್. ಪಾಟೀಲ, ವಿಧಾನಪರಿಷತ್ ಮಾಜಿ ಸದಸ್ಯ ತಿಪ್ಪಣ್ಣಪ್ಪ ಕಮಕನೂರ, ರಾಜ್ಯ ಮಹಿಳಾ ಕಾಂಗ್ರೆಸ್ ಅಧ್ಯಕ್ಷೆ ಪುಷ್ಪಾ ಅಮರನಾಥ್ ಇದ್ದರು.

ಬಳ್ಳಾರಿ, ಕೊಪ್ಪಳ, ರಾಯಚೂರು, ಯಾದಗಿರಿ, ಕಲಬುರ್ಗಿ, ಬೀದರ್ ಜಿಲ್ಲೆಗಳ ಕಾಂಗ್ರೆಸ್ ಶಾಸಕರು, ಕೆಪಿಸಿಸಿ ಸದಸ್ಯರು, ಜಿಲ್ಲಾ ಅಧ್ಯಕ್ಷರು, ವಿವಿಧ ಬ್ಲಾಕ್‌ಗಳ ಅಧ್ಯಕ್ಷರು ಇದ್ದರು.



ಕಲಬುರ್ಗಿಯಲ್ಲಿ ಸೋಮವಾರ ನಡೆದ ಕಾಂಗ್ರೆಸ್ ಸಂಕಲ್ಪ ಸಮಾವೇಶಕ್ಕೆ ಕೆಪಿಸಿಸಿ ಅಧ್ಯಕ್ಷ ಡಿ.ಕೆ. ಶಿವಕುಮಾರ್ ಚಾಲನೆ ನೀಡಿದರು. ಅಲ್ಲಮಪ್ರಭು ಪಾಟೀಲ, ಪುಷ್ಪಾ ಅಮರನಾಥ್, ಪಿ.ಟಿ.ಪರಮೇಶ್ವರ ನಾಯ್ಕ, ಡಾ. ಅಜಯ್ ಸಿಂಗ್, ಕೆ.ಬಿ.ಶಾಣಪ್ಪ, ಸತೀಶ ಜಾರಕಿಹೊಳಿ, ಈಶ್ವರ ಖಂಡ್ರೆ, ಜಗದೇವ ಗುತ್ತೇದಾರ, ವಿ.ಎಸ್ ಉಗ್ರಪ್ಪ, ಪ್ರಿಯಾಂಕ್ ಖರ್ಗೆ, ಖನೀಜ್ ಫಾತಿಮಾ, ಡಾ.ಶರಣಪ್ರಕಾಶ ಪಾಟೀಲ, ಕೆ.ಸಿ.ಕೊಂಡಯ್ಯ ಇತರರು ಇದ್ದರು

ಮಸ್ಕಿ: ಅಪಘಾತ, ಮೂವರ ಸಾವು

ಮಸ್ಕಿ: ಬೈಕ್ ಸವಾರನ ನಿಯಂತ್ರಣ ತಪ್ಪಿ ಹೆದ್ದಾರಿ ಪಕ್ಕದ ಕಂಬಕ್ಕೆ ಡಿಕ್ಕಿ ಹೊಡೆದ ಪರಿಣಾಮ ಮೂವರು ಸ್ಥಳದಲ್ಲಿಯೇ ಮೃತಪಟ್ಟ ಘಟನೆ ಸೋಮವಾರ ಸಂಜೆ ಪಟ್ಟಣದ ಲಿಂಗಸುಗೂರು ರಸ್ತೆಯಲ್ಲಿನ ಈಶ್ವರ ನಗರಿಗೆ ಡಿಪೊ ಹತ್ತಿರ ನಡೆದಿದೆ.

ಬೈಕ್ ಸವಾರ ಚಿತ್ರನಾಳದ ವೀರೇಶ ತಂದೆ ಯಲ್ಲಪ್ಪ (23), ಅಡವಿಭಾವಿ ಗ್ರಾಮದ ಅರುಣಾಕ್ಷಿ (22), ರಜಿಯಾಬೇಗಂ (22) ಮೃತಪಟ್ಟವರು. ಮಸ್ಕಿಯಲ್ಲಿ ಮದುವೆ ಆಮಂತ್ರಣ ಪತ್ರ ಕೊಟ್ಟು ಲಿಂಗಸುಗೂರಿಗೆ ಹೋಗುವಾಗ ಈ ದುರ್ಘಟನೆ ನಡೆದಿದೆ.

ರಜಿಯಾಬೇಗಂ ಅವರ ಮದುವೆ ಜ.23 ರಂದು ನಿಶ್ಚಯವಾಗಿತ್ತು. ಮಸ್ಕಿ ಠಾಣೆಯಲ್ಲಿ ಪ್ರಕರಣ ದಾಖಲಾಗಿದೆ.

‘ಅಂಗವಿಕಲರು ಸ್ವಾವಲಂಬಿಗಳಾಗಿ’

ಪ್ರಜಾವಾಣಿ ವಾರ್ತೆ

ದೇವದುರ್ಗ: ತರಬೇತಿಗಳ ಸದುಪಯೋಗ ಪಡೆದುಕೊಂಡು ಯಾರ ಮೇಲೆಯೂ ಅವಲಂಬಿತರಾಗದೆ ತಮ್ಮ ಬದುಕನ್ನು ತಾವೇ ಕಟ್ಟಿಕೊಳ್ಳುವ ಮೂಲಕ ಸ್ವಾವಲಂಬಿ ಜೀವನ ರೂಪಿಸಿಕೊಳ್ಳಲು ಅಂಗವಿಕಲರು ಮುಂದಾಗಬೇಕು ಎಂದು ಡಿ ಅಸೋಸಿಯೇಷನ್ ಆಫ್ ಪೀಪಲ್ ವಿತ್ ಡಿಸೆಬಿಲಿಟಿ ಸಂಸ್ಥೆಯ ಮುಖ್ಯಸ್ಥ ಹೇಳಿದರು.

ಪಟ್ಟಣದ ಗುರುಭವನದಲ್ಲಿ ಅಂಗವಿಕಲರಿಗೆ ದಿ ಅಸೋಸಿಯೇಷನ್ ಆಫ್ ಪೀಪಲ್ ವಿತ್ ಡಿಸೆಬಿಲಿಟಿ ಸಂಸ್ಥೆ ಹಾಗೂ ಸ್ಥಳೀಯ ಸಮಾಜ ಸೇವಾ ಸಂಸ್ಥೆಗಳ ವತಿಯಿಂದ ಸೋಮವಾರ ಏರ್ಪಡಿಸಿದ್ದ ಅಂಗವಿಕಲರಿಗೆ ತರಬೇತಿ ಮತ್ತು ಉದ್ಯೋಗ ಅವಕಾಶಗಳ ಕುರಿತ ಶಿಬಿರದಲ್ಲಿ ಮಾತನಾಡಿದರು.

ಈ ಸಂಸ್ಥೆಯು ಹೋಟೆಲ್ ಉದ್ಯಮ, ಕಾಲ್ ಸೆಂಟರ್ ಕಚೇರಿ ನಿರ್ವಹಣೆ, ಬೇಸಿಕ್ ಎಲೆಕ್ಟ್ರಿಷನ್, ಕ್ಯಾಷಿಯರ್ ಕೋರ್ಸ್, ಟೈಲರಿಂಗ್, ಕೌಶಲ ತರಬೇತಿ, ರೀಟೈಲ್ ಸೇಲ್ಸ್ ತರಬೇತಿ ಸೇರಿದಂತೆ ಅನೇಕ ತರಬೇತಿಗಳನ್ನು ಅಂಗವಿಕಲ ಅಭ್ಯರ್ಥಿಗಳಿಗೆ ನೀಡುತ್ತಿದೆ. ಈ ಸಂಸ್ಥೆಯಲ್ಲಿ ತರಬೇತಿ ಪಡೆದ ಅಭ್ಯರ್ಥಿಗಳಿಗೆ ಪ್ರತಿಷ್ಠಿತ ಕಂಪನಿಗಳು, ಶಾಪಿಂಗ್ ಮಾಲ್‌ಗಳಲ್ಲಿ ಉದ್ಯೋಗಾವಕಾಶ ದೊರಕಿಸಲಾಗುವುದು. ಪ್ರಸ್ತುತ ರಾಜ್ಯದ ಎಲ್ಲ ಜಿಲ್ಲೆಗಳಲ್ಲಿ ನೆರವಾಗಿ ಮತ್ತು ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳ ಸಹಯೋಗದೊಂದಿಗೆ ಕಾರ್ಯನಿರ್ವಹಿಸುತ್ತಿದೆ ಹೇಳಿದರು.

ಸಮಾಜ ಸಂಸ್ಥೆಯ ಮಾರ್ಗದರ್ಶನ ಪಡೆದು ಅಂಗವಿಕಲರು ಸ್ವಾವಲಂಬಿಗಳಾಗಬೇಕು. ಯಾರಿಗೂ ಕಮ್ಮಿ ಇಲ್ಲ ಎಂಬ ಹೆಮ್ಮೆಯಿಂದ ಬದುಕು ಸಾಗಿಸಬೇಕು ಎಂದು ಹೇಳಿದರು.

ಅಧ್ಯಕ್ಷತೆ ವಹಿಸಿಕೊಂಡಿದ್ದ ವಿಕಲಚೇತನರ ತಾಲ್ಲೂಕು ಘಟಕದ ಅಧ್ಯಕ್ಷ ರಂಗಪ್ಪ ಇಲಾಖೆಗಳ ಮಾತನಾಡಿದರು.

ದಿ ಅಸೋಸಿಯೇಷನ್ ಆಫ್ ಪೀಪಲ್ ವಿತ್ ಡಿಸೆಬಿಲಿಟಿ ಸಂಸ್ಥೆಯ ಶಿವಯೋಗಪ್ಪ, ವಾಲ್ಮೀಕಿ ಮಹಾಸಭಾ ತಾಲ್ಲೂಕು ಘಟಕದ ಅಧ್ಯಕ್ಷ ರಾಮಣ್ಣ ಕರಡಿಗುಡ್ಡ, ವಿರುಪಾಕ್ಷ ಇದ್ದರು.



ದೇವದುರ್ಗದಲ್ಲಿ ಅಂಗವಿಕಲರಿಗೆ ತರಬೇತಿ ಮತ್ತು ಉದ್ಯೋಗ ಅವಕಾಶಗಳು ಕುರಿತ ಶಿಬಿರ ನಡೆಯಿತು

ಕಾರು–ಬೈಕ್ ಡಿಕ್ಕಿ; ಇಬ್ಬರು ಸಾವು

ಪ್ರಜಾವಾಣಿ ವಾರ್ತೆ

ಮುದಗಲ್: ಪಟ್ಟಣದ ಹೊರ ವಲಯದ ಲಿಂಗಸುಗೂರು-ಗಂಗಾವತಿ ರಸ್ತೆಯಲ್ಲಿ ಕಾರು ಮತ್ತು ದ್ವಿಚಕ್ರ ವಾಹನದ ನಡುವೆ ಸಂಭವಿಸಿದ ಅಪಘಾತದಲ್ಲಿ ದ್ವಿಚಕ್ರ ವಾಹನ ಸವಾರು ಮೃತಪಟ್ಟಿದ್ದಾರೆ.

ಮಟ್ಟೂರ ಗ್ರಾಮ ಪಂಚಾಯಿತಿ ವ್ಯಾಪ್ತಿಯ ಕುಣಿಕೆಲ್ಲೂರ ವಾಟರ್‌ಮನ್ ಗದ್ದೆಪ್ಪ ಹನುಮಂತ (45), ಅಂದಪ್ಪ ಬಸವರಾಜ ಬುದ್ದಿನ್ನಿ ಮೃತಪಟ್ಟವರು.

ಅಪಘಾತದಲ್ಲಿ ಕಾರಿನ ಮುಂದಿನ ಭಾಗ ಸಂಪೂರ್ಣವಾಗಿ ಜಖಂಗೊಂಡಿದ್ದು, ಬೆಂಕಿ ತಗುಲಿ ಸಂಪೂರ್ಣವಾಗಿ ಸುಟ್ಟು ಹೋಗಿದೆ. ಕಾರಿನಲ್ಲಿದ್ದವರು ಪರಾರಿಯಾಗಿದ್ದಾರೆ. ಮುದಗಲ್ ಪೊಲೀಸರು ಸ್ಥಳಕ್ಕೆ ಭೇಟಿ ನೀಡಿ ಪರಿಶೀಲಿಸಿದರು.

SHILPA MEDICARE LTD 100% EOU, UNIT-II

Plot No:30,31,32 and 35-39, 33,33A and 40-47, Raichur Industrial growth Center, Wadloor Road, Chick sugar, Raichur-584134, Karnataka.

Environmental Clearance obtained for the Shilpa Medicare Ltd 100% EOU, Unit-II for Expansion and Modification of the active pharmaceutical ingredients (APIs), and Manufacturing unit with R&D activity.

EC No:F.No.IA-J-11011/301/2020-IA-II(I)

Dated:05-01-2021

Details are available at www.moef.nic.in

Sd/- MANAGING DIRECTOR.

SHILPA MEDICARE LTD UNIT-I

Plot No 1A,1A"P",1B,2,2A,2B,3A to 3E,4A,4B,4C,5A & 5B,20,Deosugur Industrial Area, Deosugur, Taluk and District Raichur -584170, Karnataka.

Environmental Clearance obtained for the Shilpa Medicare Ltd, Unit-I for Expansion and Modification of the active pharmaceutical ingredients (APIs), and Manufacturing unit with R&D Facility.

EC No:F.No.IA-J-11011/300/2020-IA-II(I)

Dated:05-01-2021

Details are available at www.moef.nic.in

Sd/- MANAGING DIRECTOR.

ದಕ್ಷಿಣ ಮಧ್ಯ ರೈಲ್ವೆ

(http://ireps.gov.in)

ಇ-ಟೆಂಡರ್ ಪ್ರಕಟಣೆ ... ಸಂ. 1: ಟೆಂಡರ್ ಸಂ. ಇ.29/ಸಿಟಿಆರ್‌ಡಿ/ಎಸ್‌ಸಿ/15/2020-21 ದಿ. 18.01.2021 ... ದಿನಾಂಕ: 08.02.2021 ರಂದು 15:00 ಗಂಟೆ. ... http://ireps.gov.in ... A0045 ... www.scr.indianrailways.gov.in

ಸಾರ್ವಜನಿಕ ಶಿಕ್ಷಣ ಇಲಾಖೆಯ ಉಪನಿರ್ದೇಶಕರ ಕಾರ್ಯಾಲಯ, ಸಮಗ್ರ ಶಿಕ್ಷಣ ಕರ್ನಾಟಕ – ಬೀದರ

ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ಮೂಲಕ ಟೆಂಡರ್ ಕಾಲ್–2

ಟೆಂಡರ್ ಹೆಸರು :- ಹೆಣ್ಣು ಮಕ್ಕಳ ವಿದ್ಯಾರ್ಥಿ ನಿಲಯಗಳಿಗೆ ಅಲಮಾರ ಪೂರೈಸುವ ಕುರಿತು

1) ಅಲಮಾರಗಳ ಸಂಖ್ಯೆಗಳು : 200, 2) ಘಟಕ ವೆಚ್ಚ : ರೂ. 12000/-, 3) ಟೆಂಡರ್ ಒಟ್ಟು ಮೊತ್ತ : ರೂ 24,00,000/- (ಇಪ್ಪತ್ತನಾಲ್ಕು ಲಕ್ಷ), 4) ಇ.ಎಂ.ಡಿ ಮೊತ್ತ : ರೂ 48,000/-, 5) ಟೆಂಡರ್ ಹಾಕಲು ಕೊನೆಯ ದಿನಾಂಕ: 30-01-2021, 6) ತಾಂತ್ರಿಕ ಬಿಡ್ ತೆರೆಯುವ ದಿನಾಂಕ: ತಾಂತ್ರಿಕ ಮೌಲ್ಯಮಾಪನ ಕಮಿಟಿಯವರು ಓ.ಕೆ ರಿಪೋರ್ಟ್ ಸಲ್ಲಿಸಿದ ಬಳಿಕ ತೆರೆಯಲಾಗುವುದು, 7) ಭದ್ರತಾ ಠೇವಣಿ @ 5 % : ರೂ : 1,20,000/-, 8) ಸರಬರಾಜು ಮಾಡುವ ಸ್ಥಳ : 1) Teachers Colony Aurad (B), 2) Kitta TQ:- Basavakalyan, 3) Kaplapur (w) TQ:- Bidar, 4) Dubulgundi TQ :-Humnabad.

ಸಹಿ/– ಜಿಲ್ಲಾ ಯೋಜನಾ ಉಪ ಸಮನ್ವಯಾಧಿಕಾರಿಗಳು, ಸರ್ವ ಶಿಕ್ಷಣ ಅಭಿಯಾನ, ಬೀದರ

ವಾ.ಸಾ.ಸಂ.ಇ/ಬೀದರ/259/ಎಂಸಿಎ/2020-21



ಸಿಂಧನೂರು ತಾಲ್ಲೂಕಿನ ಕಲಮಂಗಿ ಗ್ರಾಮದಲ್ಲಿ ಸ್ನೇಹಸಿರಿ ಟ್ರಸ್ಟ್ ವತಿಯಿಂದ ಗ್ರಂಥಾಲಯವನ್ನು ಚೆನ್ನಬಸವ ಮಹಾಸ್ವಾಮಿ ಕಣಕೆರಿ ಉದ್ಘಾಟಿಸಿದರು

ಕಲಮಂಗಿ; ಗ್ರಂಥಾಲಯ ಉದ್ಘಾಟನೆ

ಸಿಂಧನೂರು: ತಾಲ್ಲೂಕಿನ ಕಲಮಂಗಿ ಗ್ರಾಮದಲ್ಲಿ ಸ್ನೇಹಸಿರಿ ಟ್ರಸ್ಟ್ ವತಿಯಿಂದ ಸ್ವಾಮಿ ವಿವೇಕಾನಂದ ಜಯಂತಿ ನಿಮಿತ್ತ ಗ್ರಂಥಾಲಯವನ್ನು ಚೆನ್ನಬಸವ ಮಹಾಸ್ವಾಮಿ ಉದ್ಘಾಟಿಸಿದರು. ... ವಿದ್ಯಾರ್ಥಿಗಳು, ಯುವಜನರು ಸದ್ಬಳಕೆ ಮಾಡಿಕೊಳ್ಳಬೇಕು ಎಂದರು. ... ಅಮರ್ ಪ್ರೇಮ್‌ಚೆ ಸಂಯೋಜಕ ರಮಾನಂದ, ಶಿಕ್ಷಕ ವಿ.ಕೊಟ್ರೇಶ, ಬೇಕು ಸಂಸ್ಥೆ ಅಧ್ಯಕ್ಷ ಅಣ್ಣಪ್ಪ ಮೇಟಿಗೌಡ, ವನಸಿರಿ ಫೌಂಡೇಶನ್ ಜಿಲ್ಲಾ ಘಟಕದ ಅಧ್ಯಕ್ಷ ಅಮರೇಗೌಡ ಮಲ್ಲಾಪುರ, ರೈತ ಮುಖಂಡ ಪರ್ವತರೆಡ್ಡಿ ಇದ್ದರು. ಇದೇ ಸಂದರ್ಭದಲ್ಲಿ ಎಸ್ಎಸ್‌ಎಲ್‌ಸಿ ಮತ್ತು ದ್ವಿತೀಯ ಪಿಯುಸಿಯಲ್ಲಿ ಹೆಚ್ಚು ಅಂಕಗಳನ್ನು ಪಡೆದ ವಿದ್ಯಾರ್ಥಿಗಳನ್ನು ಸನ್ಮಾನಿಸಲಾಯಿತು.

ರೈತರ ಹೋರಾಟಕ್ಕೆ ವೇದಿಕೆಯ ಬೆಂಬಲ

ಕವಿತಾಳ: ‘ಕೃಷಿ ಕಾಯ್ದೆಗಳ ರದ್ದತಿಗೆ ಒತ್ತಾಯಿಸಿ ಜ.26 ರಂದು ದೆಹಲಿ ಕರೆ ನೀಡಿದ ರೈತರ ಹೋರಾಟಕ್ಕೆ ... ಬೆಂಬಲಿಸುತ್ತದೆ’ ಎಂದು ... ರಾಜ್ಯ ಸಂಚಾಲನಾ ಸಮಿತಿ ಸದಸ್ಯ ಎಂ.ಗಂಗಾಧರ ಹೇಳಿದರು. ... ಶರಣಬಸವ ಕವಿತಾಳ, ಆದಿ ನಗನೂರು, ಹನುಮಂತಪ್ಪ ಮುತ್ತಾಪುರ, ರಂಗನಾಥ ಪಾಲಾಪಳ್ಳಿ ಮತ್ತು ಯಲ್ಲಪ್ಪ ಪಟ್ಟಣಗೇರಾ ಇದ್ದರು.

28ಕ್ಕೆ ಕಲಬುರ್ಗಿ ವಲಯ ಪ್ರಾಥಮಿಕ ಸುತ್ತಿನ ಸ್ಪರ್ಧೆ

ಪ್ರಜಾವಾಣಿ ಆನ್‌ಲೈನ್ ಕ್ವಿಜ್ ಚಾಂಪಿಯನ್‌ಷಿಪ್ ಜನವರಿ 20 – ಫೆಬ್ರುವರಿ 20, 2021

‘ಪ್ರಜಾವಾಣಿ’ ಕ್ವಿಜ್‌ನಲ್ಲಿ ಮನೆಯಿಂದಲೇ ಪಾಲ್ಗೊಳ್ಳಿ

ಪ್ರಜಾವಾಣಿ ವಾರ್ತೆ

ಕಲಬುರ್ಗಿ: ವಿದ್ಯಾರ್ಥಿಗಳ ಅಚ್ಚುಮೆಚ್ಚಿನ ‘ಪ್ರಜಾವಾಣಿ ಕ್ವಿಜ್ ಚಾಂಪಿಯನ್‌ಷಿಪ್’ ಈ ಬಾರಿ ಕೆಲವು ಬದಲಾವಣೆಗಳೊಂದಿಗೆ ನಡೆಯಲಿದೆ.

ಕಲಬುರ್ಗಿ ವಲಯ ಮಟ್ಟದ ಪ್ರಾಥಮಿಕ ಸುತ್ತು, ಫೈನಲ್ ಹಾಗೂ ‘ಗ್ರಾಂಡ್ ಫಿನಾಲೆ’ ಆನ್‌ಲೈನ್‌ನಲ್ಲೇ ನಡೆಯಲಿದೆ. 5 ರಿಂದ 10ನೇ ತರಗತಿಯವರೆಗಿನ ವಿದ್ಯಾರ್ಥಿಗಳು ಭಾಗವಹಿಸಬಹುದು. ಈ ಬಾರಿ ತಂಡಗಳು ಇರುವುದಿಲ್ಲ, ವೈಯಕ್ತಿಕವಾಗಿ ಪಾಲ್ಗೊಳ್ಳಬೇಕು.

ಕಲಬುರ್ಗಿ ವಲಯ ಮಟ್ಟದ ಪ್ರಾಥಮಿಕ ಸುತ್ತಿನ ಸ್ಪರ್ಧೆ ಜ.28 ರಂದು ನಡೆಯಲಿದೆ. ಈ ಸ್ಪರ್ಧೆಯಲ್ಲಿ ಕಲಬುರ್ಗಿ, ಬೀದರ್, ಯಾದಗಿರಿ, ರಾಯಚೂರು, ಕೊಪ್ಪಳ, ಬಳ್ಳಾರಿ ಮತ್ತು ವಿಜಯಪುರ ಜಿಲ್ಲೆಗಳ ವಿದ್ಯಾರ್ಥಿಗಳು ಭಾಗವಹಿಸಬಹುದು.

ಪ್ರಾಥಮಿಕ ಸುತ್ತಿನಲ್ಲಿ ವಿಜೇತರಾದವರು ಫೆ.10 ರಂದು ನಡೆಯಲಿರುವ ವಲಯ ಮಟ್ಟದ ಫೈನಲ್‌ಗೆ ಅರ್ಹತೆ ಪಡೆಯುತ್ತಾರೆ. ಅಲ್ಲಿ ಗೆದ್ದವರು ಫೆ. 20ರಂದು ನಡೆಯಲಿರುವ ಗ್ರಾಂಡ್ ಫಿನಾಲೆಯಲ್ಲಿ ಭಾಗವಹಿಸುವ ಅವಕಾಶ ಪಡೆಯುತ್ತಾರೆ.

ಪ್ರಾಥಮಿಕ ಸುತ್ತು ಸಂಜೆ 5 ರಿಂದ ರಾತ್ರಿ 8ರ ವರೆಗೆ (ಸ್ಪರ್ಧೆಯ ಅವಧಿ 35 ನಿಮಿಷ) ನಡೆಯಲಿದೆ. ಈ ಅವಧಿಯೊಳಗೆ ಲಾಗಿನ್ ಆಗಿ ಪಾಲ್ಗೊಳ್ಳಬಹುದು. ವಲಯ ಮಟ್ಟದ ಫೈನಲ್ ಸಂಜೆ 6 ರಿಂದ 7.30ರ ವರೆಗೆ ನಡೆಯಲಿದೆ.

ಜ.28 ರ 4 ಗಂಟೆಯ ಒಳಗಾಗಿ ಹೆಸರು ನೋಂದಾಯಿಸಬೇಕು. ಆಸಕ್ತ ವಿದ್ಯಾರ್ಥಿಗಳು, ಇದರ ಜೊತೆ ಇರುವ ಕ್ಯೂ–ಆರ್ ಕೋಡ್ ಸ್ಕ್ಯಾನ್ ಮಾಡುವ ಮೂಲಕ ಅಥವಾ https://quiz.prajavani.net ಮೂಲಕ ಲಾಗಿನ್ ಆಗಬಹುದು. ಎಷ್ಟು ಮಂದಿ ಬೇಕಾದರೂ ಭಾಗವಹಿಸಬಹುದು.

ಮುಖ್ಯಾಂಶಗಳು

- 5 ರಿಂದ 10ನೇ ತರಗತಿಯ ವಿದ್ಯಾರ್ಥಿಗಳಿಗೆ ಸ್ಪರ್ಧೆ
- ಈ ಬಾರಿ ಮನೆಯಿಂದಲೇ ಪಾಲ್ಗೊಳ್ಳಲು ಅವಕಾಶ
- ಫೆ.10 ರಂದು ವಲಯ ಮಟ್ಟದ ಫೈನಲ್

ಭಾಗವಹಿಸುವ ವಿಧಾನ

ವಿದ್ಯಾರ್ಥಿಗಳು ಮೊದಲು ತಮ್ಮ ವಲಯದ ಪ್ರಾಥಮಿಕ ಸುತ್ತಿನ ಸ್ಪರ್ಧೆಗೆ ಹೆಸರು ನೋಂದಾಯಿಸಬೇಕು. ರಾಜ್ಯದಾದ್ಯಂತ ಒಟ್ಟು ಏಳು ವಲಯಗಳಲ್ಲಿ (ಮೈಸೂರು, ಮಂಗಳೂರು, ದಾವಣಗೆರೆ, ಧಾರವಾಡ, ಕಲಬುರ್ಗಿ, ತುಮಕೂರು, ಬೆಂಗಳೂರು) ಸ್ಪರ್ಧೆ ನಡೆಯಲಿದೆ.

ವಲಯಮಟ್ಟದ ಪ್ರಾಥಮಿಕ ಸುತ್ತಿನಿಂದ 6 ಮಂದಿ ಫೈನಲ್‌ಗೆ ಅರ್ಹತೆ ಪಡೆದುಕೊಳ್ಳುವರು. ಅಲ್ಲಿ ಗೆದ್ದ ಒಬ್ಬರು ‘ಗ್ರಾಂಡ್ ಫಿನಾಲೆ’ಗೆ ಆಯ್ಕೆಯಾಗುವರು. ರಾಜ್ಯದ ಏಳು ವಲಯಗಳ ಏಳು ಮಂದಿ ವಿಜೇತರಿಗೆ ಫೆ.20 ರಂದು ‘ಗ್ರಾಂಡ್ ಫಿನಾಲೆ’ ನಡೆಯಲಿದೆ.

‘ಗ್ರಾಂಡ್ ಫಿನಾಲೆ’ಯಲ್ಲಿ ಮೊದಲ ಮೂರು ಸ್ಥಾನ ಗಳಿಸಿದವರಿಗೆ ಕ್ರಮವಾಗಿ ₹ 25 ಸಾವಿರ, ₹ 15 ಮತ್ತು ₹ 10 ಸಾವಿರ ನಗದು ಬಹುಮಾನ ದೊರೆಯಲಿದೆ. ವಲಯ ಮಟ್ಟದ ವಿಜೇತರಿಗೂ ಸೂಕ್ತ ಬಹುಮಾನ ಇರಲಿದೆ.

ವಾಟ್ಸ್‌ಆ್ಯಪ್ 7338018541 ಸಂಪರ್ಕಿಸಿ.

‘ಮಕ್ಕಳ ಅಭಿವೃದ್ಧಿಗೆ ಗ್ರಾಮ ಸಭೆ ಸಹಕಾರಿ’

ಸಿರವಾರ: ‘ಶಾಲೆಯ ಸಮಸ್ಯೆಗಳ ನಿವಾರಣೆ, ಮಕ್ಕಳ ಸರ್ವತೋಮುಖ ಬೆಳವಣಿಗೆಗೆ ಮಕ್ಕಳ ಹಕ್ಕುಗಳ ಗ್ರಾಮಸಭೆಗಳು ಸಹಕಾರಿಯಾಗಿವೆ’ ಎಂದು ಮಾಡಗಿರಿ ಗ್ರಾಮ ಪಂಚಾಯಿತಿ ಸಹಾಯಕ ಅಧಿಕಾರಿ ರಾಜ ಮಹ್ಮದ್ ಹೇಳಿದರು.

ತಾಲ್ಲೂಕಿನ ಮಾಡಗಿರಿ ಗ್ರಾಮದಲ್ಲಿ ಜಿಲ್ಲಾ ಪಂಚಾಯಿತಿ, ತಾಲ್ಲೂಕು ಪಂಚಾಯಿತಿ, ಗ್ರಾಮ ಪಂಚಾಯಿತಿ, ಸರ್ಕಾರಿ ಪ್ರೌಢಶಾಲೆ ಮತ್ತು ಡಾನ್ ಬಾಸ್ಕೊ ವತಿಯಿಂದ ಭಾನುವಾರ ನಡೆದ ‘ಮಕ್ಕಳ ಹಕ್ಕುಗಳ ವಿಶೇಷ ಗ್ರಾಮ ಸಭೆ’ಯಲ್ಲಿ ಅವರು ಮಾತನಾಡಿದರು.

ಮಕ್ಕಳ ಸಭೆಯಲ್ಲಿ ಭಾಗವಹಿಸುವ ಹಕ್ಕನ್ನು ಖಾತರಿಪಡಿಸಲು ಸರ್ಕಾರ ನವೆಂಬರ್ 14 ರಿಂದ ಜನವರಿ 24 ರವರೆಗೆ ಮಕ್ಕಳ ಸ್ನೇಹಿ ಗ್ರಾಮ ಪಂಚಾಯಿತಿ ಅಭಿಯಾನವನ್ನು ಕೈಗೊಂಡಿದೆ ಎಂದರು.

ಮಕ್ಕಳು ಸಭೆಯಲ್ಲಿ ಪಾಲ್ಗೊಂಡು ತಮ್ಮ ಸಮಸ್ಯೆಗಳನ್ನು ಪರಿಹರಿಸಿಕೊಳ್ಳಬೇಕು ಎಂದು ಹೇಳಿದರು. ... ಜಿಲ್ಲಾ ಸಂಯೋಜಕ ಸಿದ್ದಲಿಂಗಪ್ಪ ಮಾತನಾಡಿದರು.

ಭಾರತಿ ಬಸನಗೌಡ, ಎಸ್‌ಡಿಎಂಸಿ ಉಪಾಧ್ಯಕ್ಷ ಹೆಮನಗೌಡ, ಸುರೇಶ, ಜಿಲ್ಲಾ ಮಕ್ಕಳ ರಕ್ಷಣಾ ಘಟಕದ ಕಾರ್ಯಕರ್ತ ರಾಮಪ್ಪ, ಶಿಕ್ಷಕ ಚನ್ನವೀರಯ್ಯ ಇದ್ದರು.



ಮಾನ್ವಿಯಲ್ಲಿ ಸೋಮವಾರ ಆಶಾ ಕಾರ್ಯಕರ್ತೆಯರ ಸಂಘದ ಪದಾಧಿಕಾರಿಗಳು ಉಪತಹಶೀಲ್ದಾರ್ ಶ್ರೀನಿವಾಸ ರೆಡ್ಡಿ ಅವರಿಗೆ ಮನವಿ ಪತ್ರ ಸಲ್ಲಿಸಿದರು

ಗ್ರಾ.ಪಂ ಚುನಾವಣೆ: ಗೌರವ ಧನ ವಿತರಣೆಗೆ ಆಗ್ರಹ

ಮಾನ್ವಿ: ಗ್ರಾಮ ಪಂಚಾಯಿತಿ ಚುನಾವಣಾ ಕರ್ತವ್ಯ ನಿರ್ವಹಿಸಿದ ಆಶಾ ಕಾರ್ಯಕರ್ತೆಯರಿಗೆ ಗೌರವ ಧನ ನೀಡುವಂತೆ ಒತ್ತಾಯಿಸಿ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಸಂಯುಕ್ತ ಆಶಾ ಕಾರ್ಯಕರ್ತೆಯರ ಸಂಘದ ಪದಾಧಿಕಾರಿಗಳು ಸೋಮವಾರ ಉಪತಹಶೀಲ್ದಾರ್ ಶ್ರೀನಿವಾಸ ರೆಡ್ಡಿ ಅವರಿಗೆ ಮನವಿ ಪತ್ರ ಸಲ್ಲಿಸಿದರು.

ಈಚೆಗೆ ನಡೆದ ಗ್ರಾಮ ಪಂಚಾಯಿತಿ ಚುನಾವಣೆಯಲ್ಲಿ ಆಶಾ ಕಾರ್ಯಕರ್ತೆಯರು ಎಲ್ಲ ಮತಗಟ್ಟೆಗಳಲ್ಲಿ ಥರ್ಮಲ್ ಸ್ಕ್ರೀನಿಂಗ್ ಹಾಗೂ ಸ್ಯಾನಿಟೈಸಿಂಗ್ ಜವಾಬ್ದಾರಿ ನಿರ್ವಹಿಸಿದ್ದಾರೆ. ಆದರೆ, ಆಶಾ ಕಾರ್ಯಕರ್ತೆಯರನ್ನು ಹೊರತುಪಡಿಸಿ ಚುನಾವಣೆಯ ಕರ್ತವ್ಯ ನಿರ್ವಹಿಸಿದ ಇತರ ಸಿಬ್ಬಂದಿಗೆ ಗೌರವಧನ ನೀಡಲಾಗಿದೆ. ಗೌರವ ಧನ ಮಂಜೂರು ಮಾಡುವ ಕುರಿತು ಅಧಿಕಾರಿಗಳ ಗಮನಕ್ಕೆ ತಂದರೆ ಸರಿಯಾದ ಸ್ಪಂದನೆ ದೊರೆಯುತ್ತಿಲ್ಲ ಎಂದು ಆಶಾ ಕಾರ್ಯಕರ್ತೆಯರು ಬೇಸರ ವ್ಯಕ್ತಪಡಿಸಿದರು.

ಈ ಕುರಿತು ತಹಶೀಲ್ದಾರ್ ಅವರು ಸೂಕ್ತ ಕ್ರಮ ಕೈಗೊಂಡು ಆಶಾ ಕಾರ್ಯಕರ್ತೆಯರಿಗೆ ಗೌರವಧನ ವಿತರಣೆ ಮಾಡಲು ಕ್ರಮ ಕೈಗೊಳ್ಳಬೇಕು ಎಂದು ಒತ್ತಾಯಿಸಿದರು.

ತಾಲ್ಲೂಕು ಆಶಾ ಕಾರ್ಯಕರ್ತೆಯರ ಸಂಘದ ಗೌರವಾಧ್ಯಕ್ಷ ಚನ್ನಬಸವ ಜಾನೇಕಲ್, ಅಧ್ಯಕ್ಷೆ ರಾಧಾ, ಪದಾಧಿಕಾರಿಗಳಾದ ಶ್ರೀದೇವಿ, ಶೈಲಜಾ, ಶರಣಮ್ಮ, ಶಾಂತಾ ಇದ್ದರು.

ದೇವಸೂಗೂರು: ಮಕ್ಕಳ ಹಕ್ಕುಗಳ ಗ್ರಾಮಸಭೆ

‘ಹಾರುಬೂದಿ ನಿಯಂತ್ರಕ್ಕೆ ಕ್ರಮ ವಹಿಸಿ’

ಪ್ರಜಾವಾಣಿ ವಾರ್ತೆ

ಶಕ್ತಿನಗರ: ಆರ್‌ಟಿಪಿಎಸ್ ವಿದ್ಯುತ್ ಘಟಕಗಳಿಂದ ಹೊರ ಬರುವ ಹಾರುಬೂದಿ ಶಾಲೆಯಲ್ಲಿ ಬೀಳುವುದರಿಂದ ವಿದ್ಯಾರ್ಥಿಗಳ ತೊಂದರೆಯಾಗುತ್ತಿದೆ. ಬೂದಿ ಶಾಲೆಯಲ್ಲಿ ಬೀಳದಂತೆ ಕ್ರಮ ಕೈಗೊಳ್ಳಬೇಕು ಎಂದು ಶಕ್ತಿನಗರದ ಒಂದನೇ ಕ್ರಾಸ್ ಸರ್ಕಾರಿ ಹಿರಿಯ ಪ್ರಾಥಮಿಕ ಶಾಲೆಯ ವಿದ್ಯಾರ್ಥಿಗಳು ಒತ್ತಾಯಿಸಿದರು.

ರಾಯಚೂರು ಜಿಲ್ಲಾ ಪಂಚಾಯಿತಿ, ತಾಲ್ಲೂಕು ಪಂಚಾಯಿತಿ, ದೇವಸೂಗೂರು ಗ್ರಾಮ ಪಂಚಾಯಿತಿ ಮತ್ತು ದೇವದುರ್ಗ ಡಾನ್ ಬಾಸ್ಕೊ ಸಂಸ್ಥೆ ಸಹಯೋಗದಲ್ಲಿ ಸೋಮವಾರ ದೇವಸೂಗೂರು ಗ್ರಾಮದ ಸರ್ಕಾರಿ ಪ್ರೌಢಶಾಲೆಯಲ್ಲಿ ಏರ್ಪಡಿಸಿದ್ದ ಮಕ್ಕಳ ಹಕ್ಕುಗಳ ಗ್ರಾಮಸಭೆಯಲ್ಲಿ ಸಮಸ್ಯೆಗಳನ್ನು ಪಂಚಾಯಿತಿ ಅಧಿಕಾರಿಗಳಿಗೆ ವಿದ್ಯಾರ್ಥಿಗಳು ಸಲ್ಲಿಸಿದರು.

‘ಹಾರುಬೂದಿ ಹೊಂದಿದ ಪಕ್ಕದಲ್ಲಿ ಶಾಲೆ ಇದೆ. ಪ್ರತಿನಿತ್ಯ ಆರ್‌ಟಿಪಿಎಸ್ ಮೂಲಕ ಬೂದಿ ಸಾಗಿಸಲಾಗುತ್ತದೆ. ಊಟದಲ್ಲಿ ಬೂದಿ ಬೀಳುತ್ತಿದೆ. ಅಲ್ಲದೆ, ಶಾಲಾ ಕೋಣೆಯೊಳಗೆ ಹರಡುವುದರಿಂದ ಕೊಠಡಿಗಳಲ್ಲಿ ಕುಳಿತುಕೊಳ್ಳಲು ಸಮಸ್ಯೆಯಾಗುತ್ತಿದೆ’ ಎಂದು ವಿದ್ಯಾರ್ಥಿಗಳು ಅಧಿಕಾರಿಗಳ ಗಮನ ಸೆಳೆದರು.

ಮನೆಯಿಂದ ಬರುವಾಗ ಮತ್ತು ಶಾಲೆಯಿಂದ ಮನೆಯಿಂದ ಹೋಗುವಾಗ ಪುಂಡಾಟಿಗಳು ತೊಂದರೆ ಕೊಡುತ್ತಿದ್ದಾರೆ. ಅಂತಹವರ ವಿರುದ್ಧ ಕ್ರಮ ಕೈಗೊಂಡು, ಶಾಲೆಗೆ ಬರಲು ಅನುಕೂಲ ಮಾಡಿಕೊಡಬೇಕು ಎಂದು ಸರ್ಕಾರಿ ಪ್ರೌಢಶಾಲೆಯ ವಿದ್ಯಾರ್ಥಿನಿಯರು ಮನವಿ ಮಾಡಿದರು.

ಸರ್ಕಾರಿ ಪದವಿಪೂರ್ವ ಕಾಲೇಜು ನಿರ್ಮಾಣ, ಹಾಸ್ಟೆಲ್ ನಿರ್ಮಾಣ, ಶೌಚಾಲಯ, ಕುಡಿಯುವ ನೀರಿನ ಸಮಸ್ಯೆ, ವಿಜ್ಞಾನ ಮತ್ತು ಗಣಿತ ಚಟುವಟಿಕೆಗಳ ಸಾಮಗ್ರಿಗಳ ಸೇರಿದಂತೆ ಇತರ ಮೂಲಸೌಲಭ್ಯಗಳನ್ನು ಕಲ್ಪಿಸಬೇಕು ಎಂದು ಒತ್ತಾಯಿಸಿದರು.

ವಿದ್ಯಾರ್ಥಿಗಳ ಅಹವಾಲುಗಳು ಆಲಿಸಿದ ನಂತರ ದೇವಸೂಗೂರು ಗ್ರಾಮ ಪಂಚಾಯಿತಿ ಅಭಿವೃದ್ಧಿ ಅಧಿಕಾರಿ ರಾಜೇಂದ್ರ ಜಲ್ದಾರ್ ಮಾತನಾಡಿ, ಆಯಾ ಇಲಾಖೆಗಳ ಅಧಿಕಾರಿಗಳ ಗಮನಕ್ಕೆ ತಂದು ಸಮಸ್ಯೆಗಳ ಪರಿಹಾರಕ್ಕೆ ಕ್ರಮ ಕೈಗೊಳ್ಳುವ ಭರವಸೆ ನೀಡಿದರು.

ಶಿಕ್ಷಣ ಸ್ಥಾಯಿ ಸಮಿತಿ ಅಧ್ಯಕ್ಷತೆ ವಹಿಸಿದ್ದರು. ಶಿಕ್ಷಕ ಮಂಜುನಾಥ ಹಿರೇಮಠ ಸ್ವಾಗತಿಸಿದರು. ಶಿಕ್ಷಕ ಅಶೋಕ ರಾಥೋಡ್ ನಿರೂಪಿಸಿದರು. ದೇವಸೂಗೂರು ಗ್ರಾಮ ಪಂಚಾಯಿತಿ ಪಿಡಿಒ ರವಿಕುಮಾರ, ತಾಲ್ಲೂಕು ಪಂಚಾಯಿತಿ ಸದಸ್ಯ ವೆಂಕಟೇಶ, ಅಂಗನವಾಡಿ ಮೇಲ್ವಿಚಾರಕಿ ನಿರ್ಮಲಾ, ಜಿಲ್ಲಾ ರಕ್ಷಣಾ ಇಲಾಖೆಯ ಅಧಿಕಾರಿ ಖಾಜಾಬೀ, ಶಕ್ತಿ ನಗರ ಠಾಣೆಯ ಎಎಸ್‌ಐ ತಿಪ್ಪಣ್ಣ, ಸರ್ಕಾರಿ ಪ್ರೌಢಶಾಲೆ ಮುಖ್ಯಶಿಕ್ಷಕಿ ಸುಶೀಲಮ್ಮ, ಸಂಪನ್ಮೂಲ ವ್ಯಕ್ತಿ ಸುರೇಶ, ಮಕ್ಕಳ ಸಹಾಯವಾಣಿ ಸದಸ್ಯ ಶಾಯರಾಜ್, ಅರುಣ ಕುಮಾರ ಇದ್ದರು.



ಶಕ್ತಿನಗರ ಬಳಿಯ ದೇವಸೂಗೂರು ಸರ್ಕಾರಿ ಪ್ರೌಢಶಾಲೆಯಲ್ಲಿ ಸೋಮವಾರ ನಡೆದ ಮಕ್ಕಳ ಹಕ್ಕುಗಳ ಗ್ರಾಮಸಭೆಯನ್ನು ವಿದ್ಯಾರ್ಥಿಗಳು ಉದ್ಘಾಟಿಸಿದರು

Annexure-21

By Speed Post/Online

F. No. IA-J-11011/301/2020-IA-II(I)

Government of India

Ministry of Environment, Forest & Climate Change

Impact Assessment Division

***

Indira Paryavaran Bhawan,
Vayu Wing, 3rd Floor, Aliganj,
Jor Bagh Road, New Delhi-110 003

Dated: 30th September, 2021

To,

M/s Shilpa Medicare Limited,
Raichur Industrial Growth Center,
Wadloor Road, Chicksugur,
Raichur District, Karnataka

Email: ch.madhav@vbshilpa.com

Sub.: Expansion and modification of Active pharmaceutical ingredients (APIs) manufacturing industry with R&D activity by M/s Shilpa Medicare Limited, 100% Export Oriented Unit (EOU), located at Unit II, Plot No 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District, Karnataka-Amendment in Environment Clearance regarding.

Sir,

This refers to your online proposal No. IA/KA/IND2/207308/2021 dated 1st April, 2021 for amendment in the environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has considered the above proposal for amendment in the environmental clearance granted by the Ministry vide letter dated 05th January 2021 for the project of expansion and modification of the Active Pharmaceutical Ingredients (APIs) manufacturing industry with R&D activity in the existing industry located at Unit II, Plot No: 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District, Karnataka in favour of M/s Shilpa Medicare Limited.

3. The project proponent has requested for amendment in the EC with the details are as under.

Annexure-21

<table>
<tr><th>S. No.</th><th>Para of EC</th><th>Details as per the EC</th><th>To be revised/ read as</th><th>Justification / reasons</th></tr>
<tr><td>1.</td><td>Page 6, Sl. no. 7</td><td>There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km & 7.84 km respectively in North, South West & South West direction respectively. Total water requirement is 625.667 m3/day of which fresh water requirement of 293.114 m3/day will be met from KIADB</td><td>There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, Marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km & 7.84 km respectively in North, South West & South West direction respectively. Total water requirement is 625.667 m3/day of which fresh water requirement of 293.114 m3/day will be met from KIADB sourced from River Krishna. The total effluent generation from unit II after expansion and industrial effluents from Unit I will be treated in ETP of Unit II. Effluent quantities generated is in the table below:
<table>
<tr><th>Effluent from SML Unit</th><th>Wastewater Generated (in KLD)</th><th>Treated Effluent Reused (in KLD)</th><th>Utilization / Reused At</th></tr>
<tr><td rowspan="2"><u>Unit I*:</u>
a) HTDS Effluent</td><td rowspan="2">61.5</td><td>40.93</td><td>SML Unit I</td></tr>
<tr><td>20.57</td><td>SML Unit II</td></tr>
<tr><td>b) Cooling Tower Bleed</td><td>8.04</td><td>8.04</td><td>SML Unit II</td></tr>
<tr><td><u>Unit II:</u>
a) HTDS Effluent = 80.539 KLD
b) LTDS Effluent = 123.704 KLD
c) Cooling Tower Bleed = 29.5 KLD
d) DM regenerate = 45 KLD
e) Domestic Sewage = 30 KLD**</td><td>308.743</td><td>308.743</td><td>SML Unit II</td></tr>
<tr><td></td><td>378.283</td><td>378.283</td><td></td></tr>
</table>
* - Industrial effluent from Unit I will be treated</td><td>The quantities of effluent generation are not mentioned. Hence, it is requested to include the quantities.</td></tr>
</table>

<table>
<tr>
<td></td>
<td></td>
<td>sourced from River Krishna.
The total effluent generation from unit II after expansion and HTDS effluent from Unit I will be treated in ETP of Unit II.
Treatment facility has/will be as mentioned in the EMP report.</td>
<td>in ETP of Unit II.
** - Domestic sewage of Unit II will be treated along with LTDS effluent in SML Unit II.

Treatment facility has/will be developed as mentioned in the EMP report.</td>
<td></td>
</tr>
<tr>
<td>2.</td>
<td>Page 7, Sl. no. 9</td>
<td>Existing unit has 1x10 TPH & 1x6 TPH rice husk/coal/briquette fired boilers. Additionally, 1x16 TPH Risk husk/coal/briquette fired boiler will be installed. Electrostatic precipitator with a stack of height of 30m AGL will be installed for controlling the particulate emissions within the statutory</td>
<td>The emission sources, the fuel and the APC measures are as under:
<table>
<tr><th>S. No.</th><th>Source</th><th>Capacity</th><th>Fuel Used</th><th>APC equipment</th><th>Stack Height</th></tr>
<tr><td>1</td><td>Boiler</td><td>10 TPH</td><td rowspan="2">Rice husk / Coal / Briquette</td><td rowspan="2">Bag Filter</td><td rowspan="2">Common Stack of 30 m AGL</td></tr>
<tr><td>2</td><td>Boiler</td><td>6 TPH</td></tr>
<tr><td>3</td><td>Boiler - New</td><td>16 TPH</td><td>Rice husk / Coal / Briquette</td><td>ESP</td><td>New stack of 30 m AGL</td></tr>
<tr><td>4</td><td>Thermic Fluid Heater</td><td>6 Lakh kcal</td><td rowspan="2">Furnace oil</td><td rowspan="2">Chimney</td><td rowspan="2">Common chimney of 30 m AGL</td></tr>
<tr><td>5</td><td>Thermic</td><td>8 Lakh</td></tr>
</table>
</td>
<td>The existing and the proposed Thermic Fluid Heater are not indicated in the Sl.no.9 of the EC.

In the EMP, a common chimney of 30 m AGL was proposed for all the thermic fluid heaters. Now, during implementation, a separate stack of 30 m AGL is proposed for the new thermic fluid</td>
</tr>
</table>

		limit of 115 mg/Nm^3 for the proposed boilers.		Fluid Heater (new)	kcal					heater of 12 Lakh kcal.
			6	Thermic Fluid Heater(new)	12 Lakh kcal	Furnace oil	Chimney	New chimney of 30 m AGL		
			Particulate emissions shall be within the statutory limit of 115 mg/Nm^3 for the boilers.							

4. The proposal was appraised by the **Expert Appraisal Committee (Industry-3 Sector) in the Ministry in its 16th meeting held during 1-2 September, 2021**. The EAC, after detailed deliberations, recommended the amendment in EC as proposed by the project proponent. Based on recommendations of the EAC, the Ministry of Environment, Forest and Climate Change hereby accords approval to the proposed amendments in the environmental clearance dated 05th January 2021 as stated in para 3 above, for the project **Expansion and modification of Active pharmaceutical ingredients (APIs) manufacturing industry with R&D activity by M/s Shilpa Medicare Limited, 100% Export Oriented Unit (EOU), located at Unit II, Plot No 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District, Karnataka.**

5. All other terms and conditions stipulated in the environmental clearance dated 05th January 2021 shall remain unchanged.

6. This issues with approval of the competent authority.

30/09/2021

(Dr. R. B. Lal)
Scientist 'E'/Additional Director
Tele-fax: 011-24695362
Email-rb.lal@nic.in

(डा. आर. बी. लाल)
(Dr. R. B. LAL)
वैज्ञानिक 'ई'/Scientist 'E'
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
Min.of Environment,Forest and Climate Change
भारत सरकार, नई दिल्ली
Govt. of India, New Delhi

Copy to: -

1. Additional Chief Secretary (FEE) Forest, Environment and Ecology Department, Karnataka Government Secretariat, Room No. 447, 4th Floor, Gate No. 2, M. S. Building, Bengaluru-560001

2. The Deputy DGF (C), MoEF&CC Regional Office (SZ), KendriyaSadan, 4th Floor, E&F Wings, 17th Main Road, Koramangala II Block, Bangalore - 34

3. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr. Ambedkar Veedhi, Bangalore - 1

4. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32

5. The Member Secretary, Karnataka State Pollution Control Board, ParisaraBhavan, #49, 4th& 5th Floor, Church Street, Bangalore -1

6. The District Collector, District Raichur, Karnataka

7. Guard File/Monitoring File/Website/Record File/Parivesh Portal

(Dr. R. B. Lal)
Scientist 'E'/Additional Director

Speed Post/Online

F. No.IA-J-11011/301/2020-IA-II(I)
Government of India
Ministry of Environment, Forest and Climate Change
Impact Assessment Division
***

Annexure-21

Indira ParyavaranBhavan,
Vayu Wing, 3rd Floor, Aliganj,
JorBagh Road, New Delhi-110 003

Dated: 5th January 2021

To,

M/s Shilpa Medicare Limited (Unit-II),
Industrial Growth Center, Wadloor Road,
Chicksugur, Raichur,
Karnataka

Email: ch.madhav@vbshilpa.com

Sub: Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka - Environmental Clearance regarding.

Sir,

This has reference to your online proposal No.[IA/KA/IND2/176934/2020 dated 23rd November, 2020 for environmental clearance to the above mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka.

3. The project/activities are covered under Category 'B2'of item 5 (f) 'Synthetic, Organic Chemicals Industry' of the Environment Impact Assessment (EIA) Notification, 2006, as amendment on 27-03-2020. Due to applicability of general condition (interstate boundary within 5 km), the project requires appraisal at central level by the sectoral Expert Appraisal Committee (EAC) in the Ministry.

4. The details of products and capacity are as under:-

1)PRODUCTS

Sl. No.	Name of the proposed Products	Proposed to be Manufactured Quantity in TPA
1	Anastrazole	0.1
2	Gemcitabine HCl	1
3	Bicalutamide	0.5

Annexure-21

4	Ursodeoxycholic Acid	80
5	BendamustineHCl	0.2
6	Bortzomib	0.005
7	Capacitabine	80
8	Imatinibmesylate	5
9	Lenalidomide	0.5
10	Letrozole	0.05
11	Pemetrexed disodium	1
12	Decitabine	25
13	Cytrabine	0.05
14	Cabazitaxel	0.01
15	Cloferabine	0.01
16	MelphalanHCl	0.025
17	Tenfovirdisoproxilfumarate	300
18	ErlotonibHCl	2
19	Dimethyl fumarate	6
20	Busulfan	0.05
21	Zoledranic Acid	0.005
22	Tranexamic Acid	250
23	Sunitinib Malate	3
24	SorafenibTosylate	3
25	Praziquantel	50
Total		**807.505**
26	Custom Synthesis	5 TPA

2) BY-PRODUCTS

Sl. No	Name of the Product	By Products	By Products generated Qty in TPA	Remarks
1	Ursodeoxycholic acid	Potassium acetate	192.78	Sold
		Cholic Acid	520.30	Recovered & Reused
		Caustic potash lye	230.64	Sold
		Caustic lye	192.78	Both Sold & Reused
2	Capacitabine	Tin Salt	224.45	Sold
		Sodium acetate	93.12	Sold / TSDF
3	Lenalidomide	Raney-Ni	1	Both Sold & Reused
4	MelphlanHCl	Palladium Carbon	0.048	Recovered & reused / Sold
5	Busulfan	Triethylamine Hydrochloride	0.4	Sent to Co-Processing / Sold

6	Tranexamic acid	Tin oxide + 1,4-dicynocyclohexane	42.84	Sent to Co-Processing / Sold
		Raney-Ni	26.88	Sold
		Caustic Lye solution	932.4	Recovered & Reused

3) THE LIST OF FINAL PRODCUTS AND ITS CORRESPONDING INTERMEDIATES

Sl. No.	Name of the Product	Production capacity, Quantity in TPA	Name of the intermediates	Intermediates Quantity (in TPA)
1	Anastrazole	0.1	Intermediate-1 : a-a-a,a-Tetramethyl-5-(1H-methylbromide)-1,3-benzenediacetonitrile	0.4
			Intermediate-2: a-a-a,a-Tetramethyl-5-(1H-1,2,4-triazol-1-yl-methyl)-1,3-benzenediacetonitrile hydrochloride	0.225
2	Gemcitabine HCl	1	Intermediate-1: Crude Gemcitabine	1.683
			Intermediate-2: Crude Gemcitabine HCL	1.1385
3	Bicalutamide	0.5	Intermediate-1: N-[4-cyano-3-(tri fluromethyl)phenyl]-3-[4-fluro phenyl thio]-2-hydroxy-2-methyl propanomide.	0.6
4	Ursodeoxycholic acid	80	Intermediate-1: Methylcholonate	190.592
			Intermediate-2: 3a, 7a-diacetyl,12a-hydroxy-methyl cholanate	190.4
			Intermediate-3: 3a, 7a-diacetyl-12-keto-methyl cholanate	167.616
			Intermediate-4: 3a, 7a-dihydroxy-5b-Cholanic acid	167.616
			Intermediate-5: 3a, hydroxy-7-keto-Cholanic acid	106.656
5	BendamustineHCl	0.2	Intermediate-1: 4-{5-[Bis-(2-hydroxy-ethyl) amino)-1-methyl-1H-benzoimidazole-2-yl} butyric acid ethyl ester	0.85
6	Bortezomib	0.005	Intermediate-1: Isobutyl boronic acid n-Heptane,1N HCL Sat.sodium bicarbonate methanol, ethyl acetate	0.0055
7	Capecitabine	80	Intermediate-1: (2,3-di-O-acetyl-5 deoxy-5	81

Annexure-21

			flurocytidine)	
			Intermediate-2: 5'- Deoxi-5- Fluoro- N-(Pentyloxy) Carbonyl Cytidine-2',3'- Diacetate	89.1
8	Imatinibmesylate	5	Intermediate-1: N-(4-methyl-3-yl)pyrimidin-2-yl)amino)phenyl)-4-((4-methylpiperazin-1-yl)methyl)benzamide,	5
9	Lenalidomide	0.5	Intermediate-1: 3-(4-Nitro-1-oxo-1,3-dihydro-isoindol-2-yl)-piperidine-2,6-dione	0.45
10	Letrozole	0.05	Intermediate-1: 4-[1-(1,2,4-Triazolyl)methyl] benzonitrile	0.15
11	Pemetrexed disodium	1	Intermediate-1: Diethyl-2-(4-(2-(2-amino-4-Oxo-4,7-dihydro-3H-pyrrolo[2,3-djpyrimidin-5yl)benzamido)pentanediate	0.561
			Intermediate-2: Pemetrexed di acid	0.42
12	Decitabine	25	Intermediate-1: 1- methyl-2-deoxy ribose	0.152
			Intermediate-2: 1-Methoxy-3,5-di-O-acetyl-2-deoxy ribose	0.204
			Intermediate-3: 1-(3,5-di-O-acetyl-2-deoxy-D-ribofuranosyl)-5-zacytosine	0.1
			Intermediate-4: Decitabine Crude	0.02
13	Cytarabine	0.05	Intermediate-1: CyclocytidineHCl	0.06
14	Cabazitaxel	0.01	Intermediate-1: 4α-Acetoxy-2α-benzoyloxy-5β, 20-epoxy-1β, hydroxyl-7β, 10β-dimethoxy-9-oxo-11-taxene-13α-yl (2R,4S,5R)-3-tert-butoxycarbonyl-2-(4-methoxyphenyl)-4phenyl-1,3-oxazolidine-5-carboxylate	0.0125
			Intermediate-2 : (2α,5β,7β,10β,13α)-4-acetoxy-13-({(2R,3S)-3[(tertbutoxycarbonyl) amino]-2-hydroxy-3-phenylpropanoyl}oxy)-1-hydroxy-7,10-dimethoxy-9oxo-5,20-epoxytax-11-en-2-yl benzoate – propan-2-one	0.0185
15	Clofarabine	0.01	Intermediate-1: 2-Deoxy-1-α-bromo-2-β-fluoro-3,5-di-O-benzoyl-D-ribofuranose	0.04301
			Intermediate-2: 2-Chloro-6-butyrylamido Purine	0.03289
16	MelphalanHCl	0.025	Intermediate-1: N-Phthaloyl-p-amino-L-Phenylalanine	0.53376

Annexure-21

			Intermediate-2: Methyl-N-Phthaloyl-p-amino-L-Phenylalanine	0.36
			Intermediate-3: Methyl-N-Phthaloyl-p-bis-(2-hydroxyethyl)-amino-L-phenylalanine	0.26208
			Intermediate-4: Methyl-N-Phthaloyl-p-bis-(2-chloroethyl)-amino-L-phenylalanine	0.26208
17	Tenfovirdisoproxilfumarate	300	Intermediate-1: (R) -9(2-phosphoniylmethoxy propyl)adenine	196.285
18	ErlotinibHCl	2	Intermediate-1: 4,5-bis(2-methoxyethoxy)-2-aminobenzonitrile	2.72
			Intermediate-2: N-(4,5-bis(2 methoxyethoxy)-2-cynophenyl)-N-N-dimethyl farmamidine	2.56
			Intermediate-3: 6,7-Bis-(2-methoxyethoxy)-N-((3-ethynylphenyl)-quinazolin-4-amine	2.72
19	Dimethyl Fumarate	6	Intermediate-1: Dimethyl Fumarate crude	14.6664
20	Busulfan	0.05	Intermediate-1: Butane-1,4-diyl dimethanesulfonate	0.1695
21	Zoledronic Acid	0.005	Intermediate-1: Imidazol-1yl-acetic acid methyl ester	0.01032
			Intermediate-2: Imidazol-1yl-acetic acid	0.00848
			Intermediate-3: (1-hydroxy-2-imdazol-1-phosphono-ethyl)-phosphoric acid	0.00508
22	Tranexamic Acid	250	Intermediate-1: Methyl 4-cyano cyclohexane carboxylate	520.8
			Intermediate-2: Trans-Cis Mixture of Tranexamic Acid as Tranxamic acid	856.8
			Intermediate-3: Trans-Cis Mixture of Tranexamic Acid enriched trans to 80% in caustic Soda as TXA	856.8
			Intermediate-4: Tranexamic Acid- Crude caustic Soda -0.6%	856.8
			Intermediate-5: Tranexamic Acid in water	856.8
			Intermediate-6: Tranexamic Acid -95to97% in water	856.8
			Intermediate-7: Tranexamic Acid -98to99% in water	672

23	Sunitinib Maleate	3	Intermediate-1: N-(2-(diethyl amino)ethyl)-5-formyl-2,4-dimethyl-1H-pyrrole-3-carboxamide	2.592
			Intermediate-2: Sunitinib crude	2.7
24	SorefenibTosylate	3	Intermediate-1: 4-(4-Aminophenoxy)-N-methyl Picolinamide.	2.85
			Intermediate-2: 4-(4-Aminophenoxy)-N-methyl Picolinamide. (Crude)	2.925
25	Praziquentel	50	Intermediate-1 : Praziquantel crude	80.4

5. M/s SML obtained Environmental Clearance from MoEF& CC for bulk drug unit vide EC letter no: F. No. J-11011/71/2007-IA II (I) dated 12th March, 2008 for manufacture of 13 Nos. of products with a capacity of 126.8 TPA. Further, SML obtained Environmental Clearance from SEIAA, Karnataka for expansion and modification of the APIs & Intermediates manufacturing with R & D activity vide EC letter no: SEIAA 50 IND 2016 dated 28th April, 2017 for manufacture of 35 Nos. of products with a capacity of 422.415 TPA. The corrigendum to EC (letter no: SEIAA 50 IND 2016) from SEIAA, Karnataka dated 15.03.2018 was obtained to include list of intermediates for products in EC. The MoEF& CC, Regional Office, Bangalore has visited the industry on 06.10.2020 and Certified Compliance Report (CCR) was issued vide letter dated 19.102.2020. The EAC deliberated the compliance status and report in order.

6. Existing land area is 84,336 m2, additional 54,727 m^2 land will be used for proposed expansion. Industry has already developed greenbelt in an area of 33.13% i.e., 46,072.56 m^2 out of total area of the project.The estimated project cost is Rs.353.2238 crores including existing investment of Rs.252.2238 crores. Total capital cost earmarked towards environmental pollution control measures is Rs.19.8066 crores and the Recurring cost (operation and maintenance) will be about Rs.5.5653 crores per annum after proposed expansion. Total employment will be 1150 persons as direct after expansion. Industry proposes to allocate Rs.75.75 Lakhs towards Corporate Environment Responsibility.

7. There are no National parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River/water body river Krishna, marched Kere, Machalapur Lake are at a distance of 7.7 km, 6.5 km & 7.84 km respectively in North, South West & South West direction respectively. Total water requirement is 625.667 m3/day of which fresh water requirement of 293.114 m3/day will be met from KIADB sourced from River Krishna. The total effluent generation from unit II after expansion and HTDS effluent from Unit I will be treated in ETP of Unit II. Treatment facility has/will be developed as mentioned in the EMP report.

8. Power requirement after expansion will be 5000 kVA including existing 1800 kVA and will be met from Gulbarga Electricity Supply Company, Karnataka State power distribution corporation limited (GESCOM). Existing unit has 4 DG sets of 3 x 625 kVA& 1 x 750 kVA Capacity, additionally 5DG sets of 2 x 1500 kVA, 1 x 750 kVA & 2 x 625 kVA are proposed to be added. They are used as standby during power failure. Stack height 6 m ARL will be provided as per CPCB norms to each of the proposed DG sets.

9. Existing unit has 1x10 TPH & 1x6 THP Rice husk/coal/briquette fired boilers. Additionally, 1x16 TPH Rice husk/coal/briquette fired boiler will be installed. Electrostatic precipitator with a stack of height of 30m AGL will be installed for controlling the particulate emissions within the statutory limit of 115 mg/Nm3 for the proposed boilers.

10. Details of Process emissions generation and its management:

Stack attached	Capacity and Numbers	Fuel type & Quantity	Stack height	Air Pollution control measures	Predicted emissions
Existing					
Process emissions	-	-	3 m ARL	Acidic Fume scrubbers: 15 Nos	Acid Mist, VOCs &odour

11. Details of Solid waste & Hazardous waste generation and its management:

Hazardous waste	Category	Quantity in TPA After Expansion	Mode of disposal
Used Oil (in KL)	5.1	5	Authorized recycler
Distillation Residues	20.3	25	Authorized recycler / co-processing
Process residue and Wastes	28.1	227.363	Incineration / co-processing
Spent Catalyst	28.2	0	-
Spent carbon	28.3	27.052	Incineration / co-processing
Date Expired Products	28.5	3	Incineration / co-processing
Spent Solvent	26.4	986.545	Authorized recycler
Empty barrels / containers / liners contaminated with hazardous chemicals	33.1	12000 Nos.	Authorized recycler
ETP Sludge	35.3	1500	To TSDF
MEE/ATFD Salts	35.3	1510	To TSDF
Boiler Ash	-	13,800	Brick manufacturer

12. Public hearing is not required since the proposed project falls under category B2, the proposed project is located in industrial area. It was informed that no litigation is pending against the proposal.

13. The industry has provided scrubbing systems in the process area to neutralize the fugitive emissions and GPS system is installed for effluent movement from Unit I & Unit II. The records are downloaded & submitted to KSPCB, the same will be followed. Further, the wastes generated are packed in closed containers, bags & stored in the covered shed, on the impervious concrete floor.

14. The proposal was considered by the EAC (Industry-3) in its 2nd meeting held during **8-9 December, 2020.** The project proponent and their consultant M/s. Samrakshan, made a detailed presentation through Video Conferencing (VC) and have presented the PFR/EMP report. The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, have examined the proposal submitted

by the Project Proponent in desired form along with PFR & EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent.

The EAC noted that the Project Proponent has given undertaking that the data and information given in the application and enclosures are true to the best of his knowledge and belief and no information has been suppressed in the PFR & EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent. The Committee noted that the PFR/EMP report reflects the present environmental concerns and the projected scenario for all the environmental components. The committee deliberated the action plan and budget allocation for green belt development, mitigation measure towards Air, Water, Noise and Soil pollution.

The EAC has deliberated the proposal and has made due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC have found the proposal in order and have **recommended** for grant of environmental clearance.

15. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

16. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-3), Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for **Expansion and Modification of the Active Pharmaceutical Ingredients (API's Manufacturing Unit with R&D Activity by M/s Shilpa Medicare Limited, 100% EOU, Unit-II, located at Plot 30, 31, 32 and 35-39, 33, 33A and 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur, Karnataka**, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

A. Specific Condition

(i). The Unit shall install waste water flow meter at the outlet of Unit – I and inlet of Unit- II, and keep record of waste water flow from Unit-I to Unit- II. The monitoring report shall be submitted to the SPCB/MoEFCC Regional office.

(ii). The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

(iii). Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.

(iv). As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.

(v). Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.

(vi). The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.

(vii). Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.

(viii). Total fresh water requirement shall not exceed 293.114 m^3/day, proposed to be met from KIADB sourced from River Krishna. Prior permission in this regard shall be obtained from the concerned regulatory authority.

(ix). Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.

(x). Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises.

(i). Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled water condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled water circulation.

(ii). Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.

(iii). The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.

(iv). The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.

(v). The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. Preference shall be given to local villagers for employment in the unit. Preference shall be given to local villagers for employment in the unit.

(vi). A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

B. General Condition:

(i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

(ii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.

(iii) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

(iv) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

(v) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

(vi) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZillaParishad/Municipal Corporation, Urban local Body and the local NGO,

if any, from whom suggestions/ representations, if any, were received while processing the proposal.

(vii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

(viii) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

(ix) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in/. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

(x) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

(xi) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

17. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

18. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

19. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Annexure-21

20. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

21. This issues with the approval of the competent authority.

05/01/2021

(Dr. R. B. Lal)
Scientist 'E'/Additional Director
Email: rb.lal@nic.in
Tele-fax: +91-11-24695362
(डा. आर. बी. लाल)
(Dr. R. B. LAL)
वैज्ञानिक 'ई'/Scientist 'E'
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
Min.of Environment,Forest and Climate Change
भारत सरकार, नई दिल्ली
Govt. of India, New Delhi

Copy to: -

1. Additional Chief Secretary (FEE) Forest, Environment and Ecology Department, Karnataka Government Secretariat, Room No. 447, 4th Floor, Gate No. 2, M. S. Building, Bengaluru-560001
2. The Deputy DGF (C), MoEF&CC Regional Office (SZ), KendriyaSadan, 4th Floor, E&F Wings, 17th Main Road, Koramangala II Block, Bangalore - 34
3. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr.AmbedkarVeedhi, Bangalore - 1
4. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi - 32
5. The Member Secretary, Karnataka State Pollution Control Board, ParisaraBhavan, #49, 4th& 5th Floor, Church Street, Bangalore -1
6. The District Collector, District Raichur, Karnataka
7. Guard File/Monitoring File/Website/Record File/Parivesh Portal

(Dr. R. B. Lal)
Scientist 'E'/Additional Director

File No. IA-J-11011/301/2020-IA-II(I)
Government of India
Ministry of Environment, Forest and Climate Change
(Impact Assessment Division)

Annexure-21

Indira Paryavaran Bhawan
Agni Wing, Jor Bagh Road,
New Delhi -110003

Dated 20th June, 2022

To

M/s Shilpa Pharma Lifesciences Limited
Plot no. 214/A1, Hyderabad Raichur Road,
District- Raichur, Karnataka
E-mail: naidu@vbshilpa.com

Sub.: Expansion and modification of Active pharmaceutical ingredients (APIs) manufacturing industry with R&D activity by M/s Shilpa Medicare Limited, 100% Export Oriented Unit (EOU), located at Unit 11, Plot No 30, 31, 32 & 35-39, 33, 33A & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District, Karnataka - *Transfer of EC from M/s. Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited*

Sir,

This has reference to your online proposal **IA/KA/IND3/266768/2022** dated 3rd May, 2022 regarding transfer of Environmental Clearance (EC) from M/s Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited to the above project.

2. The Ministry granted EC no. IA-J-11011/301/2020-IA-II(I) dated 5.1.2021 and an amendment in EC dated 30.9.2021 to the above project.

3. M/s Shilpa Medicare Limited submitted its No objection for transfer of EC and M/s Shilpa Pharma Lifesciences Limited submitted its undertaking for compliance of terms and conditions of the above EC (as amended).

4. In view of the above, as per the relevant provisions of the EIA Notification, 2006 (as amended), the above mentioned EC (as amended) is hereby transferred from M/s Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited on the same terms and conditions under which prior environmental clearance was granted, and for the same validity period.

This issues with approval of the competent authority.

Ramesh

(Dr. Motipalli Ramesh)
Scientist 'E'
Tel. 011-20819249
Email: ramesh.motipalli@nic.in

Copy to: -

1. The Deputy DGF (C), MoEF&CC Regional Office (SZ), Kendriya Sadan, 4th Floor, E&F Wings, 17th Main Road, Koramangala II Block, Bangalore – 34

2. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr. Ambedkar Veedhi, Bangalore – 1
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi – 32
4. The Member Secretary, Karnataka State Pollution Control Board, ParisaraBhavan, #49, 4th& 5th Floor, Church Street, Bangalore -1
5. The District Collector, District Raichur, Karnataka
6. Guard File/Monitoring File/Website/Record File

Ramesh

(Dr. Motipalli Ramesh)
Scientist 'E'
Tel. 011-20819249
Email: ramesh.motipalli@nic.in