Your (Half Yearly Compliance Report) has been Submitted with following details	
Proposal No	EC NO.SEIAA 50IND-2016
Compliance ID	1247011679
Compliance Number(For Tracking)	EC/M/COMPLIANCE/1247011679/2026
Reporting Year	2026
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	10-11-2026
RO/SRO Name	Shri S Senthil Kumar
RO/SRO Email	jk083.ifs@nic.in
State	KARNATAKA
RO/SRO Office Address	Integrated Regional Offices, Bengaluru
Note:- SMS and E-Mail has been sent to Shri S Senthil Kumar, KARNATAKA with Notification to Project Proponent.	

Outlook

Half yearly EC compliance report for the term April -2026 to September-2026

From EHS <ehs@shilpapharma.com>
Date Tue 2026-10-27 16:11
To Env Section Regional Office Bengaluru <rosz.bng-mefcc@gov.in>
Cc R Elangovan <r.elangovan@shilpapharma.com>; K.Sharath Reddy <sharath@shilpapharma.com>

1 attachment (30 MB)
EC No. SEIAA 50 IND 2016 dated 28.04.2017.pdf;

Respected Sir / Madam,

To
The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing,17th Main Road,
II nd Block, Koramangala, Banglore-560034.

Sub : Submission of EC Six Months Compliance status report **April** 2026 to **September** 2026 Reg

Ref :
1. EC No: SEIAA 50 IND 2016 dated 28.04.2017 and
2. Corrigendum No: SEIAA 50 IND 2016 dated 15.03.2018
3. Corrigendum No: SEIAA 50 IND 2016 dated 16.06.2020
4. Corrigendum No: SEIAA 50 IND 2016 dated 31.01.2022
5. EC Transfer No: SEIAA 50 IND 2016 dated 29.06.2022

With Reference to the letter in ref. no-5 advising to correctly format the EC compliance report by tabulating the specific & General Conditions We are pleased to submit the corrected half yearly compliance report for the term **April -2026 to September-2026. Along with the attachments for your kind perusal**
Project Name : "Shilpa Pharma Lifesciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Medicare Ltd 100% EOU, Plot no 30,31,32 and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134.
Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAA 50 IND 2016 Dated: 28.04.2017.subsequently Corrigendum were issued as per the above references.
The following are attached as annexures: -

Sl. No.	Description	Annexure No.
1	Ambient Air Quality Reports	Annexure No-1
2	Ground Water Test Reports	Annexure No-2
3	Photographs of Acoustic Enclosures	Annexure No-3
4	DG Sets Stack Monitoring Reports	Annexure No-4
5	Fugitive Emission Scrubber Stack Monitoring Reports	Annexure No-5
6	VOC Monitoring Reports	Annexure No-6
7	CFO & Hazardous Waste Authorization (CCO) Copy	Annexure No-7

8	Scrubbing System and Multi Cyclone System Details	Annexure No-8
9	Solvent Recovery System Details	Annexure No-9
10	Boiler Emission Test Reports	Annexure No-10
11	Hazardous Waste Manifests	Annexure No-11
12	Fire Hydrant System Photographs	Annexure No-12
13	Training Records	Annexure No-13
14	Medical Reports	Annexure No-14
15	Green Belt Photographs	Annexure No-15
16	PESO License for Diesel and Furnace Oil	Annexure No-16
17	PESO License for Solvents	Annexure No-17
18	Noise Monitoring Reports	Annexure No-18
19	Newspaper Advertisement Copies	Annexure No-19
20	Environmental Clearance (EC) Copies	Annexure No-20

Kindly acknowledge the receipt of the document and e-mail.

Thanks & Regards,
Vijay Kumar N
Environment, Health & Safety
Mob No 8884683004
Shilpa Pharma LifeSciences Limited, Unit-2
Raichur Industrial growth Center, Chicksugur-584134

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)
Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

O/C

SPL/100%EOU/EHS/040/2026-27

Date: 27.10.2026

To
The Additional Principal Chief Conservator of Forests,
Regional Office, Ministry of Environment and Forests (SZ),
Kendriya Sadan, 4th Floor, E&F Wing,17th Main Road,
II nd Block, Koramangala, Banglore-560034.

Respected Sir / Madam,

Sub : Submission of EC Six Months Compliance status report **April** 2026 to **September** 2026 Reg

Ref : 1. EC No: SEIAA 50 IND 2016 dated 28.04.2017 and
2. Corrigendum No: SEIAA 50 IND 2016 dated 15.03.2018
3. Corrigendum No: SEIAA 50 IND 2016 dated 16.06.2020
4. Corrigendum No: SEIAA 50 IND 2016 dated 31.01.2022
5. EC Transfer No: SEIAA 50 IND 2016 dated 29.06.2022

With Reference to the letter in ref. no-5 advising to correctly format the EC compliance report by tabulating the specific & General Conditions We are pleased to submit the corrected half yearly compliance report for the term **April -2026 to September-2026. Along with the attachments for your kind perusal**

Project Name : "Shilpa Pharma Lifesciences Ltd. Unit II"- bulk drugs, APIs & intermediates manufacturing industry with R&D at Shilpa Medicare Ltd 100% EOU; Plot no 30,31,32 and35-39,33, 33A, 40 to 47, Raichur Growth Centre, Chiksugur,Raichur-584134.
Environment Clearance: EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter no. EC No: SEIAA 50 IND 2016 Dated: 28.04.2017.subsequently Corrigendum were issued as per the above references.

The following are attached as annexures: -

Sl. No.	Description	Annexure No.
1	Ambient Air Quality Reports	Annexure No-1
2	Ground Water Test Reports	Annexure No-2
3	Photographs of Acoustic Enclosures	Annexure No-3
4	DG Sets Stack Monitoring Reports	Annexure No-4
5	Fugitive Emission Scrubber Stack Monitoring Reports	Annexure No-5
6	VOC Monitoring Reports	Annexure No-6
7	CFO & Hazardous Waste Authorization (CCO) Copy	Annexure No-7
8	Scrubbing System and Multi Cyclone System Details	Annexure No-8
9	Solvent Recovery System Details	Annexure No-9

Corporate & Admin Office : "Shilpa House", #12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India

Shilpa Pharma Lifesciences Limited

(Unit-2: 100% Export Oriented Unit)

Plot No: 33, 33A & 40-47, Raichur Industrial Growth Centre,
Chicksugur-584 134, Raichur District, Karnataka State, India.

CIN No. U24100KA2020PLC134081

10	Boiler Emission Test Reports	Annexure No-10
11	Hazardous Waste Manifests	Annexure No-11
12	Fire Hydrant System Photographs	Annexure No-12
13	Training Records	Annexure No-13
14	Medical Reports	Annexure No-14
15	Green Belt Photographs	Annexure No-15
16	PESO License for Diesel and Furnace Oil	Annexure No-16
17	PESO License for Solvents	Annexure No-17
18	Noise Monitoring Reports	Annexure No-18
19	Newspaper Advertisement Copies	Annexure No-19
20	Environmental Clearance (EC) Copies	Annexure No-20

Kindly acknowledge the receipt of the document and e-mail.
Thanking you,

Yours faithfully

For SHILPA PHARMA LIFESCIENCES LTD, 100% EOU

SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2) Chicksugur Raichur karnataka

Authorized Signatory

CC to:

1. Office of the Regional Office,Karnataka State Pollution Control Board, Building st Shed No.C-03 KSSIDC Industrial Estate, 3rd Cross,Hyderabad Road, Raichur – 584102 (✓)
2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49,4th & 5th Floor, Church Street, Bengaluru, Karnataka 560001. **(By Mail)**
3. Principal Chief Conservator of Forests (HoFF),Karnataka Forest Department, Govt. of Karnataka, Aranya Bhawan, 18th Cross, Malleshwaram, Bangalore, (Karnataka) – 560 003 **(By Mail)**

Corporate & Admin Office : "Shilpa House", #12-6-214/A-1, Hyderabad Road, Raichur-584 135, Karnataka, India
Tel: +91-8532-238704, Fax: +91-8532-238876, Email: info@vbshilpa.com, Web: www.vbshilpa.com

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

EC No. SEIAA 50 IND 2016 dated 28.04.2017
Corrigendum Dtd 15-03-2018
Ec Corrigendum Dtd-16-06-2020
EC Corrigendum Dtd 30-01-2022
Part-A/Specific Conditions

S. no	Condition	Status	
1.	National Emissions standards for organic chemicals manufacturing industry issued by the ministry vide G.S.R 608(E) dated 21st July 2010 and amended time to time shall be followed by the unit.	all the emissions are within the prescribed limits prescribed national emissions standards reports attached annexures	Complied. Ambient Air Quality Reports attached as **Annexure No-1**
2.	The total effluent generation shall not be exceed 201 KLD. Domestic sewage and the industrial effluent such as low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS Effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFD. The MEE condensate treated with low TDS effluent.	Effluent generation not exceeded 201 KLD. Domestic sewage and Low TDS effluent is treaded in ETP (Biological treatment plant) followed by RO. HTDS effluent treated in stripper followed by Multiple Effect Evaporation System & ATFD. MEE Condensate treated with Low TDS Effluent/Currently HTDS effluent is being sent to CETP as per corrigendum issued on dtd 30-01-2022	Complied.
3.	Effluent Treatment plant shall ensure to prevent to ground water contamination due to leakage from unlined tanks.	All the tanks are Impervious.	Complied. Ground water Test Reports attached as **Annexure No-2**
4.	Total water requirement from KIADB water supply shall not exceed 214.6 KLD and prior permission shall be obtained from the concerned Authority. No ground water shall be used.	Not exceeded 214.6 KLD & Not using Ground water, Water supplied by KIDAB	Complied.
5.	The process emissions from the boiler shall be dispersed through stack of adequate height as per CPCB / KSPCB standard. The gaseous emissions from the DG set shall be dispersed through stack height as per CPCB standards shall be provided. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.	The gaseous emissions dispersed through Boiler stack and the height of the stack/Chimney provided as per CPCB/KSPCB standards. The Gaseous emissions dispersed through DG set stack and the height of the stack provided as per CPCB/KSPCB standards. And Provided Acoustic enclosure to the DG sets to mitigate the noise pollution.	Complied. Pictures of Acoustic enclosures are enclosed.as **Annexure no-3** Stack Monitoring of DG sets attached as **Annexure No-4**

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status	
6.	Ambient air quality data shall be collected as per NAAQS standards notified by the ministry vide G.S.R. No. 826(E) dated 16th September, 2009. The levels of PM_{10}, $PM_{2.5}$, NO_X, CO, VOC and HCL shall be monitored in the ambient air and emission from the stack and displayed at a convenient location near the main gate of the company and at important public place. The company shall upload the result of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the regional office of MoEF – Bangalore, SEIAA- Karnataka, the respective zonal office of CPCB and the KSPCB.	The location of Ambient air quality monitoring stations and reports are submitted to the KSPCB every month. Ambient Air Monitoring is : 2No's locations Ambient air & Emissions from stack are monitored every month and reports are being submitted to KSPCB, Regional office of MOEF &CPCB, Bangalore and uploaded in the company website.	Complied. Fugitive emissions scrubber stack Monitoring Reports attached aa **Annexure no-5** VOC Reports attached As **Annexure No-6** .
7.	The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF – Bangalore, SEIAA- Karnataka, the respective zonal office of CPCB and the KSPCB. The level of PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO and VOC (ambient levels) and emission from the stacks shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.	The Six months compliance report uploaded in the company website & submitted to regional office MoEF, CPCB & KSPCB.	Complied.
8.	The company shall obtain authorization for collection, storage and disposal of hazardous waste under the Hazardous and other wastes (management and Tran's boundary movement) rules, 2016 for management of hazardous waste and prior permission from KSPCB shall be obtained for disposal of solid / hazardous waste to the TSDF. The concerned company shall undertake measures for firefighting facilities in case of emergency.	CFO & Hazardous Waste Authorization is obtained(CCO) and firefighting facilities are provided.	Complied. CFO & Hazardous Waste Authorization is obtained(CCO) copy attached as **Annexure-7**
9.	In plant control measures for checking fugitive emission from all the vulnerable sources shall be provided. Fugitive emission shall be controlled by providing closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading	To Control the fugitive emissions all the operations are handled in closed condition. Further the fugitive chemical reaction is controlled by using scrubbers with suitable neutralizing liquid. The emissions are monitored by checking VOC periodically. Multicyclone filters and dust filters used for Boilers.	Complied. Scrubbing system, Multi cyclone system details are attached as **Annexure-8**

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status	
	and unloading areas to control dust emissions. Fugitive emission in the work zone environment, product, raw material storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the KSPCB.	Automatic water sprinkling system is arranged at Ammonia addition station in case of any leakages.	
10.	Hazardous chemicals shall be stored in tanks in tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pump.	Hazardous chemicals are stored in tanks in tank farm, drums, carboys etc. flame arresters provided on Existing tank farm and Solvents are transferred by using pumps.	Complied.
11.	The company shall undertake following waste minimization measures:- a. Metering and control of quantities of active ingredients to minimize waste. b. Reuse of by-products from the process as raw materials or as raw material substitutes in other process. c. Use of automated filling to minimize spillage. d. Use of close feed system in to batch reactors. e. Venting equipment through vapor recovery system. f. Use of high pressure hoses for equipment cleaning to reduce waste water generation.	a. All the materials are issued to the Production by weighing the same. b. Wherever applicable the solvent and by-products are reused in the process. c. All the liquid material dispensing through pumps to minimize the spillages. d. We are using close feed system batch reactors. e. Condensers are provided and primary condenser circulated through cooling tower water and vent is connected to sub condenser and sub condenser circulated with chilled water. f. We are using high pressure pump for equipment cleaning to reduce waste water generation.	Complied.
12.	For control of fugitive emission following steps shall be followed: a. Closed handling system shall be provided for chemicals. b. Reflux condenser shall provide over reactor. c. System of leak detection and repair of pumps/pipeline based on preventive maintenance. d. The acids shall be taken from storage tanks to reactor through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water. e. Cathodic protection shall be provided to the underground solvent storage tanks.	a. We have Provided closed handling system for chemicals b. Provided Reflux condenser over the reactors. c. Preventive maintenance is in place for all pumps/pipe lines, equipment's to prevent and rectify the leakages. d. We are taking acids from storage tanks to reactor through closed pipelines. And storage tanks vented through trap receiver and condenser operated with chilled water. e. We have above the ground solvent storage tanks, cathodic protection is not applicable.	Complied.
13.	Solvent management shall be as follows: a. Solvent used in the process shall be completely recovered and reused.	a. Solvent used in the process and are completely recovered and reused.	Complied. Solvent recovery system details are

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status	
	b. Efforts are to be made to recover inorganic salts. c. Reactor shall be connected to chilled brine condenser system. d. Reactor and solvent handling pump shall have mechanical seals to prevent leakages. e. The condenser shall be provided with sufficient HTA and residence time so as to achieve more than 90% recovery. f. Solvent shall be stored in a separate space specified with all safety measures. g. Proper earthling shall be provided in all the electrical equipment wherever solvent handling is done. h. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.	b. Wherever possible inorganic salts are recovered and all the mixed inorganic salts are isolated in ATFD. c. Reactors are connected to chilled water condenser system. d. We provided the mechanical seals to all Reactors and solvent handing pumps for prevent leakages. e. All the condensers are provided sufficient HTA and residence time to achieve more than 90% recovery. f. We have separate solvent storage yard for liquid raw materials with all safety measures. g. We are provided earthing for all solvent handling and storage equipment's. Earth interlock system provided for solvent tank yard.	enclosed as **-Annexure-9**
	i. Fugitive emission in the work zone environment, product, raw materials storage area etc, shall be regularly monitored. The emission shall conform to the limits imposed by KSPCB.	h. All the process plant areas are provided with Flame Proof fittings. i. We have controlled fugitive mission by using of Scrubber system for process, multi cyclone separator. And every month monitoring by external agency by Approved by KSPCB/MoEF/ NABL	
14.	No effluent shall be discharged outside the factory premises and "zero" discharge concept shall adopt.	We have Zero liquid discharge plant Comprising of Stipper, MEE & ATFD, Biological treatment plant followed by RO plant and all the water is recycled and no effluent is discharged out the factory premises.	Complied.
15.	Multi-cyclone followed by bag filter shall be provided to the boiler to control particulate emission within 100mg/Nm3. The gaseous emission shall be dispersed through stack of adequate height as per CPCB/KSPCB guidelines.	We provided Multi-cyclone followed by bag filter to control the boiler particulate emission. The particulate emission is within the range. The gaseous emissions are dispersed through stack of adequate height as per CPCB/ KSPCB guidelines.	Boiler emission test reports are enclosed as **Annexure-10.**
16.	Two stage chilled water / caustic scrubber shall be provided to process vent to control HCL. Two stage scrubbers with caustic lye media solution shall be provided to process vent to control SO2. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.	We have provided packed column scrubber to process vent for control HCL. SO2 is not generated in our process. The scrubbing effluent sent to the ETP plant. The efficiency of the scrubbers are monitored regularly and maintained properly. All precautions are taken to control emissions with in the prescribed standards.	Complied,

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status	
17.	As proposed process residue, spent carbon and distillation residue shall be sent to co-processing in cement industries, inorganic salt from process, salt from MEE system, ETP sludge shall be sent to TSDF/Co-processing industries, waste oil from DG set & boiler, discarded containers/liners/barrels, e-waste, spent catalyst, shall be handed over to KSPCB authorized recyclers/ re-processors, spent solvent shall be distilled in house/ send to re-processors for reuse or recover. .	We are disposing all wastes to Co-Processing/TSDF and spent solvents to authorized recyclers as per KSPCB HW Authorization. Manifesto reports Copy attached	Complied. Manifest are attached as **Annexure- No11**
18.	Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quickly, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.	Boiler Husk ash stored in a separate contained area to avoid air borne contamination and water regime during rainy season. We spray the boiler blow down water on ash to avoid the fly of ash & dust.	Complied.
19.	During transfer of material, spillages shall be avoided and garland drain be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.	Storm water drains are separately provided/ constructed and effluent, accidental spillages do not mix in the domestic waste and storm drains.	Complied.
20.	The company shall harvest surface as well as rainwater from the rooftops of the buildings and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.	Roof top and Surface runoff of rain water is harvested in a tank it is reused .	Complied.
21.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Firefighting system shall be as per the OISD 117 norms.	Fire protection system of possible fire hazards is provided by various types of fire hydrant system with foam,Manual call point and also arranged portable fire extinguishers and fire balls.	Complied. Fire Hydrant Photographs attached as **Annexure -12**
22.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre- employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.	We are conducting safety training's to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations undertaken to all employees on regular basis. Training records & medical test reports sample copy attached	Complied. Training Records are attached as **Annexure -13**
23.	Usage of PPEs by all employees/workers shall be ensured.	Noted and being practiced.	Complied.
24.	Occupational health surveillance of the workers shall done on a regular basis and records maintained as per the factories act.	Occupational Health surveillance is done on regular basis records are maintained as per factories act.	Complied. Medical Reports are attached as **Annexure 14**

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status	
25.	Green belt shall be developed in at least 33% of area with suitable species of the plants as per the CPCB guidelines to mitigate the effects of fugitive emission selection of plant species shall be as per the CPCB guidelines.	Green belt developed in 33% of our area.Green belt photo copy attached	Complied. Green Belt Photographs are attached as **Annexure-15**
26.	The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.	All the suggestions are implemented without any restriction of the Budget. Funds allocated will not be used for any other purpose.	Complied.
27.	The company shall comply with the recommendations made in the EIA/EMP/risk assessment report. Risk assessment shall be included in the safety manual.	We are complied with the EIA/EMP/Risk assessment recommendations and risk assessment was included in the safety manual.	Complied.
28.	Provision shall be made for the housing for construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, sale drinking water, medical health care, crèche etc. the housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.	All the constructed workers are the Local origin, Hence not stayd at the site.	Complied.
29.	The coal to be stored in coal stockyard on impervious layer in a covered shed and along the boundary garland canal to be provided leading to a exit pond/ tank to arrest coal dust run-off and to allow settling of coal fines. The coal fines to be removed periodically.	Rise Husk is stored in a shed contained manner and dust run-off will not be there in this area.	Complied.
30.	Bromination to be avoided using liquid Bromine. Explore other alternative brominating reagents such s Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl Ammonium tribromide.	Direct Bromine will not be used.	Complied.
31.	Recovers lithium salts from the effluents wherever lithium compounds are used in the reactions.	Lithium salt in water will be sent to Manufacturer	Complied.
32.	Treatment of recalcitrant to be documented and kept at all times.	Noted. Not Applicable	Complied.
33.	Adopts good management practices (GMP) & green chemistry.	We have adopted GMP & green chemistry.	Complied.
34.	Storage facilities for the fuel shall be made in the plant area in consultation with department of explosives, Nagpur. Disaster management shall be prepared plan to meet any eventuality	Diesel and furnace oil storage is provided and approved by Department of Explosives, Nagpur. Disaster management plan is prepared in case of any emergency	Complied and being followed.; Peso License Copy attached as

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status	
	in case of an accident taking place due to storage of fuel.	handling.	**Annexure- No-16**
35.	The project authorities also shall earmark at least 2.5% of the total cost of the project towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the authority.	Funds for CSR Activities are allocated Spent 17.0 Crores towards Social responsibility activities	Complied.
36.	The project proponent shall use husk as fuel for the boilers.	We are using husk as a fuel for the boiler.	Complied.
37.	The project proponent shall store fresh solvents, recovered solvent as per the PESO norms and shall not be stored in plastic bags.	We are storing fresh solvents, recovered solvents as per the PESO norm. We are not storing the solvents in plastic bags.	Complied. PESO License For solvents Copy Attached As **Annexure No- 17**
38.	The industry shall not operate without a functional effluent treatment plant as per the order of the Hon'ble supreme court dated February 22, 2017 in W.P. No.375 of 2012	Complete Effluent treatment plant is in operation.	Complied.

General Conditions

1.	The project authorities shall strictly adhere to the stipulations made by the Karnataka state pollution control board (KSPCB).	We are strictly adhering to the stipulations made by the Karnataka state pollution control board (KSPCB).	Complied. Monthly monitoring reports ,Manifesto copy are attached
2.	At no time, the emission shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved	At no time Emissions are not exceeded the prescribed limits. In case of Failure of the ETP the production will be stopped and restart after the rectification.	Complied
3.	No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA/ministry of environment and forests as the case may be. In case of deviations or alterations in the project proposal from those submitted to this authority for clearance, afresh reference shall be made to the authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	No further expansion or modification will carried out without prior approval from MOEF/SEIAA.	Complied.
4.	The gaseous emission (PM_{10}, $PM_{2.5}$, SO_2, NO_x, CO, VOC) and particulate matter along with RSPM levels from various process units shall conform to the standard prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated	The gaseous emissions (SO2, NOx, CO, VOC and HC) and particulate matter along with RSPM levels from various process units are be within standards prescribed limits. All the emissions levels are	Complied. Boiler emissions, voc, ambient air attached in Earlier Points

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status	
	standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for PM_{10}, $PM_{2.5}$, SO_2, NOx, CO, VOC shall be carried.	maintained within the stipulated standards. In case of Failure of the ETP the production will stop and restart after the rectification.	
5.	The project authorities shall strictly comply with the rules and regulations under manufacture, storage and import of hazardous chemicals Rules, 1989 as amended in October 1994 and January 2000. All authorization of hazardous chemical shall be as per the MVA, 1989. Authorization from the KSPCB shall be obtained for collation, treatment, storage, and disposal of hazardous wastes.	Yes complying. The company has obtained HW Authorization from KSPCB.	Complied.
6.	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the hazardous and other waste (management and Transboundary movement) rules, 2016. Authorization from the KSPCB must be obtained for collection /treatment/ storage/ disposal of hazardous waste.	The Company is disposing the Hazardous waste as described in the HW Authorization issued by KSPCB.	Complied.
7.	Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar waste heating. A hybrid system or fully solar system for lighting and heating should be provided. Details in this regard should be submitted to the SEIAA.	Solar energy iis used for illumination of common areas, lighting for gardens and street lighting.	Complied
8.	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under environment (protection) act, rules, 1989 viz. 75 dBA(day time) and 70 dBA (night time).	The DG sets are provided with acoustic enclosure. The ambient noise levels are maintained in the plant premises within the prescribed standards prescribed under environment (Protection) Act,1986 rules,1989 rules viz.75dBa(day time) and 70 DBA (night time). Noise level reports attached	Complied. Noise Reports are attached As **Annexure No-18**
9.	The project proponent shall also comply with all the environmental protection measures and safeguards as per the information provided.	We comply with all the Environment protection measures and safe guards as per the information provided.	Complied.
10.	The implementation of the project vis-à-vis environmental action plans shall be monitored by MoEF, Regional office at Bangalore / KSPCB / CPCB and department of environment & Ecology,	We are complying and submit the Six monthly compliance status	Complied.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status	
	Bangalore. A six monthly compliance status report shall be submitted to monitoring agencies.	reports to be MoEF and all monitoring agencies.	
11.	The project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also be seen at website of the authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/ this shall be advertised within seven days from the date of issue of the clearance letter, at least in to local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same be forwarded to the MoEF regional office at Bangalore/ KSPCB/ CPCB and the department of environment & ecology, Bangalore/ kalaburgi.	We Have inform the public that the project has been according environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also seen at website of the authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/ This EC clearance details advertised in two newspapers. Parjavani kanada local newspaper and Deccan Herald English news paper dated 31.05.2017.	Complied. Advertised newspaper copies are enclosed as **Annexure No-19**
12.	The project authorities shall inform the MoEF Regional office at Bangalore /KSPCB /CPCB and the Department of Ecology and Environmental, Bangalore, Kalaburgi the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	The project financial closure is done 31 st march 2019	Complied
13.	The SEIAA, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Accepted.	
14.	The SEIAA, Karnataka reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.	Accepted.	
15.	The above condition will be enforced, inter-alia under the provision of the water (prevention & control of pollution) Act, 1981, the environment (protection) Act, 1986 hazardous and other wastes (management and transboundary movement) Rules, 2016 and the public liability insurance Act, 1991 along with their amendments and rules.	Noted.	
16.	The issue of environment clearance doesn't confer any right to the project proponent to operate / run the project without obtaining statutory clearance / sanctions from all other concerned authorities.	Noted,	
17.	Concealing factual data or submission of false/ fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provision of Environmental (protection) Act, 1986.	Noted,	

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status	
18.	Any appeal against this Environmental clearance shall lie with the national green tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the national green tribunal Act, 2010.	Noted,	
19.	Officials from the department of Environment and Ecology, Bangalore/ regional office of MoEF, Bangalore who used be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF/ SEIAA should be forwarded to the APCCF, regional office of MoEF, Bangalore / Deportment of Ecology and Environment, Bangalore / Kalaburgi / Department Regional officer, KSPCB Bangalore.	We will cooperate with inspection monitoring authority and provide all the data during their inspection. A complete set of documents will be submitted/ provided to regional office of MoEF, Bangalore / Deportment of Ecology and Environment, Bangalore / Kalaburgi / Department Regional officer, KSPCB Bangalore.	Complied,
20.	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this authority.	Noted	
21.	The authority reserves the right to add additional safeguard measures subsequently , if found necessary , and to take action including revoking of the environment clearance under the provision of the Environment (protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner	Accepted	
22.	All other statutory clearance such as the approvals for storage of diesel from chief controller of explosives, Fire Department, Civil aviation Department, Forest Conservation Act,1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.	Applicable statutory clearances will be obtained as required by statute.	Complied.
23.	These stipulations would be enforced among other under the provision of water (prevention and control of pollution) Act, 1974, the air (prevention and control of pollution) act, 1981, the Environment (Protection) act, 1986 the public liability (Insurance) Act, 1991 and EIA Notification, 2006.	Noted.	
24.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.	Noted.	

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

Annexure-I to Environment Clarence letter No. SEIAA 47 IND 2016 dated 28-04-2017

Sr No.	Name of Products for Manufacture	Capacity in TPA	Status
1	Ambroxol Hcl	10	
2	Anastrozole	0.1	
3	Gemcitabine Hcl	0.1	
4	Paclitaxel	0.1	
5	Temozolomide	0.1	
6	Bicalutamide	0.5	
7	Docetaxel Trihydrate	0.1	
8	3A7B DihydroxyCholonic Acid	60	
9	Bendamustine Hcl	0.2	
10	Bortezomib	0.005	
11	Capecitabine	60	
12	Imatinib	5	
13	Lenalidomide	0.5	
14	Letrozole	0.05	Noted. Products are manufactured with in the permitted capacity as per EC. Complied
15	Pemetrexed disodium	0.25	
16	Decitabine	0.01	
17	Cytarabine	0.05	
18	Cabazitaxel	0.01	
19	Acebrophylline	10	
20	Clofarabine	0.01	
21	Melphalan	0.025	
22	Cyclophosphamide	1	
23	Tenfovir	50	
24	Pemetrexed dipotassium	0.25	
25	Erlotinib	2	
26	Emtricitabine	1	
27	Dimethyl Fumarate	12	
28	Elvitegravir	1	
29	Cobicistat	100	
30	Busulfan	0.05	
31	Zoledronic	0.005	
32	Tranexamicacid	100	
33	Sunitinib Maleate	3	
34	Sorefenib Tosylate	3	
35	Abiraterone acetate	2	

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

CORRIGENDUM (1st) *order No:* **SEIAA 50 IND 2016 Dated 15-03-2020**

S. no	Condition	Status	
1.	Bromination to be avoided using liquid Bromine. Explore other alternative brominating reagents such s Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl Ammonium tribromide.	Direct Bromine will not be used.	Noted.
2.	Annexure-I Shall be replaced with ANNEXURE-I (R) enclosed to this corrigendum. Rest of the contents and the conditions of the Environmental Clarence letter No.SEIAA 50 IND 2016 dated28-04-2017 remains unchanged.	Noted.	

CORRIGENDUM (2nd) *Order No:* **SEIAA 50 IND 2016 Dated 16-06-2020**

S. no	Condition	Status
3.	Para 4 (Page 2) of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 issued to M/s. Shilpa Medicare Limited, 100% export oriented Unit-II Plot No:33, 33A & 44 to 47 Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 44 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District shall be corrected and read as follows:	Noted.
4.	"4. It is, inter-alia, noted that M/s.Shilpa Pharma Lifesciences Ltd Formly known as Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredient (APIs) & Intermediates manufa cturing of total capacity 422.415 TPA listed in ANNEXURE-I(R) and the byproducts listed in ANNEXURE-II(R), The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. X6 TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The Total cost of the project is Rs.6040 Lakhs."	Noted.

SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

EC Conditions Wise Compliance Status Report

(From April 2026 - September 2026)

S. no	Condition	Status
5.	Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 remains unchanged.	Noted.

Corrigendum SEIAA 50 IND 2016 Dated Dtd 30-01-2022

Sl.no	Description	Status
1	The specific condition no-02 at page no-3 shall be corrected & Read as follows The total Effluent Generation shall not exceed 201 KLD. The effluent will be treated within the factory Premises with an option of sending the Industrial effluent to Common effluent treatment plant	Complied

Thanking you,

For SHILPA PHARMA LIFESCIENCES LIMITED, 100% EOU

SHILPA PHARMA LIFESCIENCES LIMITED, (UNIT-2) Chicksugur Raichur karnataka

Authorized Signatory

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Main Gate**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	20.04.2026
7.	**Date of Sample Receipt**	:	21.04.2026
8.	**Analysis Starting Date**	:	21.04.2026
9.	**Analysis Completion Date**	:	27.04.2026
10.	**Report Issue Date**	:	28.04.2026
11.	**Sampling Protocol**	:	IS 5182:Part 14
12.	**Latitude**	:	16.31163
13.	**Longitude**	:	77.358031

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000010919F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/2838	AAQ/2839	AAQ/2840			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	84.5	77.5	73.5	µg/m³	75.7	100
2	Particulate Matter (Size less than 2.5 µm) or	IS-5182(Part-24):2019	33.5	28.6	24.6	µg/m³	25.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	26.7	23.5	20.3	µg/m³	19.6	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	38.9	34.5	31.4	µg/m³	31.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.67	0.56	0.51	mg/m³	0.52	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	20.04.2026
7.	Date of Sample Receipt	:	21.04.2026
8.	Analysis Starting Date	:	21.04.2026
9.	Analysis Completion Date	:	27.04.2026
10.	Report Issue Date	:	28.04.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31163
13.	Longitude	:	77.358031

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1600

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1618	1619	1620			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure 1


AURA INSTRUMENTS & SERVICES
Combined Sampler
CS-AIS-126
GPS Map Camera
Wadloor, Karnataka, India
Shilpa Pharma Lifesciences Limited (a Subsidiary Of Shilpa Medicare Limited, Formerly Shilpa Corporate Holdings),plot # 33, 33a & 40 To 47 Raichur Growth Centre, Chicksugur Village Raichur 584134 Karnataka-indiaraichur Industrial Growth Centre, Chicksugur 584 134, Wadloor, Karnataka 584134, India
Lat 16.31163° Long 77.358031°
20/04/2026 09:29 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	20.04.2026
7.	**Date of Sample Receipt**	:	21.04.2026
8.	**Analysis Starting Date**	:	21.04.2026
9.	**Analysis Completion Date**	:	27.04.2026
10.	**Report Issue Date**	:	28.04.2026
11.	**Sampling Protocol**	:	IS 5182:Part 14
12.	**Latitude**	:	16.310613
13.	**Longitude**	:	77.356098

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000010920F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/2841	AAQ/2842	AAQ/2843			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	70.6	71.2	66.3	µg/m³	72.7	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	24.3	21.9	17.5	µg/m³	24.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	20.7	15.4	12.6	µg/m³	18.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	25.1	22.1	18.7	µg/m³	24.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.54	0.48	0.39	mg/m³	0.51	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

-: END OF REPORT :-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	20.04.2026
7.	Date of Sample Receipt	:	21.04.2026
8.	Analysis Starting Date	:	21.04.2026
9.	Analysis Completion Date	:	27.04.2026
10.	Report Issue Date	:	28.04.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310613
13.	Longitude	:	77.356098

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1601

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			1621	1622	1623			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

MSV ANALYTICAL LABORATORIES ★ BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-1


AURA
AURA INSTRUMENTS & SERVICES
Combined Sampler
CS-AIS-126
AURA
GPS Map Camera
Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.310613° Long 77.356098°
20/04/2026 09:37 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Main Gate**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	27.05.2026
7.	**Date of Sample Receipt**	:	28.05.2026
8.	**Analysis Starting Date**	:	28.05.2026
9.	**Analysis Completion Date**	:	01.06.2026
10.	**Report Issue Date**	:	02.06.2026
11.	**Sampling Protocol**	:	IS 5182:Part 14
12.	**Latitude**	:	16.312012
13.	**Longitude**	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000014720F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/3743	AAQ/3744	AAQ/3745			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	82.5	76.1	73.1	µg/m³	77.2	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	30.4	27.5	24.8	µg/m³	27.6	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	24.6	20.8	17.2	µg/m³	20.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	35.1	33.6	28.4	µg/m³	32.4	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.74	0.62	0.55	mg/m³	0.64	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	27.05.2026
7.	Date of Sample Receipt	:	28.05.2026
8.	Analysis Starting Date	:	28.05.2026
9.	Analysis Completion Date	:	01.06.2026
10.	Report Issue Date	:	02.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.312012
13.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1969

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2022	2023	2024			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	27.05.2026
7.	Date of Sample Receipt	:	28.05.2026
8.	Analysis Starting Date	:	28.05.2026
9.	Analysis Completion Date	:	01.06.2026
10.	Report Issue Date	:	02.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.312012
13.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000014721F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/3746	AAQ/3747	AAQ/3748			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	74.5	72.8	68.4	µg/m³	71.9	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	26.1	23.5	19.2	µg/m³	22.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	20.6	19.5	13.6	µg/m³	17.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	25.3	23.5	19.6	µg/m³	22.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.55	0.51	0.42	mg/m³	0.49	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	**Name and Address of Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Name of the location**	:	**Near Production Block Between C&D**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
4.	**Particulars of the sampling Equipments**	:	Sample collected with FDS & RDS 460BL
5.	**Duration of Monitoring**	:	8 Hours
6.	**Date of Monitoring**	:	27.05.2026
7.	**Date of Sample Receipt**	:	28.05.2026
8.	**Analysis Starting Date**	:	28.05.2026
9.	**Analysis Completion Date**	:	01.06.2026
10.	**Report Issue Date**	:	02.06.2026
11.	**Sampling Protocol**	:	IS 5182 : Part 14
12.	**Latitude**	:	16.312012
13.	**Longitude**	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/1970

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2025	2026	2027			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31164
13.	Longitude	:	77.358044

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000016635F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4156	AAQ/4157	AAQ/4158			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	83.2	77.2	72.3	µg/m³	77.6	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	31.2	26.4	23.1	µg/m³	26.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	23.8	19.1	16.3	µg/m³	19.7	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	36.2	32.5	29.1	µg/m³	32.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.72	0.61	0.52	mg/m³	0.62	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexum 1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.31164
13.	Longitude	:	77.358044

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2150

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2020	2021	2022			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310603
13.	Longitude	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000016636F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4159	AAQ/4160	AAQ/4161			
1	Particulate Matter (Size less than 10	IS-5182(Part-23):2017	73.2	70.6	67.1	µg/m³	70.3	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	25.3	22.3	18.5	µg/m³	22.0	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	21.3	18.5	12.4	µg/m³	17.4	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	24.6	22.8	18.3	µg/m³	21.9	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.54	0.52	0.41	mg/m³	0.49	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	18.06.2026
7.	Date of Sample Receipt	:	19.06.2026
8.	Analysis Starting Date	:	20.06.2026
9.	Analysis Completion Date	:	23.06.2026
10.	Report Issue Date	:	24.06.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310603
13.	Longitude	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2151

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2023	2024	2025			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure - 1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311648
13.	Longitude	:	77.358001

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000019857F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4803	AAQ/4804	AAQ/4805			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	85.6	79.6	74.2	µg/m³	79.8	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	33.8	28.4	25.1	µg/m³	29.1	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	26.8	21.3	17.6	µg/m³	21.9	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	38.9	34.8	30.7	µg/m³	34.8	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.75	0.67	0.58	mg/m³	0.67	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311648
13.	Longitude	:	77.358001

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2361

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2541	2542	2543			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - I



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure – 1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310651
13.	Longitude	:	77.356028

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000019858F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/4806	AAQ/4807	AAQ/4808			
1	Particulate Matter (Size less than 10 µm)PM_{10}	IS-5182(Part-23):2017	71.4	68.5	64.3	µg/m³	68.1	100
2	Particulate Matter (Size less than 2.5 µm) or $PM_{2.5}$	IS-5182(Part-24):2019	23.8	20.4	16.5	µg/m³	20.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	18.9	15.1	10.3	µg/m³	14.8	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	22.1	19.6	16.8	µg/m³	19.5	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.51	0.48	0.42	mg/m³	0.47	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	24.07.2026
7.	Date of Sample Receipt	:	25.07.2026
8.	Analysis Starting Date	:	25.07.2026
9.	Analysis Completion Date	:	29.07.2026
10.	Report Issue Date	:	30.07.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310651
13.	Longitude	:	77.356028

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2362

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2544	2545	2546			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-- END OF REPORT --

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-I



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexum 1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311654
13.	Longitude	:	77.358006

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000022017F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5190	AAQ/5191	AAQ/5192			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	83.5	75.1	76.3	$\mu g/m^3$	78.3	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	43.1	36.5	31.2	$\mu g/m^3$	36.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	24.3	18.6	14.2	$\mu g/m^3$	19.0	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	28.5	25.1	18.3	$\mu g/m^3$	24.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.68	0.52	0.41	mg/m^3	0.54	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

END OF REPORT:-

Authorized Signatory
Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311654
13.	Longitude	:	77.358006

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2586

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2793	2794	2796			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.310603
13.	Longitude	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000022018F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5193	AAQ/5194	AAQ/5195			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	76.2	71.2	63.5	µg/m³	70.3	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	33.5	28.5	24.6	µg/m³	28.9	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	21.4	12.4	9.7	µg/m³	14.5	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	24.5	21.3	13.2	µg/m³	19.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.44	0.31	0.23	mg/m³	0.33	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	19.08.2026
7.	Date of Sample Receipt	:	20.08.2026
8.	Analysis Starting Date	:	20.08.2026
9.	Analysis Completion Date	:	24.08.2026
10.	Report Issue Date	:	25.08.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.310603
13.	Longitude	:	77.356061

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/2587

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2797	2798	2799			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311625
13.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000025129F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5730	AAQ/5731	AAQ/5732			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	84.2	79.6	77.2	µg/m³	80.3	100
2	Particulate Matter as $PM_{2.5}$	IS-5182(Part-24):2019	44.3	38.2	30.6	µg/m³	37.7	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	25.1	19.3	15.8	µg/m³	20.1	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	29.1	24.6	20.4	µg/m³	24.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.71	0.62	0.44	mg/m³	0.59	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Main Gate
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311625
13.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/3076

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			3026	3027	3028			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m²	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182:Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.358056

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407126000025130F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			AAQ/5733	AAQ/5734	AAQ/5735			
1	Particulate Matter as PM_{10}	IS-5182(Part-23):2017	74.1	70.3	62.5	µg/m³	69.0	100
2	Particulate Matter as PM_{25}	IS-5182(Part-24):2019	34.2	30.2	26.1	µg/m³	30.2	60
3	Sulphur Dioxide as SO_2	IS-5182(Part-2):2017	20.5	13.2	10.3	µg/m³	14.7	80
4	Oxides of Nitrogen as NO_x	IS-5182(Part-6):2017	23.1	20.5	12.6	µg/m³	18.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007	0.42	0.36	0.27	mg/m³	0.35	2

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT OF AMBIENT AIR QUALITY

1.	Name and Address of Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Name of the location	:	Near Production Block Between C&D
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
4.	Particulars of the sampling Equipments	:	Sample collected with FDS & RDS 460BL
5.	Duration of Monitoring	:	8 Hours
6.	Date of Monitoring	:	23.09.2026
7.	Date of Sample Receipt	:	24.09.2026
8.	Analysis Starting Date	:	24.09.2026
9.	Analysis Completion Date	:	28.09.2026
10.	Report Issue Date	:	29.09.2026
11.	Sampling Protocol	:	IS 5182 : Part 14
12.	Latitude	:	16.311619
13.	Longitude	:	77.358056

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air Test Report No: MSVAL/2026/3077

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			3029	3030	3031			
6	Carbon Dioxide as CO_2	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H_2S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m^2	BDL	--

INFERENCE	**As per NAAQS Standards** **Report Status :- The analyzed values for above measured parameter are within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure - 1



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-2

MSVAL/W/RF/01/00

ANALYSIS REPORT OF WATER QUALITY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Marked as**	:	Bore Well Water
3.	**Name of the location**	:	Near Main Gate
4.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
5.	**Sample quantity**	:	Pet Bottle, 2 Liter.
6.	**Sample Description/condition**	:	Water/Good
7.	**Date of Sample Collection**	:	18.06.2026
8.	**Date of sample receipt**	:	19.06.2026
9.	**Sample Code**	:	W/2098
10.	**Analysis Starting Date**	:	20.06.2026
11.	**Analysis Completion Date**	:	23.06.2026
12.	**Report Issue Date**	:	24.06.2026

Discipline: Chemical Group: Water Sub Group: Ground Water ULR No: TC407126000016653F

S.No	Parameters	Protocol	Unit	Result	IS 10500-2018	
					Acceptable limit	Permissible Limit
Physical parameters						
1	Colour	IS : 3025(Part-4)	Hazen	<5	5	15
2	Odour	IS : 3025(Part-5)	---	Agreeable	Agreeable	Agreeable
3	pH	IS : 3025(Part-11)	---	7.19	6.5 - 8.5	No Relaxation
4	Taste	IS : 3025(Part-8)	--	Agreeable	Agreeable	Agreeable
5	Turbidity	IS : 3025(Part-10)	NTU	0.26	1	5
6	Total Dissolved Solids	IS : 3025(Part-16)	mg/l	860	500	2000
Chemical parameters						
7	Total Alkalinity as $CaCO_3$	IS : 3025(Part-23)	mg/l	226.4	200	600
8	Total Hardness as $CaCO_3$	IS : 3025(Part-21)	mg/l	340	200	600
9	Calcium as Ca	IS : 3025(Part-40)	mg/l	80.2	75	200
10	Magnesium as Mg	IS : 3025(Part-46)	mg/l	33.9	30	100
11	Sulphate as SO_4	IS : 3025(Part-24)	mg/l	90	200	400
12	Chloride as Cl	IS : 3025(Part-32)	mg/l	296.2	250	1000
13	Nitrate as NO_3	IS : 3025(Part-34)	mg/l	2.6	45	No Relaxation
14	Iron as Fe	IS : 3025(Part-53)	mg/l	0.08	0.3	No Relaxation
15	Fluoride as F	IS : 3025(Part-60)	mg/l	0.8	1.0	1.5

INFERENCE	**IS 10500 – 2018 standards** **Report Status: - The above parameters are within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah.P
Technical Manager

MSV ANALYTICAL LABORATORY BALLARY

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexum - 2

MSVAL/MB/W/RF/01/00

ANALYSIS REPORT FOR WATER IN MICROBIOLOGY

1.	**Name and Address of Industry**	:	**M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Marked as**	:	Bore Well Water
3.	**Name of the location**	:	Near Main Gate
4.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary.
5.	**Sample quantity**	:	Sterilized Bottle,250 ml
6.	**Sample Description/condition**	:	Water/Good
7.	**Date of Sample Collection**	:	18.06.2026
8.	**Date of sample receipt**	:	19.06.2026
9.	**Sample Code**	:	MB/W/2537
10.	**Analysis Starting Date**	:	20.06.2026
11.	**Analysis Completion Date**	:	23.06.2026
12.	**Report Issue Date**	:	24.06.2026

Discipline: Biological **Group: Water** **Sub Group: Drinking Water** **ULR No: TC407126000016654F**

RESULTS

Parameters	Protocol	Unit	Result	Acceptable limit As per 10500 : 2018
Total Coli form Bacteria	IS 15185:2016	/100ml	Absent	Shall not be detectable in 100ml
Escherichia-Coli	IS 15185:2016	/100ml	Absent	

INFERENCE	**The test result meets the bacteriological specification of IS 10500:2018.**

Analysed by


Authorized Signatory
Ms. Eswari
Sr.Microbiologist

End of the Report

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

Annexure-3
DG Set Acoustic Enclosure



Annexure-3

DG Set Acoustic Enclosure



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– I**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	20.04.2026
5.	**Date of Sample Receipt**	:	21.04.2026
6.	**Sample Code**	:	SE/2660
7.	**Analysis Starting Date**	:	21.04.2026
8.	**Analysis Completion Date**	:	27.04.2026
9.	**Report Issue date**	:	28.04.2026
10.	**Latitude**	:	16.309634
11.	**Longitude**	:	77.356786

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 6F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	68
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	74.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	19.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	25.4	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

ANALYTICAL LABORATORIES BALLARI

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-4


GPS Map Camera
Chicksugur, Karnataka, India
8954+rc3, Chicksugur, Karnataka 584134, India
Lat 16.309634° Long 77.356786°
20/04/2026 09:46 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2661
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309637
11.	Longitude	:	77.356783

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 7F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	66
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	61.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	14.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	26.8	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

- END OF REPORT -

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-4


GPS Map Camera
Chicksugur, Karnataka, India
8954+rc3, Chicksugur, Karnataka 584134, India
Lat 16.309637° Long 77.356783°
20/04/2026 10:21 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– III**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	20.04.2026
5.	**Date of Sample Receipt**	:	21.04.2026
6.	**Sample Code**	:	SE/2662
7.	**Analysis Starting Date**	:	21.04.2026
8.	**Analysis Completion Date**	:	27.04.2026
9.	**Report Issue date**	:	28.04.2026
10.	**Latitude**	:	16.309535
11.	**Longitude**	:	77.357008

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 8F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	33
Stack Temperature (°C)	64
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	56.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	20.1	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	25.4	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-4


GPS Map Camera
Chicksugur, Karnataka, India
59, Chicksugur, Karnataka 584134, India
Lat 16.309535° Long 77.357008°
20/04/2026 11:09 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2663
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 9F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	78
Velocity (m/s)	7.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	75.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	26.8	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	32.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-END OF REPORT-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3427
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.312012
11.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014727F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	65
Velocity (m/s)	5.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	73.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	14.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	19.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3428
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.312012
11.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014728F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	63
Velocity (m/s)	5.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	66.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	12.5	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	22.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3429
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.312012
11.	Longitude	:	77.358178

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014729F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	61
Velocity (m/s)	5.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	50.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	21.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	24.2	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

MSV ANALYTICAL LABORATORIES BELLARY

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3430
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical – Group: Atmospheric Pollution – Sub Group: Stack Emission – ULR No: TC407126000014730F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	74
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	74.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	23.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	25.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

:: END OF REPORT ::

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3905
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309606
11.	Longitude	:	77.356763

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000016642F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	68
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	70.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	16.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	21.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3906
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309603
11.	Longitude	:	77.356764

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016643F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	32
Stack Temperature (°C)	65
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	64.1	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	13.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	24.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

: END OF REPORT :

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3907
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309603
11.	Longitude	:	77.356764

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016644F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	62
Velocity (m/s)	5.6
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	52.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	23.5	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	27.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager


:: END OF REPORT::-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure 4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3908
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016645F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	76
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	72.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	20.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	26.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6284
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309676
11.	Longitude	:	77.35673

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000019864F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	66
Velocity (m/s)	5.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	72.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	18.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	24.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexm-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6285
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309609
11.	Longitude	:	77.356761

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019865F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	68
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	67.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	16.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	27.3	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-4



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6286
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309559
11.	Longitude	:	77.356971

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019866F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	31
Stack Temperature (°C)	65
Velocity (m/s)	5.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	50.7	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	21.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6287
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019867F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	74
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	74.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	23.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	29.8	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6807
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309641
11.	Longitude	:	77.356771

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022024F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	65
Velocity (m/s)	5.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	74.3	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	16.2	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	23.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6808
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309641
11.	Longitude	:	77.356771

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022025F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	66
Velocity (m/s)	5.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	65.2	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	14.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	25.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– III
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6809
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309641
11.	Longitude	:	77.356771

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022026F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	64
Velocity (m/s)	5.2
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	52.8	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	20.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	22.1	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah. P
Technical Manager

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6810
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309635
11.	Longitude	:	77.356762

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022027F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	72
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	71.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	22.6	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	27.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– I
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7525
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000025136F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	68
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	78.6	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	18.5	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	25.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 625KVA– II
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7526
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025137F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	69
Velocity (m/s)	5.9
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	69.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	16.3	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	26.5	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**DG – Set 625KVA– III**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	23.09.2026
5.	**Date of Sample Receipt**	:	24.09.2026
6.	**Sample Code**	:	SE/7527
7.	**Analysis Starting Date**	:	24.09.2026
8.	**Analysis Completion Date**	:	28.09.2026
9.	**Report Issue date**	:	29.09.2026
10.	**Latitude**	:	16.311625
11.	**Longitude**	:	77.358019

Discipline: Chemical — Group: Atmospheric Pollution — Sub Group: Stack Emission — ULR No: TC407126000025138F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	70
Velocity (m/s)	6.1
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1965

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	60.5	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	25.4	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	20.6	50

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah. P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-4



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	DG – Set 750 KVA-IV
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7528
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311625
11.	Longitude	:	77.358019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025139F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	70
Velocity (m/s)	6.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m^2)	0.1964

RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	73.4	150
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	25.8	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	29.4	50

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-AI Block -02**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	20.04.2026
5.	**Date of Sample Receipt**	:	21.04.2026
6.	**Sample Code**	:	SE/2656
7.	**Analysis Starting Date**	:	21.04.2026
8.	**Analysis Completion Date**	:	27.04.2026
9.	**Report Issue date**	:	28.04.2026
10.	**Latitude**	:	16.310237
11.	**Longitude**	:	77.355474

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001 0922F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	38
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m²)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m³/hr	1174.2	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	49.6	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm³	11.4	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT:-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	1624
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310237
11.	Longitude	:	77.355474

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1602

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	34
Stack Temperature (°C)	38
Velocity (m/s)	5.3
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.006	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT:

MSV ANALYTICAL LABORATORIES * BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-5


GPS Map Camera
Chicksugur, Karnataka, India
34/p1, Chicksugur, Karnataka 584134, India
Lat 16.310237° Long 77.355474°
20/04/2026 04:04 PM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber- E Block -02**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	20.04.2026
5.	**Date of Sample Receipt**	:	21.04.2026
6.	**Sample Code**	:	SE/2657
7.	**Analysis Starting Date**	:	21.04.2026
8.	**Analysis Completion Date**	:	27.04.2026
9.	**Report Issue date**	:	28.04.2026
10.	**Latitude**	:	16.310832
11.	**Longitude**	:	77.355334

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 3F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	37
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1211.7	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	48.9	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.1	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	1625
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310832
11.	Longitude	:	77.355334

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1603

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	37
Velocity (m/s)	5.1
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by


Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-5


GPS Map Camera
Chicksugur, Karnataka, India
34/p1, Chicksugur, Karnataka 584134, India
Lat 16.310832° Long 77.355334°
20/04/2026 04:53 PM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure 5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-SCR-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2658
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309902
11.	Longitude	:	77.355857

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000001092 4F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	41
Velocity (m/s)	5.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1763.2	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.6	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-5

ANALYSIS REPORT FOR SOURCE EMMISSION

MSVAL/QR/7.8/01

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-SCR-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	1626
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.309902
11.	Longitude	:	77.355857

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1604

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	41
Velocity (m/s)	5.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

END OF REPORT.

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-5


GPS Map Camera
Chicksugur, Karnataka, India
8954+rc3, Chicksugur, Karnataka 584134, India
Lat 16.309902° Long 77.355857°
20/04/2026 03:07 PM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-8

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-SCR-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2659
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310596
11.	Longitude	:	77.356174

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000010925F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	37
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1601.7	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	37.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.2	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-8

ANALYSIS REPORT FOR SOURCE EMMISSION

MSVAL/QR/7.8/01

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-SCR-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	1627
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.310596
11.	Longitude	:	77.356174

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1605

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	37
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-5


GPS Map Camera
Chicksugur, Karnataka, India
33, Chicksugur, Karnataka 584134, India
Lat 16.310596° Long 77.356174°
20/04/2026 02:16 PM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AJ Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3423
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014723F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	33
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	930	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	50.5	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

-:END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-8

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-A| Block -01**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	27.05.2026
5.	**Date of Sample Receipt**	:	28.05.2026
6.	**Sample Code**	:	2028
7.	**Analysis Starting Date**	:	28.05.2026
8.	**Analysis Completion Date**	:	01.06.2026
9.	**Report Issue date**	:	02.06.2026
10.	**Latitude**	:	16.311506
11.	**Longitude**	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1970

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	33
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified


MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure 5



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- D Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3424
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000014724F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1045	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	43.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

: END OF REPORT :

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber- D Block-01**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	27.05.2026
5.	**Date of Sample Receipt**	:	28.05.2026
6.	**Sample Code**	:	2029
7.	**Analysis Starting Date**	:	28.05.2026
8.	**Analysis Completion Date**	:	01.06.2026
9.	**Report Issue date**	:	02.06.2026
10.	**Latitude**	:	16.311506
11.	**Longitude**	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1972

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthalah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No :** Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-5



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3425
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.310077
11.	Longitude	:	77.356043

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014725F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	35
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1437	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	6.1	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure 8

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	2030
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.310077
11.	Longitude	:	77.356043

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1973

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	35
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**

E-mail :msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-5



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	SE/3426
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014726F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	33
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1438	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	42.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	9.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	27.05.2026
5.	Date of Sample Receipt	:	28.05.2026
6.	Sample Code	:	2031
7.	Analysis Starting Date	:	28.05.2026
8.	Analysis Completion Date	:	01.06.2026
9.	Report Issue date	:	02.06.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/1974

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	33
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.005	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website :** www.msvalbellary.com

Annexure-8



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3901
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016638F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	974	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	52.4	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.5	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

END OF REPORT:-

BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 **Contact No : Mob : 94498 03895, (O) : 08392-255169,**
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, **Website : www.msvalbellary.com**

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber-AI Block -01**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	18.06.2026
5.	**Date of Sample Receipt**	:	19.06.2026
6.	**Sample Code**	:	2026
7.	**Analysis Starting Date**	:	20.06.2026
8.	**Analysis Completion Date**	:	23.06.2026
9.	**Report Issue date**	:	24.06.2026
10.	**Latitude**	:	16.311643
11.	**Longitude**	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2152

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-6



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexum-8

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Scrubber- E Block -01**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	18.06.2026
5.	**Date of Sample Receipt**	:	19.06.2026
6.	**Sample Code**	:	SE/3902
7.	**Analysis Starting Date**	:	20.06.2026
8.	**Analysis Completion Date**	:	23.06.2026
9.	**Report Issue date**	:	24.06.2026
10.	**Latitude**	:	16.310488
11.	**Longitude**	:	77.355497

Discipline: Chemical — Group: Atmospheric Pollution — Sub Group: Stack Emission — ULR No: TC407126000016639F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m²)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m³/hr	1092	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm³	42.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm³	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm³	8.1	35

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- E Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	2027
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310488
11.	Longitude	:	77.355497

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2153

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

:: END OF REPORT:-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-5



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3903
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000016640F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	36
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1534	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	42.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	6.7	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	20.06.2026
6.	Sample Code	:	2028
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2154

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	36
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m²)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-5



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3904
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310478
11.	Longitude	:	77.356271

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000016641F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1503	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	43.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-C Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	2029
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.310478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2155

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	34
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT:-

ANALYTICAL LABORATORY BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-1



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6280
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019860F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	34
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1041	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	49.5	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	15.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

ANNEXURE REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-8

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	2547
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.310324
11.	Longitude	:	77.355502

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2363

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	34
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6281
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.31035
11.	Longitude	:	77.356327

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019861F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	34
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1140	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	45.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	10.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI MSV

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	2548
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.31035
11.	Longitude	:	77.356327

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2364

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	34
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-- END OF REPORT --

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6282
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309884
11.	Longitude	:	77.356188

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000019862F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1600	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	47.1	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

--END OF REPORT--

ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-I Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	2549
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309884
11.	Longitude	:	77.356188

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2365

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	38
Velocity (m/s)	4.9
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager


MSV ANALYTICAL LABORATORIES BALLARI
END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6283
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.310409
11.	Longitude	:	77.356292

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000019863F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	32
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1438	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.4	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-D Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	2550
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.310409
11.	Longitude	:	77.356292

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2366

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	32
Velocity (m/s)	4.4
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m²)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-


MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-I



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6803
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022020F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	996.9	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	44.2	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.3	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT:-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	2800
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2588

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.5
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-1

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6804
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022021F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1092.9	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	47.3	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.6	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory
Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	2801
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2589

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	29
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6805
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022022F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	29
Stack Temperature (°C)	34
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1371.3	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	45.2	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	7.3	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT:

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-6

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	2802
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2590

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	34
Velocity (m/s)	4.2
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.001	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager


MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Agreement

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6806
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000022023F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	30
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1340.2	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	38.6	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	11.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT:-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	2803
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309986
11.	Longitude	:	77.35583

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/2591

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	29
Stack Temperature (°C)	30
Velocity (m/s)	4.1
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI MSV


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7521
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025132F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	35
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1041.2	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	45.1	---
Sulphur dioxide	IS-11255(Part-2) – 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	13.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

:END OF REPORT:

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-8

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-AI Block -01
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	3023
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical — Group: Atmospheric Pollution — Sub Group: Stack Emission — Test Report No: MSVAL/2026/3078

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	35
Velocity (m/s)	4.7
Height (m)	3 mtr AGL
Diameter (m)	0.28
Cross sectional area (m^2)	0.06154

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.004	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES * BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7522
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025133F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	29
Velocity (m/s)	4.3
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1021.6	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	48.5	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	14.3	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber- C Block -03
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	3024
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.311506
11.	Longitude	:	77.345785

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/3079

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	29
Velocity (m/s)	4.3
Height (m)	3 mtr AGL
Diameter (m)	0.29
Cross sectional area (m^2)	0.066

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.003	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager


MSV ANALYTICAL LABORATORIES BALLARI END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7523
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.310409
11.	Longitude	:	77.356292

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025134F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1501.9	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	43.9	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	8.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

END OF REPORT

ANALYTICAL LABORATORIES BALLARI MSV

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-E Block -02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	3025
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.310409
11.	Longitude	:	77.356292

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/3079

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.6
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0907

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.001	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory
Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-I

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7524
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report issue date	:	29.09.2026
10.	Latitude	:	16.3110478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025135F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	1569	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	40.7	---
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm^3	BDL	---
Nitrogen dioxide	IS-11255(Part-7) – 2017	mg/Nm^3	BDL	---
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	12.7	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory
Hanumanthaiah P
Technical Manager

END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexu-5

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Scrubber-H Block-02
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	3026
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.3110478
11.	Longitude	:	77.356271

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission Test Report No: MSVAL/2026/3080

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	32
Velocity (m/s)	4.8
Height (m)	3 mtr AGL
Diameter (m)	0.34
Cross sectional area (m^2)	0.0908

RESULTS

Parameters	Protocol	Unit	Result	Standard
Volatile organic compounds	MSVAL/SOP/SE/003	%	0.002	Shall not be more than 0.01

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI


-END OF REPORT-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-5



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-6

MSVAL/A/F/16/02

ANALYSIS REPORT OF AMBIENT AIR QUALITY

Test Report No: MSVAL/2026 /1922 **Issued Date: 24.06.2026**

1. **Name of the Industry** : **M/s. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2. **Sample Collected By** : MSV Analytical Laboratories, Bellary.
3. **Name of the parameter** : **Volatile Organic Compounds**

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Near Boiler chimney Area	18.06.2026	8hours	1.19	Mg/m³	---
2	Near Production Block Ao	18.06.2026	8hours	1.34	Mg/m³	---
3	C- Block intermediate area	18.06.2026	8hours	1.28	Mg/m³	---
4	C- Block pharma Area	19.06.2026	8hours	1.22	Mg/m³	---
5	D- Block intermediate area	19.06.2026	8hours	1.16	Mg/m³	---
6	D- Block pharma Area	19.06.2026	8hours	1.29	Mg/m³	---
7	E- Block intermediate area	20.06.2026	8hours	1.24	Mg/m³	---
8	G- Block intermediate area	20.06.2026	8hours	1.30	Mg/m³	---
9	Aj- Block intermediate area	20.06.2026	8hours	1.16	Mg/m³	---
10	I- Block intermediate area	22.06.2026	8hours	1.19	Mg/m³	---
11	H- Block intermediate area	22.06.2026	8hours	1.21	Mg/m³	---

Analysed by

Authorized Signatory
Hanumanthaiah. P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES * BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

Karnataka State Pollution Control Board

Annexure-7

Parisara Bhavana,No.49, Church Street,Bengaluru-560001
Tele : 080-25589112/3, 25581383/388 Fax:080-25586321 Email id: ho@kspcb.gov.in

Consent For Operation and Authorization- CfO-Renewal,HWM-Renewal

As per the provisions of

The Water (Prevention & Control of Pollution) Act, 1974,

The Air (Prevention & Control of Pollution) Act, 1981

Hazardous and other Waste (Management and Transboundary Movement) Rules, 2016,

To

Shilpa Pharma Life Sciences Ltd, Unit-2 (Formerly Shilpa Medicare Ltd, Unit-2), Raichur Growth Centre

for the Facility located at,

Shilpa Pharma Life Sciences Ltd, Unit-2 (Formerly Shilpa Medicare Ltd, Unit-2),Plot no 30, 31, 32 and 35-39, 33,33A, 40 TO 47, Raichur Growth Centre

Raichur

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
356328	28295	352186	RED/LARGE	08/10/2026

This Consent & Authorization is granted for the Products/ Activity/Service name indicated in the annexure along with the terms & conditions attached to this order

Consent & Authorization Validity through: 01/07/2026 to 30/06/2031

ISO 9001:2015 & 14001:2015 Certified

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

Combined Consent Order No: 356328 **PCB ID:** 28295 **GSC No :** PB0XG0000342186 **Date:** 08/10/2026

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act , 1974 and emission under the Air (Prevention and Control of Pollution)Act , 1981

Ref: 1. Application filed by the applicant/organization on 29/06/2026

2.Inspection of the Industry/organization/by RO, on 21/07/2026

3.Proceedings of the ECM dated 07/09/2026 ,held on 07/09/2026

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: Shilpa Pharma Life Sciences Ltd, Unit-2 (Formerly Shilpa Medicare Ltd, Unit-2)

Address: Plot no 30, 31, 32 and 35-39, 33,33A, 40 TO 47, Raichur Growth Centre

Industrial Area: Raichur Growth Centre I.A, Chiksugur,

Taluk: Raichur, District: Raichur

CONDITIONS:

a) Discharge of effluents under the Water Act:

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Boiler Feed	216.000	10.000	Refer Additional Conditions
2	Cooling Water	155.500	50.000	Refer Additional Conditions
3	Domestic Purpose	30.000	25.000	Refer Additional Conditions
4	Manufacturing Processes	161.000	150.000	Refer Additional Conditions
5	Others	15.000	0.000	Landscaping/ Green belt- Refer Additional Conditions
6	Others	0.500	0.505	Container Cleaning- Refer Additional Conditions

b) Discharge of Air emissions under the Air Act from the following stacks etc.

Sl. No.	Description of chimney/outlet	Limits specified refer schedule
The details of Sources, control equipments and its specification, type of fuel,constituents to be controlled in emissions etc. are detailed in Annexure-II.		

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty	Unit
1	3 alfa 7 beta dihydroxy cholanic acid	60000.0000	Kilograms/Annum
2	abiraterone acetate	2000.0000	Kilograms/Annum
3	acebrophylline	10000.0000	Kilograms/Annum
4	ambroxol hcl	10000.0000	Kilograms/Annum
5	anastrozole	100.0000	Kilograms/Annum
6	bendamustine hcl	200.0000	Kilograms/Annum
7	bicalutamide	500.0000	Kilograms/Annum
8	bortzomib	5.0000	Kilograms/Annum
9	busulfan	50.0000	Kilograms/Annum
10	cabazitaxel	10.0000	Kilograms/Annum
11	capacitabine	60000.0000	Kilograms/Annum
12	caustic potash lye solution	170.7000	Metric Tonnes/Annum

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

13	clofarabine	10.0000	Kilograms/Annum
14	cobicistat	100000.0000	Kilograms/Annum
15	cyclophosphamide	1000.0000	Kilograms/Annum
16	cytrabine	50.0000	Kilograms/Annum
17	decitabine	10.0000	Kilograms/Annum
18	dimethyl fumarate	12000.0000	Kilograms/Annum
19	docetaxel trihydrate	100.0000	Kilograms/Annum
20	elvitegravir	1000.0000	Kilograms/Annum
21	emitricitabine	1000.0000	Kilograms/Annum
22	erlotinib hcl	2000.0000	Kilograms/Annum
23	gemcitabine hcl	100.0000	Kilograms/Annum
24	imatinib mesylate	5000.0000	Kilograms/Annum
25	intermediate - i (3-chloro-2-florophenyl)-2,4-dimethoxyphenyl) methonone and its synonyms	102.6000	Kilograms/Annum
26	intermediate - i (s)-3-phenyl-2(pharazine-2carboxyamido) proponoic acide and it's synonyms	29.5200	Kilograms/Annum
27	intermediate - i : (2,3 -di-o-acetyl - 5 flurocylidine) and its synonyms (deleted)	72000.0000	Kilograms/Annum
28	intermediate - i : 4-(1h-1,2,4-triazol - 1-yl) methyl benzonitrile methene sulfonate and it's synonyms	151.0000	Kilograms/Annum
29	intermediate - i : dimethyl (e) butane di acitate and its synonyms	14666.0000	Kilograms/Annum
30	intermediate - i 1-methyl -2- deoxy ribose and its synonyms	155.0000	Kilograms/Annum
31	intermediate - i baccatin -iii(paclitaxel crude) and its synonyms	240.0000	Kilograms/Annum
32	intermediate - i cyclocytidine. hcl 62 and its synonyms	62.0000	Kilograms/Annum
33	intermediate - i n(4 cyano-3(tri fluromethyl)-3{(4-florophenyl)sulphanyl)2-hydroxy-2-methyl propanomide. and its synonyms	590.4000	Kilograms/Annum
34	intermediate - i temazolamide crude and its synonyms	240.0000	Kilograms/Annum
35	intermediate - ii (2,3-di-o-acety-5deoxy-deoxy-5-deoxy-fluro-n4-(n - pentyloxy) carboxyl) and it's synonyms	79200.0000	Kilograms/Annum
36	intermediate - ii : paclitaxel crude	144.0000	Kilograms/Annum
37	intermediate - ii 1 - methyl-3,5-di-o-acetyl-2 - deoxy pentafuranose and its synonyms	208.0000	Kilograms/Annum
38	intermediate - ii 2-0-benyl-7,chlo acetyl-decetaxel and its synonyms	1044.0000	Kilograms/Annum
39	intermediate - ii 3a, 7b-diacetyl , 12 a- hydoxy - methyl cholanate and its synonyms	125712.0000	Kilograms/Annum
40	intermediate - iii : (1-(3,5 - di - o - acetyl -2-deoxy-o-robofurnosol)-5-azacytosize) and its synonyms	102.0000	Kilograms/Annum
41	intermediate - iii : sodium-4-aminomethyl cyclohexana carbocylate and its synonyms	1092564.0000	Kilograms/Annum
42	intermediate - iii 3a 7a-diacetyl-12-keto-methyl cholanate and its synonyms	142800.0000	Kilograms/Annum
43	intermediate - iv : (4 amino-1(2-deoxy-bta-d-erythro pentafuranasol)1,3,5trazin-2(1-H) one and its Synonyms	20.0000	Kilograms/Annum
44	intermediate - iv 3a,7a dihydroxy - 5b- chlon 24 - oic acide and its synoms	102720.0000	Kilograms/Annum
45	intermediate - v 3a, hydoxy-7keto-cholonic acid its synonyms	79992.0000	Kilograms/Annum
46	intermediate -ii 3 - methyl-1-1(3-phenyl-2-(phrazian-2-caroxyamido)propanamindo)butyl) bromic acid	6.3960	Kilograms/Annum
47	intermediate : iii : paclitaxel crude	132.0000	Kilograms/Annum
48	intermediate i : 7,10-di-o-chloroacetyl-10-di acetyl beccatin - i N and its synon	192.0000	Kilograms/Annum
49	intermediate iii:6,7-bis-(2-methhoxyethoxy)-4(3h)-quinazolinone	2733.5000	Kilograms/Annum
50	intermediate- i : 2,2(5 bromomethyl)-1,3-phenyline)bis(2-methylprepio nitraile)	480.0000	Kilograms/Annum
51	intermediate- i : n-4-[2-(2-amino-4-di hydo-4-oxo-1 h - phyrolo [2,3-d] pyrimidin 5 yl ethyl]benzoyl)-L- glutanic acid di sodium salt.	467.0000	Kilograms/Annum
52	intermediate- i cholic acid methyl ester and its synonyms	142800.0000	Kilograms/Annum
53	intermediate-11b: 3-((cs)-terahydro-2- - oxoforum-3-yl)-1-((2-isopropylthaazol-4-yl)methyl-1-methyl urea	40659.3000	Kilograms/Annum
54	Intermediate-I -N-4-[2-(2-amino-4,7-dihydro-4-oxo-1H-ph.yrol (2,3-d) pyiimidin-5-yl)ethyl]benzoyl]-L-glutamic acid, disodium salt and its synonyms	562.0000	Kilograms/Annum
55	intermediate-i : 2- amino 3,5-di bromo-n(trans-4-hydoxycychlohexyl) benzylamine	9343.0000	Kilograms/Annum
56	intermediate-i : chromate (vi)	450.0000	Kilograms/Annum
57	intermediate-i 2 deoxy-i-a- bromo-2-b-flumo-3-5-di-o-benzyle-d-ribofluro	45.0000	Kilograms/Annum
58	Intermediate-I 2,2-Difluorodeoxycytidine and its synonyms	184.0000	Kilograms/Annum
59	intermediate-i 2-amino-4,5-bI5(2-methoxy ethoxy) benzonitrile and its synonyms	2733.5000	Kilograms/Annum

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

60	intermediate-i: (s)-3-(4-aminophenyl)-2-(1,3-dioxo isoindoline-2-yl)propaoic acid	514.5000	Kilograms/Annum
61	intermediate-i: 1,2,3,6-tetrahydro-1 ,3di enethyl-2,6-do oxy-7 h-purine 7-acetic acid with trans-4-[{2-qmono-3,5 dibromophenyl {amino} hexanol	5940.0000	Kilograms/Annum
62	intermediate-i: 2-[(3,5- 2592 dimethyladamantan-1-yl)carbonyl]hydrazinecarboxamide	2592.0000	Kilograms/Annum
63	intermediate-i: 4-(4-aminophenoxy)- n-methyl picolinamide and it's synonyms	2850.0000	Kilograms/Annum
64	Intermediate-I: 4a-acetoxy-2a benzoyloxy-Sb,2-0-epoxy- lb, hydroxyl-7b, I Ob-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,SR)-3tert-hydroxy carbonyl-2-(4-methoxy phenyl)-4phenyl)-4-pheny	13.0000	Kilograms/Annum
65	intermediate-i: bis(2-chloroethyl)amine hydrochloride	886.0000	Kilograms/Annum
66	intermediate-i: butane-1.4 diyldimethanesulfomate and it's synonyms	171.0000	Kilograms/Annum
67	intermediate-i: de hydroepiandrosterone-17-hydrazone and it's synonyms	6600.0000	Kilograms/Day
68	intermediate-i: imidazol-1vl-acetic acid methyl ester and it's synonyms	12.5000	Kilograms/Annum
69	intermediate-i: methyl(4-4cyano cyclohexane-1-carboxylate and it's synonyms	128700.0000	Kilograms/Annum
70	intermediate-i:(1r,2r,5r)-menthyl-(2r,5s)-5(4-amino-2-oxo-2h-pyrimidin-1-yl)-[1,3] oxthiolane-2 carboxylic acid	1935.0000	Kilograms/Annum
71	intermediate-i:-9-[-r-2-[bis{[isopropoxycarconyl]oxo} methaxyl]phosphoniyl]methox]propyljadeni ne fumarate. and it's synonyms	142500.0000	Kilograms/Annum
72	intermediate-ia: 2-bromo-2-nitro- butane and it's synonyms	34865.0000	Kilograms/Annum
73	intermediate-ib:(l)-amino lactone hydrogen bromide salt and its synonyms	3486.1000	Kilograms/Annum
74	Intermediate-II Pemetrexed di acid	349.5000	Kilograms/Annum
75	intermediate-ii: 1-(4-(2-methyl carbonyl)pyridine-4-yloxy)phenyl-3--(tri floro methanol)phenol) urea. And it's synonyms	2925.0000	Kilograms/Annum
76	intermediate-ii: 1-(5-3-chloro-2- fluorobenzyl)-2,4-dimethoxy phenyl)ethanone	918.5000	Kilograms/Annum
77	intermediate-ii: 17-bromo-androsta- 5,16-diene-3-b-ol and it's synonyms	4323.0000	Kilograms/Annum
78	intermediate-ii: 2-chloro-6-butyl 23 amido purine and its synonyms	23.0000	Kilograms/Annum
79	intermediate-ii: bis (2-chloro ethyl) phosphoramidic dichloride and its synonyms	810.0000	Kilograms/Annum
80	intermediate-ii: cabazitaxel crude	12348.0000	Kilograms/Annum
81	Intermediate-II: Di isopropyl ether solvate of 4a-acetoxy-2a benzoyloxy- Sb 2-0-epoxy-lb,hydroxyl-7b, 1 0b- linethoxy-9-oxo-11-haxane-13a yl(2R,4S,SR) 3tert butoxycarbonylamino-2 p	19.0000	Kilograms/Annum
82	Intermediate-II: Dizirconium silicide	124.0000	Kilograms/Annum
83	intermediate-ii: imidazol-lyl-acetic acid and it's synonyms	10.0000	Kilograms/Annum
84	intermediate-ii: n,n dimethyl sunitinib and it's synonyms	2700.0000	Kilograms/Annum
85	intermediate-ii: n-(4,5-bis(2 methoxyetoxy)-2-cynophenyl)-n-n-dimethyl farmamidi	2573.0000	Kilograms/Annum
86	intermediate-ii: sodium-4-amino methyl cyclohexane carboxylate it's synonyms	978318.0000	Kilograms/Annum
87	intermediate-ii:(s)-methyl-3-(4-aminophenyl)-2-(1,3-dioxoisoindoline-2-yl)propanate	342.0000	Kilograms/Annum
88	intermediate-ii:potassium2-(4-(-amino-4-ox-4,7 dihydro-3h-pyrrolo[2,3-d]pyrimidin 5yl] ethyl benzanmide) pentane doiate	3744.0000	Kilograms/Annum
89	intermediate-iia: 1-(6-ethoxy-2- (methylthio)pyrimidin-4-yl)piperidine-2-carboxylic acid	40695.0000	Kilograms/Annum
90	intermediate-iii: (1-hydroxy-2- 6 imdazol-1-phosphono-ethyl)-phosphoric acid	6.0000	Kilograms/Annum
91	intermediate-iii: 17-(3- phyridyle)androsta-5,16-diene-3-b-ol and it's synonyms	2640.0000	Kilograms/Annum
92	intermediate-iii: thyl-3-(5-3-chloro-2-fluorobenzyl)-2-4-dimethoxyphenyl)-3-oxo	965.0000	Kilograms/Annum
93	intermediate-iii:(s) methyl-3-(4-(bis(2-hydroxyethy)amino)phenyl)-2-(1,3-di oxoisoindolin-2-yl)propanate. and it's synonyms	249.0000	Kilograms/Annum
94	intermediate-iiib: (s) -ethyl-2-[3-(2)- 48151.8 isopropylthaozol-4yl methyl-3- m	48151.8000	Kilograms/Annum
95	intermediate-iv: 4-amino methyl cyclohexane carbocylate acid sodium salt and it	543312.0000	Kilograms/Annum
96	intermediate-iv: ethyl-3-(5-3-chloro- 2-fluorobenzyl)-2,4-dimethoxyphenyl)-2-((dimethylamino)methylene)-3-oxopropanate and it's synonyms	1061.4000	Kilograms/Annum

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

97	intermediate-iv:(s)-2-amino-3-(4-(bis(2-chloro ethyl) amino)phenyl)propanoic acid hydrochloride	249.0000	Kilograms/Annum
98	intermediate-v: 4-amino methyl cyclohexane-carbocylicacid and it's synonyms	124146.0000	Kilograms/Annum
99	intermediate-v: ethyl-6(3-chloro-2- fluorobenzyl)-1,4-dihydro-1 ((s)-1- hydroxy-3methylbutan-2-yl)-7-methoxy-4-oxoguirolone-3 carboxylate and it's synonyms	1061.5000	Kilograms/Annum
100	intermediate-vi: 4-amino methyl cyclohexane-carbocylicacid and it's synonyms	113850.0000	Kilograms/Annum
101	intermediate-vi: ethyl-6(3-chloro-2- fluorobenzyl)-1,4-dihydro-1 ((s)-1- hydroxy-3 methylbutane-2-yl)7methoxy-4 oxoguirolone-3 -«acid and it's synonyms	955.0000	Kilograms/Annum
102	intermedite-ii2,2(5-(1,h-1,2,4 triazol-1yl methyl) benzine-1,3-di yl) bis(2-methyl prepiolitrile)	270.0000	Kilograms/Annum
103	lenalidomide	5000.0000	Kilograms/Annum
104	letrazole	50.0000	Kilograms/Annum
105	lntermediate-lllA: Ethyl (2S)-2-isoro12yl-l13-thiazol 4yl)methylcarbamoyamino) 4(4morpholinyl)butanoateethanedioate and it'ssynonyms	48125.0000	Kilograms/Annum
106	melphalan	25.0000	Kilograms/Annum
107	paclitaxel	100.0000	Kilograms/Annum
108	pemetrexed dipotassium	250.0000	Kilograms/Annum
109	pemetrexed disodium	250.0000	Kilograms/Annum
110	potassium acetate	142.8000	Metric Tonnes/Annum
111	pyridine hcl	39.2000	Metric Tonnes/Annum
112	recovery stage - ii 3,7,12 thrihydroxy cholan 24 oic acid crude	36000.0000	Kilograms/Annum
113	recovery stage - iv 3a,7b dihydroxy 5b cholan 24 oic acid crude	19200.0000	Kilograms/Annum
114	recovery stage : i: 3,7,12 tryhydroxy cholan 24 oic acide crude	4800.0000	Kilograms/Annum
115	recovery stage :iii: 3,7,12 tryhydroxy cholan 24 oic acide crude	9600.0000	Kilograms/Annum
116	sorafenib tosylate	3000.0000	Kilograms/Annum
117	sunitinib malate	3000.0000	Kilograms/Annum
118	temozolomide	100.0000	Kilograms/Annum
119	tenofovirdisoproxil fumarate	50000.0000	Kilograms/Annum
120	tin salt	120.0000	Metric Tonnes/Annum
121	tranexamic acid	100000.0000	Kilograms/Annum
122	zoledranic acid	5.0000	Kilograms/Annum

Validity through : 01/07/2026 **to** 30/06/2031

To,

Shilpa Pharma Life Sciences Ltd, Unit-2 (Formerly Shilpa Medicare Ltd, Unit-2)

Raichur Growth Centre;Chicksugur

COPY TO:

The Environmental Officer, KSPCB, Regional Office Raichur for information and necessary action.

2. Master Register.
3. Case file.

Consent Fee paid : Rs. 4000000

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

SCHEDULE

TERMS AND CONDITIONS

A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.

1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.

2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.

2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.

3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall confirm to the standards stipulated by the Board in Annexure-I

3(b).The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.

4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.

5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.

6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.

7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:

8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

B. EMISSIONS:

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under.The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.

2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.

3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

Annexure-I

C.MONITORING & REPORTING:

1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.

2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.

D. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1.The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.

2.The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

E. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.

b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.

c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.

d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

* dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.

* A "decibel" is a unit in which noise is measured.

* "A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.

* Leq: It is an energy mean of the noise level over a specified period.

F. HAZARDOUS AND OTHER WASTES (MANAGEMENT & TRANSBOUDARY MOVEMENT)Rules 2016:

The applicant shall comply with the provisions of the Hazardous and other Wastes (Management & Transboundry Movement) Rules 2016.

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

G. GENERAL CONDITIONS:

1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.

2. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.

3. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.

4. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.

5. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.

6. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.

7. The applicant shall provide alternate power supply sufficient to operate all Pollution control equipments.

8. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow points should made easily approachable.

9. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.

10. The applicant his heirs, legal representatives or assignee shall have no claims what so ever to the continuation or renewal of this consent after expiry of the validity of consent.

Annexure-7

(This document contains 14 pages including annexure & excluding additional conditions)

11. The applicant shall make an application for consent for subsequent period at least 120 days before expiry of this consent.

12. The applicant shall develop and maintain adequate green belt all around the periphery.

13. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.

14. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court

15. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.

16. The applicant shall display flow diagram of the pollution control system near the pollution contol system/s

17. The applicant shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.

18. The applicant shall not change or alter (a) raw materials or manufacturing process, (b) change the products or product mix (c) the quality, quantity or rate of discharge/emissions and (d) install/replace/alter the water or air pollution control equipments without the prior approval of the Board.

19. This CFO does not give any right to the Party/Project Authority/Industry to forego any other legal requirement, that is necessary for setting/operation of the plant.

20. The applicant is liable to reinstate or restore, damaged or destroyed elements of environment at his cost, failing which, the applicant/occupier as the case may be shall be liable to pay the entire cost of remediation or restoration in advance an amount equal to the cost estimated by Competent Agency or Committee.

NOTE:

The Conditions Nil mentioned in the schedule are not applicable.

Additional Conditions:

1. The occupier shall comply with all the Additional Conditions and Standards stipulated in Annexures attached with this consent order.
2. This consent order contains _ pages including Additional Conditions and Annexures.
3. The products with quantities, water consumption, wastewater generation, mode of disposal with standards, air pollution sources with control measures mentioned in Additional Conditions attached with this order shall be considered and to be complied by the industry.
4. In case of any discrepancy in the name of the product & its quantity in this consent order, the name of the product and quantity indicated in the Environmental Clearance will prevail.

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

Chim.No.	Chimney attached to	Capacity/ KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed,in addition to chimney height as per col.(4)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	1500 KVA DG Set	30	PM,SO2,NOx,CO, NMHC	75,-,710,150,100	DIE	AEC,HLS,PRT	Before Commissioning
2	Fuel Heater (Thermic)	Thermic Fluid Heater-12 LKcal/hr	30	PM,SO2,NOx,CO, NMHC	-,600,300,-,-	F.O	HLS,PRT	Before Commissioning
3	Fuel Heater (Thermic)	Thermic Fluid Heater 8 LKcal/hr	30	PM,SO2,NOx,CO, NMHC	-,600,300,-,-	F.O	HLS,PRT	Before Commissioning
4	Boiler	16 TPH	30	PM,SO2,NOx,CO, NMHC	115,600,300,-,-	HUS	DUS,ESP,PRT	Before Commissioning
5	Any Other.....	600000 kilo calories/ Hr	30	PM,SO2,NOx,CO, NMHC	SO2, NOX, SPM		HLS	
6	D.G. Sets	750 KVA	11	PM,SO2,NOx,CO, NMHC	150,100,50	DIE	N.A	
7	Acid Mists	9408 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist		SCR	
8	Acid Mists	20 CFW	3	PM,SO2,NOx,CO, NMHC	150,100,50		SCR	
9	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist		SCR	
10	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist		SCR	
11	Boiler	10 TPH	30	PM,SO2,NOx,CO, NMHC	150,100,50	HUS	FIL,DUS	
12	Boiler	6 TPH	30	PM,SO2,NOx,CO, NMHC	150,100,50	HUS	FIL,DUS,MUL	
13	D.G. Sets	625 KVA	11	PM,SO2,NOx,CO, NMHC	150,100,50	DIE	N.A	
14	D.G. Sets	625 KVA	11	PM,SO2,NOx,CO, NMHC	150,100,50	DIE	N.A	

Annexure-I

15	D.G. Sets	625 KVA	11	PM,SO2,NOx,CO, NMHC	150,100,50	DIE	N.A
16	Acid Mists	3645.6 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
17	Acid Mists	9996 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
18	Acid Mists	7644 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
19	Acid Mists	7644 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
20	Acid Mists	3234 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
21	Acid Mists	10,584 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
22	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
23	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
24	Acid Mists	9408 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
25	Acid Mists	7350 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR
26	Acid Mists	9408 CFM	3	PM,SO2,NOx,CO, NMHC	Acid mist, VOC		SCR

Note:

AEC,HLS,PRT : Accoustic Enclosures

HLS,PRT : Heater/Furnace-Low Sulphur Fuel

DUS,ESP,PRT : Dust Collector

HLS : Heater/Furnace-Low Sulphur Fuel

N.A : Not Applicable

SCR : Scrubber

FIL,DUS : Bag Filter

FIL,DUS,MUL : Bag Filter

Note:

1. The DG set shall be provided with acoustic measures as per SI.No.94 in Schedule-I of Environment (Protection)Rules.

2. There shall be no smell or odour nuisance from the industry.

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2\,(\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100 mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period

3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.

4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

Authorization under Hazardous and other Waste (Management and Transboundary Movement) Rules, 2016

DETAILS OF AUTHORIZATION:

Category of Hazardous waste as per the Schedule I,II,III & IV of these rules	Description of Hazardous Waste	Quantity/Annum	Unit	Authorized Mode of Disposal or recycling or utilization or co-processing, etc.,
	20.3~Distillation Residues	20.300	MTA	As Per Annexure
I	28.1~Process Residue and wastes	8.682	MTA	As Per Annexure
I	28.2~Spent catalyst	11.800	MTA	As Per Annexure
I	28.3~Spent carbon	3.000	MTA	As Per Annexure
I	28.5~Date-expired products	1.000	MTA	As Per Annexure

Annexure-I

I	28.6~ Spent solvents	623.288	KLT	As Per Annexure
I	33.1~Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	60.000	MTA	As Per Annexure
I	35.3~Chemical Sludge From Waste Water Treatment	1112.857	MTA	As Per Annexure
I	5.1~Used Spent Oil	3.000	KLT	As Per Annexure

A. GENERAL CONDITIONS OF AUTHORIZATION:

1. The authorized person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.

2. The authorization or its renewal shall be produced for inspection at the request of an Officer authorized by the Karnataka State Pollution Control Board.

3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes and other wastes except what is permitted through this authorization and without obtaining prior permission of the KSPCB.

4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.

5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.

6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".

7. It is the duty of the authorized person to take prior permission of the Karnataka State Pollution Control Board to close down the facility.

8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.

9. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.

10. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.

11. An application for the renewal of an authorization shall be made **'3' months** before the date of expiry.

12. The Person authorized shall bring to the notice of the Board, if any increase in quantity, change in category and handling operation. In such cases, the authorized Person has to obtain fresh authorization.

13. Karnataka State Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this authorization or to suspend or cancel this authorization.

Annexure-I

(This document contains 14 pages including annexure & excluding additional conditions)

14. The Person authorized shall take steps for reduction and prevention of the waste generated or for recycling or reuse.

15. The authorized person shall maintain the records at site in Form-3 and shall submit the annual returns in Form-4 within 30th June every year for the Period April to March and manifest in Form-10.

16. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.

17. The hazardous and other waste which gets generated during recycling or reuse or recovery or per-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.

18. The transportation of hazardous waste shall have to be carried out only through registered/authorized vehicles meant for transportation of hazardous waste.

19. The Person Authorized shall not store the Hazardous Waste more than ninety days as per Rule 8 (1).

20. The Person Authorized shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.

21. Display Boards: The person authorized shall display sign boards at the storage site as "Hazardous Waste Storage Site" and "Danger" and the site shall be provided with accident preventive measures.

FOR AND ON BEHALF OF
KARNATAKA STATE POLLUTION CONTROL BOARD

Signature valid
Digitally signed by
Date: 2026.10.08 19:06:04
+05:30

Annexure - VIII

Scrubber details

Scrubber systems are a diverse group of air pollution control devices that can be used to remove particulates and/or gases from industrial exhaust streams. Traditionally, the term "scrubber" has reference to pollution control devices that used liquid to "scrub" unwanted pollutants from a gas stream. Recently, the term is also used to describe systems that inject a dry reagent or slurry into a dirty exhaust stream to "scrub out" acid gases. Scrubbers are one of the primary devices that control gaseous emissions, especially acid gases.

Wet scrubber is a form of pollution control technology in which the polluted gas stream is brought into contact with the scrubbing liquid by spraying it with the liquid, by forcing it through a pool of liquid, or by some other contact method, so as to remove the pollutants.

The design of wet scrubbers or any air pollution control device depends on the industrial process conditions and the nature of the air pollutants involved. Inlet gas characteristics and dust properties (if particles are present) are of primary importance. Scrubbers can be designed to collect particulate matter and/or gaseous pollutants. Wet scrubbers remove dust particles by capturing them in liquid droplets; remove pollutant gases by dissolving or absorbing them into the liquid.

Any droplets that are in the scrubber inlet gas must be separated from the outlet gas stream by means of another device referred to as a mist eliminator or entrainment separator (these terms are interchangeable). Also, the resultant scrubbing liquid must be treated prior to any ultimate discharge or before being reused in the plant.

There are numerous configurations of scrubbers and scrubbing systems, all designed to provide good contact between the liquid and polluted gas stream.
The process and solvent recovery sections are provided with scrubber to scrub the fumes and vapors generated in order to remove such emissions before it is let out into the atmosphere.

Scrubber Details:

1) Scrubbing system for C block intermediate reactors

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1250 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Annexure - VIII

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	18000 CMH
Stat. Pressure	:	150 mmwg
Motor	:	20 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	250, 350, 450 & 700 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

2) Scrubbing System for Pharma Block Centrifuges:

CSSR-15& CGLR-14, CSSANFD-02

Ducting from Each Reactor from Ist floor& from CSSANFD Ground Floor. Ducting,Scrubber, Blower, MS structure &pump.

System for Centrifuges:

- CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, RCVD-01, RCVD-02, ANFD-01,
- **a) Scrubber Details:**

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	700 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	4 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings.
Size	:	40 mm dia x 40 mm height.
Filter Plate	:	PP Perforated - 15 mm thick.
Spray	:	Polypropylene Jet Spray System.

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin

Annexure - VIII

Capacity	:	5500 CMH
Stat. Pressure	:	150 mmwg
Motor	:	7.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	200, 275 & 375 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	2 K L
PP	:	5 mm
FRP	:	6 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	120 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 63 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

3). <u>Wet Scrubbing System at Production Block – D:</u>

Equipments Connected to the System:

- DSSR-04, DSSR-05, , DGLR-01, DGLR-02, DGLR-03, DGLR-06, DGLR-07, DSSRF-01, DSSRF-02, DSSRF-03, DSSVTD-01, DSSVTD02, DSSVTD-03, Isolator & 3 spare points

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1100 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	13000 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG

Annexure - VIII

Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 225, 250, 450, 500 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

4) Scrubbing System for Pharma Area:

DGLR-08, DSSR-09 in first Floor& ANFD Isolator In Ground floor must given with separate scrubber &Ducting

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1100 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	13000 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 225, 250, 450, 500 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Annexure - VIII

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

5). <u>Wet Scrubbing System at Production Block – E:</u>

System for Reactors:

- ESSR-01, ESSR-02, ESSR-03, ESSR-04, ESSR-08, ESSR-10, ESSR-11, ESSR-12, ESSR-14, EGLR-05, EGLR-06, EGLR-07, EGLR-09 & EGLR-13

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	17000 CMH
Stat.Pressure	:	150 mmwg
Motor	:	20 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	250, 350, 450 & 675 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top

- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

6) Scrubbing System for Pharma Block reactors &Centrifuges:

EGLR-13 & ESSR-14,ESSCF-05.

Ducting from Each Reactors from Ist floor& from Ground Floor centrifuge .Ducting, Scrubber, Blower, MS structure

System for Centrifuges:

CSSCF-01, CSSCF-02, CSSCF-03, CSSCF-04, ESSRVCD-01, ESSRVCD-02, ESSTD01 & ESSANFD-01

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	750 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	4 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	6200 CMH
Stat.Pressure	:	150 mmwg
Motor	:	7.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Sizes	:	150, 200, 300 & 400 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	2 K L
PP	:	5 mm
FRP	:	6 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement

- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	120 CT
Drive Motor	:	2 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 63 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

7. Wet Scrubbing System at Production Block – H:

Equipments Connected to the System:

HSSR-01, HSSR-02, HSSR-03, HSSR-04, HSSR-05, HSSR-07, HGLR-06, HGLR-08, HGLR-10, HGLR-09, , HSSRF-01, HSSRF-02, HSSRF-03, HSSRF-04, VTD-01, VTD-02, VTD-03, ANFD & 3 SPARE POINTS

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	16000 CMH
Stat.Pressure	:	150 mm wg
Motor	:	17.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	200, 425, 475 & 650 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT

Annexure - VIII

Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating

8. Wet Scrubbing System at Production Block – H:

Equipments Connected to the System:

HGLR-11, HGLR-12, HGLR-13 in First Floor & ANFD isolator in Ground floor Must given Separately with ducting Blower.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1200 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	16000 CMH
Stat.Pressure	:	150 mm wg
Motor	:	17.5 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 200, 275, 300, 450, 550 & 650mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating

Annexure - VIII

9. Wet Scrubbing System at Production Block – I :

Equipments Connected to the System:

IGLR-01, IGLR-02, IGLR-03, IGLR-04, IGLR-05, IAGR-06, IGLR-09, IGLR-07, IGLR-08, IGLR-10, ISSRF-01, ESSRF-02, ISSRF-03, VTD-01, VTD-02, VTD-03, & 3 SPARE POINTS.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

10. Scrubbing System For Pharma Area:

Annexure - VIII

IGLR-11, IGLR-12 in First floor& &ANFD isolator in ground floor must be given with separate scrubber, ducting

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

11.Wet Scrubbing System at Production Block – AI:

Equipments Connected to the System:

AI/RE-01, AI/RE-02, AI/RE-03, AI/RE-04, AI/RE-05, AI/RE-06, AI/RE-07, AI/RE-08, AI/RE-09, AI/RE-10, AI/RE-11, AI/RE-11, AI/ISNF-01, AI/ISVTD-01, AI/IS-01, AI/PIS-01, AI/VTD-01, AI/VTD-02, AI/VTD-03, AI/VTD-04.

. **a) Scrubber Details:**

Type	:	Single Stage Counter Flow Packed Bed

Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings
Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

11.Wet Scrubbing System at Production Block – AJ:

Equipments Connected to the System:

AJ/RE-01, AJ/RE-02, AJ/RE-03, AJ/RE-04, AJ/RE-05, AJ/RE-06.

a) Scrubber Details:

Type	:	Single Stage Counter Flow Packed Bed
Dia	:	1050 mm
Height	:	4000 mm
M O C	:	PP/FRP
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin
Packing	:	Polypropylene Pal Rings

Annexure - VIII

Size	:	40 mm dia x 40 mm height
Filter Plate	:	PP Perforated - 15 mm thick
Spray	:	Polypropylene Jet Spray System

b) Blower:

Type	:	Backward Curve SISW
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	12500 CMH
Stat.Pressure	:	150 mmwg
Motor	:	15 HP FLP – 1440 RPM
Make	:	Kirloskar or CG
Drive	:	Belt

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) Liquid Circulation Tank:

Capacity	:	3 K L
PP	:	5 mm
FRP	:	7 mm with Isopthalic Resin

- Cylindrical, vertical, flat bottom & conical top
- External MS/FRP Reinforcement
- Necessary Nozzles & Manhole

e) Pump:

Make	:	Antico
Model	:	130 CT
Drive Motor	:	3 HP – 2900 RPM FLP

f) Liquid Circulation Lines:

MOC	:	HDPE
Sizes	:	Variable from 40 mm dia to 75 mm dia

g) MS Support Structure for Scrubber with Anti Corrosive Coating:

12. Ammonia Scrubbing System at Production Block – AO:

Equipments Connected to the System:

AO/RE-01, AO/RE-02, AO/RE-03, AO/RE-04, AO/RE-05, AO/RE-06.

a) <u>Process Data for 300 NB SCH 20 X MS Column:</u>

Normal Pressure -0.3 kg/cm2 (300 MM WC),
Design Pressure -0.35 kg/cm2 (350 MM WC),
Normal Temperature -50 Deg C,
Design Temprature -100 Deg C,
Dish Dimension = Top, Bottom Dish X 5 Thk X 10% Torispherical,
Shell Dimension = 300 NB SCH 20 X 6.825 M Length,
Sections-02 No's,
Body Flange Gasket MOC : Teflon Envelope non metallic asbestos Free (TENMAF),
Body Flange MOC : MS as per ASME B16.5 Class150,
MOC - Shell = MS,MOC of Nozzle Pipe = MS,MOC of Nozzle Flanges = MS,MOC- Support =

Annexure - VIII

MS, MOC of bolts / nuts shall be hot dipped galvanized,
SA 193 Gr. B7 / SA 194 Gr. 2H,MOC (Contact Parts) = MS,MOC: Sight & Light Glass= MS,
Nozzles = As Per Drawing. Support = 2 No's, Lugs Supports in Each Section,
Joint Efficiency (Shell / Dish): 85% / 100 %,
Radiography (Shell/Dish): 10% / 100%,
External Painting = On MS Parts 2 Coats of Red Oxide Primer. Feed/Reflux pipe assembly,
Support cleat fro packing support& other parts welded to shell

b) Blower:

Type	:	Backward Curve 6 damper
Casing	:	PP/FRP with Isopthalic Resin
Impeller	:	MS/FRP with Bisphenol Resin
Capacity	:	200 CFW
Start .Pressure	:	300 mm wC
Motor	:	1 HP NFLP – 12880 RPM
Make	:	HMM
Drive	:	Direct

c) Ducting Details:

M O C	:	PP/FRP
Size	:	150, 225, 300, 450 & 600 mm dia

Ducting includes Straight lengths, Elbows, T-sections & Reducers

d) MS Support Structure for Scrubber with Anti Corrosive Coating:

Vertical Design 6 L Kcal Capacity Oil fired Thermic Fluid Heater:

Equipments Connected to the System:

AO/RE-01

Technical specifications:

MODEL	VRT-HT-06
HEAT OUTPUT [KCAL/H]	600000
THERMIC FLUID FLOW THROUGH THE	UNIT [L/H] 79000
TEMPERATURE AT HEATER OUTLET	345 ° C
THERMAL EFFICIENCY [%]	88
FUEL OIL CONSUMPTION AT MAX. OUTPUT [KG/H]	FO/LDO
- FURNACE OIL 9650 KCAL/KG NCV	70.65
- LDO OF 10200 KCAL/KG NCV	66.85
ELECTRICAL CONNECTED LOADS [KW]	
THERMIC FLUID PUMP MOTOR	22 KW
BLOWER MOTOR	3.7 KW
FUEL OIL PUMP	0.37 KW
ELECTRICAL OIL PRE HEATER	(3.0+3.0+3) KW
ELECTRIC SUPPLY	AC;3PHASE;415±5%V;50±3% HZ;4WIRE SYSTEM

Annexure - VIII

APPROX. OVERALL SIZE [MM]	
LENGTH	2650
WIDTH	1650
HEIGHT	2520
APPROX. DRY WEIGHT [KG]	3100

a) **Technical Comparison for Thermic Fluid Heater**

Sr. No	**Item Description**	
1	Make	Maxima
2	Model	VRT-HT-06
3	Type	Fully automatic, coil type, pressurized, Thermic fluid tube. Vertical Unit
4	Heat output	600000 kcal/Hr
5	Thermic fluid inlet temperature 0C	325 Deg C
6	Thermic fluid outlet temperature 0C	340 Deg C
7	Furnace oil consumption (kg/hr)	71 Kgs/Hr
8	Thermal Efficiency	88%
9	Overall dimensions including space for cleaning and maintenance (L X B X H), mm	L-2100 x W-2100 x H-2950 add another 3.0 mtr for coil removal
10	Empty weight of the unit	3100 Kgs
11	Operating weight of the unit	3397 Kgs
12	Dimensions of coil (Dia X Length X no of turns)	
a	Quantity of Thermic fluid required	Coil Hold-up 297 Litrs
b	Pressure Drop across Hot Oil Unit	20 MLC
13	Expansion tank 3 KL	
a	Dimensions (L x B x H), mm	1900 x 1300 x 1300 mm
b	MOC	IS 2062
c	Empty weight (kg)	1296 Kgs
d	Operating weight (kg)	4406 Kgs
14	Thermic fluid storage tank or Dump Tank 5 KL	

Annexure - VIII

a	Dimensions (L x B x H), mm	2500 x 1600 x 1850 mm
b	MOC	IS 2062
c	Empty weight (kg)	1719 Kgs
d	Operating weight (kg)	6746 Kgs
15	Furnace oil day tank 0.99 KL	
a	Dimensions (L x B x H), mm	1000 x 1000 x 990 mm
b	MOC	IS 2062
c	Empty weight (kg)	380 Kgs
d	Operating weight (kg)	1370 Kgs
16	Thermic fluid circulation pumps	
a	Capacity 79 M3/Hr	
b	Head	60 MLC
c	Speed	2900 rpm
d	BKW / Recommended motor	BKW - 18 / KW- 22KW
e	MOC of casing	CI
f	MOC of impeller	CI
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
17	Thermic fluid filling pump	
a	Capacity	1000 LPH
b	Head	50 MLC


Annexure - VIII

c	Speed	1440 rpm
d	BKW / Recommended motor	BKW - 0.5 / KW- 0.75 KW
e	MOC of casing	CI/CS
f	MOC of impeller	EN (Gear + Shaft)
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
18	Blower	
a	Capacity	1800 M3/Hr
b	Head	400 mm Wc
c	BKW / Rec. motor (KW)	BKW - 3 / KW- 3.7 KW
19	Thermic fluid Drain pump Not Required	
a	Capacity	1000 LPH
b	Head	50 MLC
c	Speed	1440 rpm
d	BKW / Recommended motor	BKW - 0.5 / KW- 0.75 KW
e	MOC of casing	CI/CS
f	MOC of impeller	EN (Gear + Shaft)
g	Shaft seal details	Mechnaical Seal
h	Flushing plan details	Drain Point
20	Stack Details Customer Scope	
a	Diameter	350 mm

Annexure - VIII

b	Height	30.5 Mtr
c	M.O.C.	IS 2062
d	Type	Self Supported, as per IS 6533
e	Connected Electric load	22.22 KW
21	OIL PUMP Make	Prakash /Eqvt
a	Type	Gear
b	Capacity	300 LPH
c	Head	300 mWC
d	BKW / Recommended motor	BKW - 0.6 / KW- 0.75 KW
22	BURNER Make	Maxima
a	Type	Pr. Jet Spill return
b	Capacity	0.8 MW
c	Modulation	Two stage

Annexure - VIII




NOTE: APPROXIMATE DUCT
PIPE LENGTH 25.00 M

Annexure - VIII

Mechanical dust collector / Multi cyclone

Capacity of boiler	:	8 Ton
Output gas flow	:	24000 CMH
Type of fuel	:	Coal/husk
Temp of flue gases	:	180°C-220°C
Air quantity to be handled	:	24000 CMH
Pressure drop across the system	:	70-75 MMWG
Total no of cyclones	:	16 No.'s
Size of output pipe	:	Φ 150 mm
Thickness of cones	:	10 mm
Material of construction of cones	:	IS 210
Thickness of outer casing & hopper	:	3.15 mm

Fig 5: Multicyclone




LONGITUDINAL SECTION OF MULTICYCLONE FOR DUST COLLECTION

Annexure-9

SOLVENT RECOVERY SYSTEM

- After the reaction is complete the solvents are recovered in a distillation unit.
- The distillation unit has two condensers (shell and tube type).
- The first condenser has cooling tower water, while the second condenser will have the chilled water at 0 - 2^0 C as coolants.
- After the vapors are condensed, the condensate along with un-condensed vapors is passed through a trap which is cooled externally with chilled water.
- The vents of condenser and receiver are connected to scrubber system.
- All the reaction vessels and centrifuges are connected to a common line. These fumes and exhausts are sucked by ID fan and scrubbed by alkali.
- The air after scrubbing is let out into the atmosphere and the scrubbed water is sent to ETP for further treatment.
- This wet scrubber absorbs acidic vapors, traces of solvents etc. and purified gas stream is let out into the atmosphere.

Typical solvent recovery system



MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-10

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	20.04.2026
5.	Date of Sample Receipt	:	21.04.2026
6.	Sample Code	:	SE/2655
7.	Analysis Starting Date	:	21.04.2026
8.	Analysis Completion Date	:	27.04.2026
9.	Report Issue date	:	28.04.2026
10.	Latitude	:	16.311643
11.	Longitude	:	77.358016

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000010921F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	123
Velocity (m/s)	8.8
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	31223.8	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	16.5	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	36	<150
Carbon Dioxide as CO_2		%	8.4	<12

BDL: Below Detection limit

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

Authorized Signatory


Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

Annexure-10


GPS Map Camera
Chicksugur, Karnataka, India
100% Export Oriented Unit, Plot #33, Raichur Growth Centre,
33a & 40 To 47, Chicksugur, Karnataka 584134, India
Lat 16.311643° Long 77.358016°
20/04/2026 11:48 AM GMT +05:30
Google

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-10

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	**Name and Address of the Industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Stack ID**	:	**Boiler – 10TPH & 6TPH**
3.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
4.	**Date of Monitoring**	:	27.05.2026
5.	**Date of Sample Receipt**	:	28.05.2026
6.	**Sample Code**	:	SE/3422
7.	**Analysis Starting Date**	:	28.05.2026
8.	**Analysis Completion Date**	:	01.06.2026
9.	**Report Issue date**	:	02.06.2026
10.	**Latitude**	:	16.30986
11.	**Longitude**	:	77.357057

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000014722F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	120
Velocity (m/s)	8.4
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m²)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	29805	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	17.6	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	38	<150
Carbon Dioxide as CO_2		%	7.5	<12

BDL: Below Detection limit

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

ಅನುಬಂಧ-10



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-10

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	18.06.2026
5.	Date of Sample Receipt	:	19.06.2026
6.	Sample Code	:	SE/3900
7.	Analysis Starting Date	:	20.06.2026
8.	Analysis Completion Date	:	23.06.2026
9.	Report Issue date	:	24.06.2026
10.	Latitude	:	16.30986
11.	Longitude	:	77.357057

Discipline: Chemical — Group: Atmospheric Pollution — Sub Group: Stack Emission — ULR No: TC407126000016637F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	32
Stack Temperature (°C)	122
Velocity (m/s)	8.1
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	29804	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	73.4	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	16.2	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	34	<150
Carbon Dioxide as CO_2		%	7.2	<12

BDL: Below Detection limit

INFERENCE	**As per KSPCB Standards** **Report Status: - The analyzed value for above measured parameter is within the limits.**

Analysed by

ANALYTICAL LABORATORY BALLARI

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986


(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)

Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

Annexure-10



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-10

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	24.07.2026
5.	Date of Sample Receipt	:	25.07.2026
6.	Sample Code	:	SE/6279
7.	Analysis Starting Date	:	25.07.2026
8.	Analysis Completion Date	:	29.07.2026
9.	Report Issue date	:	30.07.2026
10.	Latitude	:	16.309673
11.	Longitude	:	77.356992

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Stack Emission** **ULR No: TC407126000019859F**

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	31
Stack Temperature (°C)	125
Velocity (m/s)	8.4
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	29804	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	71.4	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	14.8	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	32	<150
Carbon Dioxide as CO_2		%	7.5	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-10



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Anumulo

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	19.08.2026
5.	Date of Sample Receipt	:	20.08.2026
6.	Sample Code	:	SE/6802
7.	Analysis Starting Date	:	20.08.2026
8.	Analysis Completion Date	:	24.08.2026
9.	Report Issue date	:	25.08.2026
10.	Latitude	:	16.309685
11.	Longitude	:	77.357078

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000022019F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	30
Stack Temperature (°C)	126
Velocity (m/s)	8.1
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	28740	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	73.5	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	17.5	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	38	<150
Carbon Dioxide as CO_2		%	8.2	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI


Authorized Signatory
Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-10



Note:
1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure 10

MSVAL/QR/7.8/01

ANALYSIS REPORT FOR SOURCE EMMISSION

1.	Name and Address of the Industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Stack ID	:	Boiler – 10TPH & 6TPH
3.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
4.	Date of Monitoring	:	23.09.2026
5.	Date of Sample Receipt	:	24.09.2026
6.	Sample Code	:	SE/7520
7.	Analysis Starting Date	:	24.09.2026
8.	Analysis Completion Date	:	28.09.2026
9.	Report Issue date	:	29.09.2026
10.	Latitude	:	16.309693
11.	Longitude	:	77.357087

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407126000025131F

GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	130
Velocity (m/s)	8.5
Height (m)	30 mtr AGL
Diameter (m)	1.12
Cross sectional area (m^2)	0.9856

RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) – 2018	m^3/hr	30159	---
Particulate Matter	IS-11255(Part-1) – 2019	mg/Nm^3	75.2	150
Sulphur dioxide	IS-11255(Part-2) – 2019	PPM	BDL	100
Nitrogen dioxide	IS-11255(Part-7) – 2017	PPM	18.1	50
Acid mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm^3	BDL	35
Carbon Monoxide as CO	IS 13270 (Orsat Apparatus USEPA 3A:1989)	PPM	35	<150
Carbon Dioxide as CO_2		%	8.6	<12

BDL: Below Detection limit

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

Authorized Signatory


Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

Annexure-10



Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000255**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AD 7429**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**
Waste description	**Waste Category** / **Physical form** / **Qty(MT)** 35.3.Chemical Sludge From Waste Water Treatment / Semi-Solid / 22.7
Total quantity : No. of Containers	**22.7 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading . any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-25-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMALIFESCIENCES Limited RAICHUR

ZAHID ROADLINES 1st Floor, Bantwal Chambers Baikampady, MANGALORE - 575 011

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000254**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 01 AH 7908**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-mail:lab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**
Waste description	

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	30.36

Total quantity : No. of Containers	**30.36 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading . any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-17-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-V

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000252**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**
Waste description	

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	21.1

Total quantity : **No. of Containers**	**21.1 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading. and any spillage wash with plenty of water**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-14-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Shilpa Lifesciences Limited RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000251**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 0560**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**
Waste description	**Waste Category** / **Physical form** / **Qty(MT)** 35.3.Chemical Sludge From Waste Water Treatment / Semi-Solid / 15.36
Total quantity : No. of Containers	**15.36 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-07-2026**
Transporter acknowledgement of receipt	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the reader to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000250**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 01 AH 7908**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**
Waste description	**Waste Category** | **Physical form** | **Qty(MT)** 35.3.Chemical Sludge From Waste Water Treatment | Semi-Solid | 24.66
Total quantity : **No. of Containers**	**24.66 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING and any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-06-2026**
Transporter acknowledgement of receipt of Waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-V

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000253**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**
Waste description	**Waste Category** / **Physical form** / **Qty(MT)** 28.6. Spent solvents / Liquid / 26.17
Total quantity : No. of Containers	**26.17 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading , any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:04-17-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000268**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	27.24

Total quantity : No. of Containers	**27.24 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-11-2026**
Transporter acknowledgement of receiving Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure - V

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000269**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	27.03

Total quantity : No. of Containers	**27.03 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-22-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

opy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure- 11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000270**
Transporter's name and address: (including Phone No. and e-mail)	Indian Eco Solutions Pvt Ltd vasanthanarasapura Phone:9686529172 e-mailindianecosolutions@gmail.com Transporter's registration No: 134428
Type of vehicle	**Truck**
Transporter's registration No	**134428**
Vehicle registration No.	**KA 52 C 1619**
Receiver's name and mailing address (including Phone No. and e-mail)	Indian Eco Solutions Pvt Ltd vasanthanarasapura Phone:9686529172 e-mailindianecosolutions@gmail.com Receiver's authorisation No.: 134428
Receiver's authorisation No.	**134428**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	24.16

Total quantity : No. of Containers	**24.16 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-26-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

y 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000271**
Transporter's name and address: (including Phone No. and e-mail)	Mathrubai Transport Plt No. 158 to 164, KIADB Kadechur Industrial Area, Yadgir-585221, Corresponding Address: #29, Venkatappa Street, Chikka Mavalli, Bangalore-560004. Phone:9449523738 e-mailswaroopms.1996@gmail.com Transporter's registration No: 99411
Type of vehicle	**Truck**
Transporter's registration No	**99411**
Vehicle registration No.	**KA 01 AL 2160**
Receiver's name and mailing address (including Phone No. and e-mail)	Karnataka Waste Management Project (A Division of Re Sustainability Limited) Dabaspet Industrial Area, NH 207, Doddaballapur Road, Nelamangala Taluk, Bangalore Rural District Phone:9980177640 e-mailamitchaudhary@ramky.com Receiver's authorisation No.: 10269
Receiver's authorisation No.	**10269**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	21.08

Total quantity : No. of Containers	**21.08 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-29-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000272**
Transporter's name and address: (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Transporter's registration No: 22794
Type of vehicle	**Truck**
Transporter's registration No	**22794**
Vehicle registration No.	**KA51D8455**
Receiver's name and mailing address (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Receiver's authorisation No.: 22794
Receiver's authorisation No.	**22794**

Waste description

Waste Category	Physical form	Qty(MT)
33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Solid	12.25

Total quantity : No. of Containers	**12.25 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING . ANY SPILLAGE WASH WITH PLENTY OF WATE**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-29-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMALIFESCIENCES LIMITED RAICHUR

By 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-17

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ender's name and mailing address ncluding Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
ender's authorisation No	**28295**
lanifest Document No	**HW/28295/2026-27/0000273**
ransporter's name and address: ncluding Phone No. and e-mail)	Mathrubal Transport Plt No. 158 to 164, KIADB Kadechur Industrial Area, Yadgir-585221, Corresponding Address: #29, Venkatappa Street, Chikka Mavalli, Bangalore-560004. Phone:9449523738 e-mailswaroopms.1996@gmail.com Transporter's registration No: 99411
ype of vehicle	**Truck**
'ransporter's registration No	**99411**
'ehicle registration No.	**KA 04 MR 9633**
teceiver's name and mailing address including Phone No. and e-mail)	Karnataka Waste Management Project (A Division of Re Sustainability Limited) Dabaspet Industrial Area, NH 207, Doddaballapur Road, Nelamangala Taluk, Bangalore Rural District Phone:9980177640 e-mailamitchaudhary@ramky.com Receiver's authorisation No.: 10269
teceiver's authorisation No.	**10269**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.38

'otal quantity : lo. of Containers	**22.38 MT**
'hysical form	
ipecial handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
ender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
lame and stamp: Signature:	**MONTH-DAY-YEAR:08-30-2026**
Transporter acknowledgement of receipt of wastes	
lame and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
lame and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LTD. RAICHUR

y 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

HWW

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000266**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	24.2

Total quantity : No. of Containers	**24.2 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-04-2026**
Transporter acknowledgement of receipt of waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the reader to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000267**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26

Total quantity : No. of Containers	**26 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:07-29-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

\py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000262**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	21.88

Total quantity : **No. of Containers**	**21.88 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-05-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for the receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

ZAHID ROADLINES
1st Floor, Bachwal Chambers
Baikampady, Mangaluru-575011

Copy I (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Copy 6 (Blue) - To be sent by the receiver to the sender.

Annexure-1

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000263**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
28.1.Process Residue and wastes	Slurry	2.017
28.2.Spent catalyst	Slurry	2.236
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.417

Total quantity : **No. of Containers**	**22.67 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-08-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

ZAHID ROADLINES
1st Floor, Bantwal Chambers
Baikampady, Mangaluru-575011

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sendor's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences Rd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000264**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	26.26

Total quantity :	**26.26 MT**
No. of Containers	
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-13-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies

Annexure-17

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000265**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AD 6834**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwrnppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.42

Total quantity : No. of Containers	**22.42 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:06-13-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

HWW

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000256**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**
Waste description	**Waste Category** / **Physical form** / **Qty(MT)** 28.6. Spent solvents / Liquid / 26.08
Total quantity : No. of Containers	**26.08 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-06-2026**
Transporter acknowledgement of receipt of W	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

PHARMALIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000257**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AD 8668**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	24.86

Total quantity : **No. of Containers**	**24.86 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-08-2026**
Transporter acknowledgement of receipt of Waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES PRIVATE LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000258**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 0560**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-mail:lab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	18.84

Total quantity : No. of Containers	**18.84 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-09-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-V

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000259**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	24.36

Total quantity : No. of Containers	**24.36 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-21-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District Telephone:9845745068 E-Mail:sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000260**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 0560**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-maillab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.33

Total quantity : **No. of Containers**	**19.33 MT**
Physical form	
Special handling instructions and additional information	**USE PPE WHILE LOADING AND UNLOADING.ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-22-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

Copy 1 (Yellow) - To be retained by the sender after taking signature on it from the transporter and the rest of the five signed copies to be carried by the transporter

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000261**
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Balkampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	**Truck**
Transporter's registration No	**83125**
Vehicle registration No.	**KA 19 AB 2394**
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone:9606822855 e-mail:lab@kkwmppl.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	**80996**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.31

Total quantity : No. of Containers	**22.31 MT**
Physical form	
Special handling instructions and additional inf	**use ppe while loading and unloading . any spillage wash wtih plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:05-26-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexum - 11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000275**
Transporter's name and address: (including Phone No. and e-mail)	Mathrubai Transport Plt No. 158 to 164, KIADB Kadechur Industrial Area, Yadgir-585221, Corresponding Address: #29, Venkatappa Street, Chikka Mavalli, Bangalore-560004. Phone:9449523738 e-mailswaroopms.1996@gmail.com Transporter's registration No: 99411
Type of vehicle	**Truck**
Transporter's registration No	**99411**
Vehicle registration No.	**KA 51 AM 4374**
Receiver's name and mailing address (including Phone No. and e-mail)	Karnataka Waste Management Project (A Division of Re Sustainability Limited) Dabaspet Industrial Area, NH 207, Doddaballapur Road, Nelamangala Taluk, Bangalore Rural District Phone:9980177640 e-mailamitchaudhary@ramky.com Receiver's authorisation No.: 10269
Receiver's authorisation No.	**10269**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	26.62

Total quantity : No. of Containers	**26.62 MT**
Physical form	
Special handling instructions and additional information	**use ppe while loading and unloading . If any spillage wash with plenty of water .**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-05-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of Hazardous and other Waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

MATHRUBAI TRANSPORT
29, Venkatappa Street,
Chickmavalli, Bangalore-560 004

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-II

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000273**
Transporter's name and address: (including Phone No. and e-mail)	Mathrubal Transport Plt No. 158 to 164, KIADB Kadechur Industrial Area, Yadgir-585221, Corresponding Address: #29, Venkatappa Street, Chikka Mavalli, Bangalore-560004. Phone:9449523738 e-mailswaroopms.1996@gmail.com Transporter's registration No: 99411
Type of vehicle	**Truck**
Transporter's registration No	**99411**
Vehicle registration No.	**KA 04 MR 9633**
Receiver's name and mailing address (including Phone No. and e-mail)	Karnataka Waste Management Project (A Division of Re Sustainability Limited) Dabaspet Industrial Area, NH 207, Doddaballapur Road, Nelamangala Taluk, Bangalore Rural District Phone:9980177640 e-mailamitchaudhary@ramky.com Receiver's authorisation No.: 10269
Receiver's authorisation No.	**10269**

Waste description

Waste Category	Physical form	Qty(MT)
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	22.38

Total quantity : No. of Containers	**22.38 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:08-30-2026**
Transporter acknowledgement of receipt of wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

ler's name and mailing address uding Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
ler's authorisation No	**28295**
ifest Document No	**HW/28295/2026-27/0000277**
sporter's name and address: uding Phone No. and e-mail)	Indian Eco Solutions Pvt Ltd vasanthanarasapura Phone:9686529172 e-mailindianecosolutions@gmail.com Transporter's registration No: 134428
of vehicle	**Truck**
sporter's registration No	**134428**
cle registration No.	**KA 52 C 1619**
iver's name and mailing address uding Phone No. and e-mail)	Indian Eco Solutions Pvt Ltd vasanthanarasapura Phone:9686529172 e-mailindianecosolutions@gmail.com Receiver's authorisation No.: 134428
iver's authorisation No.	**134428**
e description	

Waste Category	Physical form	Qty(MT)
28.1.Process Residue and wastes	Slurry	2.25
20.3.Distillation Residues	Slurry	4.2
35.3.Chemical Sludge From Waste Water Treatment	Semi-Solid	19.1

quantity : f Containers	**25.55 MT**
ical form	
ial handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
er's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
e and stamp: Signature:	**MONTH-DAY-YEAR:09-13-2026**
porter acknowledgement of receipt of Wastes	
e and stamp: Signature:	**MONTH-DAY-YEAR**
iver's certification for receipt of hazardous and other waste	
e and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

e) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000276**
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836
Type of vehicle	**Tanker**
Transporter's registration No	**23836**
Vehicle registration No.	**KA 01 AP 3329**
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:8088758495 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836
Receiver's authorisation No.	**23836**

Waste description

Waste Category	Physical form	Qty(MT)
28.6. Spent solvents	Liquid	20.85

Total quantity : No. of Containers	**20.85 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER -**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-08-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

SHILPA PHARMA LIFESCIENCES LIMITED RAICHUR

Copy 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-11

FORM 10

[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	**Shilpa pharma lifesciences ltd** Plot no.33,33A,40to47, Industrial Growth Centre , Chicksugur, Raichur Taluk District **Telephone:**9845745068 **E-Mail:**sharath@vbshilpa.com
Sender's authorisation No	**28295**
Manifest Document No	**HW/28295/2026-27/0000274**
Transporter's name and address: (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Transporter's registration No: 22794
Type of vehicle	**Truck**
Transporter's registration No	**22794**
Vehicle registration No.	**KA01AP1139**
Receiver's name and mailing address (including Phone No. and e-mail)	HAJIRA ENTERPRISES 324 t 2nd Phase harohalli industrial area Phone:9986250505 e-mailsyedmoosa@hotmail.com Receiver's authorisation No.: 22794
Receiver's authorisation No.	**22794**

Waste description

Waste Category	Physical form	Qty(MT)
33.1.Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Solid	12.355

Total quantity : No. of Containers	**12.355 MT**
Physical form	
Special handling instructions and additional information	**USE PPE , WHILE LOADING & UNLOADING IF ANY SPILLAGE WASH WITH PLENTY OF WATER**
Sender's Certificate	**I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.**
Name and stamp: Signature:	**MONTH-DAY-YEAR:09-05-2026**
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature:	**MONTH-DAY-YEAR**
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	**MONTH-DAY-YEAR**

py 1 (White) - To be forwarded by the sender to the State Pollution Control Board after signing all the seven copies.

Annexure-12



Document Completed Training Report

Annexure-V

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1045-VEERESHAPPA .	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 3s	Associate Vice President	9545 - MANICKAVASAGAM J
1069-CHANNA REDDY .	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 29s	Senior Incharge	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI
1070-GOVINDARAJULU MENDI SRINIVASULU	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 7s	Senior Shift Incharge	1355 - ARUN KUMAR SINGH

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1071-PARMANAND RAMANNA PATIL	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 25s	Senior Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1135-ANJALIYA BABU DANDU	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 21s	Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1140-PRAVEEN KUMAR MANNUR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 6m 32s	Senior Chemist	1198 - SASIDHAR AVULA
1147-VIJAY KUMAR KURUVA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 29m 43s	Senior Shift Incharge	1355 - ARUN KUMAR SINGH

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1155-KHAJA SAB	29 Sep 2026	04 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 53s	Senior Operator	4332 - MANJUNATHA D N
1157-KRISHNA .	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 2s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
1161- M.VEERENDRA KUMAR	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 3s	Senior Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1162- S.NANDAKISHORE .	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 12m 16s	Deputy Manager	4332 - MANJUNATHA D N

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1168-BIJAY KETAN MANGARAJ	29 Sep 2026	16 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 9m 38s	Associate Vice President	7538 - KARUNAKAR ANATAM
1169-MARUTHIRAO JANGITI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 10s	Deputy Manager	1219 - SARAVANAN N
1171-RAMACHANDRA RAO PAIDI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Deputy Manager	8767 - SANDIPOGU SHARATH BABU
1173-GANGANNA NAGALLAPUR	29 Sep 2026	10 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 30s	Senior Operator	4332 - MANJUNATHA D N

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1178-ABDUL AZEEM	29 Sep 2026	06 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 18s	Senior Operator	4332 - MANJUNATHA D N
1184-MEER MASOOD ALI	29 Sep 2026	13 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 10m 27s	Senior Chemist	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1186-BHARMANNA SHIVARAYA PETARGE	29 Sep 2026	10 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 21m 47s	Assistant general manager	1168 - BIJAY KETAN MANGARAJ
1190-VENKATESHWARULU C	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 6s	Senior Chemist	1045 - VEERESHAPPA .

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure – 13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1192-SURESH .	29 Sep 2026	02 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 8m 54s	Senior Operator	4332 - MANJUNATHA D N
1193-JINDAPPA K	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1196-UDAY KUMAR TALLAPALLY	29 Sep 2026	06 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 33s	Senior Chemist	1198 - SASIDHAR AVULA
1198-SASIDHAR AVULA	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 25s	Senior Manager	9559 - NAGARAJ RAMA NAIK

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1199-PRAVEEN CHINTALAPATI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 10s	Executive	9646 - KUTALA ANANDA
1200-NAGABABU CHENNU	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 9s	Assistant Manager	1198 - SASIDHAR AVULA
1205-RAJSHEKAR REDDY KANALA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 30s	Assistant Manager	9646 - KUTALA ANANDA
1206-S JAYADEV GORANTLA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 11m 49s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1209-DEVENDRA PRATAP SINGH	29 Sep 2026	07 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 14s	Deputy General Manager	1045 - VEERESHAPPA
1210-ARUN KUMAR .CHAUHAN	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 0s	Deputy Manager	9646 - KUTALA ANANDA
1218-RAMAKRISHNA KALIPINDI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 39s	Shift Incharge	6808 - ELANGOVAN .
1219-SARAVANAN N	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 22s	Deputy General Manager	7538 - KARUNAKAR ANATAM

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-4

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1221-BALAJI KISANRAO KADAM	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 16m 18s	Deputy Manager	7461 - Dr. AVSS. PRASAD
1222-ANUPAM KAPOOR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 26s	Assistant general manager	9545 - MANICKAVAS AGAM J
1234-SANDEEP KULKARNI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 23s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-17

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1243-SHARANAPPA NAMMAKAM	29 Sep 2026	08 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 35s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI
1247-SIDDHARTHA REDDY PAMURI	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 5s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1248-DEVARAJA .	29 Sep 2026	07 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 14m 10s	Senior Manager	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1251-SANDEEP GADDYAPPA VADIGERI	29 Sep 2026	10 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 30s	Deputy Manager	4332 - MANJUNATHA D N
1257-NARASIMAHLU GADWAL	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI
1262-VENKATA SUBBA REDDY DHANI REDDY	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 7s	Assistant Manager	1198 - SASIDHAR AVULA

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1275-MURALI KRISHNA PINAKANA	29 Sep 2026	13 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 54m 5s	Engineer	6595 - LAV KUMAR GUPTA
1296-CHINNA BHEEMARAJU VIDAPANURU VIRUPANNA GARI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 11s	Assistant Manager	1219 - SARAVANAN N
1299-N PRASAD ACHANTA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 56s	Senior Manager	1219 - SARAVANAN N
1304-UMESH JALKOTE	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 45s	Senior Chemist	1372 - NAGESWARA RAO GUDAVALLI

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1307-ARUN KUMAR GUNJANUR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 11m 17s	Senior Chemist	1209 - DEVENDRA PRATAP SINGH
1308-PRAVEEN KUMAR GADWAL	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 23s	Senior Chemist	1355 - ARUN KUMAR SINGH
1310-SRINIVAS AVULA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 1s	Senior Executive	1198 - SASIDHAR AVULA
1311-KAPIL KHANDELWAL	29 Sep 2026	15 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 4s	Manager	2766 - ARVIND KUMAR SINGH

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1318-SRINIVASA RAO KODALI	29 Sep 2026	02 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 8s	Deputy Manager	4332 - MANJUNATHA D N
1321-ANIL GANGADHAR BOLLINENI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 19s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1347-SUMAN MIDDE	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 16s	Senior Executive	1355 - ARUN KUMAR SINGH
1355-ARUN KUMAR SINGH	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 9s	Assistant general manager	1045 - VEERESHAPPA

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-18

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1360-LAKSHMI KANTH .	29 Sep 2026	05 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 59s	Senior Chemist	1168 - BIJAY KETAN MANGARAJ
1364-NAGESHWAR RAO PADAMATI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 6s	Senior Executive	1209 - DEVENDRA PRATAP SINGH
1372-NAGESWARA RAO GUDAVALLI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 35s	Assistant Manager	1045 - VEERESHAPPA .
1379-GOVINDA PEDDRAI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 23s	Computer Operator	1045 - VEERESHAPPA .

Downloaded By: GOLLA MADHU **Downloaded Date:** 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure - 13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1386-NARESH K	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 28s	Senior Assistant	2766 - ARVIND KUMAR SINGH
1389-GURUNATH LOMADA	29 Sep 2026	04 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 13s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1392-AMARE GOUDA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 6s	Document Assistant	1045 - VEERESHAPPA
1394-SURESH AKKENA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 3s	Executive	6808 - ELANGOVAN .

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-15

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1395-ANANTHA SENA REDDY GAUNOLLA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 51s	Senior Executive	1219 - SARAVANAN N
1404-KRISHNA .	29 Sep 2026	06 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 5s	Assistant Manager	4332 - MANJUNATHA D N
1406-SHIVARAJ JOJAN	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 5s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1411-VITTHAL ABASO BABAR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 16s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1413-SHIVYOGI SHANKAR KOGNURE	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 6m 14s	Assistant Manager	1209 - DEVENDRA PRATAP SINGH
1418-SURESH SHIVAMURTHI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 37s	Senior Chemist	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1423-UMAKANTH PATIL	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 11s	Assistant Manager	2766 - ARVIND KUMAR SINGH
1479-MAHESH NARASIMHULU	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 54s	Electrician	8767 - SANDIPOGU SHARATH BABU

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1482-S P PRABHAKAR SIDDESHWAR KUMBHAR	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 6s	Senior Executive	1372 - NAGESWARA RAO GUDAVALLI
1483-SUDHAKAR CHINDUKURI	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 11m 35s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1486-SURESH GOUD SHAGALA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 11m 28s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ
1489-SATISH BABU KOTA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 6s	Assistant Manager	1219 - SARAVANAN N

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1495-BALAVEERAIAH VALADASU	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 7s	Shift Incharge	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1497-SHARAN PRASAD HAMPAYYASWAMI SHIVALING	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 7m 40s	Senior Manager	1168 - BIJAY KETAN MANGARAJ
1563-LINGA REDDY BANAVASI	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 32s	Senior Assistant	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-17

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1569-SURESH KUMAR REDDY PATCHARLA	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 19s	Senior Executive	1168 - BIJAY KETAN MANGARAJ
1588-NAGESH NALLAGORLA	29 Sep 2026	02 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 10s	Senior Executive	1497 - SHARAN PRASAD HAMPAYYAS WAMI SHIVALING
1595-RAJESH BARI	29 Sep 2026	02 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 47s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1604-G.NAGARJUNA .	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 43s	Deputy Manager	1209 - DEVENDRA PRATAP SINGH
1610-JALANDAR PASULA	29 Sep 2026	05 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 7m 4s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ
1618-BHARATH KUMAR PISAY	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 1s	Manager	4332 - MANJUNATHA D N
1625-ANWAR BASHA KATIKA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 12m 51s	Senior Executive	1219 - SARAVANAN N

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-17

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1627-EDIGA KHAJAN GOUD	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 36s	Executive	1168 - BIJAY KETAN MANGARAJ
1657-PAVAN .	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 0s	Senior Executive	8767 - SANDIPOGU SHARATH BABU
1679-M.NARESH KUMAR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 8s	Senior Executive	1355 - ARUN KUMAR SINGH
1697-YOGESH PATIL	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 9s	Senior Executive	4332 - MANJUNATHA D N

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1716-MUJAHID HUSSAIN	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 6s	Executive	1219 - SARAVANAN N
1719-RAJA BABU KAVETI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Senior Manager	1219 - SARAVANAN N
1756-VENKATA REDDY PADALA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 6m 15s	Senior Executive	1219 - SARAVANAN N
1784-CHINNA MASUM KASANNA GARI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	92.86	0h 5m 2s	Senior Executive	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1793-MEENAPPA MADIGA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 20s	Manager	4332 - MANJUNATHA D N
1798-RAJA KUMAR ANIPE	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 25s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ
1842-HARI OM KUMAR	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 11m 3s	Senior Executive	1198 - SASIDHAR AVULA
1846-PULLA GOWREDDY	29 Sep 2026	04 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 18s	Assistant Manager	1168 - BIJAY KETAN MANGARAJ

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-B

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1900-VENKAIAH YADAVA GOLLA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 14s	Supervisor	8767 - SANDIPOGU SHARATH BABU
1902-SHIVAPPA .	29 Sep 2026	03 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 13s	Senior Electrician	8767 - SANDIPOGU SHARATH BABU
1903-GOUSE MOHINUDDIN	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 8s	Senior Electrician	8767 - SANDIPOGU SHARATH BABU

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1913-DEVARAJA .	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 1s	Assistant	6645 - CHANDRASHEKAR SHANTAMALLAPPA DUDHANI
1916-VIVEKANAND HOSUR	29 Sep 2026	05 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 8m 4s	Executive	1168 - BIJAY KETAN MANGARAJ
1937-NARASIMHA MURTHY VENKATA NANDURI	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 10m 27s	Assistant Manager	9646 - KUTALA ANANDA

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Document Number : SPL2/EHS/SOP/GEN/0001
Version Number : 03
Source : Document
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Doc Type / Content Type : SOP/GEN
From Date : N/A
To Date : N/A
Total Trained Duration : 63h 1m 10s

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1945-ESWAR RAO BANISETTI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 7s	Deputy Manager	1355 - ARUN KUMAR SINGH
1958-M RAMU .	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 18s	Manager	9646 - KUTALA ANANDA
1959-BASAVARAJ BASAVALINGAIAH	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 31s	Executive	8767 - SANDIPOGU SHARATH BABU
1962-RANGA RAO BAGGU	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 6m 39s	Senior Executive	1198 - SASIDHAR AVULA

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-3

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 03
To Date : N/A
Source : Document
Total Trained Duration : 63h 1m 10s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1974-VENKATARAO SAANA	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 12s	Senior Executive	3421 - RAJSHEKHAR BHIMASHA GAIKWAD
1978-CHANUKYA SHAUKAR	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 24s	Executive	1168 - BIJAY KETAN MANGARAJ
2016-MAGANTI VENKATA HARIDEEP	29 Sep 2026	30 Sep 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 8s	Senior Executive	8767 - SANDIPOGU SHARATH BABU
2025-ALURE VASANT	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 6m 57s	Assistant Manager	9646 - KUTALA ANANDA

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	03	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	63h 1m 10s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
2027-SANTHOSH MIRJI	29 Sep 2026	01 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 5m 37s	Senior Executive	4332 - MANJUNATHA D N
2033-PAVAN BIJJI	29 Sep 2026	05 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	90.00	0h 7m 41s	Executive	1168 - BIJAY KETAN MANGARAJ
2040-DEVA KUMAR AMBIGAR	29 Sep 2026	11 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 43s	Executive	1168 - BIJAY KETAN MANGARAJ
2059-MAHESH NARASU BHANDARI	29 Sep 2026	06 Oct 2026	ELANGOVAN ., BADESAB HUSEN SHAIKH	Target Training - Revision	100.0	0h 5m 13s	Executive	4332 - MANJUNATHA D N

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:15:11

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department : Environment Health and Safety
Doc Type / Content Type : SOP/GEN
Document Number : SPL2/EHS/SOP/GEN/0001
From Date : N/A
Version Number : 02
To Date : N/A
Source : Document
Total Trained Duration : 0h 51m 34s
Document Name : HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT
Business Unit : SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
1218-RAMAKRISHNA KALIPINDI	26 Mar 2026	31 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 3s	Shift Incharge	6808 - ELANGOVAN .
1394-SURESH AKKENA	26 Mar 2026	30 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	90.00	0h 5m 2s	Executive	6808 - ELANGOVAN .
2789-SRINIVASULU REDDY KONDA	26 Mar 2026	30 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 10m 12s	Executive	6808 - ELANGOVAN .
3784-NARASIMHULU AMJALA	26 Mar 2026	30 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	90.00	0h 5m 12s	Chemist	6808 - ELANGOVAN .
5503-S SUMAN .	26 Mar 2026	04 Apr 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 18s	Executive	6808 - ELANGOVAN .

Downloaded By: GOLLA MADHU
Downloaded Date: 23 Oct 2026 10:16:09

This is electronically generated report and there is no need of any manual signature

Document Completed Training Report

Annexure-13

Department	:	Environment Health and Safety	**Doc Type / Content Type**	:	SOP/GEN
Document Number	:	SPL2/EHS/SOP/GEN/0001	**From Date**	:	N/A
Version Number	:	02	**To Date**	:	N/A
Source	:	Document	**Total Trained Duration**	:	0h 51m 34s
Document Name	:	HANDLING AND USAGE OF PERSONNEL PROTECTIVE EQUIPMENT			
Business Unit	:	SPL2-SHILPA PHARMA LIFESCIENCES LIMITED (UNIT-2)			

Trainee	Created Date	Training Completed Date	Trainer	Type	% Of Marks	Trained Duration	Designation	Reporting Manager
7188-BADESAB HUSEN SHAIKH	26 Mar 2026	31 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 9m 42s	Junior Executive	6808 - ELANGOVAN .
7260-NAGARAJ GANGANNAVAR	26 Mar 2026	04 Apr 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 44s	Junior Executive	6808 - ELANGOVAN .
9273-TADI SIVA RAMA KRISHNA REDDY	26 Mar 2026	30 Mar 2026	ELANGOVAN ., VIJAY KUMAR N	Target Training - Revision	100.0	0h 5m 21s	Senior Chemist	6808 - ELANGOVAN .

Downloaded By: GOLLA MADHU

Downloaded Date: 23 Oct 2026 10:16:09

This is electronically generated report and there is no need of any manual signature

PANCHASHEEL
MEDICAL SERVICES PVT. LTD.,
INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH

401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.
Cell: 90001 44488, 99634 17491 | Email: drraaj@hotmail.com | Website: www.panchasheel.com

ISO 9001:2015 Certified Company

Annexure-14

Confidential

SHILPA PHARMA LIFESCEINCES LTD UNIT-2
Plot No:33,33A & 40-47, Raichur Industrial Growth Centre Chicksugur-584134,Raichur, District, Karnataka State, India
MEDICAL SURVEILLANCE PROFORMA

DATE: 25/11/2025

NAME	:	Mr.Boya Mallikarjuna	DEPARTMENT	:	Production Documentation
D.O.B/SEX	:	02/05/1990 / Male	SECTION	:	Production Documentation
Lab No / E. Code	:	4230 / 2836	D.O.J	:	19/07/2017
DIET	:	Normal (Mixed)	**BLOOD GROUP**	:	**"AB" Positive**
ALLERGY	:	No			

PERSONAL HISTORY

	SMOKING	ALCOHOL	TOBACCO CHEWING	SNUFF
QUANTITY				
DURATION	No	No	No	No
TYPE				

PRESENTING COMPLAINTS	Nil
PAST HISTORY	Nil Particular
FAMILY HISTORY	DM:- No HTN:- No


GENERAL PHYSICAL EXAMINATION

DEFECTS/DISABILITY : No

Height	: 165Cms	**Weight**	: 67 Kgs	**Body Mass Index (BMI)**	:	24.6 kg/m²
Ideal Weight	: 65 Kgs	**Pulse Rate** (Normal : 60-100pm)	: 80per Min	**Blood Pressure (BP)** (Normal : 120/80) mmhg	:	120/80 mmhg
Normal Weight	: 60 - 70 Kgs					

Interpreting Your BODY MASS INDEX

Adults	Women	Men
Under weight	<19.1	<20.7
In normal range	19.1-25.8	20.7-26.4
Marginally over weight	25.8-27.3	26.4-27.8
Over weight	27.3-32.3	27.8-31.1
Very overweight or obese	>32.3	>31.1



PR Int.(ms) :	151		
P/QRS/T Int.(ms) :	106	106	162
QT/QTc Int.(ms) :	367	426	
P/QRS/T Axis(Deg.) :	44	50	34
RV1/SV5 Amp.(mV) :	0.02	0.24	
RV5/SV1 Amp.(mV) :	1.48	0.47	

800 Normal Sinus Rhythm
*** Normal ECG ***

V2.21 Technician :

Note: Unconfirmed Report Need to Review.

ST LEVEL (mV)

I	II	III	aVR	aVL	aVF
-0.01	+0.05	+0.04	-0.03	-0.01	+0.04
V1	V2	V3	V4	V5	V6
+0.00	+0.05	+0.11	+0.07	+0.01	+0.01

PANCHASHEEL
MEDICAL SERVICES PVT. LTD.,
INSTITUTE OF INDUSTRIAL & OCCUPATIONAL HEALTH

401 A & B, Navketan Complex, Clock Tower, Secunderabad-500 003. T.S. INDIA.
Cell: 90001 44488, 99634 17491 | Email: drraaj@hotmail.com | Website: www.panchasheel.com

ISO 9001:2015 Certified Company

Annexure 14

Lab No / E. Code	:	4230 / 2836

VISUAL ACUITY

VISION	DISTANT VISION	NEAR VISION	COLOUR VISION	CORRECTIONS
RIGHT	6/6	N6	Normal	Normal Vision
LEFT	6/6	N6	Normal	

SYSTEMIC EXAMINATION

RESPIRATORY SYSTEM	Respiratory Sounds are Clear.
CARDIO-VASCULAR SYSTEM	S1 S2 Normal.
CENTRAL NERVOUS SYSTEM	Normal.
ELECTRO CARDIOGRAM (ECG)	Within Normal Limits.
CHEST X-RAY IMPRESSION	Normal Chest Radiograph.
ABDOMEN	Liver and Spleen Not Palpable

LAB INVESTIGATION

BLOOD

Test	Result	Normal Range
HB	13.1	M14 to 18 gm/dL F 12 to 16 gm/dL
RBC	5.03	4.0 - 6.0 mill/cumm
TC	8410	4000 - 11000 cells/cumm
DLC (%)	P-58 L-35 E-03 M-04	Neutrophils (or segs): 40 - 70% Lymphocytes: 20 - 40% Eosinophils: 02 - 06% Moncytes: 02 -08% Basophils: 0.4% - 1%
AEC	252.3	40-440 cells/cumm
RBC Smear	Normocytic Normochromic	
WBC Smear	Within Normal Limits	
VDRL	Non-Reactive	Non-Reactive
RBS	100	70 - 160 mg/dl

URINE

Test	Result	Normal Range
Colour	Pale Yellow	White to Yellow
Appearance	Clear	Clear
Reaction	Acidic	Acidic
Albumin	Nil	Nil
Sugar	Nil	Nil
Pus cells	Nil	1-5/hpf
RBC	Nil	Nil
EP CELLS	Occasional	1-5/hpf
Others	Nil	Nil

SPUTUM FOR AFB: Negative.
(Acid fast bacillus)


ADVICE/REMARKS: Healthy & free from contagious diseases.

FIT TO WORK

Dr. RAJA VOJJALA
MBBS,MD(Path)AFIH(CLI)
Physician Industrial Medicine
Regd. No: 13067

Medical officer

Annexure-14



Annexure-15
Green Belt





Annexure-15
Green Belt





Annexure-15
Green Belt





Annexure-15
Green Belt



भारत सरकार
Government of India
वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)
Petroleum & Explosives Safety Organisation (PESO)
सीटी सेंटर, दुसरी मंजिल, होटल रुपा के सामने, बालमट्टा रोड
मैंगलूर- 575001
2nd floor, City Centre,
Opposite Hotel Roopa , Balmatta Road,
Mangalore - 575001

Annexure-16

E-mail : **dyccemangalore@explosives.gov.in**
Phone/Fax No : **0824 - 2420167,2441588**

संख्या /No. : **P/HQ/KA/15/2631 (P234951)**

दिनांक /Dated : **17/11/2025**

सेवा में
/To,

M/s. SHILPA PHARMA LIFESCIENCES LIMITED,
100 Export Oriented Unit,
10/80, 1st Floor,
RAJENDRA GUNJ,
RAJENDRA GUNJ,
Taluka: Raichur,
District: RAICHUR,
State: Karnataka
PIN: 584102

विषय /Sub : **Plot No, Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** में स्थित विद्यमान पेट्रोलियम वर्ग **B,C** अधिष्ठापन में अनुज्ञप्ति सं **P/HQ/KA/15/2631 (P234951)** के नवीकरण के संदर्भ में ।
Existing Petroleum Class **B,C** Installation at **Plot No, Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** - Licence No. **P/HQ/KA/15/2631 (P234951)** - **Renewal** regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक **OIN2146120** दिनांक **11/11/2025** का अवलोकन करें ।
Please refer to your letter No.: **OIN2146120**, dated **11/11/2025**

अनुज्ञप्ति संख्या **P/HQ/KA/15/2631 (P234951)** दिनांक **12/02/2016** को दिनांक **31/12/2035** तक नवीनीकृत कर इस पत्र के साथ अग्रषित की जा रही है ।
Licence No. **P/HQ/KA/15/2631 (P234951)** dated **12/02/2016** is forwarded herewith duly renewed upto **31/12/2035**.

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कडाई से पालन करें । अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व कार्यालय को प्रेषित करें ।
Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence **so as to reach this** office on or before the date on which Licence expires.

कृपया पावती दें।
Please acknowledge the receipt.

भवदीय /Yours faithfully,

((डा.एस.एम.मन्नन)
(Dr. S. M. Mannan))
उप मुख्य विस्फोटक नियंत्रक
Dy. Chief Controller of Explosives
मैंगलूर/Mangalore

Note:-This is system generated document does not require signature.
(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : http://peso.gov.in देखें)
(For more information regarding status,fees and other details please visit our website: http://peso.gov.in)

Annexum-16

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.) : **P/HQ/KA/15/2631(P234951)**

फीस रूपए (Fee Rs.) **10000/-** per year

M/s. SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 10/80, 1st Floor, RAJENDRA GUNJ, RAJENDRA GUNJ, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 को केवल इसमें यथा विनिर्दिष्टु वर्ग और मात्राओं में पेट्रोलियम **40.00 KL** आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या **P/HQ/KA/15/2631(P234951)** तारीख **12/05/2022** जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती हैं ।

Licence is hereby granted to **M/s. SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 10/80, 1st Floor, RAJENDRA GUNJ, RAJENDRA GUNJ, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102** valid only for the importation and storage of **40.00 KL** Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No **P/HQ/KA/15/2631(P234951)** dated **12/05/2022** attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December **2035** तक प्रवृत रहेगी ।
The Licence shall remain in force till the 31st day of December **2035**

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	**NIL**
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	**NIL**
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	**20.00 KL**
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	**NIL**
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	**20.00 KL**
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C,otherwise than in bulk	**NIL**
कुल क्षमता /Total Capacity	**40.00 KL**

April 19, 2010

Chief Controller of Explosives

1). Amendment dated - 12/02/2016

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टयां संलग्न अनुमोदित नक्शों में दिखाई गई हैं **Plot No: Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** स्थान पर अवस्थित है तथा उसमें निम्नलिखित **1 Above Ground tank(s) for CLASS B , 1 Above Ground tank(s) for CLASS C ,** सम्मिलित हैं ।

The licensed premises, the layout , boundaries and other particulars of which are shown in the attached approved plan are situated at **Plot No: Plot No. 33, 33A & 40 to 47, Raichur Indl. Growth Centre, NA, Chicksugur Village, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** and consists of **1 Above Ground tank(s) for CLASS B , 1 Above Ground tank(s) for CLASS C ,** together with connected facilities.

Note:-This is system generated document does not require signature.

Digitally signed by S. Mudi Mannan
Reason: Licence No. : P/HQ/KA/15/2631
Location:Mangalore [P234951]
Date:17-11-2025 16:15:48 PM

Annexure-16

अनुज्ञप्ति संख्या-(Licence No.) P/HQ/KA/15/2631 (P234951)

नवीनीकरण के पृष्ठांकन के लिए स्थान
SPACE FOR ENDORSEMENT OF RENEWALS

पेट्रोलियम अधिनियम, १९३४ के उपबन्धों या उनके अधीन बनाए गए नियमों या इस अनुज्ञप्ति की शर्तों का उल्लंघन न होने की दशा में यह अनुज्ञप्ति फ़िस में बिना किसी छूट के दस वर्ष तक नवीकृत की जा सकेगी। This licence shall be renewable without any concession in fee for ten years in the absence of contravention of any provisions of the Petroleum Act, 1934 or of the rules framed thereunder or of any of the conditions of this licence.	नवीकरण की तारीख Date of Renewal	समाप्ति की तारीख Date of Expiry of license	अनुज्ञापन प्राधिकारी के हस्ताक्षर और स्टाम्प Signature and office stamp of the licencing authority.
1).	20/05/2013	31/12/2015	Sd/- Dr. R. K. S. Chauhan Dy. Chief Controller of Explosives Mangalore
2).	18/11/2015	31/12/2025	Sd/- For Dy. Chief Controller of Explosives Mangalore
3).	17/11/2025	31/12/2035	Dr. S. M. Mannan Dy. Chief Controller of Explosives Mangalore

यदि अनुज्ञप्ति परिसर इसमें उपाबद्ध विवरण और शर्तों के अनुरुप नहीं पाए जाते है और जिन नियमों और शर्तों के अधीन यह अनुज्ञप्ति मंजूर की गई है उनमे से किसी का उल्लंघन होने की दशा में यह अनुज्ञप्ति रद्द की जा सकती है और अनुज्ञप्तिधारी प्रथम अपराध के लिए साधारण कारावास से, जो एक मास तक हो सकता है, या जुर्माने से, जो एक हजार रुपये तक हो सकता है, या दोनों से, और प्रत्येक पश्चातवर्ती अपराध के लिए साधारण कारावास से जो तीन मास तक हो सकता है, या जुर्माने से, जो पांच हजार रुपये तक हो सकता है, या दोनों से, दण्डनीय होगा।

This licence is liable to be cancelled if the licensed premises are not found conforming to the description given on the approved plan attached hereto and contravention of any of the rules and conditions under which this licence is granted and the holder of this licence is also punishable for the first offence with simple imprisonment which may be extend to one month, or with fine which may extend to one thousand rupees, or with both and for every subsequent offence with simple imprisonment which may extend to three months, or with fine which may extend to five thousand rupees or with both.

Note:-This is system generated document does not require signature.

Annexure-17

भारत सरकार
Government of India
वाणिज्य और उद्योग मंत्रालय
Ministry of Commerce & Industry
पेट्रोलियम तथा विस्फोटक सुरक्षा संगठन (पैसो)
Petroleum & Explosives Safety Organisation (PESO)
सीटी सेंटर, दुसरी मंजिल, होटल रुपा के सामने, बालमट्टा रोड
मैंगलूर- 575001
2nd floor, City Centre, Opposite Hotel Roopa , Balmatta Road,
Mangalore - 575001

E-mail : **dyccemangalore@explosives.gov.in**
Phone/Fax No : **0824 - 2420167,2441588**

संख्या /No. : **P/HQ/KA/15/2540 (P189192)**

दिनांक /Dated : **18/07/2023**

सेवा में
/To,

SHILPA PHARMA LIFESCIENCES LIMITED,
100 Export Oriented Unit,
2nd Floor, 10/80, Rajendra Gunj,
CHIKSUGUR,
Raichur,
Taluka: Raichur,
District: RAICHUR,
State: Karnataka
PIN: 584102

विषय /Sub : **Plot No, Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** में स्थित विद्यमान पेट्रोलियम वर्ग **A** अधिष्ठापन में अनुज्ञप्ति सं **P/HQ/KA/15/2540 (P189192)** के नवीकरण के संदर्भ में ।
Existing Petroleum Class **A** Installation at **Plot No, Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** - Licence No. **P/HQ/KA/15/2540 (P189192)** - **Renewal** regarding.

महोदय
/Sir(s),

कृपया आपके पत्र क्रमांक **OIN1384262** दिनांक **11/07/2023** का अवलोकन करें ।
Please refer to your letter No.: **OIN1384262**, dated **11/07/2023**

अनुज्ञप्ति संख्या **P/HQ/KA/15/2540 (P189192)** दिनांक **12/05/2022** को दिनांक **31/12/2028** तक नवीनीकृत कर इस पत्र के साथ अग्रषित की जा रही है ।
Licence No. **P/HQ/KA/15/2540 (P189192)** dated **12/05/2022** is forwarded herewith duly renewed upto **31/12/2028**.

कृपया पेट्रोलियम नियम 2002 के अधीन बनाए गए नियम 148 में दी गई प्रक्रिया का कडाई से पालन करें । अनुज्ञप्ति के नवीकरण हेतु समस्त दस्तावेजों को अनुज्ञप्ति की वैधता समाप्त होने की तिथि से कम से कम 30 दिन पूर्व कार्यालय को प्रेषित करें ।
Please follow the procedure strictly as laid down in rule 148 of the Petroleum Rules, 2002 and submit complete documents for the Renewal of the licence **so as to reach this** office on or before the date on which Licence expires.

कृपया पावती दें।
Please acknowledge the receipt.

भवदीय /Yours faithfully,

((अहिन नंदी)
(AHIN NANDI))
उप विस्फोटक नियंत्रक
Dy. Controller of Explosives
कृते उप मुख्य विस्फोटक नियंत्रक
For Dy. Chief Controller of Explosives
मैंगलूर/Mangalore

Note:-This is system generated document does not require signature.

(अधिक जानकारी जैसे आवेदन की स्थिति, शुल्क तथा अन्य विवरण के लिए हमारी वेबसाइट : http://peso.gov.in देखें)
(For more information regarding status,fees and other details please visit our website: http://peso.gov.in)

Annexure-17

प्ररूप XV
(प्रथम अनुसूची का अनुच्छेद 6 देखिए)
FORM XV
(see Article 6 of the First Schedule)

अधिष्ठापनों में पेट्रोलियम के आयात और भंडारकरण के लिए अनुज्ञप्ति
LICENCE TO IMPORT AND STORE PETROLEUM IN AN INSTALLATION

अनुज्ञप्ति सं. (Licence No.) : **P/HQ/KA/15/2540(P189192)** फीस रूपए (Fee Rs.) **13500**/- per year

SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 2nd Floor, 10/80, Rajendra Gunj, CHIKSUGUR, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102 को केवल इसमें यथा विनिर्दिष्टु वर्ग और मात्राओं में पेट्रोलियम **220.00 KL** आयात करने के लिए और उसका, नीचे वर्णित और अनुमोदित नक्शा संख्या **P/HQ/KA/15/2540(P189192)** तारीख **12/05/2022** जो कि इससे उपाबद्ध हैं, में दिखाए गए स्थान पर भण्डारकरण के लिए पेट्रोलियम अधिनियम, 1934 के उपबंधों या उसके अधीन बनाए गए नियमों तथा इस अनुज्ञप्ति की अतिरिक्त शर्तों के अधीन रहते हुए, यह अनुज्ञप्ति अनुदत्त की जाती हैं ।

Licence is hereby granted to **SHILPA PHARMA LIFESCIENCES LIMITED, 100 Export Oriented Unit, 2nd Floor, 10/80, Rajendra Gunj, CHIKSUGUR, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584102** valid only for the importation and storage of **220.00 KL** Petroleum of the class and quantities as herein specified and storage thereof in the place described below and shown on the approved plan No **P/HQ/KA/15/2540(P189192)** dated **12/05/2022** attached hereto subject to the provisions of the Petroleum Act, 1934 and the rule made thereunder and to the further conditions of this Licence.

यह अनुज्ञप्ति 31st day of December **2028** तक प्रवृत रहेगी ।
The Licence shall remain in force till the 31st day of December **2028**

पेट्रोलियम का विवरण /Description of Petroleum	अनुज्ञप्त मात्रा (किलोलीटरों में) /Quantity licenced in KL
वर्ग क प्रपुंज पेट्रोलियम /Petroleum Class A in bulk	**220.00 KL**
वर्ग क प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class A, otherwise than in bulk	**NIL**
वर्ग ख प्रपुंज पेट्रोलियम /Petroleum Class B in bulk	**NIL**
वर्ग ख प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class B, otherwise than in bulk	**NIL**
वर्ग ग प्रपुंज पेट्रोलियम /Petroleum Class C in bulk	**NIL**
वर्ग ग प्रपुंज पेट्रोलियम से भिन्न /Petroleum Class C,otherwise than in bulk	**NIL**
कुल क्षमता /Total Capacity	**220.00 KL**

January 22, 2008

Chief Controller of Explosives

अनुज्ञप्त परिसरों का विवरण और अवस्थान
DESCRIPTION AND LOCATION OF THE LICENSED PREMISES

अनुज्ञप्त परिसर जिसकी विन्यास सीमाएं अन्य विशिष्टयां संलग्न अनुमोदित नक्शों में दिखाई गई हैं **Plot No: Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** स्थान पर अवस्थित है तथा उसमें निम्नलिखित **15 aboveground Petroleum Class A storage tanks together with connected facilities.** सम्मिलित हैं |

The licensed premises, the layout , boundaries and other particulars of which are shown in the attached approved plan are situated at **Plot No: Plot No. 33A, 34 & 40 to 47, NA, Raichur Growth Center, Wadloor Rd, Chiksugur Cross Chiksugur, Raichur, Taluka: Raichur, District: RAICHUR, State: Karnataka, PIN: 584134** and consists of **15 aboveground Petroleum Class A storage tanks together with connected facilities.** together with connected facilities.

Note:-This is system generated document does not require signature.

Digitally signed by AHIN NANDI
Reason: Licence No. : P/HQ/KA/15/2540
Location:Mangalore [P189192]
Date:2023.07.18 01:52:20 +05:30

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure I

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC4071260000010931F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	66.8	62.5	64.7	75
2		At 08:00 AM	64.2	61.8	63.0	
3		At 09:00 AM	60.6	58.6	59.6	
4		At 10:00 AM	68.4	66.2	67.3	
5		At 11:00 AM	64.5	62.3	63.4	
6		At 12:00 PM	66.3	64.2	65.3	
7		At 01:00 PM	67.8	65.3	66.6	
8		At 02:00 PM	65.6	63.8	64.7	
9		At 03:00 PM	63.2	61.6	62.4	
10		At 04:00 PM	62.1	60.7	61.4	
11		At 05:00 PM	64.8	62.3	63.6	
12		At 06:00 PM	61.5	59.8	60.7	
13		At 07:00 PM	60.2	58.2	59.2	
14		At 08:00 PM	62.6	60.3	61.5	
15		At 09:00 PM	60.9	57.6	59.3	
16		At 10:00 PM	59.2	56.3	57.8	
17		At 11:00 PM	55.6	52.1	53.9	70
18		At 12:00 AM	53.8	51.9	52.9	
19		At 01:00 AM	51.6	53.4	52.5	
20		At 02:00 AM	52.1	50.2	51.2	
21		At 03:00 AM	50.6	48.6	49.6	
22		At 04:00 AM	52.8	46.3	49.6	
23		At 05:00 AM	51.9	48.2	50.1	
24		At 06:00 AM	49.6	44.8	47.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

:END OF REPORT:-

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note :

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)
C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road,
KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (O) : 9945456764, 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC4071260000010932F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	72.5	70.2	71.4	75
2		At 08:00 AM	70.6	68.8	69.7	
3		At 09:00 AM	66.9	64.3	65.6	
4		At 10:00 AM	68.2	66.2	67.2	
5		At 11:00 AM	66.3	63.2	64.8	
6		At 12:00 PM	68.5	66.5	67.5	
7		At 01:00 PM	67.6	65.4	66.5	
8		At 02:00 PM	65.2	63.8	64.5	
9		At 03:00 PM	66.9	64.3	65.6	
10		At 04:00 PM	62.1	60.7	61.4	
11		At 05:00 PM	60.8	58.2	59.5	
12		At 06:00 PM	63.6	61.9	62.8	
13		At 07:00 PM	67.2	65.3	66.3	
14		At 08:00 PM	62.6	60.4	61.5	
15		At 09:00 PM	59.2	56.2	57.7	
16		At 10:00 PM	57.8	55.3	56.6	
17		At 11:00 PM	55.3	52.1	53.7	70
18		At 12:00 AM	52.1	50.7	51.4	
19		At 01:00 AM	50.9	48.6	49.8	
20		At 02:00 AM	55.2	53.1	54.2	
21		At 03:00 AM	52.3	50.7	51.5	
22		At 04:00 AM	56.6	53.4	55.0	
23		At 05:00 AM	57.2	55.3	56.3	
24		At 06:00 AM	59.6	56.9	58.3	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001O933F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	64.5	62.3	63.4	75
2		At 08:00 AM	67.2	65.2	66.2	
3		At 09:00 AM	68.2	67.2	67.7	
4		At 10:00 AM	70.6	68.2	69.4	
5		At 11:00 AM	72.3	70.4	71.4	
6		At 12:00 PM	68.2	66.3	67.3	
7		At 01:00 PM	69.2	67.1	68.2	
8		At 02:00 PM	66.8	64.2	65.5	
9		At 03:00 PM	65.3	63.4	64.4	
10		At 04:00 PM	64.1	62.7	63.4	
11		At 05:00 PM	63.9	61.8	62.9	
12		At 06:00 PM	61.9	59.3	60.6	
13		At 07:00 PM	63.7	61.7	62.7	
14		At 08:00 PM	62.5	60.5	61.5	
15		At 09:00 PM	64.3	62.8	63.6	
16		At 10:00 PM	60.5	58.7	59.6	
17		At 11:00 PM	61.3	57.6	59.5	70
18		At 12:00 AM	59.2	54.3	56.8	
19		At 01:00 AM	58.4	56.2	57.3	
20		At 02:00 AM	56.2	54.7	55.5	
21		At 03:00 AM	53.7	51.8	52.8	
22		At 04:00 AM	56.2	54.3	55.3	
23		At 05:00 AM	57.2	55.9	56.6	
24		At 06:00 AM	59.4	57.6	58.5	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-- END OF REPORT --

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001 : 2015, ISO 45001 : 2018, ISO 9001 : 2015, ISO 22000 : 2018)

C.M.C. Ward No 18 & C.T.C. W.No. 16, T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor), Sanganakallu Road, KEB Circle, Ballari - 583103. **Contact No :** Mob : 94498 03895, (0) : 9945456764, 08392-255169,

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com **Website :** www.msvalbellary.com

TC - 4071

Annexure-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	20.04.2026
5.	Report Issue Date	:	28.04.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000001O934F

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Administration Office	At 07:00 AM	65.8	63.5	64.7	75
2		At 08:00 AM	66.5	64.2	65.4	
3		At 09:00 AM	68.3	66.7	67.5	
4		At 10:00 AM	62.4	59.8	61.1	
5		At 11:00 AM	63.6	61.8	62.7	
6		At 12:00 PM	60.6	58.6	59.6	
7		At 01:00 PM	66.2	64.3	65.3	
8		At 02:00 PM	68.4	66.8	67.6	
9		At 03:00 PM	67.2	65.4	66.3	
10		At 04:00 PM	69.3	66.2	67.8	
11		At 05:00 PM	67.5	65.5	66.5	
12		At 06:00 PM	62.6	60.7	61.7	
13		At 07:00 PM	62.7	60.3	61.5	
14		At 08:00 PM	63.6	61.5	62.6	
15		At 09:00 PM	60.6	58.3	59.5	
16		At 10:00 PM	63.9	61.7	62.8	
17		At 11:00 PM	61.2	57.4	59.3	70
18		At 12:00 AM	60.7	58.7	59.7	
19		At 01:00 AM	63.5	61.8	62.7	
20		At 02:00 AM	58.2	56.5	57.4	
21		At 03:00 AM	54.5	52.1	53.3	
22		At 04:00 AM	56.9	53.4	55.2	
23		At 05:00 AM	59.4	57.8	58.6	
24		At 06:00 AM	56.7	54.4	55.6	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES ★ BALLARI

-: END OF REPORT :-

Note :
1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discarded after 10 days. Ores and minerals, Filter papers & Thimbles will discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discard after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Ambient-LP

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Poilution Sub Group: Ambient Noise ULR No: TC407126000014732F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	64.2	60.3	62.3	75
2		At 08:00 AM	65.1	63.5	64.3	
3		At 09:00 AM	62.3	60.8	61.6	
4		At 10:00 AM	66.8	62.8	64.8	
5		At 11:00 AM	68.3	64.3	66.3	
6		At 12:00 PM	70.2	66.2	68.2	
7		At 01:00 PM	71.3	67.3	69.3	
8		At 02:00 PM	72.6	68.6	70.6	
9		At 03:00 PM	70.5	66.5	68.5	
10		At 04:00 PM	71.6	68.6	70.1	
11		At 05:00 PM	70.3	67.3	68.8	
12		At 06:00 PM	68.2	65.2	66.7	
13		At 07:00 PM	67.3	64.3	65.8	
14		At 08:00 PM	66.5	63.5	65.0	
15		At 09:00 PM	65.4	60.4	62.9	
16		At 10:00 PM	60.3	55.3	57.8	
17		At 11:00 PM	61.2	56.2	58.7	70
18		At 12:00 AM	58.3	53.3	55.8	
19		At 01:00 AM	56.4	51.4	53.9	
20		At 02:00 AM	53.1	48.1	50.6	
21		At 03:00 AM	52.6	47.6	50.1	
22		At 04:00 AM	55.4	50.4	52.9	
23		At 05:00 AM	54.3	49.3	51.8	
24		At 06:00 AM	55.6	50.6	53.1	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-- END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-IF

AMBIENT NOISE LEVEL MONITORING REPORT

MSVAL/QR/7.8/01

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000014733F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	73.5	60.3	66.9	75
2		At 08:00 AM	71.2	63.5	67.4	
3		At 09:00 AM	72.8	60.8	66.8	
4		At 10:00 AM	70.5	66.5	68.5	
5		At 11:00 AM	69.3	65.3	67.3	
6		At 12:00 PM	68.5	64.5	66.5	
7		At 01:00 PM	71.5	67.5	69.5	
8		At 02:00 PM	72.6	68.6	70.6	
9		At 03:00 PM	69.3	65.3	67.3	
10		At 04:00 PM	68.5	65.5	67.0	
11		At 05:00 PM	67.5	64.5	66.0	
12		At 06:00 PM	66.3	63.3	64.8	
13		At 07:00 PM	69.4	66.4	67.9	
14		At 08:00 PM	65.2	62.2	63.7	
15		At 09:00 PM	68.2	63.2	65.7	
16		At 10:00 PM	66.3	61.3	63.8	
17		At 11:00 PM	65.4	60.4	62.9	70
18		At 12:00 AM	64.2	59.2	61.7	
19		At 01:00 AM	61.6	56.6	59.1	
20		At 02:00 AM	62.8	57.8	60.3	
21		At 03:00 AM	63.2	58.2	60.7	
22		At 04:00 AM	61.5	56.5	59.0	
23		At 05:00 AM	60.8	55.8	58.3	
24		At 06:00 AM	61.3	56.3	58.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000014734F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	67.3	60.3	63.8	75
2		At 08:00 AM	64.2	63.5	61.8	
3		At 09:00 AM	67.3	60.8	59.3	
4		At 10:00 AM	65.3	61.3	67.4	
5		At 11:00 AM	68.2	64.2	66.5	
6		At 12:00 PM	69.3	65.3	61.5	
7		At 01:00 PM	69.5	65.5	59.8	
8		At 02:00 PM	69.1	65.1	60.9	
9		At 03:00 PM	67.2	63.2	66	
10		At 04:00 PM	66.3	63.3	64.8	
11		At 05:00 PM	65.8	62.8	68.2	
12		At 06:00 PM	66.5	63.5	66.1	
13		At 07:00 PM	66.8	63.8	65	
14		At 08:00 PM	67.3	64.3	63.5	
15		At 09:00 PM	65.2	60.2	66.8	
16		At 10:00 PM	64.3	59.3	64.7	
17		At 11:00 PM	63.5	58.5	63.9	70
18		At 12:00 AM	62.8	57.8	61.4	
19		At 01:00 AM	61.5	56.5	57.1	
20		At 02:00 AM	58.3	53.3	58.3	
21		At 03:00 AM	56.2	51.2	55.4	
22		At 04:00 AM	55.3	50.3	52.4	
23		At 05:00 AM	50.2	45.2	51.8	
24		At 06:00 AM	51.6	46.6	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure 18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	27.05.2026
5.	Report Issue Date	:	02.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000014735F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	66.5	60.3	63.8	75
2		At 08:00 AM	67.3	63.5	61.8	
3		At 09:00 AM	68.5	60.8	59.3	
4		At 10:00 AM	69.4	65.4	67.4	
5		At 11:00 AM	67.2	63.2	66.5	
6		At 12:00 PM	65.1	61.1	61.5	
7		At 01:00 PM	64.3	60.3	59.8	
8		At 02:00 PM	63.8	59.8	60.9	
9		At 03:00 PM	65.2	61.2	66	
10		At 04:00 PM	66.3	63.3	64.8	
11		At 05:00 PM	67.2	64.2	68.2	
12		At 06:00 PM	65.3	62.3	66.1	
13		At 07:00 PM	64.3	61.3	65	
14		At 08:00 PM	63.8	60.8	63.5	
15		At 09:00 PM	61.5	56.5	66.8	
16		At 10:00 PM	60.2	55.2	64.7	
17		At 11:00 PM	59.2	54.2	63.9	70
18		At 12:00 AM	56.3	51.3	61.4	
19		At 01:00 AM	55.4	50.4	57.1	
20		At 02:00 AM	53.2	48.2	58.3	
21		At 03:00 AM	53.8	48.8	55.4	
22		At 04:00 AM	52.6	47.6	52.4	
23		At 05:00 AM	51.2	46.2	51.8	
24		At 06:00 AM	51.6	46.6	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-IP

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016647F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	65.2	61.2	63.2	75
2		At 08:00 AM	66.3	62.3	64.3	
3		At 09:00 AM	63.8	62.3	63.1	
4		At 10:00 AM	67.1	64.5	65.8	
5		At 11:00 AM	69.3	63.8	66.6	
6		At 12:00 PM	72.8	68.8	70.8	
7		At 01:00 PM	72.3	67.2	69.8	
8		At 02:00 PM	73.4	68.3	70.9	
9		At 03:00 PM	71.2	66.5	68.9	
10		At 04:00 PM	72.5	68.1	70.3	
11		At 05:00 PM	71.9	66.3	69.1	
12		At 06:00 PM	69.4	65.2	67.3	
13		At 07:00 PM	68.3	64.3	66.3	
14		At 08:00 PM	67.5	62.3	64.9	
15		At 09:00 PM	66.2	63.5	64.9	
16		At 10:00 PM	61.4	57.1	59.3	
17		At 11:00 PM	62.3	58.1	60.2	70
18		At 12:00 AM	59.1	56.1	57.6	
19		At 01:00 AM	57.3	53.4	55.4	
20		At 02:00 AM	52.3	48.3	50.3	
21		At 03:00 AM	54.2	47.2	50.7	
22		At 04:00 AM	56.1	50.3	53.2	
23		At 05:00 AM	55.2	51.2	53.2	
24		At 06:00 AM	56.1	52.3	54.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-IV

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016648F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	72.8	61.3	67.1	75
2		At 08:00 AM	72.3	62.5	67.4	
3		At 09:00 AM	73.6	63.4	68.5	
4		At 10:00 AM	71.4	68.2	69.8	
5		At 11:00 AM	68.2	63.1	65.7	
6		At 12:00 PM	67.3	64.1	65.7	
7		At 01:00 PM	70.5	65.3	67.9	
8		At 02:00 PM	73.6	67.2	70.4	
9		At 03:00 PM	68.1	63.5	65.8	
10		At 04:00 PM	67.2	62.8	65.0	
11		At 05:00 PM	66.4	61.6	64.0	
12		At 06:00 PM	64.2	62.8	63.5	
13		At 07:00 PM	68.2	63.4	65.8	
14		At 08:00 PM	67.1	62.4	64.8	
15		At 09:00 PM	66.3	62.8	64.6	
16		At 10:00 PM	64.1	58.1	61.1	
17		At 11:00 PM	64.2	57.1	60.7	70
18		At 12:00 AM	63.2	56.1	59.7	
19		At 01:00 AM	60.8	54.2	57.5	
20		At 02:00 AM	61.8	52.3	57.1	
21		At 03:00 AM	62.4	56.1	59.3	
22		At 04:00 AM	61.5	55.2	58.4	
23		At 05:00 AM	60.8	54.1	57.5	
24		At 06:00 AM	62.3	55.2	58.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016649F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	66.3	61.2	63.8	75
2		At 08:00 AM	65.2	62.8	61.8	
3		At 09:00 AM	64.3	61.4	59.3	
4		At 10:00 AM	63.8	58.4	67.4	
5		At 11:00 AM	66.5	60.3	66.5	
6		At 12:00 PM	68.1	63.5	61.5	
7		At 01:00 PM	67.3	60.2	59.8	
8		At 02:00 PM	68.2	63.5	60.9	
9		At 03:00 PM	66.2	64.2	66	
10		At 04:00 PM	65.1	61.5	64.8	
11		At 05:00 PM	64.3	60.3	68.2	
12		At 06:00 PM	63.5	59.2	66.1	
13		At 07:00 PM	65.2	61.5	65	
14		At 08:00 PM	66.4	60.3	63.5	
15		At 09:00 PM	64.8	58.1	66.8	
16		At 10:00 PM	62.4	56.3	64.7	
17		At 11:00 PM	62.3	58.2	63.9	70
18		At 12:00 AM	60.4	56.1	61.4	
19		At 01:00 AM	62.8	56.4	57.1	
20		At 02:00 AM	57.5	51.3	58.3	
21		At 03:00 AM	55.3	49.2	55.4	
22		At 04:00 AM	54.2	48.3	52.4	
23		At 05:00 AM	51.6	45.7	51.8	
24		At 06:00 AM	52.8	46.1	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-IP

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	18.06.2026
5.	Report Issue Date	:	24.06.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000016650F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	68.2	59.2	63.8	75
2		At 08:00 AM	66.3	64.1	61.8	
3		At 09:00 AM	65.3	61.2	59.3	
4		At 10:00 AM	67.2	62.8	67.4	
5		At 11:00 AM	62.3	59.3	66.5	
6		At 12:00 PM	64.8	61.4	61.5	
7		At 01:00 PM	61.8	56.2	59.8	
8		At 02:00 PM	60.5	57.2	60.9	
9		At 03:00 PM	63.8	58.1	66	
10		At 04:00 PM	64.1	61.1	64.8	
11		At 05:00 PM	62.8	58.3	68.2	
12		At 06:00 PM	66.5	62.5	66.1	
13		At 07:00 PM	65.1	63.4	65	
14		At 08:00 PM	62.4	58.1	63.5	
15		At 09:00 PM	62.8	56.4	66.8	
16		At 10:00 PM	62.5	55.2	64.7	
17		At 11:00 PM	58.1	50.4	63.9	70
18		At 12:00 AM	57.2	51.6	61.4	
19		At 01:00 AM	56.3	52.3	57.1	
20		At 02:00 AM	52.6	48.3	58.3	
21		At 03:00 AM	50.3	46.5	55.4	
22		At 04:00 AM	51.4	47.3	52.4	
23		At 05:00 AM	50.2	46.1	51.8	
24		At 06:00 AM	52.3	47.3	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

:- END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-4

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019869F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	62.4	60.3	61.4	75
2		At 08:00 AM	63.5	61.7	62.6	
3		At 09:00 AM	65.6	63.4	64.5	
4		At 10:00 AM	69.2	67.5	68.4	
5		At 11:00 AM	70.3	68.2	69.3	
6		At 12:00 PM	73.5	71.6	72.6	
7		At 01:00 PM	71.8	69.2	70.5	
8		At 02:00 PM	74.3	72.5	73.4	
9		At 03:00 PM	70.7	68.2	69.5	
10		At 04:00 PM	72.5	69.8	71.2	
11		At 05:00 PM	69.3	66.7	68.0	
12		At 06:00 PM	68.2	67.2	67.7	
13		At 07:00 PM	66.2	64.3	65.3	
14		At 08:00 PM	65.3	62.1	63.7	
15		At 09:00 PM	67.2	65.3	66.3	
16		At 10:00 PM	64.3	61.8	63.1	
17		At 11:00 PM	63.8	60.7	62.3	70
18		At 12:00 AM	57.2	55.3	56.3	
19		At 01:00 AM	55.2	52.1	53.7	
20		At 02:00 AM	50.3	47.5	48.9	
21		At 03:00 AM	52.1	49.4	50.8	
22		At 04:00 AM	54.6	51.7	53.2	
23		At 05:00 AM	56.3	53.8	55.1	
24		At 06:00 AM	52.7	49.6	51.2	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure: 18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019870F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	70.6	68.2	69.4	75
2		At 08:00 AM	73.8	71.3	72.6	
3		At 09:00 AM	72.1	70.5	71.3	
4		At 10:00 AM	71.9	68.9	70.4	
5		At 11:00 AM	67.4	65.3	66.4	
6		At 12:00 PM	65.3	62.7	64.0	
7		At 01:00 PM	68.2	66.3	67.3	
8		At 02:00 PM	66.9	63.8	65.4	
9		At 03:00 PM	67.2	65.1	66.2	
10		At 04:00 PM	64.2	62.7	63.5	
11		At 05:00 PM	63.7	61.3	62.5	
12		At 06:00 PM	65.6	63.4	64.5	
13		At 07:00 PM	63.8	61.2	62.5	
14		At 08:00 PM	65.2	63.8	64.5	
15		At 09:00 PM	68.4	65.4	66.9	
16		At 10:00 PM	62.3	60.8	61.6	
17		At 11:00 PM	61.8	58.7	60.3	70
18		At 12:00 AM	60.6	57.2	58.9	
19		At 01:00 AM	63.5	61.3	62.4	
20		At 02:00 AM	65.4	63.8	64.6	
21		At 03:00 AM	61.9	59.7	60.8	
22		At 04:00 AM	59.2	56.3	57.8	
23		At 05:00 AM	57.6	55.4	56.5	
24		At 06:00 AM	55.8	53.2	54.5	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure 18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019871F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	64.2	62.1	63.2	75
2		At 08:00 AM	63.5	61.7	62.6	
3		At 09:00 AM	62.6	60.3	61.5	
4		At 10:00 AM	61.7	58.7	60.2	
5		At 11:00 AM	63.4	60.3	61.9	
6		At 12:00 PM	66.9	63.5	65.2	
7		At 01:00 PM	65.1	62.8	64.0	
8		At 02:00 PM	67.2	65.7	66.5	
9		At 03:00 PM	65.4	63.2	64.3	
10		At 04:00 PM	64.3	62.9	63.6	
11		At 05:00 PM	63.5	61.4	62.5	
12		At 06:00 PM	61.5	58.5	60.0	
13		At 07:00 PM	62.9	60.3	61.6	
14		At 08:00 PM	65.4	62.7	64.1	
15		At 09:00 PM	62.9	59.8	61.4	
16		At 10:00 PM	63.5	61.7	62.6	
17		At 11:00 PM	60.2	57.2	58.7	70
18		At 12:00 AM	58.7	56.3	57.5	
19		At 01:00 AM	61.8	58.5	60.2	
20		At 02:00 AM	55.4	52.3	53.9	
21		At 03:00 AM	53.6	51.8	52.7	
22		At 04:00 AM	52.8	50.6	51.7	
23		At 05:00 AM	50.4	48.7	49.6	
24		At 06:00 AM	51.5	47.2	49.4	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-IP

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	24.07.2026
5.	Report Issue Date	:	30.07.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000019872F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	70.6	68.5	69.6	75
2		At 08:00 AM	68.4	66.3	67.4	
3		At 09:00 AM	63.6	61.7	62.7	
4		At 10:00 AM	73.8	71.2	72.5	
5		At 11:00 AM	72.6	70.9	71.8	
6		At 12:00 PM	74.6	72.4	73.5	
7		At 01:00 PM	71.5	69.2	70.4	
8		At 02:00 PM	65.6	63.2	64.4	
9		At 03:00 PM	67.5	65.9	66.7	
10		At 04:00 PM	64.8	62.1	63.5	
11		At 05:00 PM	60.8	58.4	59.6	
12		At 06:00 PM	66.5	63.4	65.0	
13		At 07:00 PM	65.1	62.1	63.6	
14		At 08:00 PM	60.6	58.7	59.7	
15		At 09:00 PM	61.8	59.3	60.6	
16		At 10:00 PM	64.6	62.1	63.4	
17		At 11:00 PM	60.3	57.3	58.8	70
18		At 12:00 AM	62.4	60.2	61.3	
19		At 01:00 AM	58.7	56.3	57.5	
20		At 02:00 AM	56.3	54.7	55.5	
21		At 03:00 AM	54.2	52.3	53.3	
22		At 04:00 AM	53.8	51.7	52.8	
23		At 05:00 AM	51.4	48.4	49.9	
24		At 06:00 AM	50.6	47.2	48.9	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

-: END OF REPORT :-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407126000022029F**

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	66.5	62.5	64.5	75
2		At 08:00 AM	64.2	60.2	62.2	
3		At 09:00 AM	60.5	58.5	59.5	
4		At 10:00 AM	63.1	61.1	62.1	
5		At 11:00 AM	65.3	61.3	63.3	
6		At 12:00 PM	70.4	66.4	68.4	
7		At 01:00 PM	73.1	69.1	71.1	
8		At 02:00 PM	70.6	66.6	68.6	
9		At 03:00 PM	72.8	67.8	70.3	
10		At 04:00 PM	74.1	69.1	71.6	
11		At 05:00 PM	68.3	63.3	65.8	
12		At 06:00 PM	67.2	63.2	65.2	
13		At 07:00 PM	66.4	62.4	64.4	
14		At 08:00 PM	65.1	61.1	63.1	
15		At 09:00 PM	64.3	60.3	62.3	
16		At 10:00 PM	60.2	57.2	58.7	
17		At 11:00 PM	64.1	61.1	62.6	70
18		At 12:00 AM	55.2	52.2	53.7	
19		At 01:00 AM	54.1	51.1	52.6	
20		At 02:00 AM	53.6	50.6	52.1	
21		At 03:00 AM	53.1	49.1	51.1	
22		At 04:00 AM	55.1	51.1	53.1	
23		At 05:00 AM	54.1	49.1	51.6	
24		At 06:00 AM	53.8	48.8	51.3	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

:END OF REPORT:-

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-IP

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407126000022030F**

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	70.3	66.3	68.3	75
2		At 08:00 AM	71.6	67.6	69.6	
3		At 09:00 AM	74.2	72.2	73.2	
4		At 10:00 AM	71.8	69.8	70.8	
5		At 11:00 AM	69.3	65.3	67.3	
6		At 12:00 PM	66.4	62.4	64.4	
7		At 01:00 PM	72.8	68.8	70.8	
8		At 02:00 PM	71.5	68.5	70.0	
9		At 03:00 PM	67.3	65.3	66.3	
10		At 04:00 PM	65.1	60.1	62.6	
11		At 05:00 PM	66.4	61.4	63.9	
12		At 06:00 PM	67.2	63.2	65.2	
13		At 07:00 PM	66.3	62.3	64.3	
14		At 08:00 PM	65.2	60.2	62.7	
15		At 09:00 PM	64.3	60.3	62.3	
16		At 10:00 PM	60.2	57.2	58.7	
17		At 11:00 PM	61.2	58.2	59.7	70
18		At 12:00 AM	62.8	59.8	61.3	
19		At 01:00 AM	61.7	58.7	60.2	
20		At 02:00 AM	60.2	57.2	58.7	
21		At 03:00 AM	60.3	56.3	58.3	
22		At 04:00 AM	58.4	54.4	56.4	
23		At 05:00 AM	57.6	52.6	55.1	
24		At 06:00 AM	55.2	50.2	52.7	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022031F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Main Gate	At 07:00 AM	65.1	61.1	63.8	75
2		At 08:00 AM	63.8	60.8	61.8	
3		At 09:00 AM	62.6	60.6	59.3	
4		At 10:00 AM	61.5	59.5	67.4	
5		At 11:00 AM	60.3	56.3	66.5	
6		At 12:00 PM	67.4	64.4	61.5	
7		At 01:00 PM	61.3	58.3	59.8	
8		At 02:00 PM	66.3	62.3	60.9	
9		At 03:00 PM	64.1	59.1	66	
10		At 04:00 PM	62.7	57.7	64.8	
11		At 05:00 PM	63.4	58.4	68.2	
12		At 06:00 PM	61.2	57.2	66.1	
13		At 07:00 PM	67.8	63.8	65	
14		At 08:00 PM	63.2	59.2	63.5	
15		At 09:00 PM	61.4	57.4	66.8	
16		At 10:00 PM	60.3	57.3	64.7	
17		At 11:00 PM	58.4	55.4	63.9	70
18		At 12:00 AM	59.6	56.6	61.4	
19		At 01:00 AM	61.3	58.3	57.1	
20		At 02:00 AM	56.4	53.4	58.3	
21		At 03:00 AM	54.2	50.2	55.4	
22		At 04:00 AM	53.6	49.6	52.4	
23		At 05:00 AM	50.8	45.8	51.8	
24		At 06:00 AM	51.2	46.2	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	19.08.2026
5.	Report Issue Date	:	25.08.2026
6.	Method Adopted	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000022032F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	66.1	62.1	63.8	75
2		At 08:00 AM	63.5	59.5	61.8	
3		At 09:00 AM	61.2	59.2	59.3	
4		At 10:00 AM	64.3	62.3	67.4	
5		At 11:00 AM	60.5	56.5	66.5	
6		At 12:00 PM	62.8	58.8	61.5	
7		At 01:00 PM	62.3	58.3	59.8	
8		At 02:00 PM	61.4	57.4	60.9	
9		At 03:00 PM	65.8	60.8	66	
10		At 04:00 PM	63.4	58.4	64.8	
11		At 05:00 PM	61.2	56.2	68.2	
12		At 06:00 PM	64.3	60.3	66.1	
13		At 07:00 PM	66.8	62.8	65	
14		At 08:00 PM	63.1	59.1	63.5	
15		At 09:00 PM	60.5	56.5	66.8	
16		At 10:00 PM	64.6	61.6	64.7	
17		At 11:00 PM	56.2	53.2	63.9	70
18		At 12:00 AM	55.3	52.3	61.4	
19		At 01:00 AM	54.1	51.1	57.1	
20		At 02:00 AM	50.2	47.2	58.3	
21		At 03:00 AM	51.3	47.3	55.4	
22		At 04:00 AM	48.2	44.2	52.4	
23		At 05:00 AM	47.3	42.3	51.8	
24		At 06:00 AM	50.2	45.2	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

-: END OF REPORT :-

MSV ANALYTICAL LABORATORIES BALLARI

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-IP

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	Name of the industry	:	M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary
3.	Particulars of Sample Collected	:	Noise meter
4.	Date of Monitoring	:	23.09.2026
5.	Report Issue Date	:	29.09.2026
6.	Method Adopted	:	IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000025141F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	DG Set Area	At 07:00 AM	68.2	59.2	63.8	75
2		At 08:00 AM	66.3	64.1	61.8	
3		At 09:00 AM	65.3	61.2	59.3	
4		At 10:00 AM	67.2	62.8	67.4	
5		At 11:00 AM	62.3	59.3	66.5	
6		At 12:00 PM	64.8	61.4	61.5	
7		At 01:00 PM	61.8	56.2	59.8	
8		At 02:00 PM	60.5	57.2	60.9	
9		At 03:00 PM	63.8	58.1	66	
10		At 04:00 PM	64.1	61.1	64.8	
11		At 05:00 PM	62.8	58.3	68.2	
12		At 06:00 PM	66.5	62.5	66.1	
13		At 07:00 PM	65.1	63.4	65	
14		At 08:00 PM	62.4	58.1	63.5	
15		At 09:00 PM	62.8	56.4	66.8	
16		At 10:00 PM	62.5	55.2	64.7	
17		At 11:00 PM	58.1	50.4	63.9	70
18		At 12:00 AM	57.2	51.6	61.4	
19		At 01:00 AM	56.3	52.3	57.1	
20		At 02:00 AM	52.6	48.3	58.3	
21		At 03:00 AM	50.3	46.5	55.4	
22		At 04:00 AM	51.4	47.3	52.4	
23		At 05:00 AM	50.2	46.1	51.8	
24		At 06:00 AM	52.3	47.3	49.8	

INFERENCE	As per KSPCB Standards Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Ambient-18

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	**Name of the industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
3.	**Particulars of Sample Collected**	:	Noise meter
4.	**Date of Monitoring**	:	23.09.2026
5.	**Report Issue Date**	:	29.09.2026
6.	**Method Adopted**	:	IS 9989

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407126000025142F**

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Production Area	At 07:00 AM	72.8	61.3	67.1	75
2		At 08:00 AM	72.3	62.5	67.4	
3		At 09:00 AM	73.6	63.4	68.5	
4		At 10:00 AM	71.4	68.2	69.8	
5		At 11:00 AM	68.2	63.1	65.7	
6		At 12:00 PM	67.3	64.1	65.7	
7		At 01:00 PM	70.5	65.3	67.9	
8		At 02:00 PM	73.6	67.2	70.4	
9		At 03:00 PM	68.1	63.5	65.8	
10		At 04:00 PM	67.2	62.8	65.0	
11		At 05:00 PM	66.4	61.6	64.0	
12		At 06:00 PM	64.2	62.8	63.5	
13		At 07:00 PM	68.2	63.4	65.8	
14		At 08:00 PM	67.1	62.4	64.8	
15		At 09:00 PM	66.3	62.8	64.6	
16		At 10:00 PM	64.1	58.1	61.1	
17		At 11:00 PM	64.2	57.1	60.7	70
18		At 12:00 AM	63.2	56.1	59.7	
19		At 01:00 AM	60.8	54.2	57.5	
20		At 02:00 AM	61.8	52.3	57.1	
21		At 03:00 AM	62.4	56.1	59.3	
22		At 04:00 AM	61.5	55.2	58.4	
23		At 05:00 AM	60.8	54.1	57.5	
24		At 06:00 AM	62.3	55.2	58.8	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

MSV ANALYTICAL LABORATORIES BALLARI
END OF REPORT

Authorized Signatory

Hanumanthaiah P
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Re-sampling is not done by us unless otherwise specified.

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure-IF

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	**Name of the industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
3.	**Particulars of Sample Collected**	:	Noise meter
4.	**Date of Monitoring**	:	23.09.2026
5.	**Report Issue Date**	:	29.09.2026
6.	**Method Adopted**	:	IS 9989: 2020

Discipline: Chemical **Group: Atmospheric Pollution** **Sub Group: Ambient Noise** **ULR No: TC407126000025143F**

S.No	Sample Location	Time Frequency	Results			Permissible limits in dB(A) Leq
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	At 07:00 AM	66.3	61.2	63.7	75
2		At 08:00 AM	65.2	62.8	64.0	
3		At 09:00 AM	64.3	61.4	62.8	
4		At 10:00 AM	63.8	58.4	61.1	
5		At 11:00 AM	66.5	60.3	63.4	
6		At 12:00 PM	68.1	63.5	65.8	
7		At 01:00 PM	67.3	60.2	63.7	
8		At 02:00 PM	68.2	63.5	65.8	
9		At 03:00 PM	66.2	64.2	65.2	
10		At 04:00 PM	65.1	61.5	63.3	
11		At 05:00 PM	64.3	60.3	62.3	
12		At 06:00 PM	63.5	59.2	61.3	
13		At 07:00 PM	65.2	61.5	63.3	
14		At 08:00 PM	66.4	60.3	63.3	
15		At 09:00 PM	64.8	58.1	61.4	
16		At 10:00 PM	62.4	56.3	59.3	
17		At 11:00 PM	62.3	58.2	60.2	70
18		At 12:00 AM	60.4	56.1	58.2	
19		At 01:00 AM	62.8	56.4	59.6	
20		At 02:00 AM	57.5	51.3	54.4	
21		At 03:00 AM	55.3	49.2	52.2	
22		At 04:00 AM	54.2	48.3	51.2	
23		At 05:00 AM	51.6	45.7	48.6	
24		At 06:00 AM	52.8	46.1	49.4	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.
5. Sampling is not done by us unless otherwise specified

MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 and Accredited by NABL
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)
C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1st & 2nd Floor)
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 08392-255169,
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com, Website : www.msvalbellary.com

TC- 4071

Annexure -IV

MSVAL/QR/7.8/01

AMBIENT NOISE LEVEL MONITORING REPORT

1.	**Name of the industry**	:	**M/S. Shilpa Pharma Life Sciences Limited unit-2, Plot No. 33, 33A, 40-47, Raichur Industrial Growth Center, Chicksugur village, Raichur.**
2.	**Sample Collected By**	:	MSV Analytical Laboratories, Bellary
3.	**Particulars of Sample Collected**	:	Noise meter
4.	**Date of Monitoring**	:	23.09.2026
5.	**Report Issue Date**	:	29.09.2026
6.	**Method Adopted**	:	IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407126000025144F

S.No	Sample Location	Time Frequency	Results			
			Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	Permissible limits in dB(A) Leq
1	Near Administration Office	At 07:00 AM	65.2	61.2	63.2	75
2		At 08:00 AM	66.3	62.3	64.3	
3		At 09:00 AM	63.8	62.3	63.1	
4		At 10:00 AM	67.1	64.5	65.8	
5		At 11:00 AM	69.3	63.8	66.6	
6		At 12:00 PM	72.8	68.8	70.8	
7		At 01:00 PM	72.3	67.2	69.8	
8		At 02:00 PM	73.4	68.3	70.9	
9		At 03:00 PM	71.2	66.5	68.9	
10		At 04:00 PM	72.5	68.1	70.3	
11		At 05:00 PM	71.9	66.3	69.1	
12		At 06:00 PM	69.4	65.2	67.3	
13		At 07:00 PM	68.3	64.3	66.3	
14		At 08:00 PM	67.5	62.3	64.9	
15		At 09:00 PM	66.2	63.5	64.9	
16		At 10:00 PM	61.4	57.1	59.3	
17		At 11:00 PM	62.3	58.1	60.2	70
18		At 12:00 AM	59.1	56.1	57.6	
19		At 01:00 AM	57.3	53.4	55.4	
20		At 02:00 AM	52.3	48.3	50.3	
21		At 03:00 AM	54.2	47.2	50.7	
22		At 04:00 AM	56.1	50.3	53.2	
23		At 05:00 AM	55.2	51.2	53.2	
24		At 06:00 AM	56.1	52.3	54.2	

INFERENCE	**As per KSPCB Standards** **Report Status :- The Noise level for the all locations is within the limits**

Analysed by

Authorized Signatory

Hanumanthaiah P
Technical Manager

MSV ANALYTICAL LABORATORIES BALLARI

END OF REPORT

Note: 1. The results listed only to the tested samples & applicable parameters.
2. Samples Will be disposed after the specified retention period.
3. This report is not to reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the Invoice amount. Any dispute arising out of this report is subject to Bellary Jurisdiction Only.

ರಾಯಚೂರು

Annexure-19

2 ಬುಧವಾರ • ಮೇ 31, 2017 • ಸೂರ್ಯೋದಯ: 5:48 ಸೂರ್ಯಾಸ್ತ: 6:49

SHILPA MEDICARE LIMITED 100% EOU

Plot No: 33,33A & 40 – 47,
Industrial growth centre, KIDB industrial area,
Chick sugar, Raichur-584134.

Environmental clearance obtained for the Shilpa Medicare Ltd 100%EOU for the Expansion and Modification of Active pharmaceutical ingredients, manufacturing unit.

EC No: SEIAA 50 IND 2016 dated:28-04-2017

Details are available at www.moef.nic.in

SD/-
MANAGING DIRECTOR.

ಕರ್ನಾಟಕ ಸರ್ಕಾರ

ಜಿಲ್ಲಾ ಯೋಜನಾ ಸಮನ್ವಯಾಧಿಕಾರಿಗಳ ಕಾರ್ಯಾಲಯ, ಎಸ್.ಎಸ್.ವಿ., ವಿಜಯಪುರ

ದೂ 08352-244701 Email: egovbijapura@gmail.com

ಟೆಂಡರ ಪ್ರಕಟಣೆ

ಸರ್ವ ಶಿಕ್ಷಣ ಅಭಿಯಾನ ಯೋಜನೆ ಅಡಿಯಲ್ಲಿ ಹೊರಗುತ್ತಿಗೆ ಆಧಾರದ ಮೇಲೆ ಬಿಜ್ಜಳ 04 ಕೆ.ಜಿ.ಬಿ.ವಿ. ವಸತಿನಿಲಯಗಳಿಗೆ ಆಹಾರ ಪೂರೈಕೆಗಾಗಿ ಮತ್ತು ಜಿಲ್ಲಾ ಹಾಗೂ ತಾಲೂಕಾ ಕಛೇರಿಗೆ ಕಂಪ್ಯೂಟರ್ ಪ್ರೋಗ್ರಾಮರ್, ಲೆಕ್ಕ ಸಹಾಯಕರು ಇ-ಪ್ರಕ್ಯೂರಮೆಂಟ ಮೂಲಕ ಕೆಳಕಂಡ ಟೆಂಡರ್ ಆಹ್ವಾನಿಸಲಾಗಿದೆ. ಟೆಂಡರ್ ಮಾಹಿತಿಯನ್ನು http:www.eproc.karnataka.gov.in ಹೆಚ್ಚಿನ ಮಾಹಿತಿಗಾಗಿ ಕಛೇರಿಯ ದೂರವಾಣಿ ಸಂಖ್ಯೆ : 08352-244701 ಸಂಪರ್ಕಿಸಬಹುದು.

ಸಹಿ/- ಉಪನಿರ್ದೇಶಕರು (ಆಡಳಿತ)
ಜಿಲ್ಲಾ ಯೋಜನಾ ಸಮನ್ವಯಾಧಿಕಾರಿಗಳು, ಎಸ್.ಎಸ್.ವಿ. ವಿಜಯಪುರ.

ಸುಧಾ-ಮಯೂ

ಪ್ರವೇಶಗಳು ಪ್ರಾರಂಭ
ಕ್ಷಾತ್ರಧಾರಿತ ಉಂದ ಮಾಧ್ಯಮ
ಹಿರಿಯ ಪ್ರಾಥಮಿಕ ಶಾಲೆ
ಲಘಾರ, ತಾ. ಮಾನವಿ, ಜಿ. ರಾಯಚೂರ
NURSERY ಇಂದ 8ನೇ ತರಗತಿಯವರೆಗೆ
(ನವೋದಯ, ಸೈನಿಕ, ಮೊರಾರ್ಜ ವಸತಿ ಶಾಲೆಗಳ ತರಬೇತಿ ಕೇಂದ್ರ)
9900977124
9535659976

ಪ್ರಜಾವಾಣಿ
DH
ರಾಯಚೂರು
ರಾಘವೇಂದ್ರ
9986299090
ಸುರುಪ್ರಕಾಶ ಮುಗಳ
9343684455

ಪುರಸಭೆ ಕಾ

ಜಿ

ಸಂಖ್ಯೆಹುಸ/ಸೇದಂ ಒಳಚರಂಡಿ/201

ಸಾರ್ವ

ವಿಷಯ : ಸೇದಂ ನಗರದ ಒಳಚರಂ
ಸೇದಂ ಪಟ್ಟಣದ ವ್ಯಾಪ್ತಿಯ ಸರ್ವೆ ನಂ.
ಮಿ ಆಳತೆಯ ನಿವೇಶನ ಕರ್ನಾಟಕ ನಗ
ಹಸ್ತಾಂತರಿಸುವ ಬಗ್ಗೆ.

ಕರ್ನಾಟಕ ನಗರ ನೀರು ಸರಬರಾ
ಪಟ್ಟಣದಲ್ಲಿ ಯು.ಜಿ.ಡಿ. ಕಾಮಗಾರಿಗಾ
ಸಂಖ್ಯೆ 2 ನಿರ್ಮಿಸಲು ತಾಂತ್ರಿಕವಾಗಿ
ಅನುಮೋದಿತ ರೂಪ ರೇಷೆಯಲ್ಲಿ ಸಾ
ಮಿ ಆಳತೆಯ ಪೈಕಿ 30 x30 ಮಿ ಆಳತೆ
ಮತ್ತು ಒಳಚರಂಡಿ ಮಂಡಳಿಗೆ
ನಿರ್ಣಯಿಸಿರುತ್ತಾರೆ.

ಅದ್ದರಿಂದ ಸೇದಂ ಪಟ್ಟಣದ ಯ
ಮಾಡಲು ಬೌಂಡೆಡ್ ನಿರ್ಮಾಣಕ್ಕಾಗಿ
ರೇಷೆಯಲ್ಲಿ ಸಾರ್ವಜನಿಕ ಸೌಲಭ್ಯ ಮ
ನಿವೇಶನವನ್ನು ಕರ್ನಾಟಕ ನಗರ ನೀರು
ದಿನಾಂಕ 18-03-2017 ರಂದು ಹಮ್ಮ
ಮಾಡಿ ನಿರ್ಣಯಿಸಿರುತ್ತಾರೆ.

ಆದರಂತೆ ಸಂಬಂಧಪಟ್ಟ
10-06-2017 ರ ವರೆಗೆ ಮುಖ್ಯಾಧಿಕ
ಅವಧಿ ಮೀರಿ ಬಂದ ಆಕ್ಷೇಪಣೆಗಳನ್ನು ಪ

ಪುರಸಭಾ ಕಾರ್ಯಾಲಯ, ಕುಮಟಾ (ಉ.ಕ.)

ದೂರವಾಣಿ/ಫ್ಯಾಕ್ಸ್: 08386-222020 ಇ-ಮೇಲ್: cokumta@yahoo.com ವೆಬ್‌ಸೈಟ್: www.kumatatown.gov.in

ಸಂ:ಪುಸಭ:ಕಾವಿ:ವಿವಿಧಯೋಜನೆ:ಟೆಂಡ್ರ:2017-18 ದಿನಾಂಕ: 27.05.2017

ಟೆಂಡರ್ ಪ್ರಕಟಣೆ (ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ಮುಖಾಂತರ ಮಾತ್ರ)

ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಸಾರ್ವಜನಿಕ ಖರೀದಾರಿಕೆ ಮತ್ತು ಕಾಯ್ದೆ ಹಾಗೂ ನಿಯಮಾವಳಿ-2000 ರಂತೆ, ಆರ್ಹ, ನೋಂದಾಯಿತ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರಿಂದ ಈ ಕೆಳಕಂಡ ಕಾಮಗಾರಿಗೆ ಕೆ.ಪಿ 1 ರ ನಿಬಂಧನೆಗೆ ಒಳಪಟ್ಟು ಪಟ್ಟಣದ ಟೆಂಡರನ್ನು ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ಮೂಲಕ ಕರೆಯಲಾಗಿದೆ. ಆಸಕ್ತಿಯುಳ್ಳ ಗುತ್ತಿಗೆದಾರರು ತಮಗೆ ಬೇಕಾದ ಟೆಂಡರ್ ಮಾಹಿತಿಗಳನ್ನು ವೆಬ್‌ಸೈಟ್ ವಿಳಾಸ www.kumatatown.gov.in ರ ಮೂಲಕ ಪಡೆದುಕೊಂಡು ಈ ಕೆಳಗೆ ನಮೂದಿಸಿರುವ ಪ್ರಮಾಣಗಳನ್ನು ತುಂಬಿ ಟೆಂಡರನ್ನು ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ಮೂಲಕ ಮಾತ್ರ ಸಲ್ಲಿಸಕ್ಕದ್ದು, ಟೆಂಡರನ್ನು ಸಲ್ಲಿಸುವ ಕೊನೆಯ ದಿನಾಂಕವಾದ ದಿನಾಂಕ: 30.06.2017 ರಂದು ಸಾಯಂಕಾಲ 4.00 ಗಂಟೆಯೊಳಗಾಗಿ ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ ಸಲ್ಲಿಸಕ್ಕದ್ದು, ದಿನಾಂಕ: 01.07.2017 ರಂದು 11.00 ಗಂಟೆಗೆ ಈ ಪುರಸಭೆಯಲ್ಲಿ ಇ-ಪ್ರೊಕ್ಯೂರ್‌ಮೆಂಟ್ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ ನೋಂದಣಿಯಾಗಿರುವ ಟೆಂಡರ್‌ದಾರರು ಟೆಂಡರ್ ಪರಿಶೀಲನಾ ಸಮಿತಿ ಸಭೆಯಲ್ಲಿ ತೆರೆಯಲಾಗುವುದು. ಅಥವಾ ಮುಂದಿನ ದಿನಾಂಕವನ್ನು ಈ ಕಚೇರಿ ನೋಟೀಸ್ ಬೋರ್ಡ್‌ನಲ್ಲಿ ತಿಳಿಯಪಡಿಸಲಾಗುವುದು.

ಕ್ರ. ಸಂ	ಷೆಡ್ಯೂಲ್ ಸಂ, ಯೋಜನೆಯ ವಿವರ, ಟೆಂಡರ್ ಪತ್ರ ಹಾಗೂ ಕಾಮಗಾರಿಗಳ ವಿವರ	ಅಂದಾಜು ರಮಂ (ಲಕ್ಷಗಳಲ್ಲಿ)	ಇ.ಎಂ.ಡಿ ರಮಂ (ರೂ.ಗಳಲ್ಲಿ)	ಗುತ್ತಿಗೆದಾರರ ದರ್ಜೆ	ಕಾಮಗಾರಿ ಮಾಡಿಕೊಡಲು ದಿನಾಂಕ ರಿಂದ ಕಾಲಾವಧಿ
1	2	4	5	6	7
1.	2017-18 ನೇ ಸಾಲಿನ 14ನೇ ಹಣಕಾಸು ಯೋಜನೆಯ ಜನರಲ್ ಬೇಸಿಕ್ ಗ್ರಾಂಟ್ ಮತ್ತು 2015-16 ನೇ ಸಾಲಿನ ಪರಫಾರಮನ್ಸ್ ಗ್ರಾಂಟ್ ಕುಮಟಾ ಪಟ್ಟಣದ ಎಲ್ಲ ವಾರ್ಡ್‌ಗಳ ಪ್ರಮುಖ ವೃತ್ತಗಳಲ್ಲಿ ಮೆಟಲ್ ಹೆಲೈಡ್ ದೀದಿ ದೀಪಗಳನ್ನು ಅಳವಡಿಸುವುದು Indent number -DMA/2017-18/IND5953	7.64	19,100.00	ಅಂದಾಜ ಇರುವೆಯಲ್ಲಿ 1ನೇ ದರ್ಜೆ ವಿದ್ಯುತ್ ಗುತ್ತಿಗೆದಾರರಾಗಿ ರಕ್ಷಿಸ್ಪ	15 ದಿವಸಗಳು

• ಹರಪ್ಪುಗಳು ಮತ್ತು ಇತರೆ ತಾಂತ್ರಿಕ ವಿವರಗಳಿಗಾಗಿ ಪುರಸಭೆ ವೆಬ್‌ಸೈಟ್ www.kumatatown.gov.in ಸಂಪರ್ಕಿಸುವುದು.

ಸಹಿ/- ಅಧ್ಯಕ್ಷರು, ಪುರಸಭೆ, ಕುಮಟಾ ಸಹಿ/- ಮುಖ್ಯಾಧಿಕಾರಿ, ಪುರಸಭೆ, ಕುಮಟಾ

ನಗರಸಭೆ ಕಾಯ

ಜಿಲ್ಲೆ ಯಾದ

Phone No. 08473-25
Website : www.yadgircity.mrc.gov

ಕ್ರ.ಸಂ.ನಸಯಾ/ತಾಂ.ಖ./ಇ-ಟೆಂಡರ್/

ಇ-ಪ್ರಕ್ಯೂರ್‌ಮೆಂ

ಕರ್ನಾಟಕ ರಾಜ್ಯದ ರಾಜ್ಯಪಾ
ನಗರಸಭೆ ಕಾರಾಯಕ್ತರು ಇವರ
ಖರೀದಾರ್ಕತೆ ಆದೇಶ 1999-2000
ಎಸ್.ಎಫ್.ಸಿ/14ನೇ ಹಣಕಾಸು
ಕಾಮಗಾರಿಗಳಿಗೆ ಟೆಂಡರ್‌ಗಳನ್ನು P
ಗುತ್ತಿಗೆದಾರರು ಕೆ.ಪಿ.ಡಬ್ಲ್ಯೂ-1 & 2
ಪೋರ್ಟಲ್ ಮೂಲಕ http://epr
ಮೇಲೆ ಟೆಂಡರ್‌ಗಳನ್ನು ಆಹ್ವಾನಿಸಲಾಗ

1. ಟೆಂಡರ್‌ಗಳನ್ನು ಸಲ್ಲಿಸಲು ಕೊ
ಗಂಟೆಗೆ.
2. ತಾಂತ್ರಿಕ ಮತ್ತು ಆರ್ಥಿಕ ಬಿಡ್
16.30 ಗಂಟೆಯ ನಂತರ.

ಹೆಚ್ಚಿನ ಮಾಹಿತಿ ಬೇಕಾದಲ್ಲಿ ಸ
ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಧಿಕಾರಿಗಳು
ಆಥವಾ ವೆಬ್‌ಸೈಟ್‌ನಲ್ಲಿ http://epro

Prajavani
Date:31.05.2017

him.

Sl.No.	Land Sy.No.	Extent	Village	Sale deed No.
1.	38	12 A-30 G out which Middle portion 4 acre 10 guntas	Bullapur	2986/85-86 Date : 27-2-1986

Sd/- M. Virupaxigouda, Advocate
B.Sc., LLB (Spl.)
Place : Raichur H.No. 1-1-148, Uday Nagar, Opp. West Police Station,
Date : 29-05-2017 Raichur. Cell No. 9448184132

SHILPA MEDICARE LIMITED 100% EOU
Plot No: 33,33A & 40 – 47,
Industrial growth centre, KIDB industrial area,
Chick sugar, Raichur-584134.

Environmental clearance obtained for the Shilpa Medicare Ltd 100%EOU for the Expansion and Modification of Active pharmaceutical ingredients, manufacturing unit.

EC No: SEIAA 50 IND 2016 dated:28-04-2017

Details are available at www.moef.nic.in

SD/-
MANAGING DIRECTOR.

CET exams, in Chitradurga on Tuesday. Principal Gangadhar and his mother Latha are also seen. DH PHOTO

Annexure-19

CET result

Chitradurga lad secures 12th rank

CHITRADURGA: K R Satwik, a student of SRS Educational Institution of the city has secured the 12th rank to the State in engineering division in the Common Entrance Test - 2017 results announced by Karnataka Examination Authority on Tuesday.

He has scored 173 marks out of 200 in CET engineering thus making his parents and college proud.

Speaking to reporters after receiving a felicitation from the management of SRS Educational Institution in Chitradurga on Tuesday, he expressed his thanks to the management of the college, teaching staff and parents for backing him in his studies. He said, he had scored 95% in the second pre-university exams this year. He said, he never took any tuitions and studied the subjects under the guidance of teachers. Sharing his joy, he said he prefers to study computer sciences in engineering.

DH News Service



'Govt urged to support ryots to remove silt from reservoir'



Chamaras Malipatil

RAICHUR, DHNS: Efforts of Karnataka Rajya Raitha Sangha & Hasiru Sene to remove silt from Tungabhadra reservoir received support but the water resources minister and the government remained disinterested in the task, said Sangha Honorary President Chamaras Malipatil.

Speaking at the press meet here, he said, with the help of public contributions, silt was being removed from a part of the reservoir. But the elected representatives of Raichur, Koppal and Ballari did not show any concern, he said.

The silt removed from the reservoir would be more useful for farmers in maintaining the fertility of their agriculture fields. Farmers were more interested in taking the silt to their fields. The government should provide only the machines and diesel. Within two to three years the silt from entire reservoir could be removed, he said. If the government did not extend the helping hand, the farmers would collect donations and take up the work, he added.

The government has planned to construct a reservoir at Navali to store 40 TMC ft water. But it was not an easy task. Construction of the reservoir would take a decade as the land should be acquired from farmers.

Therefore, desilting would be an easy task, he said.

PDS rice seized

DAVANGERE, DHNS: Azad Nagar police of the city have seized 10 quintals of Anna Bhagya rice illegally stored at the residence of Mubina, at 5th Cross, Venkabhovi Colony in Davangere.

Police arrested accused Mubina and remanded her to judicial custody.

Azadnagar Police have registered a case.

Hosapete

DECCAN HERALD
Date:31.05.2017

Annexure-20

सत्यमेव जयते

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016 Date: 29.06.2022

TRANSFER OF ENVIRONMENTAL CLEARANCE

Preamble:

Attention is invited to Authority's letter No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 regarding grant of Environmental Clearance for Expansion and Modification of Active Pharmaceutical Ingredients (APIS) & Intermediates Manufacturing Industry with R & D activity manufacturing industry Project at Plot Nos. 30, 31, 32, 35 to 39, 33, 33A, & 40-47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District Karnataka to M/s Shilpa Medicare Limited.

M/s Shilpa Pharma Lifesciences Limited vide letter received on 16.04.2022 requested for transfer of EC granted to M/s Shilpa Medicare Limited in favour of M/s. Shilpa Pharma Lifesciences Limited.

The State Level Environment Impact Assessment Authority, Karnataka considered the request made by M/s Shilpa Pharma Lifesciences Limited during the meeting held on 7th May 2022 in the light of provision for "Transferability of Environmental Clearance (EC)" under para 11 of the Notification No. S.O. 1533(E) dated 14th September 2006. The Authority after discussion have decided to transfer the Environmental Clearance issued to M/s Shilpa Medicare Limited, 100% export oriented unit, Unit-II plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District – 584134 vide letter No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 in favour of M/s Shilpa Pharma Lifesciences Limited - Unit-2, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Chiksugur – 584 134, Raichur District, Karnataka State on the same terms and conditions under which the prior Environmental Clearance has been granted and for same validity period.

...2

Room No. 706, 7th Floor, 4th Gate, M.S. Building, Bangalore - 560 001 Phone : 080-22032497 Fax : 080-22254377
Website : http://environmentclearance.nic.in http://seiaa.karnataka.gov.in e-mail : msseiaakarnataka@gmail.com

Annexure-20

Hence the Order.

ORDER

Pursuant to the facts and circumstances in the preamble, the Environmental Clearance granted by our order No. SEIAA 50 IND 2016 dated 28.04.2017 and corrigendum dated 15.03.2018, 16.06.2020 & 31.01.2022 the name of the proponent may be substituted by M/s Shilpa Pharma Lifesciences Limited – Unit 2.

Yours faithfully,

(Vijay Mohan Raj V)
Member Secretary
SEIAA Karnataka

To,

M/s Shilpa Pharma Lifesciences Limited,
unit-2, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47,
Raichur Industrial Growth Center,
Chiksugur – 584 134, Raichur District,
Karnataka State

Copy to:

1. The Secretary, Ministry of Environment & Forests and Climate Change Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi-110 003.
2. The Director, Department of Mines and Geology, Khanija Bhavan, Race course road, Bangalore – 560 001.
3. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
4. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F Wings, 17th Main Road, Koramangala II Block, Bengaluru - 560 034.
5. M/s Shilpa Medicare Limited, 100% export oriented unit, Unit-II, Plot No. 30, 31, 32, 35 to 39, 33, 33A, & 40-47, Raichur Industrial Growth Center, Wadloor Road, Chicksugur, Raichur District – 584134
6. Guard File.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016 Date: 28-04-2017

To,

M/s. Shilpa Medicare Limited
100% export oriented unit
Unit -II Plot No.33, 33A & 44 to 47
Raichur Industrial Growth Centre
Wadloor Road, Chicksugur,
Raichur District-584134

Sir,

Sub: Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District of M/s. Shilpa Medicare Limited - Issue of Environmental Clearance - Reg.

*****

This has reference to your online application dated 26th October 2016 bearing proposal No. SIA/KA/IND2/17628/2016 addressed to SEIAA, Karnataka and subsequent letters addressed to SEIAA/SEAC Karnataka furnishing further information/seeking prior Environmental Clearance for the above project under the EIA Notification, 2006.

2. It is inter-alia noted that Environmental Clearance has been issued by MoEF, Govt. of India to this project vide letter No. J-11011/71/2007-IA II (I) dated 12th March 2008 for expansion of Bulk drug unit to manufacturing of Ambroxol HCl of 47 MTA, Anastrozole of 0.1MTA, Bicalutamide of 0.5MTA, Carboplatin of 0.35MTA, Cisplatin of 0.1MTA, Coenzyme Q-10 of 18MTA, Docetaxel of 0.1MTA, Gemcitabine HCl of 0.3MTA, Irinotecan HCl Trihydrate of 0.1MTA, Oxaliplatin of 0.05MTA, Paclitaxel of 0.1MTA, Temozolomide of 0.1MTA, 3a, 7B-Dihydroxy Cholanic Acid of 60 MTA with Total quantity 126.8MTA.

3. Your application for the Environmental Clearance to the proposed Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited was appraised as per the prescribed procedure in light of the provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with

the application viz., the Form 1, Pre feasibility report, EIA Report for manufacture of proposed Active Pharmaceutical Ingredients (APIs) & Intermediates and the additional clarifications furnished in response to the observations of the SEAC, Karnataka , in its meetings held on 26th April 2017 and SEAC has recommended for issue of Environmental Clearance for the proposed Expansion & modification.

4. It is, inter-alia, noted that M/s. Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing of total capacity 422.415 TPA listed in **ANNEXURE –I.** The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm area is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. x6 TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The total cost of the project is Rs.6040 Lakhs.

5. The wastewater generation will be 201 KLD, out of which 25 KLD will be the domestic sewage, 176 KLD will be the industrial effluent (130.5 KLD : Low TDS & 70.5 KLD : High TDS). Domestic sewage and the industrial effluent such as Low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFT. The MEE condensate shall be treated along with Low TDS effluent. The solid wastes generated are inorganic and organic of total quantity 48 Kg/day and 72 Kg/day respectively shall be composted. The hazardous waste generated are Process residue of 8,682.4Kg/Annum, Spent carbon of 2,536.3 Kg/Annum and Distillation residue of 20.3MT/Annum shall be sent to Co Processing in cement industries, Inorganic salt from process of 96,879.54 Kg/Annum, Salt from MEE system of 393 Tons/ Annum, ETP Sludge of 36,000Kg/Annum shall be sent to TSDF /Co processing industries, waste oil from DG set & Boiler of 1800 L/Annum, Discarded containers/Liners/Barrels of 6000No's /Annum, e-waste of 60 Kg, Spent catalyst of 11,800.8 L/Annum shall be handed over to KSPCB Authorized recyclers/re-processors. Spent solvent of 6,23,288 L/Annum shall be distilled in house/ send to re-processors for reuse or recover.

6. The project proposal has been considered by SEAC during the meeting held on 18th & 19th November 2016 and ToR was issued on 9th January 2017 for conducting Environment Impact Assessment (EIA) Study. The project is located within the notified industrial area and hence does not require public

consultation. The EIA has been conducted and report submitted by Sri. K R Sreeharsha S/o Late K V Ramaswamy, R/AT No. 5/76, IV Main N R Colony, Bangalore-560 019. Applicability of the Notification No. S. O 648 (E) dated 3rd March 2016 issued by the MoEF, GoI, regarding mandatory accreditation of Environmental consultants from NABET/QCI stands deferred in this case in view of the interim order granted by High Court of Karnataka in W. P. No. 15026-15038/2016 (GM-RES): (Sri. K R Sreeharsha Vs. Union of India represented by MoEF &CC, GoI & Dept Ecology & Environment, GoK) dated 21.03.2016. The project proponent submitted the EIA Report.

7. Based on the information submitted by you, presentation made by you and your consultant Sri. K R Sreeharsha S/o Late K V Ramaswamy, R/AT No. 5/76, IV main N R Colony, Bangalore-560 019. The State Level Expert Appraisal Committee (SEAC) examined the proposal in the meeting held on 22nd April 2017 and 26th April 2017 and has recommended for issue of Environmental Clearance.


8. The SEIAA Karnataka has considered the project in its meeting held on 26th & 27th April 2017 and after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations and the appraisal and recommendation of the SEAC and decided to accord Environmental Clearance in accordance with the provisions of Environmental Impact Assessment Notification-2006 and its subsequent amendments, subject to strict compliance of the following terms and conditions: -

Part A- SPECIFIC CONDITIONS

1. National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21st July, 2010 and amended time to time shall be followed by the unit.
2. The total effluent generation shall not exceed 201 KLD. Domestic sewage and the industrial effluent such as Low TDS effluent shall be treated in ETP of capacity 130.5 KLD followed by RO and High TDS effluent shall be treated in solvent stripper followed by MEE of 100 KLD and ATFT. The MEE condensate shall be treated along with Low TDS effluent.
3. Effluent Treatment Plant shall ensure to prevent ground water contamination due to leakage from unlined tanks.
4. Total water requirement from KIADB water supply shall not exceed 214.6 KLD and prior permission shall be obtained from the concerned Authority. No ground water shall be used.
5. The process emissions from the boiler shall be dispersed through stack of adequate height as per CPCB / KSPCB standards. The gaseous emissions from the DG set shall be dispersed through stack height as per CPCB standards shall be provided. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.

Annexure-20

6. Ambient air quality data shall be collected as per NAAQS standards notified by the Ministry vide G.S.R. No. 826(E) dated 16th September, 2009. The levels of PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO, VOC and HCl shall be monitored in the ambient air and emissions from the stacks and displayed at a convenient location near the main gate of the company and at important public places. The company shall upload the results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF - Bangalore, SEIAA - Karnataka, the respective zonal office of CPCB and the KSPCB.
7. The company shall upload the status of compliance of the stipulated environmental clearance conditions, including results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MoEF - Bangalore, SEIAA - Karnataka, the respective zonal office of CPCB and the KSPCB. The levels of PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO and VOC (ambient levels) and emissions from the stacks shall be monitored and displayed at a convenient location near the main gate of the company and at important public places.
8. The Company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 for management of hazardous wastes and prior permission from KSPCB shall be obtained for disposal of solid / hazardous waste to the TSDF. The concerned company shall undertake measures for firefighting facilities in case of emergency.
9. In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the KSPCB.
10. Hazardous chemicals shall be stored in tanks in tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pumps.
11. The company shall undertake following Waste Minimization measures :-
    a. Metering and control of quantities of active ingredients to minimize waste.
    b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
    c. Use of automated filling to minimize spillage.
    d. Use of Close Feed system into batch reactors.
    e. Venting equipment through vapour recovery system.



f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.

12. For control of fugitive emission following steps shall be followed:
    a. Closed handling system shall be provided for chemicals.
    b. Reflux condenser shall provide over reactor.
    c. System of leak detection and repair of pump/pipeline based on preventive maintenance.
    d. The acids shall be taken from storage tanks to reactors through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water.
    e. Cathodic protection shall be provided to the underground solvent storage tanks.
13. Solvent management shall be as follows:
    a. Solvent used in the process shall be completely recovered and reused.
    b. Efforts are to be made to recover inorganic salts.
    c. Reactor shall be connected to chilled brine condenser system.
    d. Reactor and solvent handling pump shall have mechanical seals to prevent leakages.
    e. The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery
    f. Solvents shall be stored in a separate space specified with all safety measures.
    g. Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.
    h. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
    i. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits imposed by KSPCB.
14. No effluent shall be discharged outside the factory premises and "Zero" discharge concept shall be adopted.
15. Multi-cyclone followed by bag filter shall be provided to the boilers to control particulate emissions within 100 mg/Nm3. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/KSPCB guidelines.
16. Two stage chilled water/caustic scrubber shall be provided to process vents to control HCl. Two stage scrubbers with caustic lye media solution shall be provided to process vents to control SO2. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels shall go beyond the prescribed standards.
17. As proposed Process residue, Spent carbon and Distillation residue shall be sent to Co Processing in cement industries, Inorganic salt from

process, Salt from MEE system, ETP Sludge shall be sent to TSDF /Co processing industries, waste oil from DG set & Boiler, Discarded containers/Liners/Barrels, e-waste, Spent catalyst, shall be handed over to KSPCB Authorized recyclers/re-processors, Spent solvent shall be distilled in house/ send to re-processors for reuse or recover.

18. Boiler ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing along with the storm water. Direct exposure of workers to fly ash & dust shall be avoided.
19. During transfer of materials, spillages shall be avoided and garland drains be constructed to avoid mixing of accidental spillages with domestic waste and storm drains.
20. The Company shall harvest surface as well as rainwater from the rooftops of the buildings and storm water drains to recharge the ground water and use the same water for the various activities of the project to conserve fresh water.
21. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the OISD 117 norms.
22. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
23. Usage of PPEs by all employees/ workers shall be ensured.
24. Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
25. Green belt shall be developed in at least 33% of area with suitable species of the plants as per the CPCB guidelines to mitigate the effects of fugitive emissions. Selection of plant species shall be as per the CPCB guidelines.
26. The adequate financial provisions shall be made in the budget of the project for implementation of the above suggested environmental safeguards. Fund so earmarked shall not be diverted for any other purposes.
27. The company shall comply with the recommendations made in the EIA/EMP/Risk assessment report. Risk assessment shall be included in the safety Manual.
28. Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.
29. The coal to be stored in coal stockyard on impervious layer in a covered shed and along the boundary garland canal to be provided leading to a

exit pond/tank to arrest coal dust run-off and to allow settling of coal fines. The coal fines to be removed periodically.

30. Avoids bromination processes (wherever followed)
31. Recovers Lithium salts from the effluents wherever Lithium compounds are used in the reactions.
32. Treatment of recalcitrant's to be documented and kept at all times.
33. Adopts Good Management Practices (GMP) & Green Chemistry.
34. Storage facilities for the fuel shall be made in the plant area in consultation with Department of Explosives, Nagpur. Disaster Management Plan shall be prepared to meet any eventuality in case of an accident taking place due to storage of Fuel.
35. The Project authorities also shall earmark at least 2.5 % of the total cost of the project towards the corporate social responsibility and item-wise details along with time bound action plan shall be prepared and submitted to the Authority.
36. The project proponent shall use Husk as Fuel for the Boilers.
37. The project proponent shall store fresh solvents, used solvents, recovered solvents as per the PESO norms and shall not be stored in plastic bags
38. The industry shall not operate without a functional effluent treatment plant as per the order of the Hon'ble Supreme Court dated February 22, 2017 in W.P. No. 375 of 2012.

B. GENERAL CONDITIONS:

1. The project authorities shall strictly adhere to the stipulations made by the Karnataka State Pollution Control Board (KSPCB).
2. At no time, the emissions shall exceed the prescribed limits. In the event of failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved.
3. No further expansion or modifications in the plant shall be carried out without prior approval of the SEIAA/Ministry of Environment and Forests as the case may be. In case of deviations or alterations in the project proposal from those submitted to this Authority for clearance, a fresh reference shall be made to the Authority to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
4. The gaseous emissions (PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO, VOC) and Particulate Matter along with RSPM levels from various process units shall conform to the standards prescribed by the concerned authorities from time to time. At no time, the emission levels shall go beyond the stipulated standards. In the event of failure of pollution control system(s) adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Stack monitoring for PM_{10}, $PM_{2.5}$, SO_2, NO_X, CO, VOC shall be carried.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

5. The project authorities shall strictly comply with the rules and regulations under Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989 as amended in October 1994 and January 2000. All transportation of Hazardous Chemicals shall be as per the MVA, 1989. Authorization from the KSPCB shall be obtained for collection, treatment, storage, and disposal of hazardous wastes.
6. The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016. Authorization from the KSPCB must be obtained for collection/treatment/ storage/disposal of hazardous wastes.
7. Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting in addition to provision for solar water heating. A hybrid system or fully solar system for lighting and heating should be provided. Details in this regard should be submitted to the SEIAA.
8. The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, Rules, 1989 viz. DBA (day time) and 70 dBA (night time).
9. The project proponent shall also comply with all the environmental protection measures and safeguards as per the information provided.
10. The implementation of the project vis-à-vis environmental action plans shall be monitored by MoEF, Regional Office at Bangalore / KSPCB/ CPCB and the Department of Environment & Ecology, Bangalore. A six monthly compliance status report shall be submitted to monitoring agencies.
11. The project proponent shall inform the public that the project has been accorded environmental clearance by the SEIAA and copies of the clearance letter are available with the KSPCB and may also be seen at Website of the Authority at http://www.seiaa.karnataka.gov.in http://environmentclearance.nic.in/ This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the MoEF Regional Office at Bangalore / KSPCB/ CPCB and the Department of Environment & Ecology, Bangalore/Kalaburgi.
12. The project authorities shall inform the MoEF Regional Office at Bangalore / KSPCB/ CPCB and the Department of Ecology and Environment, Bangalore, Kalaburgi the date of financial closure and final

approval of the project by the concerned authorities and the date of start of the project.

13. The SEIAA, Karnataka may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
14. The SEIAA, Karnataka reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.
15. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and rules.
16. The issue of Environment Clearance doesn't confer any right to the project proponent to operate / run the project without obtaining statutory clearances / sanctions form all other concerned Authorities.
17. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environmental (Protection) Act, 1986.
18. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
19. Officials from the Department of Environment and Ecology, Bangalore/ Regional Office of MoEF, Bangalore who would be monitoring the implementation of Environmental safeguards should be given full cooperation, facilities and documents/ data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF / SEIAA should be forwarded to the APCCF, Regional Office of MoEF, Bangalore/ Department of Ecology and Environment, Bangalore/Kalaburgi/ Regional Officer, KSPCB Bangalore.
20. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Authority.
21. The Authority reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.
22. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the competent authorities.
23. These stipulations would be enforced among others under the provisions of water (Prevention and Control of Pollution) Act, 1974, the Air

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

(Prevention and Control of Pollution) act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and EIA Notification, 2006.

24. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it is found that construction of the project has been started without obtaining environmental clearance.

Yours faithfully,

(RAMACHANDRA)
Member Secretary,
SEIAA - Karnataka.

25/4/17

Copy to:

1) The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110 003.
2) The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3) The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore – 560 034.
4) Regional Director (Environment), Ecology and Environment Department, Government of Karnataka, Timmapuri Chowk, Vallabhai Patel Circle, Temple Road Near Court, Kalaburgi.
5) Guard File.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

Annexure -I to Environment Clarence letter No. SEIAA 47 IND 2016 dated 28-04-2017

Sl. No	Name of products for manufacture (proposed)	Capacity in TPA
1.	Ambroxyl Hcl	10
2	Anatrazole	0.1
3	Gemcitabine Hcl	0.1
4	Paclitaxel	0.1
5	Temezdomide	0.1
6	Bicalutamide	0.5
7	Docetaxel Trihydrate	0.1
8	3a,7B-Dihydroxy Cholanic Acid	60
9	Bendamustine hcl	0.2
10	Bortzomib	0.005
11	Capacitabine	60
12	Imatinib	5
13	Lenalidomide	0.5
14	Letrozole	0.05
15	PMD	0.25
16	Decitabine	0.01
17	Cytrabine	0.05
18	Cabazitaxel	0.01
19	Acebrophylline	10
20	Cloferabine	0.01
21	Melphalan	0.025
22	Cyclophosphamide	1
23	Tenfovir	50
24	PMK	0.25
25	Erlotonib	2
26	Emtricitabine	1
27	Dimethyl fumarate	12
28	Elvitegravir	1
29	Cobicistat	100
30	Busulfan	0.05
31	Zoledranic Acid	0.005
32	Tranexamic Acid	100
33	Sunitinib Malate	3
34	Sorafenib Tosylate	3
35	Abiraterone acetate	2
	Total	**422.415**

(RAMACHANDRA) 28/4/17
Member Secretary,
SEIAA - Karnataka.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016 Date:15.03.2018

CORRIGENDUM

The following corrections shall be incorporated in the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 issued to M/s. Shilpa Medicare Limited, 100% export oriented unit, Unit –II Plot No.33, 33A & 44 to 47, Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District:

1) Specific Condition No. 30 shall be corrected and read as follows:

"Bromination to be avoided using liquid broming. Explore other alternative brominating reagents such as Poly N-Bromosuccinimide, Cetyltrimethyl ammonium tribromide, tertiary butyl ammonium bromide and Tetrabutyl ammonium tribromide."

2) ANNEXURE –I shall be replaced with ANNEXURE –I (R) enclosed to this corrigendum.

Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 remains unchanged.

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★ सत्यमेव जयते

(RAMACHANDRA) 15/3/18
Member Secretary,
SEIAA.

To,

M/s. Shilpa Medicare Limited,
100% export oriented unit,
Unit –II Plot No.33, 33A & 44 to
Raichur Industrial Growth Centre
Wadloor Road, Chicksugur, Raichur District-584134.

Copy to:

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110003.
2. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore-560 034.
4. Regional Director (Environment), Ecology and Environment Department, Government of Karnataka, Timmapuri Chowk, Vallabhai Patel Circle, Temple Road Near Court, Kalaburgi.
5. Guard File.

Room No. 706, 7th Floor, 4th Gate, M.S. Building, Bangalore - 560 001 Phone : 080-22032497 Fax: 080-22254377
Website : http://seiaa.kar.nic.in http://seiaa.karnataka.gov.in http://environmentclearance.nic.in
e-mail: msseiaakarnataka@gmail.com

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

ANNEXURE –I (R) to Environment Clarence letter No. SEIAA 50 IND 2016 dated 28-04-2017

List of Active Pharmaceutical Ingredients (APIs) & Intermediates to be manufactured:

Sl. No	Products		Intermediates	
	Name of the product	Production capacity Kg/Annum	Name of the Intermediates	Production capacity Kg/Annum
1	**Ambroxol HCl**	10000	Intermediate-I: 2-Amino 3,5-di bromo-N(trans-4-hydroxy cychlohexyl) benzylamine and it's synonyms	9343
2	**Anastrozole**	100	2,2-(5-bromomethyl)-1,3-phenylene)bis(2-methylprepio nitraile) and it's synonyms	480
			Intermediate-II: 2,2-(5-(1,H-1,2,4-triazol-1-yl methyl)benzene-1,3-di yl) bis(2-Methyl prepiolitrile) and it's synonyms	270
3	**Gemcitabine HCl**	100	Intermediate-I: 2',2'-Difluorodeoxycytidine and it's synonyms	184
			Intermediate-II: Dizirconium silicide	124
4	**Paclitaxel**	100	Intermediate-I: Baccatin-III (Paclitaxel crude) and it's synonyms	240
			Intermediate-II: Paclitaxel Crude	144
			Intermediate-III: Paclitaxel Crude	132
5	**Temozolomide**	100	Intermediate-I: Temazolamide crude and it's synonyms	240
6	**Bicalutamide**	500	Intermediate-I: -N-(4-cyano-3-(tri fluromethyl)phenyl)-3-{(4-flurophenyl) sulphanyl)-2-hydroxy-2-methyl propanomide. and it's synonyms	590.4
7	**Docetaxel trihydrate**	100	Intermediate-I: 7,10-di-O-chloroacetyl-10-di acetyl baccatin-III and it's synonyms	192
			Intermediate-II: 2-0-benyl-7,10-di-O-chloro acetyl-decetaxel and it's synonyms	

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★
सत्यमेव जयते

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

8	**3a,7b-Dihydroxy Cholanic Acid**	60000	Intermediate-I: Cholic acid methyl ester and it's synonyms	142800
			Recovery stage- I: 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	4800
			Intermediate-II: 3a, 7b-diacetyl,12a-hydroxy-methyl cholanate and it's synonyms	125712
			Recovery stage- II: 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	36000
			Intermediate-III: 3a, 7a-diacetyl-12-keto-methyl cholanate and its synonyms	142800
			Recovery stage:III 3,7,12 TRIHYDROXY CHOLAN 24 OIC ACID CRUDE	9600
			Intermediate-IV: 3a, 7a-dihydroxy-5b-Cholan 24-OIC ACID and it's synonyms	102720
			Intermediate-V: 3a, hydroxy-7-keto-Cholanic acid and it's synonyms	79992
			Recovery Stage-V: 3a,7b DIHYDROXY 5b-CHOLAN 24 OIC ACID CRUDE	19200
9	**BendamustineHCl**	200	-	-
10	**Bortezomib**	5	Intermediate-I: (s)-3-phenyl-2-(phrazine-2-carboxyamido)propanoic acid and it's synonyms	29.52
			Intermediate-II:3-methyl-1-(3-phenyl-2-(phrazine-2-carboxyamido)propanamido)butyl)boromic acid and it's synonyms	6.396
11	**Capecitabine**	60000	Intermediate-I: (2,3-di-O-acetyl-5 deoxy-5 flurocylidine) and its synonyms	72000
			Intermediate-II: (2,3-di-O-acityl-5 deoxy-5-deoxy-5-fluro-n4-(n-pentyloxy carboxyl) and its synonyms	79200
12	**Imatinib mesylate**	5000	-	
13	**Lenalidomide**	500	Intermediate-I: Chromate(	

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

14	**Letrozole**	50	Intermediate-I: -4-(1H-1,2,4-triazol-1-yl) methyl)benzonitraile methane sulfonate and it's synonyms	151
15	**Pemetrexed disodium**	250	Intermediate-I: –N-4[2-(2-amino-4,7-dihydro-4-oxo-1 H-Phyrolo[2,3-d] pyrimidin-5-yl)ethyl]benzoyl)-L-glutanic acid di sodium salt. and it's synonyms	467
			Intermediate-II: Pemetrexed di acid	349.5
16	**Decitabine**	10	Intermediate-I: 1- methyl-2-deoxy ribose and it's synonyms	155
			Intermediate-II: 1-methyl-3,5-di-o-acetyl-2-deoxy pentafuranose and it's synonyms	208
			Intermediate-III: (1-(3,5-di-O-acetyl-2-deoxy-O-robofurnosol)-5-azacytosize) and it's synonyms	102
			Intermediate-IV: (4-amino-1(2-deoxy-bta-D-erythro pentafuranasol)-1,3,5-trazin-2(1-H)-one and it's synonyms	20
17	**Cytarabine**	50	Intermediate-I: Cyclocytidine.Hcl and it's synonyms	62
18	**Cabazitaxel**	10	Intermediate-I: 4a-acetoxy-2a benzoyloxy-5b,2-o-epoxy-1b,hydroxyl-7b,10b-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,5R)-3tert-hydroxy carbonyl-2-(4-methoxy phenyl)-4phenyl)-4-phenyl-1,3-oxozodidine-5-carboxylate. and it's synonyms	13
			Intermediate-II: Di isopropyl ether solvate of 4a-acetoxy-2a benzoyloxy-5b 2-o-epoxy-1b,hydroxyl-7b,10b-linethoxy-9-oxo-11-haxane-13a-yl(2R,4S,5R)-3tert-butoxycarbonylamino-2-phenylpropionate. and it's synonyms	19
			Intermediate-II: Cabazitaxel Crude	5940
19	**Acebrophylline**	10000	Intermediate-I: 1,2,3,6-tetrahydro-di enethyl-2,6- do oxo-7 H-puri acetic acid with trans-4-[{(2- 3,5-dibromophenyl{amino] hexanol	

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★
सत्यमेव जयते

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

20	**Clofarabine**	10	Intermediate-I: 2-Deoxy-1-a-bromo-2-B-flumo-3-5-di-O-bezyl-d-ribofuronose and it's synonyms	45
			Intermediate-II: 2-chloro-b-butyl amido purine and it's synonyms	23
21	**Melphalan HCl**	25	Intermediate-I: (s)-3-(4-aminophenyl)-2-(1,3-dioxo isoindoline-2-yl)propaoic acid. and it's synonyms	514.5
			Intermediate-II: (S)-methyl-3-(4-aminophenyl)-2-(1,3-dioxoiso indoline-2-yl)propanate. and it's synonyms	342
			Intermediate-III: (S) methyl-3-(4-(bis(2-hydroxyethy)amino)phenyl)-2-(1,3-di oxo isoindolin-2-yl)propanate. and it's synonyms	249
			Intermediate-IV: (S)-2-amino-3-(4-(bis(2-chloro ethyl) amino) phenyl) propanoic acid hydrochloride. and it's synonyms	249
22	**Cyclophosphamide**	1000	Intermediate-I: Bis(2-chloroethyl)amine hydrochloride	886
			Intermediate-II: Bis(2-chloroethyl) phosphoramidic dichloride and it's synonyms	810
23	**TENOFOVIRDISOP ROXIL FUMARATE**	50000	Intermediate-I: -9-[-R-2-[bis{[isopropoxycarconyl]oxo}methax yl]phosphoniyl]methoxy]propyl]adeni ne fumarate. and it's synonyms	142500
24	**Pemetrexed dipotassium**	250	Intermediate-I: –N-4-[2-(2-amino-4,7-dihydro-4-oxo-1H-phyrol(2,3-d) pyiimidin-5-yl)ethyl]benzoyl]-L-glutamic acid, disodium salt and it's synonyms	562
			Intermediate-II: Potassium2-(4-(2-amino-4-ox-4,7 dihydro-3H-pyrrolo[2,3-d]pyrimidin -5-yl)ethyl)benzamide)pentanedioate	




Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

25	**Erlotinib Hcl**	2000	Intermediate-I: 2-AMINO-4,5-BIS(2-METHOXYETHOXY)BENZONITRILE and it's synonyms	2733.5
			Intermediate-II: N-(4,5-bis(2 methoxy ethoxy)-2-cynophenyl)-N-N-dimethyl farmamidine and it's synonyms	2573
			Intermediate-III: 6,7-Bis-(2-methoxyethoxy)-4(3H)-quinazolinone	2733.5
26	**Emtricitabine**	1000	Intermediate-I: (1R,2S,5R)-Menthyl-(2R,5S)-5-(4-amino-2-oxo-2H-pyrimidin-1-yl)-[1,3]oxathiolane-2-carboxylic acid and it's synonyms	1935
27	**Dimethyl Fumarate**	12000	Intermediate-I: Di methyl (E) butane di acitate. and it's synonyms	14666
28	**ELVITEGRAVIR**	1000	Intermediate-I: (3-chloro-2-fluorophenyl)(2,4-diemnethoxyphenyl])methanone and it's synonyms	102.6
			Intermediate-II: 1-(5-3-chloro-2-fluorobenzyl)-2,4-dimethoxy phenyl)ethanone and it's synonyms	918.5
			Intermediate-III: Thyl-3-(5-3-chloro-2-fluorobenzyl)-2-4-dimethoxyphenyl)-3-oxopropanate and it's synonyms	965
			Intermediate-IV: Ethyl-3-(5-3-chloro-2-fluorobenzyl)-2,4-dimethoxyphenyl)-2-((dimethyl amino)methylene)-3-oxopropanate and it's synonyms	1061.4
			Intermediate-V: Ethyl-6(3-chloro-2-fluorobenzyl)-1,4-dihydro-1((s)-1-hydroxy-3-methylbutan-2-yl)-7-methoxy-4-oxoguirolone-3-carboxylate and it's synonyms	1061.5
			Intermediate-VI: -6-(3-chloro-2-flurobenzyle)- 1,4-dihydro-1((s)-1-hydroxy-3-methylbutan-2-yl)-7-methoxy-4-oxoguirolone-3-carboxylic acid and it's synonyms	955



Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

29	**COBICISTAT**	100000	Intermediate-IA: 2-bromo-2-nitro-butane and it's synonyms	34865
			Intermediate-IIA: 1-(6-Ethoxy-2-(methylthio)pyrimidin-4-yl)piperidine-2-carboxylic acid and it's synonyms	40695
			Intermediate-IIIA: Ethyl (2S)-2-({[(2-isopropyl-1,3-thiazol-4-yl)methyl](methyl)carbamoyl}amino)-4-(4-morpholinyl)butanoate ethanedioate and it's synonyms	48152
			Intermediate-IB:(L)-amino lactone hydrogen bromide salt and its synonyms	3486.1
			Intermediate-IIB: 3-((cs)-terahydro-2-oxoforum-3-yl)-1-((2-isopropylthaazol-4-yl)methyl-1-methyl urea	40659.3
			Intermediate-IIIB: (S) -ethyl-2-[3-(2)-isopropylthaozol-4yl methyl-3-methylamido]-4-morphollin-4-ylbutanate oxalate salt	48151.8
30	**Busulfan**	50	Intermediate-I: Butane-1,4 diyldimethanesulfomate and it's synonyms	171
31	**Zoledronic Acid**	5	Intermediate-I: Imidazol-1yl-acetic acid methyl ester and it's synonyms	12.5
			Intermediate-II: Imidazol-1yl-acetic acid and it's synonyms	10
			Intermediate-III: (1-hydroxy-2-imdazol-1-phosphono-ethyl)-phosphoric acid and it's synonyms	6
32	**TRANEXAMICACID**	100000	Intermediate-I: Methyl(4-4cyano cyclohexane-1-carboxylate and it's synonyms	128700
			Intermediate-II: Sodium-4-amino methyl cyclohexane carbocylate and it's synonyms	[illegible]
			Intermediate-III: Sodium-4-aminomethyl cyclohexane carbocylate and it's synonyms	[illegible]318

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

			Intermediate-IV: 4-amino methyl cyclohexane carbocylate acid sodium salt and it's synonyms	543312
			Intermediate-V: 4-amino methyl cyclohexane-carbocylicacid and it's synonyms	124146
			Intermediate-VI: 4-amino methyl cyclohexane-carbocylicacid and it's synonyms	113850
33	**Sunitinib Maleate**	3000	Intermediate-I: 2-[(3,5-Dimethyladamantan-1-yl)carbonyl]hydrazinecarboxamide and it's synonyms	2592
			Intermediate-II: N,N dimethyl sunitinib and it's synonyms	2700
34	**SorefenibTosylate**	3000	Intermediate-I: 4-(4-Aminophenoxy)-N-methyl picolinamide and it's synonyms	2850
			Intermediate-II: 1-(4-(2-methyl carbonyl)pyridine-4-yloxy)phenyl-3-(tri floro methanol)phenol) urea. and it's synonyms	2925
35	**Abiraterone acetate**	2000	Intermediate-I: De hydroepiandrosterone-17-hydrazone and it's synonyms	6600
			Intermediate-II: 17-bromo-androsta-5,16-diene-3-B-ol and it's synonyms	4323
			Intermediate-III: 17-(3-phyridyle)androsta-5,16-diene-3-B-ol and it's synonyms	2640

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★
सत्यमेव जयते

(RAMACHANDRA) 16/3/18
Member Secretary,
SEIAA - Karnataka.

Annexure-20

सत्यमेव जयते

State Level Environment Impact Assessment Authority-Karnataka

(Constituted by MoEF, Government of India, under section 3(3) of E(P) Act, 1986)

No. SEIAA 50 IND 2016 Date:16.06.2020

CORRIGENDUM

Para 4 (Page 2) of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 issued to M/s. Shilpa Medicare Limited, 100% export oriented unit, Unit –II Plot No.33, 33A & 44 to 47, Raichur Industrial Growth Centre Wadloor Road, Chicksugur, Raichur District-584134 for expansion & modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit at Plot No. 33, 33A and 40 to 47 of Raichur Industrial Growth Centre, Wadloor Road, Chicksugur, Raichur District shall be corrected and read as follows:

"4. It is, inter-alia, noted that M/s. Shilpa Medicare Limited have proposed for manufacture of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing of total capacity 422.415 TPA listed in **ANNEXURE -I(R)** and the byproducts listed in ANNEXURE- II (R), The total plot area is 84,984 Sqm(21 Acres), out of which 19,459 Sqm area is for Ground Coverage area, 30,927.5 Sqm area is for Built up area, 9,458.94 Sqm area is for Hard paved area, 26,322 Sqm area is for green belt and 32,433.16 Sqm is unused area. Total water consumption is 577.5 KLD (214.6 KLD from KIADB and 362.9 KLD from recycled & condensate water), out of which 30 KLD for domestic purpose, 532.5 KLD for industrial purpose and 15 KLD for green belt. Power requirement is 1800 KVA. 3 number DG set of 625 KVA will be installed for emergency power back-up with existing DG Set of 1 No X 750 KVA. It is proposed to install 1 No X 6 Lakh Kcal of Furnace oil fired Thermic fluid heater and existing capacity of 1 No. x6 TPH & 1 No X 10 TPH Coal/Husk fired steam boiler. The total cost of the project is Rs.6040 Lakhs."

Rest of the contents and the conditions of the Environmental Clearance letter No. SEIAA 50 IND 2016 dated 28-04-2017 and the corrigendum dated 15.03.2018 remains unchanged.

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY KARNATAKA

(VIJAYAKUMAR GOGI)
Member Secretary,
SEIAA.

To,

M/s. Shilpa Medicare Limited,
100% export oriented unit,
Unit –II Plot No.33, 33A & 44 to 47,
Raichur Industrial Growth Centre,
Wadloor Road, Chicksugur, Raichur District-584134.

..2

Annexure-20

Copy to:

1. The Secretary, Ministry of Environment, Forests and Climate Change, Indira Paryavaran Bhavan, Jor Bagh Road, Aliganj, New Delhi- 110003.
2. The Member Secretary, Karnataka State Pollution Control Board, Bangalore.
3. The APCCF, Regional Office, Ministry of Environment & Forests (SZ), Kendriya Sadan, IV Floor, E & F wings, 17th Main Road, Koramangala II Block, Bangalore-560 034.
4. Guard File.

Annexure-20

State Level Environment Impact Assessment Authority-Karnataka
(Constituted by MoEF, Government of India under section 3(3) of E(P) Act, 1986)

SEIAA 50 IND 2016

Expansion & Modification of Active Pharmaceutical Ingredients (APIs) & Intermediates manufacturing unit by M/s. Shilpa Medicare Limited

ANNEXURE –II (R) to Environment Clarence letter No. SEIAA 50 IND 2016 dated 28-04-2017

List of by products to be manufactured:

Sl. No	Name of the Product	Stage	By Product	Quantity / batch (in Kgs)	No. of Batches / Annum	By Product Generated Quantity (MT/ annum)
1	3a,7B-Dihydroxy Cholanic Acid	II	Potassium acetate	595	240	142.8
		IV	Caustic potash lye solution	711.35		170.7
2	Capacitabine	I	Tin salt	500	240	120.0
		II	Pyridine Hcl	160		38.4
3	Decitabine	II	Pyridine Hcl	40.4	20	0.8

STATE LEVEL ENVIRONMENTAL IMPACT ASSESSMENT AUTHORITY ★ KARNATAKA ★
सत्यमेव जयते

(VIJAYAKUMAR GOGI)
Member Secretary,
SEIAA - Karnataka.