



Outlook

---

## EC Compliance Report (300/2020) of SPL Unit-1 (April-2024 to Sep-2024)

---

**From** EHS Unit 1 <ehs\_unit1@shilpapharma.com>

**Date** Tue 11/26/2024 5:47 PM

**To** rosz.bng-mefcc@gov.in <rosz.bng-mefcc@gov.in>

**Cc** Y Sudhakar <ysudhakar@shilpapharma.com>;  
Y.V Reddy <yvreddy@shilpapharma.com>;  
K.Sharath Reddy <sharath@shilpapharma.com>;  
EHS <ehs@shilpapharma.com>; R Elangovan  
<r.elangovan@shilpapharma.com>; Krishna  
Elasagaram  
<krishna.elasagaram@shilpapharma.com>

 1 attachment (13 MB)

SUBMISSION ACKNOWLEDGEMENT COPY EC 300.pdf;

Dear Sir,

Please find the attached EC Compliance Report (300/2020) of Shilpa Pharma Lifesciences Limited Unit-1 for the period of April-2024 to September-2024.

With Regards

Mallikarjun

Shilpa Pharma Lifesciences Limited Unit-1

# Shilpa Pharma Lifesciences Limited

Unit-1: Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,  
4B & 5B, Deosugur Industrial Area, Deosugur-584 170,  
Raichur District, Karnataka State, India.

CIN: U24100KA2020PLC134081

**SPLL/UNIT-1/EHS/021/2024-25**

**Date: 21/11/2024**

**To**

The Additional principal Chief Conservator of Forests,  
Regional Office,  
Ministry of Environment and Forests (SZ),  
Kendriya Sadan, 4th Floor, E&F Wing,  
17<sup>th</sup> Main Road,  
IIInd Block Koramangala,  
Banglore-560034

**Sub:** Submission of EC Six Months Compliance status report – Reg.,

**Ref:** EC No:F.NO.IA-J-11011/300/2020-IA-II(I) Dated: 5<sup>th</sup> January 2021

Respected Sir / Madam,

We are herewith submitting compliance report for the term **April -2024 to Sep-2024**

**Project Name:** "Shilpa Pharma Lifesciences Ltd. Unit I"- bulk drugs, APIs & intermediates manufacturing industry with R&D, Plot No 1A to 5B Industrial Area, Deosugur, and Raichur 584170.

**Environment Clearance:** EC was obtained from Expert Appraisal Committee (EAC), MoEF & CC, vide letter No. EC No: **F.NO.IA-J-11011/300/2020-IA-II (I) Dated: 5<sup>th</sup> January 2021**

The Covering letter, Compliance report, EC copy, and the Environment monitoring test reports including necessary documents are enclosed as Annexures.  
Kindly acknowledge the receipt of the document and e-mail.

Thanking you,  
Yours faithfully

For **SHILPA PHARMA LIFESCIENCES LIMITED, Unit-1**

**Authorized Signatory**



# *Shilpa Pharma Lifesciences Limited*

Unit-1: Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,  
4B & 5B, Deosugur Industrial Area, Deosugur-584 170,  
Raichur District, Karnataka State, India.

CIN: U24100KA2020PLC134081

## **CC to:**

1. Environmental Officer, Karnataka State Pollution Control Board, ,building in shed C-3 KSSIDC Industrial area 3<sup>rd</sup> main road , Hyderabad Road, Raichur – 584 102.
2. The Member secretary, Karnataka state pollution control board, Parisara Bhavan, #49,4th & 5th Floor, Church Street, Bengaluru, Karnataka 560001.
3. The Principal secretary, Department of forest, Ecology & Environment Government of Karnataka, Room No: 404, 4<sup>th</sup> floor, II nd stage, Multi Storied Building, Bangalore-560 001

## **List of Annexures:-**

- |    |                |  |
|----|----------------|--|
| 1  | Annexure - I   | VOC copy.  |
| 2  | Annexure - II  | Ambient Air Quality.                                       |
| 3  | Annexure - III | Medical Reports attached of one employee.                  |
| 4  | Annexure - IV  | Fire hydrant system photos                                 |
| 5  | Annexure -V    | Sample training record.                                    |
| 6  | Annexure-VI    | Stack emission reports.                                    |
| 7  | Annexure-VII   | Flow meter record.   |
| 8  | Annexure-VIII  | Manifest attached.   |
| 9  | Annexure-IX    | Green Belt Photographs attached.                           |
| 10 | Annexure-X     | Environment cell attached.                                 |
| 11 | Annexure-XI    | Noise Reports.   |
| 12 | Annexure-XII   | Copy off the letter submitted to Gram panchayath attached. |
| 13 | Annexure-XIII  | Form v acknowledgment copy.                                |
| 14 | Annexure-XIV   | EC, Corrigendum & EC Transfer Letter attached.             |
| 15 | Annexure-XV    | EC Advertisement in Deccan Herald (English) of SML U2      |
| 16 | Annexure-XVI   | EC Advertisement in Prajavani (Kannada) of SML U2          |

Kindly acknowledge the receipt of the document and email.



**SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-I**  
(Plot No.1A, 1A (P) 1B, 2, 2A, 3A to 3E, Deosugur Industrial Area, Deosugur, Raichur-584170)

**Environmental Clearance (EC) Compliance Status Report**

(From April 2024 to September 2024)

**Ref.EC. No: IA-J-11011/300/2020-IA-II(I) Dated: 5th January 2021**

**Part A. Specific Conditions**

S.No	Specific Conditions	Status of compliance
1.	The Unit shall install waste water flow meter at the outlet of Unit - I and inlet of Unit- II, and keep record of waste water flow from Unit-I to Unit- II. The monitoring report shall be submitted to the SPCB/MoEFCC Regional office.	Compiled, digital flow meters was installed at the waste water outlet of Unit - I and inlet of Unit- II, and maintaining day to day disposal record of waste water flow from Unit-I to Unit- II. And this report data was submitted to the SPCB/MoEFCC Regional office along with form20 on monthly basis.
2.	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.	Compiled, we implemented all the environmental protection measures and safeguards proposed in the documents submitted to the ministry and All the recommendations of EIA/EMP implemented.
3.	Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.	Compiled, Effective chilled water circulation was given to all process condensers to control the fugitive emissions & VOCs and controlled at 99.997%, and regularly work place VOC's data monitoring.

S.No	Specific Conditions	Status of compliance
4.	As already committed by the project proponent, Zero Liquid Discharge shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture.	Compiled, Effluent being Transported and treated in Unit-02 permitted by MoEF&CC and KSPCB Zero Liquid discharge system was installed at unit-02 and effectively functioning. And the treated effluent is re-used in utilities.
5.	Occupational health center for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.	Compiled, Occupational Health Centre is available, Health data of the workers being maintained & is used for allocating work location and appropriate safety kits & PPE's was providing to all workers & employees based upon their job responsibility.
6.	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.	Compiled, we had taken all the control measures to prevent the Fire in the premises and Firefighting systems are in place as per the relevant codes
7.	Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.	Compiled, as per the annual training schedule monthly trainings are scheduled like: class room and On the job Trainings is imparted to all the employees/workers on Storage & Handling of Hazardous chemicals.
8.	Total fresh water requirement shall not exceed 170.44 m <sup>3</sup> /day, proposed to be met from KIADB sourced from River Krishna. Prior permission in this regard shall be obtained from the concerned regulatory authority.	Compiled, Fresh water intake does not exceed 170.44 M <sup>3</sup> /Day, will be met from KIADB water supply.  This quantity will be used after completion of the expansion. Presently complied by utilizing the 56 M <sup>3</sup> /Day of maximum fresh water as permitted.

S.No	Specific Conditions	Status of compliance
9.	Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.	Complied, Storm water from the roof tops is collected & stored & reused & is not Recharged , The Process effluents or waste water is not allowed to mixed into storm water, The effluent is transferred through pipe lines to ETP by pumping
10.	Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the	Being Complied, 24X7 monitoring of the flue gases is under installation, after obtaining the CFO the data will be transmitted to CPCB /SPCB servers
11.	Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled water condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled water circulation.	Complied, 1) All the Reactors sub Condensers are connected with Chilled water utility 2)All solvents handling pumps are provided with mechanical seals 3) Solvents are stored separately & is segregated with all the all the safety Measures in place 4) All the equipment , electrical installations are provided with earthing 5) All the electrical fittings in the plant are Flameproof fittings 6) The solvents storage tanks are provided with the Breather valves 7) The solvent storage tanks are connected to the vent condensers with chilled water circulation

S.No	Specific Conditions	Status of compliance
12.	Process organic residue and spent carbon, if any, shall be sent to cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF.	Complied, Process residues & spent Carbon shall be sent to the co processing in cement plants , The ETP sludge , inorganic salts from Process & evaporation salts shall be disposed to the TSDF
13.	The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapor recovery system. (f) Use of high-pressure hoses for equipment clearing to reduce wastewater generation.	Complied, a) All the Raw materials are measured /weighed on the scales & only the required quantities are taken b) The Byproducts are reused in the other processes by other industries c) All the solvents & raw materials are handling in closed loop system with level transmitters & flow transmitters to avoid the spillages d) Closed feeding system for reactors provided. e) All the vapour are condensed before venting f) Pressure cleaning systems are used to reduce the waste water generation
14.	The green belt of at least 5-10 m width shall be developed in nearly 33% of the total project area, mainly along the plant periphery. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map.	Complied, Green belt developed more than the 33% of the area with local species and Records are monitored

S.No	Specific Conditions	Status of compliance
15.	The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. Preference shall be given to local villagers for employment in the unit. Preference shall be given to local villagers for employment in the unit.	Complied, All the socio economic issues in the study area as committed in the EMP will be completed in time Preference is given to locals for employment in the industry.
16.	A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.	Complied, Environmental Management cell with Qualified personnel is in place.  Effluent is treated in Unit-2, and the full-fledged lab is provided at Unit-2.

**General Conditions:**

S.No	Specific Conditions	Status of compliance
1.	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIM, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIM, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	Complied, No expansions other than that of those envisaged in the EMP will be carried out without Clearance from the ministry/SEIAA
2.	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.	Complied, Energy conservation is in place. All the light fittings are with LED lamps
3.	The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).	Complied, Acoustic enclosures are installed for DG sets & maintain the noise levels within 75 DBA in Day & 70 DBA in night.

S.No	Specific Conditions	Status of compliance
4.	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CER activities shall be undertaken by involving local villages and administration and shall be implemented. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.	Complied, The CER activities are undertaken , The company is spending the amount as committed for CER activities
5.	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.	Complied, The industry has invested in the Pollution control Measures & Recurring costs are budgeted as committed in the EMP
6.	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, ZillaParishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.	Complied, Copy of the EC is submitted to the Gram panchayath.

S.No	Specific Conditions	Status of compliance
7.	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.	Complied, The Industry is Submitting the six monthly compliance to Regional office of MoEF & CC, CPCB & SPCB, and it is made available on the company website.
8.	The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.	Complied, The environmental statement form –V is submitted to KSPCB & Regional offices of MoEF&CC along with compliances of EC and it is made available on the company website.
9.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at <a href="https://parivesh.nic.in/">https://parivesh.nic.in/</a> . This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers	Complied, Newspaper advertisement is in local/vernacular languages is given about the accordence of EC to the industry and made available on the website of the ministry forwarded to the concerned regional offices.



	that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.	
<b>S.No</b>	<b>Specific Conditions</b>	<b>Status of compliance</b>
10.	The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.	Complied, The Financial closure of this expansion activity and the date of start of will be intimated to the ministry.
11.	This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.	Noted, obey the directions.
12.	The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.	Noted, obey the directions.
13.	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Noted, obey the directions.

S.No	Specific Conditions	Status of compliance
14.	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Noted, obey the directions.
15.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.	Noted, obey the directions.
16.	This issues with the approval of the competent authority	Noted, obey the directions.

Thanking you,

For **SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1**

**Authorized Signatory**



# **ANNEXURE- I**

**Voc copy**



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

## ANALYSIS REPORT OF VOC IN AMBIENT AIR

Test Report No: MSVAL/2024/2144

Report Issued Date: 23.04.2024

1.	Name of the Industry	:	M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A, "P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Date of Sample Receipt	:	13.04.2024
4.	Analysis Starting Date	:	15.04.2024
5.	Analysis Completion Date	:	23.04.2024
6.	Name of the parameter	:	Volatile Organic Compounds

S. No	Name of the location	Date of Sampling	Duration of monitoring	Method EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Between PB-I & OB-III	13.04.2024	8hours	1.42	Mg/m <sup>3</sup>	---
2	Between OB-I & Quality Block	15.04.2024	8hours	1.28	Mg/m <sup>3</sup>	---
3	Near Hydrogenation Block	22.04.2024	8hours	1.41	Mg/m <sup>3</sup>	---
4	Near Solvent Storage Yard	23.04.2024	8hours	1.44	Mg/m <sup>3</sup>	---

Analysed by



Authorized Signatory  
  
B. Chinna Lingana Gouda  
Chief executive of the laboratory

Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/A/F/16/02

## ANALYSIS REPORT OF VOCs IN AMBIENT AIR

Test Report No: MSVAL/2024/3912

Report Issued Date: 27.07.2024

1.	Name of the Industry	:	M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20,Deosugur Industrial Area,Raichur Tq & District..
2.	Sample Collected By	:	MSV Analytical Laboratories, Bellary.
3.	Date of Sample Receipt	:	18.07.2024
4.	Analysis Starting Date	:	19.07.2024
5.	Analysis Completion Date	:	27.07.2024
6.	Name of the parameter	:	Volatile Organic Compounds

S. No	Name of the location	Sample Code	Duration of monitoring	Method		
				EPA/625/R-96/010b Compendium of Methods Second Edition Compendium Method TO-17		
				Result	Units	Std
1	Between PB-I & OB-III	6659	8 hours	0.42	Mg/m <sup>3</sup>	---
2	Between OB-I & Quality Block	6660	8 hours	0.36	Mg/m <sup>3</sup>	---
3	Near Hydrogenation Block	6661	8 hours	0.47	Mg/m <sup>3</sup>	---
4	Near Solvent Storage Yard	6662	8 hours	0.33	Mg/m <sup>3</sup>	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note:
- The results listed only to the tested samples & applicable parameters.
  - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  - Sampling is not done by us unless otherwise specified.

# **ANNEXURE- II**

## **Ambient Air Quality**

**Unit 1 Ambient Air Quality\_April 2024 to Sep 2024****Near Production Block SML Unit 1 Shilpa pharma life sciences ltd , Deosugur.**

Month &Year	PM <sub>10</sub> µg/m <sup>3</sup>	PM <sub>2.5</sub> µg/m <sup>3</sup>	SO <sub>2</sub> µg/m <sup>3</sup>	NO <sub>2</sub> µg/m <sup>3</sup>	CO mg/m <sup>3</sup>	CO <sub>2</sub> PPM	H <sub>2</sub> S µg/m <sup>2</sup>
April -24	73.6	25.3	19.5	23.5	0.41	<0.01	BDL
May-24	72.5	23.2	14.1	20.0	0.34	<0.01	BDL
June-24	62.6	23.4	12.3	18.3	0.41	<0.01	BDL
July-24	67.6	25.7	13.4	16.6	0.36	<0.01	BDL
Aug-24	72.5	26.5	13.1	23.2	0.38	<0.01	BDL
Sep-24	72.6	22.8	13.7	18.7	0.37	<0.01	BDL

### Unit 1 Ambient Air Quality April 2024 to Sep 2024

Near KIADB Road Unit 1 Shilpa pharma life sciences ltd , Deosugur.

Month &Year	PM <sub>10</sub> µg/m <sup>3</sup>	PM <sub>2.5</sub> µg/m <sup>3</sup>	SO <sub>2</sub> µg/m <sup>3</sup>	NO <sub>2</sub> µg/m <sup>3</sup>	CO mg/m <sup>3</sup>	CO <sub>2</sub> PPM	H <sub>2</sub> S µg/m <sup>2</sup>
April -24	77.3	26.6	22.3	26.0	0.35	<0.01	BDL
May-24	78.7	28.6	19.2	24.9	0.37	<0.01	BDL
June-24	76.8	28.8	17.2	22.9	0.40	<0.01	BDL
July-24	79.9	31.5	14.2	22.0	0.43	<0.01	BDL
Aug-24	74.6	28.4	14.4	26.2	0.35	<0.01	BDL
Sep-24	78.5	28.2	15.6	21.1	0.33	<0.01	BDL



### Unit 1 Ambient Air Quality April 2024 to Sep 2024

**Near Production block Unit 1 Shilpa pharma life sciences ltd , Deosugur.**

Month & Year	PM <sub>10</sub> μg/m <sup>3</sup>	PM <sub>2.5</sub> μg/m <sup>3</sup>	SO <sub>2</sub> μg/m <sup>3</sup>	NO <sub>2</sub> μg/m <sup>3</sup>	CO mg/m <sup>3</sup>	CO <sub>2</sub> PPM	H <sub>2</sub> S μg/m <sup>2</sup>
April -24	72.6	23.2	15.3	20.1	0.31	<0.01	BDL
May-24	72.5	23.2	14.1	20.0	0.34	<0.01	BDL
June-24	62.6	23.4	12.3	18.3	0.41	<0.01	BDL
July-24	70.3	29.2	14.0	21.6	0.39	<0.01	BDL
Aug-24	72.3	23.5	13.3	24.7	0.36	<0.01	BDL
Sep-24	73.4	26.6	17.4	23.2	0.43	<0.01	BDL

# Ambient Air Quality Monitoring

Unit 1 Ambient Air Quality April 2024 to Sep 2024							
Near Main Gate Unit 1 Shilpa pharma life sciences ltd, Deosugur.							
Month & Year	PM <sub>10</sub> µg/m <sup>3</sup>	PM <sub>2.5</sub> µg/m <sup>3</sup>	SO <sub>2</sub> µg/m <sup>3</sup>	NO <sub>2</sub> µg/m <sup>3</sup>	CO mg/m <sup>3</sup>	CO <sub>2</sub> PPM	H <sub>2</sub> S µg/m <sup>2</sup>
April -24	82.3	30.7	13.5	22.4	0.56	<0.01	BDL
May-24	83.3	30.4	19.0	21.9	0.57	<0.01	BDL
June-24	70.9	27.8	14.4	20.0	0.53	<0.01	BDL
July-24	77.3	31.1	11.2	20.5	0.44	<0.01	BDL
Aug-24	80.4	28.6	14.2	27.9	0.46	<0.01	BDL
Sep-24	82.4	29.2	18.3	22.2	0.54	<0.01	BDL



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : msvbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1B, 1C, 1D, 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2I, 2J, 2K, 2L, 2M, 2N, 2O, 2P, 2Q, 2R, 2S, 2T, 2U, 2V, 2W, 2X, 2Y, 2Z, 3A, 3B, 3C, 3D, 3E, 3F, 3G, 3H, 3I, 3J, 3K, 3L, 3M, 3N, 3O, 3P, 3Q, 3R, 3S, 3T, 3U, 3V, 3W, 3X, 3Y, 3Z, 4A, 4B, 4C, 4D, 4E, 4F, 4G, 4H, 4I, 4J, 4K, 4L, 4M, 4N, 4O, 4P, 4Q, 4R, 4S, 4T, 4U, 4V, 4W, 4X, 4Y, 4Z, 5A, 5B, 5C, 5D, 5E, 5F, 5G, 5H, 5I, 5J, 5K, 5L, 5M, 5N, 5O, 5P, 5Q, 5R, 5S, 5T, 5U, 5V, 5W, 5X, 5Y, 5Z, 6A, 6B, 6C, 6D, 6E, 6F, 6G, 6H, 6I, 6J, 6K, 6L, 6M, 6N, 6O, 6P, 6Q, 6R, 6S, 6T, 6U, 6V, 6W, 6X, 6Y, 6Z, 7A, 7B, 7C, 7D, 7E, 7F, 7G, 7H, 7I, 7J, 7K, 7L, 7M, 7N, 7O, 7P, 7Q, 7R, 7S, 7T, 7U, 7V, 7W, 7X, 7Y, 7Z, 8A, 8B, 8C, 8D, 8E, 8F, 8G, 8H, 8I, 8J, 8K, 8L, 8M, 8N, 8O, 8P, 8Q, 8R, 8S, 8T, 8U, 8V, 8W, 8X, 8Y, 8Z, 9A, 9B, 9C, 9D, 9E, 9F, 9G, 9H, 9I, 9J, 9K, 9L, 9M, 9N, 9O, 9P, 9Q, 9R, 9S, 9T, 9U, 9V, 9W, 9X, 9Y, 9Z, 10A, 10B, 10C, 10D, 10E, 10F, 10G, 10H, 10I, 10J, 10K, 10L, 10M, 10N, 10O, 10P, 10Q, 10R, 10S, 10T, 10U, 10V, 10W, 10X, 10Y, 10Z, 11A, 11B, 11C, 11D, 11E, 11F, 11G, 11H, 11I, 11J, 11K, 11L, 11M, 11N, 11O, 11P, 11Q, 11R, 11S, 11T, 11U, 11V, 11W, 11X, 11Y, 11Z, 12A, 12B, 12C, 12D, 12E, 12F, 12G, 12H, 12I, 12J, 12K, 12L, 12M, 12N, 12O, 12P, 12Q, 12R, 12S, 12T, 12U, 12V, 12W, 12X, 12Y, 12Z, 13A, 13B, 13C, 13D, 13E, 13F, 13G, 13H, 13I, 13J, 13K, 13L, 13M, 13N, 13O, 13P, 13Q, 13R, 13S, 13T, 13U, 13V, 13W, 13X, 13Y, 13Z, 14A, 14B, 14C, 14D, 14E, 14F, 14G, 14H, 14I, 14J, 14K, 14L, 14M, 14N, 14O, 14P, 14Q, 14R, 14S, 14T, 14U, 14V, 14W, 14X, 14Y, 14Z, 15A, 15B, 15C, 15D, 15E, 15F, 15G, 15H, 15I, 15J, 15K, 15L, 15M, 15N, 15O, 15P, 15Q, 15R, 15S, 15T, 15U, 15V, 15W, 15X, 15Y, 15Z, 16A, 16B, 16C, 16D, 16E, 16F, 16G, 16H, 16I, 16J, 16K, 16L, 16M, 16N, 16O, 16P, 16Q, 16R, 16S, 16T, 16U, 16V, 16W, 16X, 16Y, 16Z, 17A, 17B, 17C, 17D, 17E, 17F, 17G, 17H, 17I, 17J, 17K, 17L, 17M, 17N, 17O, 17P, 17Q, 17R, 17S, 17T, 17U, 17V, 17W, 17X, 17Y, 17Z, 18A, 18B, 18C, 18D, 18E, 18F, 18G, 18H, 18I, 18J, 18K, 18L, 18M, 18N, 18O, 18P, 18Q, 18R, 18S, 18T, 18U, 18V, 18W, 18X, 18Y, 18Z, 19A, 19B, 19C, 19D, 19E, 19F, 19G, 19H, 19I, 19J, 19K, 19L, 19M, 19N, 19O, 19P, 19Q, 19R, 19S, 19T, 19U, 19V, 19W, 19X, 19Y, 19Z, 20A, 20B, 20C, 20D, 20E, 20F, 20G, 20H, 20I, 20J, 20K, 20L, 20M, 20N, 20O, 20P, 20Q, 20R, 20S, 20T, 20U, 20V, 20W, 20X, 20Y, 20Z, 21A, 21B, 21C, 21D, 21E, 21F, 21G, 21H, 21I, 21J, 21K, 21L, 21M, 21N, 21O, 21P, 21Q, 21R, 21S, 21T, 21U, 21V, 21W, 21X, 21Y, 21Z, 22A, 22B, 22C, 22D, 22E, 22F, 22G, 22H, 22I, 22J, 22K, 22L, 22M, 22N, 22O, 22P, 22Q, 22R, 22S, 22T, 22U, 22V, 22W, 22X, 22Y, 22Z, 23A, 23B, 23C, 23D, 23E, 23F, 23G, 23H, 23I, 23J, 23K, 23L, 23M, 23N, 23O, 23P, 23Q, 23R, 23S, 23T, 23U, 23V, 23W, 23X, 23Y, 23Z, 24A, 24B, 24C, 24D, 24E, 24F, 24G, 24H, 24I, 24J, 24K, 24L, 24M, 24N, 24O, 24P, 24Q, 24R, 24S, 24T, 24U, 24V, 24W, 24X, 24Y, 24Z, 25A, 25B, 25C, 25D, 25E, 25F, 25G, 25H, 25I, 25J, 25K, 25L, 25M, 25N, 25O, 25P, 25Q, 25R, 25S, 25T, 25U, 25V, 25W, 25X, 25Y, 25Z, 26A, 26B, 26C, 26D, 26E, 26F, 26G, 26H, 26I, 26J, 26K, 26L, 26M, 26N, 26O, 26P, 26Q, 26R, 26S, 26T, 26U, 26V, 26W, 26X, 26Y, 26Z, 27A, 27B, 27C, 27D, 27E, 27F, 27G, 27H, 27I, 27J, 27K, 27L, 27M, 27N, 27O, 27P, 27Q, 27R, 27S, 27T, 27U, 27V, 27W, 27X, 27Y, 27Z, 28A, 28B, 28C, 28D, 28E, 28F, 28G, 28H, 28I, 28J, 28K, 28L, 28M, 28N, 28O, 28P, 28Q, 28R, 28S, 28T, 28U, 28V, 28W, 28X, 28Y, 28Z, 29A, 29B, 29C, 29D, 29E, 29F, 29G, 29H, 29I, 29J, 29K, 29L, 29M, 29N, 29O, 29P, 29Q, 29R, 29S, 29T, 29U, 29V, 29W, 29X, 29Y, 29Z, 30A, 30B, 30C, 30D, 30E, 30F, 30G, 30H, 30I, 30J, 30K, 30L, 30M, 30N, 30O, 30P, 30Q, 30R, 30S, 30T, 30U, 30V, 30W, 30X, 30Y, 30Z, 31A, 31B, 31C, 31D, 31E, 31F, 31G, 31H, 31I, 31J, 31K, 31L, 31M, 31N, 31O, 31P, 31Q, 31R, 31S, 31T, 31U, 31V, 31W, 31X, 31Y, 31Z, 32A, 32B, 32C, 32D, 32E, 32F, 32G, 32H, 32I, 32J, 32K, 32L, 32M, 32N, 32O, 32P, 32Q, 32R, 32S, 32T, 32U, 32V, 32W, 32X, 32Y, 32Z, 33A, 33B, 33C, 33D, 33E, 33F, 33G, 33H, 33I, 33J, 33K, 33L, 33M, 33N, 33O, 33P, 33Q, 33R, 33S, 33T, 33U, 33V, 33W, 33X, 33Y, 33Z, 34A, 34B, 34C, 34D, 34E, 34F, 34G, 34H, 34I, 34J, 34K, 34L, 34M, 34N, 34O, 34P, 34Q, 34R, 34S, 34T, 34U, 34V, 34W, 34X, 34Y, 34Z, 35A, 35B, 35C, 35D, 35E, 35F, 35G, 35H, 35I, 35J, 35K, 35L, 35M, 35N, 35O, 35P, 35Q, 35R, 35S, 35T, 35U, 35V, 35W, 35X, 35Y, 35Z, 36A, 36B, 36C, 36D, 36E, 36F, 36G, 36H, 36I, 36J, 36K, 36L, 36M, 36N, 36O, 36P, 36Q, 36R, 36S, 36T, 36U, 36V, 36W, 36X, 36Y, 36Z, 37A, 37B, 37C, 37D, 37E, 37F, 37G, 37H, 37I, 37J, 37K, 37L, 37M, 37N, 37O, 37P, 37Q, 37R, 37S, 37T, 37U, 37V, 37W, 37X, 37Y, 37Z, 38A, 38B, 38C, 38D, 38E, 38F, 38G, 38H, 38I, 38J, 38K, 38L, 38M, 38N, 38O, 38P, 38Q, 38R, 38S, 38T, 38U, 38V, 38W, 38X, 38Y, 38Z, 39A, 39B, 39C, 39D, 39E, 39F, 39G, 39H, 39I, 39J, 39K, 39L, 39M, 39N, 39O, 39P, 39Q, 39R, 39S, 39T, 39U, 39V, 39W, 39X, 39Y, 39Z, 40A, 40B, 40C, 40D, 40E, 40F, 40G, 40H, 40I, 40J, 40K, 40L, 40M, 40N, 40O, 40P, 40Q, 40R, 40S, 40T, 40U, 40V, 40W, 40X, 40Y, 40Z, 41A, 41B, 41C, 41D, 41E, 41F, 41G, 41H, 41I, 41J, 41K, 41L, 41M, 41N, 41O, 41P, 41Q, 41R, 41S, 41T, 41U, 41V, 41W, 41X, 41Y, 41Z, 42A, 42B, 42C, 42D, 42E, 42F, 42G, 42H, 42I, 42J, 42K, 42L, 42M, 42N, 42O, 42P, 42Q, 42R, 42S, 42T, 42U, 42V, 42W, 42X, 42Y, 42Z, 43A, 43B, 43C, 43D, 43E, 43F, 43G, 43H, 43I, 43J, 43K, 43L, 43M, 43N, 43O, 43P, 43Q, 43R, 43S, 43T, 43U, 43V, 43W, 43X, 43Y, 43Z, 44A, 44B, 44C, 44D, 44E, 44F, 44G, 44H, 44I, 44J, 44K, 44L, 44M, 44N, 44O, 44P, 44Q, 44R, 44S, 44T, 44U, 44V, 44W, 44X, 44Y, 44Z, 45A, 45B, 45C, 45D, 45E, 45F, 45G, 45H, 45I, 45J, 45K, 45L, 45M, 45N, 45O, 45P, 45Q, 45R, 45S, 45T, 45U, 45V, 45W, 45X, 45Y, 45Z, 46A, 46B, 46C, 46D, 46E, 46F, 46G, 46H, 46I, 46J, 46K, 46L, 46M, 46N, 46O, 46P, 46Q, 46R, 46S, 46T, 46U, 46V, 46W, 46X, 46Y, 46Z, 47A, 47B, 47C, 47D, 47E, 47F, 47G, 47H, 47I, 47J, 47K, 47L, 47M, 47N, 47O, 47P, 47Q, 47R, 47S, 47T, 47U, 47V, 47W, 47X, 47Y, 47Z, 48A, 48B, 48C, 48D, 48E, 48F, 48G, 48H, 48I, 48J, 48K, 48L, 48M, 48N, 48O, 48P, 48Q, 48R, 48S, 48T, 48U, 48V, 48W, 48X, 48Y, 48Z, 49A, 49B, 49C, 49D, 49E, 49F, 49G, 49H, 49I, 49J, 49K, 49L, 49M, 49N, 49O, 49P, 49Q, 49R, 49S, 49T, 49U, 49V, 49W, 49X, 49Y, 49Z, 50A, 50B, 50C, 50D, 50E, 50F, 50G, 50H, 50I, 50J, 50K, 50L, 50M, 50N, 50O, 50P, 50Q, 50R, 50S, 50T, 50U, 50V, 50W, 50X, 50Y, 50Z, 51A, 51B, 51C, 51D, 51E, 51F, 51G, 51H, 51I, 51J, 51K, 51L, 51M, 51N, 51O, 51P, 51Q, 51R, 51S, 51T, 51U, 51V, 51W, 51X, 51Y, 51Z, 52A, 52B, 52C, 52D, 52E, 52F, 52G, 52H, 52I, 52J, 52K, 52L, 52M, 52N, 52O, 52P, 52Q, 52R, 52S, 52T, 52U, 52V, 52W, 52X, 52Y, 52Z, 53A, 53B, 53C, 53D, 53E, 53F, 53G, 53H, 53I, 53J, 53K, 53L, 53M, 53N, 53O, 53P, 53Q, 53R, 53S, 53T, 53U, 53V, 53W, 53X, 53Y, 53Z, 54A, 54B, 54C, 54D, 54E, 54F, 54G, 54H, 54I, 54J, 54K, 54L, 54M, 54N, 54O, 54P, 54Q, 54R, 54S, 54T, 54U, 54V, 54W, 54X, 54Y, 54Z, 55A, 55B, 55C, 55D, 55E, 55F, 55G, 55H, 55I, 55J, 55K, 55L, 55M, 55N, 55O, 55P, 55Q, 55R, 55S, 55T, 55U, 55V, 55W, 55X, 55Y, 55Z, 56A, 56B, 56C, 56D, 56E, 56F, 56G, 56H, 56I, 56J, 56K, 56L, 56M, 56N, 56O, 56P, 56Q, 56R, 56S, 56T, 56U, 56V, 56W, 56X, 56Y, 56Z, 57A, 57B, 57C, 57D, 57E, 57F, 57G, 57H, 57I, 57J, 57K, 57L, 57M, 57N, 57O, 57P, 57Q, 57R, 57S, 57T, 57U, 57V, 57W, 57X, 57Y, 57Z, 58A, 58B, 58C, 58D, 58E, 58F, 58G, 58H, 58I, 58J, 58K, 58L, 58M, 58N, 58O, 58P, 58Q, 58R, 58S, 58T, 58U, 58V, 58W, 58X, 58Y, 58Z, 59A, 59B, 59C, 59D, 59E, 59F, 59G, 59H, 59I, 59J, 59K, 59L, 59M, 59N, 59O, 59P, 59Q, 59R, 59S, 59T, 59U, 59V, 59W, 59X, 59Y, 59Z, 60A, 60B, 60C, 60D, 60E, 60F, 60G, 60H, 60I, 60J, 60K, 60L, 60M, 60N, 60O, 60P, 60Q, 60R, 60S, 60T, 60U, 60V, 60W, 60X, 60Y, 60Z, 61A, 61B, 61C, 61D, 61E, 61F, 61G, 61H, 61I, 61J, 61K, 61L, 61M, 61N, 61O, 61P, 61Q, 61R, 61S, 61T, 61U, 61V, 61W, 61X, 61Y, 61Z, 62A, 62B, 62C, 62D, 62E, 62F, 62G, 62H, 62I, 62J, 62K, 62L, 62M, 62N, 62O, 62P, 62Q, 62R, 62S, 62T, 62U, 62V, 62W, 62X, 62Y, 62Z, 63A, 63B, 63C, 63D, 63E, 63F, 63G, 63H, 63I, 63J, 63K, 63L, 63M, 63N, 63O, 63P, 63Q, 63R, 63S, 63T, 63U, 63V, 63W, 63X, 63Y, 63Z, 64A, 64B, 64C, 64D, 64E, 64F, 64G, 64H, 64I, 64J, 64K, 64L, 64M, 64N, 64O, 64P, 64Q, 64R, 64S, 64T, 64U, 64V, 64W, 64X, 64Y, 64Z, 65A, 65B, 65C, 65D, 65E, 65F, 65G, 65H, 65I, 65J, 65K, 65L, 65M, 65N, 65O, 65P, 65Q, 65R, 65S, 65T, 65U, 65V, 65W, 65X, 65Y, 65Z, 66A, 66B, 66C, 66D, 66E, 66F, 66G, 66H, 66I, 66J, 66K, 66L, 66M, 66N, 66O, 66P, 66Q, 66R, 66S, 66T, 66U, 66V, 66W, 66X, 66Y, 66Z, 67A, 67B, 67C, 67D, 67E, 67F, 67G, 67H, 67I, 67J, 67K, 67L, 67M, 67N, 67O, 67P, 67Q, 67R, 67S, 67T, 67U, 67V, 67W, 67X, 67Y, 67Z, 68A, 68B, 68C, 68D, 68E, 68F, 68G, 68H, 68I, 68J, 68K, 68L, 68M, 68N, 68O, 68P, 68Q, 68R, 68S, 68T, 68U, 68V, 68W, 68X, 68Y, 68Z, 69A, 69B, 69C, 69D, 69E, 69F, 69G, 69H, 69I, 69J, 69K, 69L, 69M, 69N, 69O, 69P, 69Q, 69R, 69S, 69T, 69U, 69V, 69W, 69X, 69Y, 69Z, 70A, 70B, 70C, 70D, 70E, 70F, 70G, 70H, 70I, 70J, 70K, 70L, 70M, 70N, 70O, 70P, 70Q, 70R, 70S, 70T, 70U, 70V, 70W, 70X, 70Y, 70Z, 71A, 71B, 71C, 71D, 71E, 71F, 71G, 71H, 71I, 71J, 71K, 71L, 71M, 71N, 71O, 71P, 71Q, 71R, 71S, 71T, 71U, 71V, 71W, 71X, 71Y, 71Z, 72A, 72B, 72C, 72D, 72E, 72F, 72G, 72H, 72I, 72J, 72K, 72L, 72M, 72N, 72O, 72P, 72Q, 72R, 72S, 72T, 72U, 72V, 72W, 72X, 72Y, 72Z, 73A, 73B, 73C, 73D, 73E, 73F, 73G, 73H, 73I, 73J, 73K, 73L, 73M, 73N, 73O, 73P, 73Q, 73R, 73S, 73T, 73U, 73V, 73W, 73X, 73Y, 73Z, 74A, 74B, 74C, 74D, 74E, 74F, 74G, 74H, 74I, 74J, 74K, 74L, 74M, 74N, 74O, 74P, 74Q, 74R, 74S, 74T, 74U, 74V, 74W, 74X, 74Y, 74Z, 75A, 75B, 75C, 75D, 75E, 75F, 75G, 75H, 75I, 75J, 75K, 75L, 75M, 75N, 75O, 75P, 75Q, 75R, 75S, 75T, 75U, 75V, 75W, 75X, 75Y, 75Z, 76A, 76B, 76C, 76D, 76E, 76F, 76G, 76H, 76I, 76J, 76K, 76L, 76M, 76N, 76O, 76P, 76Q, 76R, 76S, 76T, 76U, 76V, 76W, 76X, 76Y, 76Z, 77A, 77B, 77C, 77D, 77E, 77F, 77G, 77H, 77I, 77J, 77K, 77L, 77M, 77N, 77O, 77P, 77Q, 77R, 77S, 77T, 77U, 77V, 77W, 77X, 77Y, 77Z, 78A, 78B, 78C, 78D, 78E, 78F, 78G, 78H, 78I, 78J, 78K, 78L, 78M, 78N, 78O, 78P, 78Q, 78R, 78S, 78T, 78U, 78V, 78W, 78X, 78Y, 78Z, 79A, 79B, 79C, 79D, 79E, 79F, 79G, 79H, 79I, 79J, 79K, 79L, 79M, 79N, 79O, 79P, 79Q, 79R, 79S, 79T, 79U, 79V, 79W, 79X, 79Y, 79Z, 80A, 80B, 80C, 80D, 80E, 80F, 80G, 80H, 80I, 80J, 80K, 80L, 80M, 80N, 80O, 80P, 80Q, 80R, 80S, 80T, 80U, 80V, 80W, 80X, 80Y, 80Z, 81A, 81B, 81C, 81D, 81E, 81F, 81G, 81H, 81I, 81J, 81K, 81L, 81M, 81N, 81O, 81P, 81Q, 81R, 81S, 81T, 81U, 81V, 81W, 81X, 81Y, 81Z, 82A, 82B, 82C, 82D, 82E, 82F, 82G, 82H, 82I, 82J, 82K, 82L, 82M, 82N, 82O, 82P, 82Q, 82R, 82S, 82T, 82U, 82V, 82W, 82X, 82Y, 82Z, 83A, 83B, 83C, 83D, 83E, 83F, 83G, 83H, 83I, 83J, 83K, 83L, 83M, 83N, 83O, 83P, 83Q, 83R, 83S, 83T, 83U, 83V, 83W, 83X, 83Y, 83Z, 84A, 84B, 84C, 84D, 84E, 84F, 84G, 84H, 84I, 84J, 84K, 84L, 84M, 84N, 84O, 84P, 84Q, 84R, 84S, 84T, 84U, 84V, 84W, 84X, 84Y, 84Z, 85A, 85B, 85C, 85D, 85E, 85F, 85G, 85H, 85I, 85J, 85K, 85L, 85M, 85N, 85O, 85P, 85Q, 85R, 85S, 85T, 85U, 85V, 85W, 85X, 85Y, 85Z, 86A, 86B, 86C, 86D, 86E, 86F, 86G, 86H, 86I, 86J, 86K, 86L, 86M, 86N, 86O, 86P, 86Q, 86R, 86S, 86T, 86U, 86V, 86W, 86X, 86Y, 86Z, 87A, 87B, 87C, 87D, 87E, 87F, 87G, 87H, 87I, 87J, 87K, 87L, 87M, 87N, 87O, 87P, 87Q, 87R, 87S, 87T, 87U, 87V, 87W, 87X, 87Y, 87Z, 88A, 88B, 88C, 88D, 88E, 88F, 88G, 88H, 88I, 88J, 88K, 88L, 88M, 88N, 88O, 88P, 88Q, 88R, 88S, 88T, 88U, 88V, 88W, 88X, 88Y, 88Z, 89A, 89B, 89C, 89D, 89E, 89F, 89G, 89H, 89I, 89J, 89K, 89L, 89M, 89N, 89O, 89P, 89Q, 89R, 89S, 89T, 89U, 89V, 89W, 89X, 89Y, 89Z, 90A, 90B, 90C, 90D, 90E, 90F, 90G, 90H, 90I, 90J, 90K, 90L, 90M, 90N, 90O, 90P, 90Q, 90R, 90S, 90T, 90U, 90V, 90W, 90X, 90Y, 90Z, 91A, 91B, 91C, 91D, 91E, 91F, 91G, 91H, 91I, 91J, 91K, 91L, 91M, 91N, 91O, 91P, 91Q, 91R, 91S, 91T, 91U, 91V, 91W, 91X, 91Y, 91Z, 92A, 92B, 92C, 92D, 92E, 92F, 92G, 92H, 92I, 92J, 92K, 92L, 92M, 92N, 92O, 92P, 92Q, 92R, 92S, 92T, 92U, 92V, 92W, 92X, 92Y, 92Z, 93A, 93B, 93C, 93D, 93E, 93F, 93G, 93H, 93I, 93J, 93K, 93L, 93M, 93N, 93O, 93P, 93Q, 93R, 93S, 93T, 93U, 93V,



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name of the location	MSV Analytical Laboratories Bellary (Unit 1), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20,Deosugur Industrial Area,Raichur Tq & District.
2. Name of the location	Near Production Block( SML)
3. Sample Collected By	MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments	Sample collected with FDS & RDS 460BL
5. Duration of Monitoring	8 Hours
6. Date of Monitoring	13.04.2024
7. Date of Sample Receipt	15.04.2024
8. Analysis Starting Date	18.04.2024
9. Analysis Completion Date	22.04.2024
10. Report Issue Date	23.04.2024
11. Sampling Protocol	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/1964

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2961	2962	2963			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	ppm	<0.01	---
7	O <sub>3</sub>	IS-5182 (Part-7) - 1973	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

Analysed by



Authorized Signatory  
  
B. Chinna Lingana Gouda  
Chief executive of the laboratory

Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Shripa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A To 3E, 4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Production Block( SML)
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.05.2024
7. Date of Sample Receipt : 20.05.2024
8. Analysis Starting Date : 20.05.2024
9. Analysis Completion Date : 27.05.2024
10. Report Issue Date : 27.05.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000011376F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			16948	16949	16950			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	74.8	72.1	70.6	µg / m <sup>3</sup>	72.5	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	25.1	23.6	21	µg / m <sup>3</sup>	23.2	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	16	14.2	12	µg / m <sup>3</sup>	14.1	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	22.1	19.9	17.9	µg / m <sup>3</sup>	20.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.34	0.36	0.31	mg / m <sup>3</sup>	0.34	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Simpa Pharma Life Sciences Ltd, (Unit - I),  
Plot No. 1A, 1A,"P", 1B, 2A, 2B, 3A To 3E, 4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Production Block( SML)
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.05.2024
7. Date of Sample Receipt : 20.05.2024
8. Analysis Starting Date : 20.05.2024
9. Analysis Completion Date : 27.05.2024
10. Report Issue Date : 27.05.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2806

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4550	4551	4552			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
- Name of the location** : Near Production Block( SML)
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with FDS & RDS 460BI.
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 13.06.2024
- Date of Sample Receipt** : 15.06.2024
- Analysis Starting Date** : 18.06.2024
- Analysis Completion Date** : 20.06.2024
- Report Issue Date** : 21.06.2024
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000012980F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			19347	19348	19349			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ )PM <sub>10</sub>	IS-5182(Part-23):2017	72.6	65.4	49.7	$\mu\text{g} / \text{m}^3$	62.6	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	29.3	22.8	18.1	$\mu\text{g} / \text{m}^3$	23.4	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	15.6	12.4	8.9	$\mu\text{g} / \text{m}^3$	12.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	22.0	17.2	15.7	$\mu\text{g} / \text{m}^3$	18.3	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.52	0.43	0.28	$\text{mg} / \text{m}^3$	0.41	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

Handumanthaiah P  
Technical Manager

Note : 1.The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

1. Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Production Block( SML)
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 13.06.2024
7. Date of Sample Receipt : 15.06.2024
8. Analysis Starting Date : 18.06.2024
9. Analysis Completion Date : 20.06.2024
10. Report Issue Date : 21.06.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/3198

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			5254	5255	5256			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note:
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I).  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Production Block( SML)
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.07.2024
7. Date of Sample Receipt : 19.07.2024
8. Analysis Starting Date : 19.07.2024
9. Analysis Completion Date : 26.07.2024
10. Report Issue Date : 27.07.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000016280F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1 24780	2 24781	3 24782			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	73.4	65.7	63.8	$\mu\text{g} / \text{m}^3$	67.6	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	28.8	24.6	23.7	$\mu\text{g} / \text{m}^3$	25.7	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	16.6	12.2	11.3	$\mu\text{g} / \text{m}^3$	13.4	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	19.4	15.6	14.7	$\mu\text{g} / \text{m}^3$	16.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.44	0.38	0.25	$\text{mg} / \text{m}^3$	0.36	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

*Ramp*

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A, 1, 1B, 2A, 2B, 3A to 3E, 4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Production Block( SML)
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.07.2024
7. Date of Sample Receipt : 19.07.2024
8. Analysis Starting Date : 19.07.2024
9. Analysis Completion Date : 26.07.2024
10. Report Issue Date : 27.07.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/3907

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			6700	6701	6702			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	---

Analysed by

Authorized Signatory

Handmanthaiah P  
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Production Block( SML)
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BI.
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 07.09.2024
7. Date of Sample Receipt : 09.09.2024
8. Analysis Starting Date : 09.09.2024
9. Analysis Completion Date : 13.09.2024
10. Report Issue Date : 14.09.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/4553

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			6812	6813	6814			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg / m <sup>3</sup>	BDL	---

Analysed by

Authorized Signatory

Hantimanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Production Block( SML)
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 07.09.2024
7. Date of Sample Receipt : 09.09.2024
8. Analysis Starting Date : 09.09.2024
9. Analysis Completion Date : 13.09.2024
10. Report Issue Date : 14.09.2024
11. Sampling Protocol : IS 5182 : Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000019802F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			30442	30443	30444			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	75.6	72.6	69.6	$\mu\text{g}/\text{m}^3$	72.6	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	25.6	22.4	20.3	$\mu\text{g}/\text{m}^3$	22.8	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	15.5	14.2	11.3	$\mu\text{g}/\text{m}^3$	13.7	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	22.1	19.2	14.8	$\mu\text{g}/\text{m}^3$	18.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.43	0.36	0.31	$\text{mg}/\text{m}^3$	0.37	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : msvlabellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvlabellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1B, 1C, 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2I, 2J, 2K, 2L, 2M, 2N, 2O, 2P, 2Q, 2R, 2S, 2T, 2U, 2V, 2W, 2X, 2Y, 2Z, 3A, 3B, 3C, 3D, 3E, 3F, 3G, 3H, 3I, 3J, 3K, 3L, 3M, 3N, 3O, 3P, 3Q, 3R, 3S, 3T, 3U, 3V, 3W, 3X, 3Y, 3Z, 4A, 4B, 4C, 4D, 4E, 4F, 4G, 4H, 4I, 4J, 4K, 4L, 4M, 4N, 4O, 4P, 4Q, 4R, 4S, 4T, 4U, 4V, 4W, 4X, 4Y, 4Z, 5A, 5B, 5C, 5D, 5E, 5F, 5G, 5H, 5I, 5J, 5K, 5L, 5M, 5N, 5O, 5P, 5Q, 5R, 5S, 5T, 5U, 5V, 5W, 5X, 5Y, 5Z, 6A, 6B, 6C, 6D, 6E, 6F, 6G, 6H, 6I, 6J, 6K, 6L, 6M, 6N, 6O, 6P, 6Q, 6R, 6S, 6T, 6U, 6V, 6W, 6X, 6Y, 6Z, 7A, 7B, 7C, 7D, 7E, 7F, 7G, 7H, 7I, 7J, 7K, 7L, 7M, 7N, 7O, 7P, 7Q, 7R, 7S, 7T, 7U, 7V, 7W, 7X, 7Y, 7Z, 8A, 8B, 8C, 8D, 8E, 8F, 8G, 8H, 8I, 8J, 8K, 8L, 8M, 8N, 8O, 8P, 8Q, 8R, 8S, 8T, 8U, 8V, 8W, 8X, 8Y, 8Z, 9A, 9B, 9C, 9D, 9E, 9F, 9G, 9H, 9I, 9J, 9K, 9L, 9M, 9N, 9O, 9P, 9Q, 9R, 9S, 9T, 9U, 9V, 9W, 9X, 9Y, 9Z, 10A, 10B, 10C, 10D, 10E, 10F, 10G, 10H, 10I, 10J, 10K, 10L, 10M, 10N, 10O, 10P, 10Q, 10R, 10S, 10T, 10U, 10V, 10W, 10X, 10Y, 10Z, 11A, 11B, 11C, 11D, 11E, 11F, 11G, 11H, 11I, 11J, 11K, 11L, 11M, 11N, 11O, 11P, 11Q, 11R, 11S, 11T, 11U, 11V, 11W, 11X, 11Y, 11Z, 12A, 12B, 12C, 12D, 12E, 12F, 12G, 12H, 12I, 12J, 12K, 12L, 12M, 12N, 12O, 12P, 12Q, 12R, 12S, 12T, 12U, 12V, 12W, 12X, 12Y, 12Z, 13A, 13B, 13C, 13D, 13E, 13F, 13G, 13H, 13I, 13J, 13K, 13L, 13M, 13N, 13O, 13P, 13Q, 13R, 13S, 13T, 13U, 13V, 13W, 13X, 13Y, 13Z, 14A, 14B, 14C, 14D, 14E, 14F, 14G, 14H, 14I, 14J, 14K, 14L, 14M, 14N, 14O, 14P, 14Q, 14R, 14S, 14T, 14U, 14V, 14W, 14X, 14Y, 14Z, 15A, 15B, 15C, 15D, 15E, 15F, 15G, 15H, 15I, 15J, 15K, 15L, 15M, 15N, 15O, 15P, 15Q, 15R, 15S, 15T, 15U, 15V, 15W, 15X, 15Y, 15Z, 16A, 16B, 16C, 16D, 16E, 16F, 16G, 16H, 16I, 16J, 16K, 16L, 16M, 16N, 16O, 16P, 16Q, 16R, 16S, 16T, 16U, 16V, 16W, 16X, 16Y, 16Z, 17A, 17B, 17C, 17D, 17E, 17F, 17G, 17H, 17I, 17J, 17K, 17L, 17M, 17N, 17O, 17P, 17Q, 17R, 17S, 17T, 17U, 17V, 17W, 17X, 17Y, 17Z, 18A, 18B, 18C, 18D, 18E, 18F, 18G, 18H, 18I, 18J, 18K, 18L, 18M, 18N, 18O, 18P, 18Q, 18R, 18S, 18T, 18U, 18V, 18W, 18X, 18Y, 18Z, 19A, 19B, 19C, 19D, 19E, 19F, 19G, 19H, 19I, 19J, 19K, 19L, 19M, 19N, 19O, 19P, 19Q, 19R, 19S, 19T, 19U, 19V, 19W, 19X, 19Y, 19Z, 20A, 20B, 20C, 20D, 20E, 20F, 20G, 20H, 20I, 20J, 20K, 20L, 20M, 20N, 20O, 20P, 20Q, 20R, 20S, 20T, 20U, 20V, 20W, 20X, 20Y, 20Z, 21A, 21B, 21C, 21D, 21E, 21F, 21G, 21H, 21I, 21J, 21K, 21L, 21M, 21N, 21O, 21P, 21Q, 21R, 21S, 21T, 21U, 21V, 21W, 21X, 21Y, 21Z, 22A, 22B, 22C, 22D, 22E, 22F, 22G, 22H, 22I, 22J, 22K, 22L, 22M, 22N, 22O, 22P, 22Q, 22R, 22S, 22T, 22U, 22V, 22W, 22X, 22Y, 22Z, 23A, 23B, 23C, 23D, 23E, 23F, 23G, 23H, 23I, 23J, 23K, 23L, 23M, 23N, 23O, 23P, 23Q, 23R, 23S, 23T, 23U, 23V, 23W, 23X, 23Y, 23Z, 24A, 24B, 24C, 24D, 24E, 24F, 24G, 24H, 24I, 24J, 24K, 24L, 24M, 24N, 24O, 24P, 24Q, 24R, 24S, 24T, 24U, 24V, 24W, 24X, 24Y, 24Z, 25A, 25B, 25C, 25D, 25E, 25F, 25G, 25H, 25I, 25J, 25K, 25L, 25M, 25N, 25O, 25P, 25Q, 25R, 25S, 25T, 25U, 25V, 25W, 25X, 25Y, 25Z, 26A, 26B, 26C, 26D, 26E, 26F, 26G, 26H, 26I, 26J, 26K, 26L, 26M, 26N, 26O, 26P, 26Q, 26R, 26S, 26T, 26U, 26V, 26W, 26X, 26Y, 26Z, 27A, 27B, 27C, 27D, 27E, 27F, 27G, 27H, 27I, 27J, 27K, 27L, 27M, 27N, 27O, 27P, 27Q, 27R, 27S, 27T, 27U, 27V, 27W, 27X, 27Y, 27Z, 28A, 28B, 28C, 28D, 28E, 28F, 28G, 28H, 28I, 28J, 28K, 28L, 28M, 28N, 28O, 28P, 28Q, 28R, 28S, 28T, 28U, 28V, 28W, 28X, 28Y, 28Z, 29A, 29B, 29C, 29D, 29E, 29F, 29G, 29H, 29I, 29J, 29K, 29L, 29M, 29N, 29O, 29P, 29Q, 29R, 29S, 29T, 29U, 29V, 29W, 29X, 29Y, 29Z, 30A, 30B, 30C, 30D, 30E, 30F, 30G, 30H, 30I, 30J, 30K, 30L, 30M, 30N, 30O, 30P, 30Q, 30R, 30S, 30T, 30U, 30V, 30W, 30X, 30Y, 30Z, 31A, 31B, 31C, 31D, 31E, 31F, 31G, 31H, 31I, 31J, 31K, 31L, 31M, 31N, 31O, 31P, 31Q, 31R, 31S, 31T, 31U, 31V, 31W, 31X, 31Y, 31Z, 32A, 32B, 32C, 32D, 32E, 32F, 32G, 32H, 32I, 32J, 32K, 32L, 32M, 32N, 32O, 32P, 32Q, 32R, 32S, 32T, 32U, 32V, 32W, 32X, 32Y, 32Z, 33A, 33B, 33C, 33D, 33E, 33F, 33G, 33H, 33I, 33J, 33K, 33L, 33M, 33N, 33O, 33P, 33Q, 33R, 33S, 33T, 33U, 33V, 33W, 33X, 33Y, 33Z, 34A, 34B, 34C, 34D, 34E, 34F, 34G, 34H, 34I, 34J, 34K, 34L, 34M, 34N, 34O, 34P, 34Q, 34R, 34S, 34T, 34U, 34V, 34W, 34X, 34Y, 34Z, 35A, 35B, 35C, 35D, 35E, 35F, 35G, 35H, 35I, 35J, 35K, 35L, 35M, 35N, 35O, 35P, 35Q, 35R, 35S, 35T, 35U, 35V, 35W, 35X, 35Y, 35Z, 36A, 36B, 36C, 36D, 36E, 36F, 36G, 36H, 36I, 36J, 36K, 36L, 36M, 36N, 36O, 36P, 36Q, 36R, 36S, 36T, 36U, 36V, 36W, 36X, 36Y, 36Z, 37A, 37B, 37C, 37D, 37E, 37F, 37G, 37H, 37I, 37J, 37K, 37L, 37M, 37N, 37O, 37P, 37Q, 37R, 37S, 37T, 37U, 37V, 37W, 37X, 37Y, 37Z, 38A, 38B, 38C, 38D, 38E, 38F, 38G, 38H, 38I, 38J, 38K, 38L, 38M, 38N, 38O, 38P, 38Q, 38R, 38S, 38T, 38U, 38V, 38W, 38X, 38Y, 38Z, 39A, 39B, 39C, 39D, 39E, 39F, 39G, 39H, 39I, 39J, 39K, 39L, 39M, 39N, 39O, 39P, 39Q, 39R, 39S, 39T, 39U, 39V, 39W, 39X, 39Y, 39Z, 40A, 40B, 40C, 40D, 40E, 40F, 40G, 40H, 40I, 40J, 40K, 40L, 40M, 40N, 40O, 40P, 40Q, 40R, 40S, 40T, 40U, 40V, 40W, 40X, 40Y, 40Z, 41A, 41B, 41C, 41D, 41E, 41F, 41G, 41H, 41I, 41J, 41K, 41L, 41M, 41N, 41O, 41P, 41Q, 41R, 41S, 41T, 41U, 41V, 41W, 41X, 41Y, 41Z, 42A, 42B, 42C, 42D, 42E, 42F, 42G, 42H, 42I, 42J, 42K, 42L, 42M, 42N, 42O, 42P, 42Q, 42R, 42S, 42T, 42U, 42V, 42W, 42X, 42Y, 42Z, 43A, 43B, 43C, 43D, 43E, 43F, 43G, 43H, 43I, 43J, 43K, 43L, 43M, 43N, 43O, 43P, 43Q, 43R, 43S, 43T, 43U, 43V, 43W, 43X, 43Y, 43Z, 44A, 44B, 44C, 44D, 44E, 44F, 44G, 44H, 44I, 44J, 44K, 44L, 44M, 44N, 44O, 44P, 44Q, 44R, 44S, 44T, 44U, 44V, 44W, 44X, 44Y, 44Z, 45A, 45B, 45C, 45D, 45E, 45F, 45G, 45H, 45I, 45J, 45K, 45L, 45M, 45N, 45O, 45P, 45Q, 45R, 45S, 45T, 45U, 45V, 45W, 45X, 45Y, 45Z, 46A, 46B, 46C, 46D, 46E, 46F, 46G, 46H, 46I, 46J, 46K, 46L, 46M, 46N, 46O, 46P, 46Q, 46R, 46S, 46T, 46U, 46V, 46W, 46X, 46Y, 46Z, 47A, 47B, 47C, 47D, 47E, 47F, 47G, 47H, 47I, 47J, 47K, 47L, 47M, 47N, 47O, 47P, 47Q, 47R, 47S, 47T, 47U, 47V, 47W, 47X, 47Y, 47Z, 48A, 48B, 48C, 48D, 48E, 48F, 48G, 48H, 48I, 48J, 48K, 48L, 48M, 48N, 48O, 48P, 48Q, 48R, 48S, 48T, 48U, 48V, 48W, 48X, 48Y, 48Z, 49A, 49B, 49C, 49D, 49E, 49F, 49G, 49H, 49I, 49J, 49K, 49L, 49M, 49N, 49O, 49P, 49Q, 49R, 49S, 49T, 49U, 49V, 49W, 49X, 49Y, 49Z, 50A, 50B, 50C, 50D, 50E, 50F, 50G, 50H, 50I, 50J, 50K, 50L, 50M, 50N, 50O, 50P, 50Q, 50R, 50S, 50T, 50U, 50V, 50W, 50X, 50Y, 50Z, 51A, 51B, 51C, 51D, 51E, 51F, 51G, 51H, 51I, 51J, 51K, 51L, 51M, 51N, 51O, 51P, 51Q, 51R, 51S, 51T, 51U, 51V, 51W, 51X, 51Y, 51Z, 52A, 52B, 52C, 52D, 52E, 52F, 52G, 52H, 52I, 52J, 52K, 52L, 52M, 52N, 52O, 52P, 52Q, 52R, 52S, 52T, 52U, 52V, 52W, 52X, 52Y, 52Z, 53A, 53B, 53C, 53D, 53E, 53F, 53G, 53H, 53I, 53J, 53K, 53L, 53M, 53N, 53O, 53P, 53Q, 53R, 53S, 53T, 53U, 53V, 53W, 53X, 53Y, 53Z, 54A, 54B, 54C, 54D, 54E, 54F, 54G, 54H, 54I, 54J, 54K, 54L, 54M, 54N, 54O, 54P, 54Q, 54R, 54S, 54T, 54U, 54V, 54W, 54X, 54Y, 54Z, 55A, 55B, 55C, 55D, 55E, 55F, 55G, 55H, 55I, 55J, 55K, 55L, 55M, 55N, 55O, 55P, 55Q, 55R, 55S, 55T, 55U, 55V, 55W, 55X, 55Y, 55Z, 56A, 56B, 56C, 56D, 56E, 56F, 56G, 56H, 56I, 56J, 56K, 56L, 56M, 56N, 56O, 56P, 56Q, 56R, 56S, 56T, 56U, 56V, 56W, 56X, 56Y, 56Z, 57A, 57B, 57C, 57D, 57E, 57F, 57G, 57H, 57I, 57J, 57K, 57L, 57M, 57N, 57O, 57P, 57Q, 57R, 57S, 57T, 57U, 57V, 57W, 57X, 57Y, 57Z, 58A, 58B, 58C, 58D, 58E, 58F, 58G, 58H, 58I, 58J, 58K, 58L, 58M, 58N, 58O, 58P, 58Q, 58R, 58S, 58T, 58U, 58V, 58W, 58X, 58Y, 58Z, 59A, 59B, 59C, 59D, 59E, 59F, 59G, 59H, 59I, 59J, 59K, 59L, 59M, 59N, 59O, 59P, 59Q, 59R, 59S, 59T, 59U, 59V, 59W, 59X, 59Y, 59Z, 60A, 60B, 60C, 60D, 60E, 60F, 60G, 60H, 60I, 60J, 60K, 60L, 60M, 60N, 60O, 60P, 60Q, 60R, 60S, 60T, 60U, 60V, 60W, 60X, 60Y, 60Z, 61A, 61B, 61C, 61D, 61E, 61F, 61G, 61H, 61I, 61J, 61K, 61L, 61M, 61N, 61O, 61P, 61Q, 61R, 61S, 61T, 61U, 61V, 61W, 61X, 61Y, 61Z, 62A, 62B, 62C, 62D, 62E, 62F, 62G, 62H, 62I, 62J, 62K, 62L, 62M, 62N, 62O, 62P, 62Q, 62R, 62S, 62T, 62U, 62V, 62W, 62X, 62Y, 62Z, 63A, 63B, 63C, 63D, 63E, 63F, 63G, 63H, 63I, 63J, 63K, 63L, 63M, 63N, 63O, 63P, 63Q, 63R, 63S, 63T, 63U, 63V, 63W, 63X, 63Y, 63Z, 64A, 64B, 64C, 64D, 64E, 64F, 64G, 64H, 64I, 64J, 64K, 64L, 64M, 64N, 64O, 64P, 64Q, 64R, 64S, 64T, 64U, 64V, 64W, 64X, 64Y, 64Z, 65A, 65B, 65C, 65D, 65E, 65F, 65G, 65H, 65I, 65J, 65K, 65L, 65M, 65N, 65O, 65P, 65Q, 65R, 65S, 65T, 65U, 65V, 65W, 65X, 65Y, 65Z, 66A, 66B, 66C, 66D, 66E, 66F, 66G, 66H, 66I, 66J, 66K, 66L, 66M, 66N, 66O, 66P, 66Q, 66R, 66S, 66T, 66U, 66V, 66W, 66X, 66Y, 66Z, 67A, 67B, 67C, 67D, 67E, 67F, 67G, 67H, 67I, 67J, 67K, 67L, 67M, 67N, 67O, 67P, 67Q, 67R, 67S, 67T, 67U, 67V, 67W, 67X, 67Y, 67Z, 68A, 68B, 68C, 68D, 68E, 68F, 68G, 68H, 68I, 68J, 68K, 68L, 68M, 68N, 68O, 68P, 68Q, 68R, 68S, 68T, 68U, 68V, 68W, 68X, 68Y, 68Z, 69A, 69B, 69C, 69D, 69E, 69F, 69G, 69H, 69I, 69J, 69K, 69L, 69M, 69N, 69O, 69P, 69Q, 69R, 69S, 69T, 69U, 69V, 69W, 69X, 69Y, 69Z, 70A, 70B, 70C, 70D, 70E, 70F, 70G, 70H, 70I, 70J, 70K, 70L, 70M, 70N, 70O, 70P, 70Q, 70R, 70S, 70T, 70U, 70V, 70W, 70X, 70Y, 70Z, 71A, 71B, 71C, 71D, 71E, 71F, 71G, 71H, 71I, 71J, 71K, 71L, 71M, 71N, 71O, 71P, 71Q, 71R, 71S, 71T, 71U, 71V, 71W, 71X, 71Y, 71Z, 72A, 72B, 72C, 72D, 72E, 72F, 72G, 72H, 72I, 72J, 72K, 72L, 72M, 72N, 72O, 72P, 72Q, 72R, 72S, 72T, 72U, 72V, 72W, 72X, 72Y, 72Z, 73A, 73B, 73C, 73D, 73E, 73F, 73G, 73H, 73I, 73J, 73K, 73L, 73M, 73N, 73O, 73P, 73Q, 73R, 73S, 73T, 73U, 73V, 73W, 73X, 73Y, 73Z, 74A, 74B, 74C, 74D, 74E, 74F, 74G, 74H, 74I, 74J, 74K, 74L, 74M, 74N, 74O, 74P, 74Q, 74R, 74S, 74T, 74U, 74V, 74W, 74X, 74Y, 74Z, 75A, 75B, 75C, 75D, 75E, 75F, 75G, 75H, 75I, 75J, 75K, 75L, 75M, 75N, 75O, 75P, 75Q, 75R, 75S, 75T, 75U, 75V, 75W, 75X, 75Y, 75Z, 76A, 76B, 76C, 76D, 76E, 76F, 76G, 76H, 76I, 76J, 76K, 76L, 76M, 76N, 76O, 76P, 76Q, 76R, 76S, 76T, 76U, 76V, 76W, 76X, 76Y, 76Z, 77A, 77B, 77C, 77D, 77E, 77F, 77G, 77H, 77I, 77J, 77K, 77L, 77M, 77N, 77O, 77P, 77Q, 77R, 77S, 77T, 77U, 77V, 77W, 77X, 77Y, 77Z, 78A, 78B, 78C, 78D, 78E, 78F, 78G, 78H, 78I, 78J, 78K, 78L, 78M, 78N, 78O, 78P, 78Q, 78R, 78S, 78T, 78U, 78V, 78W, 78X, 78Y, 78Z, 79A, 79B, 79C, 79D, 79E, 79F, 79G, 79H, 79I, 79J, 79K, 79L, 79M, 79N, 79O, 79P, 79Q, 79R, 79S, 79T, 79U, 79V, 79W, 79X, 79Y, 79Z, 80A, 80B, 80C, 80D, 80E, 80F, 80G, 80H, 80I, 80J, 80K, 80L, 80M, 80N, 80O, 80P, 80Q, 80R, 80S, 80T, 80U, 80V, 80W, 80X, 80Y, 80Z, 81A, 81B, 81C, 81D, 81E, 81F, 81G, 81H, 81I, 81J, 81K, 81L, 81M, 81N, 81O, 81P, 81Q, 81R, 81S, 81T, 81U, 81V, 81W, 81X, 81Y, 81Z, 82A, 82B, 82C, 82D, 82E, 82F, 82G, 82H, 82I, 82J, 82K, 82L, 82M, 82N, 82O, 82P, 82Q, 82R, 82S, 82T, 82U, 82V, 82W, 82X, 82Y, 82Z, 83A, 83B, 83C, 83D, 83E, 83F, 83G, 83H, 83I, 83J, 83K, 83L, 83M, 83N, 83O, 83P, 83Q, 83R, 83S, 83T, 83U, 83V, 83W, 83X, 83Y, 83Z, 84A, 84B, 84C, 84D, 84E, 84F, 84G, 84H, 84I, 84J, 84K, 84L, 84M, 84N, 84O, 84P, 84Q, 84R, 84S, 84T, 84U, 84V, 84W, 84X, 84Y, 84Z, 85A, 85B, 85C, 85D, 85E, 85F, 85G, 85H, 85I, 85J, 85K, 85L, 85M, 85N, 85O, 85P, 85Q, 85R, 85S, 85T, 85U, 85V, 85W, 85X, 85Y, 85Z, 86A, 86B, 86C, 86D, 86E, 86F, 86G, 86H, 86I, 86J, 86K, 86L, 86M, 86N, 86O, 86P, 86Q, 86R, 86S, 86T, 86U, 86V, 86W, 86X, 86Y, 86Z, 87A, 87B, 87C, 87D, 87E, 87F, 87G, 87H, 87I, 87J, 87K, 87L, 87M, 87N, 87O, 87P, 87Q, 87R, 87S, 87T, 87U, 87V, 87W, 87X, 87Y, 87Z, 88A, 88B, 88C, 88D, 88E, 88F, 88G, 88H, 88I, 88J, 88K, 88L, 88M, 88N, 88O, 88P, 88Q, 88R, 88S, 88T, 88U, 88V, 88W, 88X, 88Y, 88Z, 89A, 89B, 89C, 89D, 89E, 89F, 89G, 89H, 89I, 89J, 89K, 89L, 89M, 89N, 89O, 89P, 89Q, 89R, 89S, 89T, 89U, 89V, 89W, 89X, 89Y, 89Z, 90A, 90B, 90C, 90D, 90E, 90F, 90G, 90H, 90I, 90J, 90K, 90L, 90M, 90N, 90O, 90P, 90Q, 90R, 90S, 90T, 90U, 90V, 90W, 90X, 90Y, 90Z, 91A, 91B, 91C, 91D, 91E, 91F, 91G, 91H, 91I, 91J, 91K, 91L, 91M, 91N, 91O, 91P, 91Q, 91R, 91S, 91T, 91U, 91V, 91W, 91X, 91Y, 91Z, 92A, 92B, 92C, 92D, 92E, 92F, 92G, 92H, 92I, 92J, 92K, 92L, 92M, 92N, 92O, 92P, 92Q, 92R, 92S, 92T, 92U, 92V, 92W, 92X, 92Y, 92Z, 93A, 93B, 93C, 93D, 93E, 93F, 93G, 93H, 93I, 93J, 93K, 93L, 93M, 93N, 93O, 93P, 93Q, 93R, 93S, 93T, 93U, 93V, 93W, 93X, 93Y



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry	M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20,Deosugur Industrial Area,Raichur Tq & District.
2. Name of the location	Near Main Gate
3. Sample Collected By	MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments	Sample collected with FDS & RDS 460BL
5. Duration of Monitoring	8 Hours
6. Date of Monitoring	13.04.2024
7. Date of Sample Receipt	15.04.2024
8. Analysis Starting Date	18.04.2024
9. Analysis Completion Date	22.04.2024
10. Report Issue Date	23.04.2024
11. Sampling Protocol	IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/1965

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			2964	2965	2966			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	ppm	<0.01	
7	H <sub>2</sub> S	IS-5183 (Part 7) - 1973	BDL	BDL	BDL	mg/m <sup>3</sup>	BDL	

Analysed by



Authorized Signatory  
  
B.Chinna Lingana Gouda  
Chief executive of the laboratory

- Note:
- The results listed only to the tested samples & applicable parameters.
  - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  - Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shripa Pharma Life Sciences Ltd, (Unit - D),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.05.2024
7. Date of Sample Receipt : 20.05.2024
8. Analysis Starting Date : 20.05.2024
9. Analysis Completion Date : 27.05.2024
10. Report Issue Date : 27.05.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000011379F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			16957	16958	16959			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	84.6	83.8	81.4	µg / m <sup>3</sup>	83.3	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	32.4	30.1	28.6	µg / m <sup>3</sup>	30.4	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	20	18.9	18.1	µg / m <sup>3</sup>	19.0	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	24	22.1	19.6	µg / m <sup>3</sup>	21.9	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.57	0.59	0.54	mg / m <sup>3</sup>	0.57	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT



Note : 1.The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
- Name of the location** : Near Main Gate
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with FDS & RDS 460BL
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 18.05.2024
- Date of Sample Receipt** : 20.05.2024
- Analysis Starting Date** : 20.05.2024
- Analysis Completion Date** : 27.05.2024
- Report Issue Date** : 27.05.2024
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/2807

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			4553	4554	4555			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT:-



- Note:
- The results listed only to the tested samples & applicable parameters.
  - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  - Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A 1A "D" 1B 22A 2B 2A To 2E 1A 1B 1C 5A  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 13.06.2024
7. Date of Sample Receipt : 15.06.2024
8. Analysis Starting Date : 18.06.2024
9. Analysis Completion Date : 20.06.2024
10. Report Issue Date : 21.06.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000012981F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			19350	19351	19352			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	80.7	71.6	60.4	µg / m <sup>3</sup>	70.9	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	32.8	28.1	22.6	µg / m <sup>3</sup>	27.8	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	18.2	15.1	9.9	µg / m <sup>3</sup>	14.4	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	25.1	19.6	15.4	µg / m <sup>3</sup>	20.0	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.63	0.54	0.42	mg / m <sup>3</sup>	0.53	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

*Romel*

Authorized Signatory

*Hanumanthaiah P*  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

MSVAL/AA/DE/01/00

1. Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BI.
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 13.06.2024
7. Date of Sample Receipt : 15.06.2024
8. Analysis Starting Date : 18.06.2024
9. Analysis Completion Date : 20.06.2024
10. Report Issue Date : 21.06.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/3199

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			5257	5258	5259			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/m <sup>2</sup>	BDL	---

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note:
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur 1q & District.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.07.2024
7. Date of Sample Receipt : 19.07.2024
8. Analysis Starting Date : 19.07.2024
9. Analysis Completion Date : 26.07.2024
10. Report Issue Date : 27.07.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000016281F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			24783	24784	24785			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	82.2	76.6	73.2	$\mu\text{g} / \text{m}^3$	77.3	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	34.6	30.2	28.4	$\mu\text{g} / \text{m}^3$	31.1	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	14.2	10.6	8.9	$\mu\text{g} / \text{m}^3$	11.2	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	23.2	19.6	18.7	$\mu\text{g} / \text{m}^3$	20.5	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.60	0.43	0.30	$\text{mg} / \text{m}^3$	0.44	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

1. Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.07.2024
7. Date of Sample Receipt : 19.07.2024
8. Analysis Starting Date : 19.07.2024
9. Analysis Completion Date : 26.07.2024
10. Report Issue Date : 27.07.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/3908

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			6703	6704	6705			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	---

Analysed by

*Pamela*

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT

- Note:
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur 1q & District.
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 18.08.2024
7. Date of Sample Receipt : 19.08.2024
8. Analysis Starting Date : 19.08.2024
9. Analysis Completion Date : 24.08.2024
10. Report Issue Date : 26.08.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000018379F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			28220	28221	28222			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	82.4	80.6	78.1	µg/m <sup>3</sup>	80.4	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	30.1	28.4	27.2	µg/m <sup>3</sup>	28.6	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	15.3	13.9	13.5	µg/m <sup>3</sup>	14.2	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	28.7	28.2	26.9	µg/m <sup>3</sup>	27.9	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.48	0.46	0.44	mg/m <sup>3</sup>	0.46	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry	M/S. Shilpa Pharma Life Sciences Ltd. (Unit - D) Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location	Near Main Gate
3. Sample Collected By	MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments	Sample collected with FDS & RDS 460BL
5. Duration of Monitoring	8 Hours
6. Date of Monitoring	18.08.2024
7. Date of Sample Receipt	19.08.2024
8. Analysis Starting Date	19.08.2024
9. Analysis Completion Date	24.08.2024
10. Report Issue Date	26.08.2024
11. Sampling Protocol	IS 5182:Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/4792

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			7711	7712	7713			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	---

Analysed by

*Ramf*

Authorized Signatory

*Hanumanthaiah P*  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B,2C, Devasugul Industrial Area, Raichur Tq & District
2. Name of the location : Near Main Gate
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 07.09.2024
7. Date of Sample Receipt : 09.09.2024
8. Analysis Starting Date : 09.09.2024
9. Analysis Completion Date : 13.09.2024
10. Report Issue Date : 14.09.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000019803F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			30445	30446	30447			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	85.3	82.6	79.4	µg/m <sup>3</sup>	82.4	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	32.6	29.4	25.6	µg/m <sup>3</sup>	29.2	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	21.4	18.5	15.1	µg/m <sup>3</sup>	18.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	25.1	22.1	19.4	µg/m <sup>3</sup>	22.2	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.62	0.51	0.48	mg/m <sup>3</sup>	0.54	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1B, 1C, 1D, 1E, 1F, 1G, 1H, 1I, 1J, 1K, 1L, 1M, 1N, 1O, 1P, 1Q, 1R, 1S, 1T, 1U, 1V, 1W, 1X, 1Y, 1Z, 2A, 2B, 2C, 2D, 2E, 2F, 2G, 2H, 2I, 2J, 2K, 2L, 2M, 2N, 2O, 2P, 2Q, 2R, 2S, 2T, 2U, 2V, 2W, 2X, 2Y, 2Z, 3A, 3B, 3C, 3D, 3E, 3F, 3G, 3H, 3I, 3J, 3K, 3L, 3M, 3N, 3O, 3P, 3Q, 3R, 3S, 3T, 3U, 3V, 3W, 3X, 3Y, 3Z, 4A, 4B, 4C, 4D, 4E, 4F, 4G, 4H, 4I, 4J, 4K, 4L, 4M, 4N, 4O, 4P, 4Q, 4R, 4S, 4T, 4U, 4V, 4W, 4X, 4Y, 4Z, 5A, 5B, 5C, 5D, 5E, 5F, 5G, 5H, 5I, 5J, 5K, 5L, 5M, 5N, 5O, 5P, 5Q, 5R, 5S, 5T, 5U, 5V, 5W, 5X, 5Y, 5Z, 6A, 6B, 6C, 6D, 6E, 6F, 6G, 6H, 6I, 6J, 6K, 6L, 6M, 6N, 6O, 6P, 6Q, 6R, 6S, 6T, 6U, 6V, 6W, 6X, 6Y, 6Z, 7A, 7B, 7C, 7D, 7E, 7F, 7G, 7H, 7I, 7J, 7K, 7L, 7M, 7N, 7O, 7P, 7Q, 7R, 7S, 7T, 7U, 7V, 7W, 7X, 7Y, 7Z, 8A, 8B, 8C, 8D, 8E, 8F, 8G, 8H, 8I, 8J, 8K, 8L, 8M, 8N, 8O, 8P, 8Q, 8R, 8S, 8T, 8U, 8V, 8W, 8X, 8Y, 8Z, 9A, 9B, 9C, 9D, 9E, 9F, 9G, 9H, 9I, 9J, 9K, 9L, 9M, 9N, 9O, 9P, 9Q, 9R, 9S, 9T, 9U, 9V, 9W, 9X, 9Y, 9Z, 10A, 10B, 10C, 10D, 10E, 10F, 10G, 10H, 10I, 10J, 10K, 10L, 10M, 10N, 10O, 10P, 10Q, 10R, 10S, 10T, 10U, 10V, 10W, 10X, 10Y, 10Z, 11A, 11B, 11C, 11D, 11E, 11F, 11G, 11H, 11I, 11J, 11K, 11L, 11M, 11N, 11O, 11P, 11Q, 11R, 11S, 11T, 11U, 11V, 11W, 11X, 11Y, 11Z, 12A, 12B, 12C, 12D, 12E, 12F, 12G, 12H, 12I, 12J, 12K, 12L, 12M, 12N, 12O, 12P, 12Q, 12R, 12S, 12T, 12U, 12V, 12W, 12X, 12Y, 12Z, 13A, 13B, 13C, 13D, 13E, 13F, 13G, 13H, 13I, 13J, 13K, 13L, 13M, 13N, 13O, 13P, 13Q, 13R, 13S, 13T, 13U, 13V, 13W, 13X, 13Y, 13Z, 14A, 14B, 14C, 14D, 14E, 14F, 14G, 14H, 14I, 14J, 14K, 14L, 14M, 14N, 14O, 14P, 14Q, 14R, 14S, 14T, 14U, 14V, 14W, 14X, 14Y, 14Z, 15A, 15B, 15C, 15D, 15E, 15F, 15G, 15H, 15I, 15J, 15K, 15L, 15M, 15N, 15O, 15P, 15Q, 15R, 15S, 15T, 15U, 15V, 15W, 15X, 15Y, 15Z, 16A, 16B, 16C, 16D, 16E, 16F, 16G, 16H, 16I, 16J, 16K, 16L, 16M, 16N, 16O, 16P, 16Q, 16R, 16S, 16T, 16U, 16V, 16W, 16X, 16Y, 16Z, 17A, 17B, 17C, 17D, 17E, 17F, 17G, 17H, 17I, 17J, 17K, 17L, 17M, 17N, 17O, 17P, 17Q, 17R, 17S, 17T, 17U, 17V, 17W, 17X, 17Y, 17Z, 18A, 18B, 18C, 18D, 18E, 18F, 18G, 18H, 18I, 18J, 18K, 18L, 18M, 18N, 18O, 18P, 18Q, 18R, 18S, 18T, 18U, 18V, 18W, 18X, 18Y, 18Z, 19A, 19B, 19C, 19D, 19E, 19F, 19G, 19H, 19I, 19J, 19K, 19L, 19M, 19N, 19O, 19P, 19Q, 19R, 19S, 19T, 19U, 19V, 19W, 19X, 19Y, 19Z, 20A, 20B, 20C, 20D, 20E, 20F, 20G, 20H, 20I, 20J, 20K, 20L, 20M, 20N, 20O, 20P, 20Q, 20R, 20S, 20T, 20U, 20V, 20W, 20X, 20Y, 20Z, 21A, 21B, 21C, 21D, 21E, 21F, 21G, 21H, 21I, 21J, 21K, 21L, 21M, 21N, 21O, 21P, 21Q, 21R, 21S, 21T, 21U, 21V, 21W, 21X, 21Y, 21Z, 22A, 22B, 22C, 22D, 22E, 22F, 22G, 22H, 22I, 22J, 22K, 22L, 22M, 22N, 22O, 22P, 22Q, 22R, 22S, 22T, 22U, 22V, 22W, 22X, 22Y, 22Z, 23A, 23B, 23C, 23D, 23E, 23F, 23G, 23H, 23I, 23J, 23K, 23L, 23M, 23N, 23O, 23P, 23Q, 23R, 23S, 23T, 23U, 23V, 23W, 23X, 23Y, 23Z, 24A, 24B, 24C, 24D, 24E, 24F, 24G, 24H, 24I, 24J, 24K, 24L, 24M, 24N, 24O, 24P, 24Q, 24R, 24S, 24T, 24U, 24V, 24W, 24X, 24Y, 24Z, 25A, 25B, 25C, 25D, 25E, 25F, 25G, 25H, 25I, 25J, 25K, 25L, 25M, 25N, 25O, 25P, 25Q, 25R, 25S, 25T, 25U, 25V, 25W, 25X, 25Y, 25Z, 26A, 26B, 26C, 26D, 26E, 26F, 26G, 26H, 26I, 26J, 26K, 26L, 26M, 26N, 26O, 26P, 26Q, 26R, 26S, 26T, 26U, 26V, 26W, 26X, 26Y, 26Z, 27A, 27B, 27C, 27D, 27E, 27F, 27G, 27H, 27I, 27J, 27K, 27L, 27M, 27N, 27O, 27P, 27Q, 27R, 27S, 27T, 27U, 27V, 27W, 27X, 27Y, 27Z, 28A, 28B, 28C, 28D, 28E, 28F, 28G, 28H, 28I, 28J, 28K, 28L, 28M, 28N, 28O, 28P, 28Q, 28R, 28S, 28T, 28U, 28V, 28W, 28X, 28Y, 28Z, 29A, 29B, 29C, 29D, 29E, 29F, 29G, 29H, 29I, 29J, 29K, 29L, 29M, 29N, 29O, 29P, 29Q, 29R, 29S, 29T, 29U, 29V, 29W, 29X, 29Y, 29Z, 30A, 30B, 30C, 30D, 30E, 30F, 30G, 30H, 30I, 30J, 30K, 30L, 30M, 30N, 30O, 30P, 30Q, 30R, 30S, 30T, 30U, 30V, 30W, 30X, 30Y, 30Z, 31A, 31B, 31C, 31D, 31E, 31F, 31G, 31H, 31I, 31J, 31K, 31L, 31M, 31N, 31O, 31P, 31Q, 31R, 31S, 31T, 31U, 31V, 31W, 31X, 31Y, 31Z, 32A, 32B, 32C, 32D, 32E, 32F, 32G, 32H, 32I, 32J, 32K, 32L, 32M, 32N, 32O, 32P, 32Q, 32R, 32S, 32T, 32U, 32V, 32W, 32X, 32Y, 32Z, 33A, 33B, 33C, 33D, 33E, 33F, 33G, 33H, 33I, 33J, 33K, 33L, 33M, 33N, 33O, 33P, 33Q, 33R, 33S, 33T, 33U, 33V, 33W, 33X, 33Y, 33Z, 34A, 34B, 34C, 34D, 34E, 34F, 34G, 34H, 34I, 34J, 34K, 34L, 34M, 34N, 34O, 34P, 34Q, 34R, 34S, 34T, 34U, 34V, 34W, 34X, 34Y, 34Z, 35A, 35B, 35C, 35D, 35E, 35F, 35G, 35H, 35I, 35J, 35K, 35L, 35M, 35N, 35O, 35P, 35Q, 35R, 35S, 35T, 35U, 35V, 35W, 35X, 35Y, 35Z, 36A, 36B, 36C, 36D, 36E, 36F, 36G, 36H, 36I, 36J, 36K, 36L, 36M, 36N, 36O, 36P, 36Q, 36R, 36S, 36T, 36U, 36V, 36W, 36X, 36Y, 36Z, 37A, 37B, 37C, 37D, 37E, 37F, 37G, 37H, 37I, 37J, 37K, 37L, 37M, 37N, 37O, 37P, 37Q, 37R, 37S, 37T, 37U, 37V, 37W, 37X, 37Y, 37Z, 38A, 38B, 38C, 38D, 38E, 38F, 38G, 38H, 38I, 38J, 38K, 38L, 38M, 38N, 38O, 38P, 38Q, 38R, 38S, 38T, 38U, 38V, 38W, 38X, 38Y, 38Z, 39A, 39B, 39C, 39D, 39E, 39F, 39G, 39H, 39I, 39J, 39K, 39L, 39M, 39N, 39O, 39P, 39Q, 39R, 39S, 39T, 39U, 39V, 39W, 39X, 39Y, 39Z, 40A, 40B, 40C, 40D, 40E, 40F, 40G, 40H, 40I, 40J, 40K, 40L, 40M, 40N, 40O, 40P, 40Q, 40R, 40S, 40T, 40U, 40V, 40W, 40X, 40Y, 40Z, 41A, 41B, 41C, 41D, 41E, 41F, 41G, 41H, 41I, 41J, 41K, 41L, 41M, 41N, 41O, 41P, 41Q, 41R, 41S, 41T, 41U, 41V, 41W, 41X, 41Y, 41Z, 42A, 42B, 42C, 42D, 42E, 42F, 42G, 42H, 42I, 42J, 42K, 42L, 42M, 42N, 42O, 42P, 42Q, 42R, 42S, 42T, 42U, 42V, 42W, 42X, 42Y, 42Z, 43A, 43B, 43C, 43D, 43E, 43F, 43G, 43H, 43I, 43J, 43K, 43L, 43M, 43N, 43O, 43P, 43Q, 43R, 43S, 43T, 43U, 43V, 43W, 43X, 43Y, 43Z, 44A, 44B, 44C, 44D, 44E, 44F, 44G, 44H, 44I, 44J, 44K, 44L, 44M, 44N, 44O, 44P, 44Q, 44R, 44S, 44T, 44U, 44V, 44W, 44X, 44Y, 44Z, 45A, 45B, 45C, 45D, 45E, 45F, 45G, 45H, 45I, 45J, 45K, 45L, 45M, 45N, 45O, 45P, 45Q, 45R, 45S, 45T, 45U, 45V, 45W, 45X, 45Y, 45Z, 46A, 46B, 46C, 46D, 46E, 46F, 46G, 46H, 46I, 46J, 46K, 46L, 46M, 46N, 46O, 46P, 46Q, 46R, 46S, 46T, 46U, 46V, 46W, 46X, 46Y, 46Z, 47A, 47B, 47C, 47D, 47E, 47F, 47G, 47H, 47I, 47J, 47K, 47L, 47M, 47N, 47O, 47P, 47Q, 47R, 47S, 47T, 47U, 47V, 47W, 47X, 47Y, 47Z, 48A, 48B, 48C, 48D, 48E, 48F, 48G, 48H, 48I, 48J, 48K, 48L, 48M, 48N, 48O, 48P, 48Q, 48R, 48S, 48T, 48U, 48V, 48W, 48X, 48Y, 48Z, 49A, 49B, 49C, 49D, 49E, 49F, 49G, 49H, 49I, 49J, 49K, 49L, 49M, 49N, 49O, 49P, 49Q, 49R, 49S, 49T, 49U, 49V, 49W, 49X, 49Y, 49Z, 50A, 50B, 50C, 50D, 50E, 50F, 50G, 50H, 50I, 50J, 50K, 50L, 50M, 50N, 50O, 50P, 50Q, 50R, 50S, 50T, 50U, 50V, 50W, 50X, 50Y, 50Z, 51A, 51B, 51C, 51D, 51E, 51F, 51G, 51H, 51I, 51J, 51K, 51L, 51M, 51N, 51O, 51P, 51Q, 51R, 51S, 51T, 51U, 51V, 51W, 51X, 51Y, 51Z, 52A, 52B, 52C, 52D, 52E, 52F, 52G, 52H, 52I, 52J, 52K, 52L, 52M, 52N, 52O, 52P, 52Q, 52R, 52S, 52T, 52U, 52V, 52W, 52X, 52Y, 52Z, 53A, 53B, 53C, 53D, 53E, 53F, 53G, 53H, 53I, 53J, 53K, 53L, 53M, 53N, 53O, 53P, 53Q, 53R, 53S, 53T, 53U, 53V, 53W, 53X, 53Y, 53Z, 54A, 54B, 54C, 54D, 54E, 54F, 54G, 54H, 54I, 54J, 54K, 54L, 54M, 54N, 54O, 54P, 54Q, 54R, 54S, 54T, 54U, 54V, 54W, 54X, 54Y, 54Z, 55A, 55B, 55C, 55D, 55E, 55F, 55G, 55H, 55I, 55J, 55K, 55L, 55M, 55N, 55O, 55P, 55Q, 55R, 55S, 55T, 55U, 55V, 55W, 55X, 55Y, 55Z, 56A, 56B, 56C, 56D, 56E, 56F, 56G, 56H, 56I, 56J, 56K, 56L, 56M, 56N, 56O, 56P, 56Q, 56R, 56S, 56T, 56U, 56V, 56W, 56X, 56Y, 56Z, 57A, 57B, 57C, 57D, 57E, 57F, 57G, 57H, 57I, 57J, 57K, 57L, 57M, 57N, 57O, 57P, 57Q, 57R, 57S, 57T, 57U, 57V, 57W, 57X, 57Y, 57Z, 58A, 58B, 58C, 58D, 58E, 58F, 58G, 58H, 58I, 58J, 58K, 58L, 58M, 58N, 58O, 58P, 58Q, 58R, 58S, 58T, 58U, 58V, 58W, 58X, 58Y, 58Z, 59A, 59B, 59C, 59D, 59E, 59F, 59G, 59H, 59I, 59J, 59K, 59L, 59M, 59N, 59O, 59P, 59Q, 59R, 59S, 59T, 59U, 59V, 59W, 59X, 59Y, 59Z, 60A, 60B, 60C, 60D, 60E, 60F, 60G, 60H, 60I, 60J, 60K, 60L, 60M, 60N, 60O, 60P, 60Q, 60R, 60S, 60T, 60U, 60V, 60W, 60X, 60Y, 60Z, 61A, 61B, 61C, 61D, 61E, 61F, 61G, 61H, 61I, 61J, 61K, 61L, 61M, 61N, 61O, 61P, 61Q, 61R, 61S, 61T, 61U, 61V, 61W, 61X, 61Y, 61Z, 62A, 62B, 62C, 62D, 62E, 62F, 62G, 62H, 62I, 62J, 62K, 62L, 62M, 62N, 62O, 62P, 62Q, 62R, 62S, 62T, 62U, 62V, 62W, 62X, 62Y, 62Z, 63A, 63B, 63C, 63D, 63E, 63F, 63G, 63H, 63I, 63J, 63K, 63L, 63M, 63N, 63O, 63P, 63Q, 63R, 63S, 63T, 63U, 63V, 63W, 63X, 63Y, 63Z, 64A, 64B, 64C, 64D, 64E, 64F, 64G, 64H, 64I, 64J, 64K, 64L, 64M, 64N, 64O, 64P, 64Q, 64R, 64S, 64T, 64U, 64V, 64W, 64X, 64Y, 64Z, 65A, 65B, 65C, 65D, 65E, 65F, 65G, 65H, 65I, 65J, 65K, 65L, 65M, 65N, 65O, 65P, 65Q, 65R, 65S, 65T, 65U, 65V, 65W, 65X, 65Y, 65Z, 66A, 66B, 66C, 66D, 66E, 66F, 66G, 66H, 66I, 66J, 66K, 66L, 66M, 66N, 66O, 66P, 66Q, 66R, 66S, 66T, 66U, 66V, 66W, 66X, 66Y, 66Z, 67A, 67B, 67C, 67D, 67E, 67F, 67G, 67H, 67I, 67J, 67K, 67L, 67M, 67N, 67O, 67P, 67Q, 67R, 67S, 67T, 67U, 67V, 67W, 67X, 67Y, 67Z, 68A, 68B, 68C, 68D, 68E, 68F, 68G, 68H, 68I, 68J, 68K, 68L, 68M, 68N, 68O, 68P, 68Q, 68R, 68S, 68T, 68U, 68V, 68W, 68X, 68Y, 68Z, 69A, 69B, 69C, 69D, 69E, 69F, 69G, 69H, 69I, 69J, 69K, 69L, 69M, 69N, 69O, 69P, 69Q, 69R, 69S, 69T, 69U, 69V, 69W, 69X, 69Y, 69Z, 70A, 70B, 70C, 70D, 70E, 70F, 70G, 70H, 70I, 70J, 70K, 70L, 70M, 70N, 70O, 70P, 70Q, 70R, 70S, 70T, 70U, 70V, 70W, 70X, 70Y, 70Z, 71A, 71B, 71C, 71D, 71E, 71F, 71G, 71H, 71I, 71J, 71K, 71L, 71M, 71N, 71O, 71P, 71Q, 71R, 71S, 71T, 71U, 71V, 71W, 71X, 71Y, 71Z, 72A, 72B, 72C, 72D, 72E, 72F, 72G, 72H, 72I, 72J, 72K, 72L, 72M, 72N, 72O, 72P, 72Q, 72R, 72S, 72T, 72U, 72V, 72W, 72X, 72Y, 72Z, 73A, 73B, 73C, 73D, 73E, 73F, 73G, 73H, 73I, 73J, 73K, 73L, 73M, 73N, 73O, 73P, 73Q, 73R, 73S, 73T, 73U, 73V, 73W, 73X, 73Y, 73Z, 74A, 74B, 74C, 74D, 74E, 74F, 74G, 74H, 74I, 74J, 74K, 74L, 74M, 74N, 74O, 74P, 74Q, 74R, 74S, 74T, 74U, 74V, 74W, 74X, 74Y, 74Z, 75A, 75B, 75C, 75D, 75E, 75F, 75G, 75H, 75I, 75J, 75K, 75L, 75M, 75N, 75O, 75P, 75Q, 75R, 75S, 75T, 75U, 75V, 75W, 75X, 75Y, 75Z, 76A, 76B, 76C, 76D, 76E, 76F, 76G, 76H, 76I, 76J, 76K, 76L, 76M, 76N, 76O, 76P, 76Q, 76R, 76S, 76T, 76U, 76V, 76W, 76X, 76Y, 76Z, 77A, 77B, 77C, 77D, 77E, 77F, 77G, 77H, 77I, 77J, 77K, 77L, 77M, 77N, 77O, 77P, 77Q, 77R, 77S, 77T, 77U, 77V, 77W, 77X, 77Y, 77Z, 78A, 78B, 78C, 78D, 78E, 78F, 78G, 78H, 78I, 78J, 78K, 78L, 78M, 78N, 78O, 78P, 78Q, 78R, 78S, 78T, 78U, 78V, 78W, 78X, 78Y, 78Z, 79A, 79B, 79C, 79D, 79E, 79F, 79G, 79H, 79I, 79J, 79K, 79L, 79M, 79N, 79O, 79P, 79Q, 79R, 79S, 79T, 79U, 79V, 79W, 79X, 79Y, 79Z, 80A, 80B, 80C, 80D, 80E, 80F, 80G, 80H, 80I, 80J, 80K, 80L, 80M, 80N, 80O, 80P, 80Q, 80R, 80S, 80T, 80U, 80V, 80W, 80X, 80Y, 80Z, 81A, 81B, 81C, 81D, 81E, 81F, 81G, 81H, 81I, 81J, 81K, 81L, 81M, 81N, 81O, 81P, 81Q, 81R, 81S, 81T, 81U, 81V, 81W, 81X, 81Y, 81Z, 82A, 82B, 82C, 82D, 82E, 82F, 82G, 82H, 82I, 82J, 82K, 82L, 82M, 82N, 82O, 82P, 82Q, 82R, 82S, 82T, 82U, 82V, 82W, 82X, 82Y, 82Z, 83A, 83B, 83C, 83D, 83E, 83F, 83G, 83H, 83I, 83J, 83K, 83L, 83M, 83N, 83O, 83P, 83Q, 83R, 83S, 83T, 83U, 83V, 83W, 83X, 83Y, 83Z, 84A, 84B, 84C, 84D, 84E, 84F, 84G, 84H, 84I, 84J, 84K, 84L, 84M, 84N, 84O, 84P, 84Q, 84R, 84S, 84T, 84U, 84V, 84W, 84X, 84Y, 84Z, 85A, 85B, 85C, 85D, 85E, 85F, 85G, 85H, 85I, 85J, 85K, 85L, 85M, 85N, 85O, 85P, 85Q, 85R, 85S, 85T, 85U, 85V, 85W, 85X, 85Y, 85Z, 86A, 86B, 86C, 86D, 86E, 86F, 86G, 86H, 86I, 86J, 86K, 86L, 86M, 86N, 86O, 86P, 86Q, 86R, 86S, 86T, 86U, 86V, 86W, 86X, 86Y, 86Z, 87A, 87B, 87C, 87D, 87E, 87F, 87G, 87H, 87I, 87J, 87K, 87L, 87M, 87N, 87O, 87P, 87Q, 87R, 87S, 87T, 87U, 87V, 87W, 87X, 87Y, 87Z, 88A, 88B, 88C, 88D, 88E, 88F, 88G, 88H, 88I, 88J, 88K, 88L, 88M, 88N, 88O, 88P, 88Q, 88R, 88S, 88T, 88U, 88V, 88W, 88X, 88Y, 88Z, 89A, 89B, 89C, 89D, 89E, 89F, 89G, 89H, 89I, 89J, 89K, 89L, 89M, 89N, 89O, 89P, 89Q, 89R, 89S, 89T, 89U, 89V, 89W, 89X, 89Y, 89Z, 90A, 90B, 90C, 90D, 90E, 90F, 90G, 90H, 90I, 90J, 90K, 90L, 90M, 90N, 90O, 90P, 90Q, 90R, 90S, 90T, 90U, 90V, 90W, 90X, 90Y, 90Z, 91A, 91B, 91C, 91D, 91E, 91F, 91G, 91H, 91I, 91J, 91K, 91L, 91M, 91N, 91O, 91P, 91Q, 91R, 91S, 91T, 91U, 91V, 91W, 91X, 91Y, 91Z, 92A, 92B, 92C, 92D, 92E, 92F, 92G, 92H, 92I, 92J, 92K, 92L, 92M, 92N, 92O, 92P, 92Q, 92R, 92S, 92T, 92U, 92V, 92W, 92X, 92Y, 92Z, 93A, 93B, 93C, 93D, 93E, 93F, 93G, 93H, 93I, 93J, 93K, 93L, 93M, 93N, 93O, 93P, 93Q, 93R, 93S, 93T,





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO  
3E,4A,4B,4C,5A,5B&20,Deosugur Industrial  
Area,Raichur Tq & District.
- Name of the location : Near Production Block
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
- Duration of Monitoring : 8 Hours
- Date of Monitoring : 13.04.2024
- Date of Sample Receipt : 15.04.2024
- Analysis Starting Date : 18.04.2024
- Analysis Completion Date : 22.04.2024
- Report Issue Date : 23.04.2024
- Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/1962

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1 2956	2 2957	3 2958			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	Ppm	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7) - 1973	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	---

Analysed by

--: END OF REPORT



Authorized Signatory  
  
B.Chinnna Lingana Gouda  
Chief executive of the laboratory

- Note:
- The results listed only to the tested samples & applicable parameters.
  - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  - Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169

Email : msvallbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvallbellary.com



MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry : M/s. Shilpa Pharma Lite Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO  
3E,4A,4B,4C,5A,5B&20,Deosugur Industrial  
Area,Raichur Tq & District.
2. Name of the location : Near Production Block
3. Sample Collected By : MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
5. Duration of Monitoring : 8 Hours
6. Date of Monitoring : 13.04.2024
7. Date of Sample Receipt : 15.04.2024
8. Analysis Starting Date : 18.04.2024
9. Analysis Completion Date : 22.04.2024
10. Report Issue Date : 23.04.2024
11. Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000008993F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			13199	13200	13201			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	72.4	75.1	70.3	µg / m <sup>3</sup>	72.6	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	23.1	26.3	20.2	µg / m <sup>3</sup>	23.2	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	14.9	18.1	12.8	µg / m <sup>3</sup>	15.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	19.9	22.6	17.9	µg / m <sup>3</sup>	20.1	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.31	0.34	0.28	mg / m <sup>3</sup>	0.31	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

END OF REPORT



Authorized Signatory  
  
B.Chingia Lingana Gouda  
Chief executive of the laboratory

- Note:
- The results listed only to the tested samples & applicable parameters.
  - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  - Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
- Name of the location : Near Production Block
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
- Duration of Monitoring : 8 Hours
- Date of Monitoring : 13.06.2024
- Date of Sample Receipt : 15.06.2024
- Analysis Starting Date : 18.06.2024
- Analysis Completion Date : 20.06.2024
- Report Issue Date : 21.06.2024
- Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/3196

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			5248	5249	5250			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	-

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note:
- The results listed only to the tested samples & applicable parameters.
  - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  - Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
- Name of the location** : Near Production Block
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with FDS & RDS 460BL
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 13.06.2024
- Date of Sample Receipt** : 15.06.2024
- Analysis Starting Date** : 18.06.2024
- Analysis Completion Date** : 20.06.2024
- Report Issue Date** : 21.06.2024
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000012978F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			19341	19342	19343			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	80.6	74.5	61.3	µg / m <sup>3</sup>	72.1	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	28.4	21.7	15.5	µg / m <sup>3</sup>	21.9	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	17.2	13.5	10.0	µg / m <sup>3</sup>	13.6	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	24.1	21.0	16.9	µg / m <sup>3</sup>	20.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.39	0.27	0.20	mg / m <sup>3</sup>	0.29	2

INFERENCE	As per NAAQS Standards Report Status :- The analyzed values for above measured parameter are within the limits
-----------	---

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
- Name of the location : Near Production Block
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
- Duration of Monitoring : 8 Hours
- Date of Monitoring : 18.07.2024
- Date of Sample Receipt : 19.07.2024
- Analysis Starting Date : 19.07.2024
- Analysis Completion Date : 26.07.2024
- Report Issue Date : 27.07.2024
- Sampling Protocol : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/3905

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			6694	6695	6696			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>2</sup>	BDL	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note:
- The results listed only to the tested samples & applicable parameters.
  - Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  - Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry** : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
- Name of the location** : Near Production Block
- Sample Collected By** : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments** : Sample collected with FDS & RDS 460BL
- Duration of Monitoring** : 8 Hours
- Date of Monitoring** : 18.07.2024
- Date of Sample Receipt** : 19.07.2024
- Analysis Starting Date** : 19.07.2024
- Analysis Completion Date** : 26.07.2024
- Report Issue Date** : 27.07.2024
- Sampling Protocol** : IS 5182 : Part 14 : 2019

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000016278F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			24774	24775	24776			
1	Particulate Matter (Size less than 10 µm) PM <sub>10</sub>	IS-5182(Part-23):2017	76.7	69.8	64.3	µg / m <sup>3</sup>	70.3	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	33.4	28.6	25.7	µg / m <sup>3</sup>	29.2	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	16.7	14.8	10.4	µg / m <sup>3</sup>	14.0	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	23.4	21.6	19.7	µg / m <sup>3</sup>	21.6	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.47	0.40	0.29	mg / m <sup>3</sup>	0.39	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A, P, 1B, 2, 4A, 4B, 5A to 5E, 4A, 4B, 4C, 5A,  
5B&20, Deosugur Industrial Area, Raichur Tq & District.
- Name of the location : Near Production Block
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
- Duration of Monitoring : 8 Hours
- Date of Monitoring : 18.08.2024
- Date of Sample Receipt : 19.08.2024
- Analysis Starting Date : 19.08.2024
- Analysis Completion Date : 24.08.2024
- Report Issue Date : 26.08.2024
- Sampling Protocol : IS 5182:Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: MSVAL/2024/4789

S. No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			7702	7703	7704			
6	Carbon Dioxide as CO <sub>2</sub>	Instrument Manual Method	<0.01	<0.01	<0.01	PPM	<0.01	---
7	H <sub>2</sub> S	IS-5182 (Part-7)	BDL	BDL	BDL	µg/ m <sup>3</sup>	BDL	--

Analysed by

*Ramya*

Authorized Signatory

Handmanthaiah P  
Technical Manager



- Note :
- The results listed only to the tested samples & applicable parameters.
  - Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  - This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  - Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  - Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

1. Name and Address of Industry	M/S. Shilpa Pharma Life Sciences Ltd. (Unit - D) Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Name of the location	Near Production Block
3. Sample Collected By	MSV Analytical Laboratories, Bellary.
4. Particulars of the sampling Equipments	Sample collected with FDS & RDS 460BL
5. Duration of Monitoring	8 Hours
6. Date of Monitoring	18.08.2024
7. Date of Sample Receipt	19.08.2024
8. Analysis Starting Date	19.08.2024
9. Analysis Completion Date	24.08.2024
10. Report Issue Date	26.08.2024
11. Sampling Protocol	IS 5182:Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000018376F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			28211	28212	28213			
1	Particulate Matter (Size less than 10 µm)PM <sub>10</sub>	IS-5182(Part-23):2017	74.6	72.1	70.2	µg/m <sup>3</sup>	72.3	100
2	Particulate Matter (Size less than 2.5 µm) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	25	23.6	21.8	µg/m <sup>3</sup>	23.5	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	14.6	12.8	12.5	µg/m <sup>3</sup>	13.3	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	25.0	26.1	22.9	µg/m <sup>3</sup>	24.7	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.38	0.36	0.34	mg/m <sup>3</sup>	0.36	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by

*[Signature]*



Authorized Signatory

*[Signature]*  
Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified







# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AA/RF/01/00

## ANALYSIS REPORT OF AMBIENT AIR QUALITY

- Name and Address of Industry : M/S. Shilpa Pharma Life Sciences Ltd. (unit - I).  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A To 3E,4A, 4B, 4C, 5A, 5B&20, Deosugur Industrial Area, Raichur Tq & District.
- Name of the location : Near Production Block
- Sample Collected By : MSV Analytical Laboratories, Bellary.
- Particulars of the sampling Equipments : Sample collected with FDS & RDS 460BL
- Duration of Monitoring : 8 Hours
- Date of Monitoring : 07.09.2024
- Date of Sample Receipt : 09.09.2024
- Analysis Starting Date : 09.09.2024
- Analysis Completion Date : 13.09.2024
- Report Issue Date : 14.09.2024
- Sampling Protocol : IS 5182:Part 14

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Air ULR No: TC407124000019800F

S.No	Parameter	Protocols	Shift wise results			Units	Result in Avg.	Tolerance limits
			1	2	3			
			30436	30437	30438			
1	Particulate Matter (Size less than 10 $\mu\text{m}$ ) PM <sub>10</sub>	IS-5182(Part-23):2017	76.3	73.4	70.5	$\mu\text{g}/\text{m}^3$	73.4	100
2	Particulate Matter (Size less than 2.5 $\mu\text{m}$ ) or PM <sub>2.5</sub>	IS-5182(Part-24):2019	29.4	26.2	24.3	$\mu\text{g}/\text{m}^3$	26.6	60
3	Sulphur Dioxide as SO <sub>2</sub>	IS-5182(Part-2):2017	20.4	17.1	14.8	$\mu\text{g}/\text{m}^3$	17.4	80
4	Oxides of Nitrogen as NO <sub>x</sub>	IS-5182(Part-6):2017	27.6	22.2	19.8	$\mu\text{g}/\text{m}^3$	23.2	80
5	Carbon Monoxide as CO	MSVAL/SOP/A/007: 2022	0.50	0.41	0.38	$\text{mg}/\text{m}^3$	0.43	2

### INFERENCE

As per NAAQS Standards

Report Status :- The analyzed values for above measured parameter are within the limits

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified

## **ANNEXURE- III**

**Medical Reports attached of one employee**

Subject to Raichur Jurisdiction



R. K. B. Foundation's

## M. K. BHANDARI HOSPITAL

Opp. Gowshala, Gunj Road, RAICHUR - 584 102. ( Karnataka)

☎ : 235811, 235213, 6360751934, e-mail : mkbhospital1994@gmail.com <https://mkbfoundation.org/>

(AN ISO 9001 - 2015 CERTIFIED HOSPITAL) RECOGNIZED BY GOVERNMENT OF KARNATAKA

### PHYSICAL FITNESS CERTIFICATE

1. I do hereby certify that I have examined **Mr.Dornala Sankar Reddy S/O Mr.Venkata Reddy** candidate, **Senior Chemist** and that I cannot discover that he/she has any disease, constitutional, he/she doesn't have **cough, cold, fever.**

Affection or bodily infirmity except **A Black Mole on back.**

I do not consider this as disqualification for employment in office Of **Shilpa Pharma LifeSciences LTD,**

2. I am also satisfied by personal examination from certificate produced by that he/ She was Cowid vaccinated.
3. **Mr. Dornala Sankar Reddy** age is according to his/her own Statement **31** years and by appearance about **Thirty One** Years.
4. Height: **173 cms** 5. Weight: **76 kgs**
6. Acuteness of vision: a) Right Eye **6/6** b) Left Eye **6/6**
7. Pulse: **84**, 8. BP: **130/70**, 9.Temp: **97 F**, 10. RS: **NAD**, 11. PA: **Soft**,
12. Audiometer: **S<sub>1</sub> S<sub>2</sub> Heard**, 13. CNS: **NAD**, 14.Blood Group: **B+ve**,

**Result ; FIT**

Station: **Raichur**

Date: **25-07-2024**

*D. Sankar Reddy*  
Signature of candidate

*Manoj Kumar*  
Signature of Physician



**SERVICE TO HUMANITY SERVICE TO GOD**


Diagnosis Information:  
Sinus Rhythm  
\*\*\*Normal ECG\*\*\*

96 bpm  
108 ms  
161 ms  
87 ms  
322/408 ms  
26/251  
0.997/0.503 mV

HR  
P  
PR  
QRS  
QT/QTc  
P/QRS/T  
RV5/SV1

Female Years

Report Confirmed by:



**M K BHANDARI HOSPITAL****LAB Report**

<b>Name</b>	DORNALA SANKAR REDDY	<b>Patient ID</b>	OP4301/24-25/
<b>Age &amp; Sex</b>	31 Years / Male	<b>Ref.Number</b>	LBR/24-25/ 1705
<b>Referred By</b>	Dr Amaresh	<b>Date</b>	25-07-2024

**Hematology**

TEST	RESULT	REFERENCERANGE	UNITS
Heamoglobin	18.0	14 - 18	gm%
Total Leukocyte Count	300	4000 - 11300	Cells/cumm
Differential Leukocytes Count			
Polymorphs	53	45 - 70	%
Lymphocytes	39	20 - 45	%
Eosinophils	04	1 - 6	%
Monocytes	04	1 - 10	%
Basophils	00	0 - 1	%
Absolute Eosinophil Count	300	40 - 440	Cells/cumm

TEST	RESULT	REFERENCERANGE	UNITS
Blood Group	B		
RH Typing	Positive		

**Bio-Chemistry**

TEST	RESULT	REFERENCERANGE	UNITS
Random Blood Sugar	140	70 - 140	mg/dl

**Serology**

TEST	RESULT	REFERENCERANGE	UNITS
VDRL	Non-Reactive		

**Microbiology**

TEST	RESULT	REFERENCERANGE	UNITS
Sputum for AFB	Negative		



TEST	RESULT	REFERENCERANGE	UNITS
------	--------	----------------	-------



**M K BHANDARI HOSPITAL****LAB Report**

Name	DORNALA SANKAR REDDY	Patient ID	OP4301/24-25/
Age & Sex	31 Years / Male	Ref.Number	LBR/24-25/ 1705
Referred By	Dr Amaresh	Date	25-07-2024

**Urine Complete Examination****Physical Examination**

Color	Yellow
Turbidity	Nil
Deposit	Nil
Reaction	Acidic
Specific Gravity	1.025 1.010 - 1.030

**Chemical Examination**

Albumin	Nil
Sugar	Nil
Ketone Bodies	Absent
Bile Salt	Absent
Bile Pigment	Absent
Blood	Absent
Urobilinogen	Nil
Chyle	Nil
Microscopic Examination /Hpf	
Pus Cells	0-1
Epithelial Cells	0-1
Red Blood Cells	Nil
Casts	Nil
Crystals	Nil
Others	Nil

  
Lab Technician

Pathologist

Subject to Raichur Jurisdiction



R. K. B. Foundation's

## **M. K. BHANDARI HOSPITAL**

Opp. Gowshala, Gunj Road, RAICHUR - 584 102. ( Karnataka)

☎ : 235611, 235213, 6360751934, e-mail : mkbhospital1994@gmail.com <https://rkbfoundation.org/>  
(AN ISO 9001 - 2015 CERTIFIED HOSPITAL) RECOGNIZED BY GOVERNMENT OF KARNATAKA

**Patient Name: Mr. Dornaa Sankar Reddy Age/Sex: 31Y/M**

**ID. NO: MKB**

**Referred By: Dr: AMARESH PATIL, MBBS MD (GEN PHY) MKB**

**Date: 25-07-2024**

### **X-RAY CHEST PA VIEW**

*Bony-cage and the visualized soft tissues reveal no obvious abnormality.*

*Cardia is normal in size.*

*Trachea is in midline.*

*Mediastinum is central.*

*Pulmonary vasculature normal.*

*Both the lung zones clear.*

*Both CP angles clear.*

### **IMPRESSION:**

**➤ NO RADIOGRAPHIC ABNORMALITY DETECTED.**

**Please correlate clinically.**


  
  
**DR. VINOD KUMAR M MD AIIMS**  
**Consultant Radiologist**

**SERVICE TO HUMANITY SERVICE TO GOD**



## **ANNEXURE – IV**

### **Fire hydrant system**



## **ANNEXURE – V**

### **Sample training records**

### EHS TRAINING ATTENDANCE RECORD

Form No: FM-EHS-066-00

21

Fire Hydrant and Fire alarm/Emergency  
Response planning - 5/11/15/006/24

• All Department

Date : 15/06/24

• Kanakische m

Time : From 10/30 To 11/30

[illegible]

**Remarks:** Training evaluation done with the aid of ~~written/oral~~ test on above said topic and training found satisfactory/~~not satisfactory~~.

Signature of Trainer: \_\_\_\_\_  
Date: \_\_\_\_\_

## SHILPA PHARMA LIFESCIENCES LIMITED UNIT-I

## EHS TRAINING ATTENDANCE RECORD

Document No.: SOP/U-1/EHS/GEN/044

15

Form No: FM-EHS-066-00

Title of Program : Fire Hydrant and fire alarm Emergency Response planning - 1M/EHS/06/24

Target Group : All Department

Date : 10/06/24

Trainer Name : K. Sundar Karver

Time : From 15:00 To 15:30

S. No.	Emp. Code	Employee	Designation	Department	Signature
01	1134	A. Sharangbasappa	sr. chemist	production	Ah 10/06/24
02	1440	T. Rajendran Reddy	sr. chemist	Production	10/06/24
03	1253	M. - Ramesh Reddy	Sr. shift Incharge	production	10/06/24
04	2592	N. Shekar	sr. chemist	Production	N.S. 10/06/24
05	1166	M. Ananth	Asst. Manager	Maintenance	10/06/24
06	0169	Sridharan D.H	sr. chemist	production	10/06/24
07	2982	R. Ankabushanaga	Executive	production	10/06/24
08	6678	P. Durga Babu	Executive	Production	P. Durga 10/06/24
09	1241	Ramesh Pawar	Shift Incharge	Production	10/06/24
10	6465	Copel. B. M.	Executive	QA	10/06/24
11	1279	L. Sateesh	sr. chemist	QA	10/06/24
12	3006	P. Prasanna Kumar	Asst. Manager	QA	10/06/24
13	6349	Venugopala Reddy	Executive	Production	10/06/24
14	2210	Valamteri Red D	Sr. Executive	QA	10/06/24
15	1216	N. Santhosh Kumar	Sr. shift Incharge	PD	10/06/24
16	2468	G. R. Bidari	Sr. Executive	QA	10/06/24
17	7486	M. Ramesh	chemist	production	10/06/24
18	2994	Prashant D. Telu	Executive	Production	10/06/24
19	6362	K. V. Krishna Reddy	Sr. chemist	production	K.V. 10/06/24
20	4695	V. Narayan Kumar	Jr. Executive	MT	10/06/24
21	1783	N. Ch. Venkateswarlu	Dy. Manager	QA	10/06/24
22	7515	B. Brahmanth	Executive	Production	10/06/24
23	3539	J. Harish	Sr. Executive	production	10/06/24

**Remarks:** Training evaluation done with the aid of written/oral test on above said topic and training found satisfactory/not satisfactory.

Signature of Trainer:

Date:

10/06/24

# SHILPA PHARMA LIFESCIENCES LIMITED UNIT-I

## EHS TRAINING ATTENDANCE RECORD

Document No.: SOP/U-1/EHS/GEN/044

Form No: FM-EHS-066-00

16

Title of Program : Fire Hydrant and Fire Alarm Emergency Response planning. GMEHS/006/24

Target Group : All Department

Date : 10/06/24

Trainer Name : K. Sandeep Kumar

Time : From 15/00 To 15/30

S. No.	Emp. Code	Employee	Designation	Department	Signature
24	7340	Prabhakar	Chemist	Production	DM 10/06/24
25	7227	Kumar	Chemist	QA	KT 10/06/24
26	7516	H. Venugopal	Sr. Chemist	Production	R. 10/06/24
27	3250	K. Srinivasan	Sr. Executive	Production	K. 10/06/24
28	1650	G. Thimmalesh	Sr. Executive	Production	⊕ 10/06/24
29	2420	S. V. Ramesh	Sr. Executive	QC	for 10/06/24
30	6642	U. Ramudh	Chemist	Production	2n 10/06/24
31	2208	M. Balakrishna	Sr. Executive	Production	7 10/06/24
32	1142	S. Balamurali Krishna	Asst. Manager	QC	8K 10/06/24
33	2365	B. Vijayarathnam	Executive	QC	BO 10/06/24
34	4542	U. Venkatesh	Executive	QC	WV 10/06/24
35	2352	R. Raju Baby	Sr. Executive	QC	10/06/24
36	6715	K. Madhu	Chemist	Production	D. 10/06/24
37	7305	B. Thayaraj	Chemist	Production	10/06/24
38	7304	Kiran Nakate	Chemist	QC	10/06/24
39	3117	G. Srinanth	Asst. Manager	QC	10/06/24
40	2330	C. Ganga Sreedhar	Sr. Executive	QC	10/06/24
41	5158	Dattatraya Wankar	Sr. Executive	PD	DM 10/06/24
42	7300	T. Srinivasan	Executive	PD	10/06/24
43	2388	V. P. Parth	Sr. Chemist	QC	10/06/24
44	6855	K. Haruma Kumar	Executive	QC	10/06/24
1					
					10/06/24

Remarks: Training evaluation done with the aid of written/oral test on above said topic and training found satisfactory/not-satisfactory.

Signature of Trainer:

Date:

10/06/24

# SHILPA PHARMA LIFESCIENCES LIMITED, UNIT-1

## EHS TRAINING ATTENDANCE RECORD

Document No.: SOP/U-1/EHS/GEN/044

Form No: FM-EHS-066-00

Page 1 of 1

19

Title of Program

: Lean safety management / process safety culture  
Tm-EHS-07-24

Target Group

: All Department

Date : 16/07/24

Trainer Name

: Mr. Y.V. Reddy

Time : 10/45 to 11/30

S. No.	Emp. Code	Employee	Designation	Department	Signature
01	1129	Gumpadayya	Sr. Chemist	production	[Signature] 16/07/24
02	7536	Ch. Ravi Reddy	Sr. Chemist	production	[Signature] 16/07/24
03	1385	K.V. Bhuvanagowda Reddy	Sr. Chemist	production	[Signature] 16/07/24
04	1660	G. Shrinivas	Sr. Chemist	Production	[Signature] 16/07/24
05	3634	A. Prashant	Executive	Production	[Signature] 16/07/24
06	3962	Tulsiram S. Dabate	Sr. Chemist	Production	[Signature] 16/07/24
07	3779	G. Nataraj	Sr. Chemist	Production	[Signature] 16/07/24
08	1179	S.V. Ramana	Sr. Shift Incharge	production	[Signature] 16/07/24
09	6402	Gajanan	Sr. Chemist	Production	[Signature] 16/07/24
10	1533	M. Sudheer	Executive	production	[Signature] 16/07/24
11	1339	K. Nagaraju	Chemist	production	[Signature] 16/07/24
12	1252	Y. Sivaya Reddy	Asst. Manager	QA	[Signature] 16/07/24
N/A					
					[Signature] 16/07/24

**Remarks:** Training evaluation done with the aid of written/oral test on above said topic and training found satisfactory/not satisfactory.

Signature of Trainer: [Signature]  
Date: 16/07/24





## **ANNEXURE- VI**

### **Stack Emission reports**



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : msvbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.04.2024
5. Date of Sample Receipt : 15.04.2024
6. Sample Code : 13218
7. Analysis Starting Date : 18.04.2024
8. Analysis Completion Date : 22.04.2024
9. Report Issue date : 23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission ULR No: TC407124000009000F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	54.6	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	29.3	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	18.6	---

Analysed by

END OF REPORT



Authorized Signatory  
B.Chinna Lingana Gouda  
Chief executive of the laboratory

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16969
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011385F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	87
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	54.2	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	30.6	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	21.6	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19360
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000012985F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	54.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	29.8
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.2

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note : 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,  
Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24793
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016285F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	82
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	47.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	18.5
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	25.7

Analysed by

*[Signature]*



Authorized Signatory

*[Signature]*  
Hanumanthaiah P  
Technical Manager

- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Devasagar Industrial Area, Kachur Taluk & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28223
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018380F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	82
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	52.5
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	18.9
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	28.1

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30450
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019806F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	56.3
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	22.7
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	28.6

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

- END OF REPORT -



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : msvlabellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvlabellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.04.2024
5. Date of Sample Receipt : 15.04.2024
6. Sample Code : 13218
7. Analysis Starting Date : 18.04.2024
8. Analysis Completion Date : 22.04.2024
9. Report Issue date : 23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission ULR No: TC407124000009000F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	54.6	...
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	29.3	...
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	18.6	...

Analysed by

END OF REPORT



Authorized Signatory  
B.Chinna Lingana Gouda  
Chief executive of the laboratory

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16969
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011385F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	87
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	54.2	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	30.6	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	21.6	---

Analysed by

*Romy*

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19360
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000012985F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	54.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	29.8
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.2

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24793
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016285F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	82
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	47.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	18.5
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	25.7

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deesugar Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28223
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018380F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	82
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	52.5
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	18.9
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	28.1

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30450
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019806F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	56.3
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	22.7
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	28.6

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Debasagar Industrial Area, Haldur 1q & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28223
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018380F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	82
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	52.5
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	18.9
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	28.1

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note : 1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Kanchur 1q &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30450
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019806F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	56.3
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	22.7
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	28.6

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

- END OF REPORT -



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Lite Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.04.2024
5. Date of Sample Receipt : 15.04.2024
6. Sample Code : 13219
7. Analysis Starting Date : 18.04.2024
8. Analysis Completion Date : 22.04.2024
9. Report Issue date : 23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407124000009001F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	83
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	47.8	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	21.3	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	19.2	---

Analysed by



Authorized Signatory

B. Chinna Lingana Gouda  
Chief executive of the laboratory

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days, Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd. (Unit - D)  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16968
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011384F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	85
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	51.6	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	22.4	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	18.1	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24794
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016286F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	75
Velocity (m/s)	5.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	45.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	13.8
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	20.4

Analysed by

*Romil*

Authorized Signatory

*Hanumanthaiah P*  
Hanumanthaiah P  
Technical Manager

END OF REPORT:



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19361
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000012986F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	83
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	49.2
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	21.8
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	16.6

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 225 KVA DG Set II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28224
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018381F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	85
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	48.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	17.2
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.1

Analysed by

*Pompe*

Authorized Signatory

*Hanumanthaiah P*  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A "B" 1B, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B, 620,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30451
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019807F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	83
Velocity (m/s)	6.6
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	53.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	23.6
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	25.7

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note : 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will discard after 10 days. Dyes and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : msvlabellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvlabellary.com



MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,Z,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.04.2024
5. Date of Sample Receipt : 15.04.2024
6. Sample Code : 13220
7. Analysis Starting Date : 18.04.2024
8. Analysis Completion Date : 22.04.2024
9. Report Issue date : 23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission ULR No: TC407124000009002F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	41.2	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	24.8	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.6	---

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

- Note:
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1B, 1C, 1D, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16967
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011383F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	82
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	44.1	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	26.2	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	23.4	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd. (unit - D), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19362
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000012987F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	52.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	27.1
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.4

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd. (unit - D),  
Plot No. 1A, 1A, 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24795
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016287F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	82
Velocity (m/s)	6.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	39.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	17.3
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	24.5

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No 1A 1A "P" 1B 2 2A 2B 2A TO 2E 4A 4B 4C 5A 5B 8 20  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28224
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018382F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	87
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	45.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	16.7
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	24.4

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30452
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019808F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	7 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	47.2
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	25.7
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	26.6

Analysed by

Authorized Signatory

Hannanthaijah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169

Email : msvallbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvallbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3F,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID	325 KVA DG Set-III
3. Sample Collected By	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	13.04.2024
5. Date of Sample Receipt	15.04.2024
6. Sample Code	13220
7. Analysis Starting Date	18.04.2024
8. Analysis Completion Date	22.04.2024
9. Report Issue date	23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission ULR No: TC407124000009002F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	41.2	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	24.8	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.6	---

Analysed by

END OF REPORT



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1B, 1C, 1D, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 6,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16967
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011383F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	82
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	44.1	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	26.2	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	23.4	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT :-



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd. (unit - D), Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19362
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000012987F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	52.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	27.1
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.4

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd. (unit - I).  
Plot No. 1A, 1A, "P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24795
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016287F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	82
Velocity (m/s)	6.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	39.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	17.3
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	24.5

Analysed by

*Romee*



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note : 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Tumbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - 1), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30452
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019808F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	7 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	47.2
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	25.7
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	26.6

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A "B" 1B 2A 2B 3A TO 3E 4A 4B 4C 5A 5B 820  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28224
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018382F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	87
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	45.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	16.7
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	24.4

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
Email : msvlabellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvlabellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.04.2024
5. Date of Sample Receipt : 15.04.2024
6. Sample Code : 13220
7. Analysis Starting Date : 18.04.2024
8. Analysis Completion Date : 22.04.2024
9. Report Issue date : 23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission ULR No: TC407124000009002F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	41.2	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	24.8	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.6	---

Analysed by

END OF REPORT



Authorized Signatory

B.Chinna Lingana Gouda

Chief executive of the laboratory

- 1403
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1B, 1C, 1D, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16967
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011383F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	82
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	44.1	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	26.2	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	23.4	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

- END OF REPORT -



- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd. (unit - I),  
Plot No. 1A, 1A, 1B, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24795
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016287F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	82
Velocity (m/s)	6.4
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	39.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	17.3
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	24.5

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilna Pharma Life Sciences Ltd. (unit - I).  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19362
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000012987F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	52.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	27.1
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.4

Analysed by



Authorized Signatory

Manumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A "B", 1B, 2A, 2B, 2A TO 2F, 4A, 4B, 4C, 5A, 5B & 20  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28224
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018382F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	87
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	45.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	16.7
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	24.4

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

-: END OF REPORT -:



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,  
Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-III
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30452
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019808F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	7 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	47.2
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	25.7
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	26.6

Analysed by

Authorized Signatory

Hannanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (O) : 9945456764, 08392-255169  
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.04.2024
5. Date of Sample Receipt : 15.04.2024
6. Sample Code : 13218
7. Analysis Starting Date : 18.04.2024
8. Analysis Completion Date : 22.04.2024
9. Report Issue date : 23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission ULR No: TC407124000009000F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Gross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	54.6	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	29.3	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	18.6	---

Analysed by

END OF REPORT



Authorized Signatory  
  
B.Chinna Lingana Gouda  
Chief executive of the laboratory

1. The results listed only to the tested samples & applicable parameters
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,  
Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16969
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011335F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	35
Stack Temperature (°C)	87
Velocity (m/s)	5.5
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	54.2	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	30.6	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	21.6	---

Analysed by

*[Signature]*

Authorized Signatory

*[Signature]*  
Hanumanthaiah P  
Technical Manager

:- END OF REPORT



- Note:
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/CE/RE/01/03

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19360
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000012985F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	75
Velocity (m/s)	5.7
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	54.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	29.8
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.2

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/KF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,  
Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-I
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24793
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016285F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	30
Stack Temperature (°C)	82
Velocity (m/s)	6.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	47.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	18.5
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	25.7

Analysed by

*[Signature]*



Authorized Signatory

*[Signature]*  
Hanumanthaiah P  
Technical Manager

- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	:	M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID	:	325 KVA DG Set-II
3. Sample Collected By	:	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	:	13.04.2024
5. Date of Sample Receipt	:	15.04.2024
6. Sample Code	:	13219
7. Analysis Starting Date	:	18.04.2024
8. Analysis Completion Date	:	22.04.2024
9. Report Issue date	:	23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407124000009001F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	83
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	47.8	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	21.3	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	19.2	---

Analysed by



Authorized Signatory

B.Chinna Lingana Gouda  
Chief executive of the laboratory

1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s Shilpa Pharma Life Sciences Ltd, Unit - D,  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16968
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011384F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	85
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	51.6	---
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	22.4	---
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	18.1	---

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT



- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24794
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016286F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	29
Stack Temperature (°C)	75
Velocity (m/s)	5.3
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	45.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	13.8
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	20.4

Analysed by

*Romil*

Authorized Signatory

*Hanumanthaiah P*  
Hanumanthaiah P  
Technical Manager

END OF REPORT



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19361
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000012986F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	83
Velocity (m/s)	6.0
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.1964375

## RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	49.2
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	21.8
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	16.6

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A "D" 1B, 2A, 2B, 2A TO 2F, 4A, 4B, 4C, 5A, 5B & 2C,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : 325 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30451
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019807F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	83
Velocity (m/s)	6.6
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	53.7
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	23.6
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	25.7

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : 225 KVA DG Set-II
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28224
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018381F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Fuel Used	Diesel
Ambient Temperature (°C)	34
Stack Temperature (°C)	85
Velocity (m/s)	5.8
Height (m)	6 mtr AGL
Diameter (m)	0.5
Cross sectional area (m <sup>2</sup> )	0.19643

### RESULTS

Parameters	Protocol	Unit	Result
Particulate Matter	IS-11255(Part1) - 2019	mg/Nm <sup>3</sup>	48.6
Sulphur dioxide	IS-11255(Part2) - 2019	mg/Nm <sup>3</sup>	17.2
Nitrogen dioxide	IS-11255(Part7) - 2017	mg/Nm <sup>3</sup>	22.1

Analysed by

*Romy*

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
Email : msvbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.04.2024
5. Date of Sample Receipt : 15.04.2024
6. Sample Code : 13217
7. Analysis Starting Date : 18.04.2024
8. Analysis Completion Date : 22.04.2024
9. Report Issue date : 23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission

ULR No: TC407124000008999F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Fuel Used	---
Ambient Temperature (°C)	34
Stack Temperature (°C)	122
Velocity (m/s)	7.2
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m <sup>2</sup> )	0.1018332

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	2639.51	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.1018332	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	68.4	115
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	23.1	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	19.6	300

### INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory  
B.Chinnna Lingana Gouda  
Chief executive of the laboratory

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16966
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011382F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	33
Stack Temperature (°C)	115
Velocity (m/s)	6.8
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m <sup>2</sup> )	0.1018

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	2492.06	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.0025	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	66.8	115
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	20.2	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	17.2	300

INFERENCE	As per KSPCB Standards
	Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVA/SE/DE/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19359
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124600012984F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	34
Stack Temperature (°C)	122
Velocity (m/s)	7.2
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m <sup>2</sup> )	0.1018

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	2640.0	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.0026	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	67.4	115
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	22.6	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	17.1	300

## INFERENCE

As per KSPCB Standards

Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

*Romil*



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Gases and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24797
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016289F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	30
Stack Temperature (°C)	132
Velocity (m/s)	6.0
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m²)	0.1018

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m³/hr	2198.88	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.0017	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm³	63.4	115
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm³	25.7	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm³	15.6	300

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Handumantiah P  
Technical Manager

:- END OF REPORT



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)  
C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169  
E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20,  
Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Boiler - 4TPH (SML - I&II)
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30449
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019805F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _1
Ambient Temperature (°C)	34
Stack Temperature (°C)	120
Velocity (m/s)	7.2
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m <sup>2</sup> )	0.1018

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	2638.6	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.0033	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	62.6	115
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	25.7	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	14.6	300

INFERENCE	As per KSPCB Standards
	Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Gases and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

## ANALYSIS REPORT FOR SOURCE EMISSION

MSVAL/SE/RF/01/00

1. Name and Address of the Industry,	M/S. Shilpa Pharma Life Sciences Ltd, (Unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID	Boiler - 4TPH (SML - I&II)
3. Sample Collected By	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	18.08.2024
5. Date of Sample Receipt	19.08.2024
6. Sample Code	28226
7. Analysis Starting Date	19.08.2024
8. Analysis Completion Date	24.08.2024
9. Report Issue date	26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018384F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_1
Ambient Temperature (°C)	33
Stack Temperature (°C)	115
Velocity (m/s)	6.6
Height (m)	30 mtr AGL
Diameter (m)	0.36
Cross sectional area (m <sup>2</sup> )	0.1018

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	2492.1	---
Emission Rate of PM	IS-11255(Part-1) - 2019	MT/day	0.0027	---
Particulate Matter	IS-11255(Part-1) - 2019	mg/Nm <sup>3</sup>	67.5	115
Sulphur dioxide	IS-11255(Part-2) - 2019	mg/Nm <sup>3</sup>	18.2	600
Nitrogen dioxide	IS-11255(Part-7) - 2017	mg/Nm <sup>3</sup>	26.4	300

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry	M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID	Onco Packing block Scrubber
3. Sample Collected By	MSV Analytical Laboratories, Bellary
4. Date of Monitoring	13.04.2024
5. Date of Sample Receipt	15.04.2024
6. Sample Code	13225
7. Analysis Starting Date	18.04.2024
8. Analysis Completion Date	22.04.2024
9. Report Issue date	23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission ULR No: TC40712400009007F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	34
Stack Temperature (°C)	42
Velocity (m/s)	4.0
Height (m)	9 mtrs AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1306.08	---
Acid/Alkali mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	11.2	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by



Authorized Signatory  
  
B.Chinna Lingana Gouda  
Chief executive of the laboratory

1. The results listed only to the tested samples & applicable parameters.
2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
5. Sampling is not done by us unless otherwise specified.





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Onco Packing block Scrubber
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16975
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011391F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Ambient Temperature (°C)	34
Stack Temperature (°C)	38
Velocity (m/s)	4.2
Height (m)	9 mtrs AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.09625

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1455.3	---
Acid/Alkali mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	17.4	35

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Onco Packing block Scrubber
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.06.2024
5. Date of Sample Receipt : 15.06.2024
6. Sample Code : 19368
7. Analysis Starting Date : 18.06.2024
8. Analysis Completion Date : 20.06.2024
9. Report Issue date : 21.06.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000012993F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.8
Height (m)	9 mtrs AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.09625

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1663.2	---
Acid/Alkali mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	21.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Onco Packing block Scrubber
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.07.2024
5. Date of Sample Receipt : 19.07.2024
6. Sample Code : 24803
7. Analysis Starting Date : 19.07.2024
8. Analysis Completion Date : 26.07.2024
9. Report Issue date : 27.07.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000016295F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Ambient Temperature (°C)	30
Stack Temperature (°C)	44
Velocity (m/s)	5.2
Height (m)	9 mtrs AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.09625

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1801.8	---
Acid/Alkali mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	15.3	35

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

END OF REPORT

- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A, "P", 1B, 2, 2A, 2B, 3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosugur Industrial Area, Raichur Tq & District.
2. Stack ID : Onco Packing block Scrubber
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 13.04.2024
5. Date of Sample Receipt : 15.04.2024
6. Sample Code : 13225
7. Analysis Starting Date : 18.04.2024
8. Analysis Completion Date : 22.04.2024
9. Report Issue date : 23.04.2024

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Stack emission ULR No: TC40712400009007F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Fuel Used	---
Ambient Temperature (°C)	34
Stack Temperature (°C)	42
Velocity (m/s)	4.0
Height (m)	9 mtrs AGL
Diameter (m)	0.34
Cross sectional area (m <sup>2</sup> )	0.0907

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1306.08	---
Acid/Alkali mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	11.2	35

INFERENCE As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by



Authorized Signatory  
  
B.Chinna Lingana Gouda  
Chief executive of the laboratory

- Notes:
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Onco Packing block Scrubber
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.05.2024
5. Date of Sample Receipt : 20.05.2024
6. Sample Code : 16975
7. Analysis Starting Date : 20.05.2024
8. Analysis Completion Date : 27.05.2024
9. Report Issue date : 27.05.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000011391F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Ambient Temperature (°C)	34
Stack Temperature (°C)	38
Velocity (m/s)	4.2
Height (m)	9 mtrs AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.09625

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1455.3	---
Acid/Alkali mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	17.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT:-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Dyes and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B &20, Deosugur Industrial Area, Raichur Tq &District.
2. Stack ID : Onco Packing block Scrubber
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28232
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018389F

### GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	4.6
Height (m)	9 mtrs AGL
Diameter (m)	0.35
Cross sectional area (m <sup>2</sup> )	0.09625

### RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1593.9	---
Acid/Alkali mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	9.7	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note : 1.The results listed only to the tested samples & applicable parameters.

2. Water, Pollution &Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A "B" 1B 2A 2B 2A TO 2F 4A 4B 4C 5A 5B 5C 6A 6B 6C 7A 7B 7C 8A 8B 8C 9A 9B 9C 10A 10B 10C 11A 11B 11C 12A 12B 12C 13A 13B 13C 14A 14B 14C 15A 15B 15C 16A 16B 16C 17A 17B 17C 18A 18B 18C 19A 19B 19C 20A 20B 20C 21A 21B 21C 22A 22B 22C 23A 23B 23C 24A 24B 24C 25A 25B 25C 26A 26B 26C 27A 27B 27C 28A 28B 28C 29A 29B 29C 30A 30B 30C 31A 31B 31C 32A 32B 32C 33A 33B 33C 34A 34B 34C 35A 35B 35C 36A 36B 36C 37A 37B 37C 38A 38B 38C 39A 39B 39C 40A 40B 40C 41A 41B 41C 42A 42B 42C 43A 43B 43C 44A 44B 44C 45A 45B 45C 46A 46B 46C 47A 47B 47C 48A 48B 48C 49A 49B 49C 50A 50B 50C 51A 51B 51C 52A 52B 52C 53A 53B 53C 54A 54B 54C 55A 55B 55C 56A 56B 56C 57A 57B 57C 58A 58B 58C 59A 59B 59C 60A 60B 60C 61A 61B 61C 62A 62B 62C 63A 63B 63C 64A 64B 64C 65A 65B 65C 66A 66B 66C 67A 67B 67C 68A 68B 68C 69A 69B 69C 70A 70B 70C 71A 71B 71C 72A 72B 72C 73A 73B 73C 74A 74B 74C 75A 75B 75C 76A 76B 76C 77A 77B 77C 78A 78B 78C 79A 79B 79C 80A 80B 80C 81A 81B 81C 82A 82B 82C 83A 83B 83C 84A 84B 84C 85A 85B 85C 86A 86B 86C 87A 87B 87C 88A 88B 88C 89A 89B 89C 90A 90B 90C 91A 91B 91C 92A 92B 92C 93A 93B 93C 94A 94B 94C 95A 95B 95C 96A 96B 96C 97A 97B 97C 98A 98B 98C 99A 99B 99C 100A 100B 100C 101A 101B 101C 102A 102B 102C 103A 103B 103C 104A 104B 104C 105A 105B 105C 106A 106B 106C 107A 107B 107C 108A 108B 108C 109A 109B 109C 110A 110B 110C 111A 111B 111C 112A 112B 112C 113A 113B 113C 114A 114B 114C 115A 115B 115C 116A 116B 116C 117A 117B 117C 118A 118B 118C 119A 119B 119C 120A 120B 120C 121A 121B 121C 122A 122B 122C 123A 123B 123C 124A 124B 124C 125A 125B 125C 126A 126B 126C 127A 127B 127C 128A 128B 128C 129A 129B 129C 130A 130B 130C 131A 131B 131C 132A 132B 132C 133A 133B 133C 134A 134B 134C 135A 135B 135C 136A 136B 136C 137A 137B 137C 138A 138B 138C 139A 139B 139C 140A 140B 140C 141A 141B 141C 142A 142B 142C 143A 143B 143C 144A 144B 144C 145A 145B 145C 146A 146B 146C 147A 147B 147C 148A 148B 148C 149A 149B 149C 150A 150B 150C 151A 151B 151C 152A 152B 152C 153A 153B 153C 154A 154B 154C 155A 155B 155C 156A 156B 156C 157A 157B 157C 158A 158B 158C 159A 159B 159C 160A 160B 160C 161A 161B 161C 162A 162B 162C 163A 163B 163C 164A 164B 164C 165A 165B 165C 166A 166B 166C 167A 167B 167C 168A 168B 168C 169A 169B 169C 170A 170B 170C 171A 171B 171C 172A 172B 172C 173A 173B 173C 174A 174B 174C 175A 175B 175C 176A 176B 176C 177A 177B 177C 178A 178B 178C 179A 179B 179C 180A 180B 180C 181A 181B 181C 182A 182B 182C 183A 183B 183C 184A 184B 184C 185A 185B 185C 186A 186B 186C 187A 187B 187C 188A 188B 188C 189A 189B 189C 190A 190B 190C 191A 191B 191C 192A 192B 192C 193A 193B 193C 194A 194B 194C 195A 195B 195C 196A 196B 196C 197A 197B 197C 198A 198B 198C 199A 199B 199C 200A 200B 200C 201A 201B 201C 202A 202B 202C 203A 203B 203C 204A 204B 204C 205A 205B 205C 206A 206B 206C 207A 207B 207C 208A 208B 208C 209A 209B 209C 210A 210B 210C 211A 211B 211C 212A 212B 212C 213A 213B 213C 214A 214B 214C 215A 215B 215C 216A 216B 216C 217A 217B 217C 218A 218B 218C 219A 219B 219C 220A 220B 220C 221A 221B 221C 222A 222B 222C 223A 223B 223C 224A 224B 224C 225A 225B 225C 226A 226B 226C 227A 227B 227C 228A 228B 228C 229A 229B 229C 230A 230B 230C 231A 231B 231C 232A 232B 232C 233A 233B 233C 234A 234B 234C 235A 235B 235C 236A 236B 236C 237A 237B 237C 238A 238B 238C 239A 239B 239C 240A 240B 240C 241A 241B 241C 242A 242B 242C 243A 243B 243C 244A 244B 244C 245A 245B 245C 246A 246B 246C 247A 247B 247C 248A 248B 248C 249A 249B 249C 250A 250B 250C 251A 251B 251C 252A 252B 252C 253A 253B 253C 254A 254B 254C 255A 255B 255C 256A 256B 256C 257A 257B 257C 258A 258B 258C 259A 259B 259C 260A 260B 260C 261A 261B 261C 262A 262B 262C 263A 263B 263C 264A 264B 264C 265A 265B 265C 266A 266B 266C 267A 267B 267C 268A 268B 268C 269A 269B 269C 270A 270B 270C 271A 271B 271C 272A 272B 272C 273A 273B 273C 274A 274B 274C 275A 275B 275C 276A 276B 276C 277A 277B 277C 278A 278B 278C 279A 279B 279C 280A 280B 280C 281A 281B 281C 282A 282B 282C 283A 283B 283C 284A 284B 284C 285A 285B 285C 286A 286B 286C 287A 287B 287C 288A 288B 288C 289A 289B 289C 290A 290B 290C 291A 291B 291C 292A 292B 292C 293A 293B 293C 294A 294B 294C 295A 295B 295C 296A 296B 296C 297A 297B 297C 298A 298B 298C 299A 299B 299C 300A 300B 300C 301A 301B 301C 302A 302B 302C 303A 303B 303C 304A 304B 304C 305A 305B 305C 306A 306B 306C 307A 307B 307C 308A 308B 308C 309A 309B 309C 310A 310B 310C 311A 311B 311C 312A 312B 312C 313A 313B 313C 314A 314B 314C 315A 315B 315C 316A 316B 316C 317A 317B 317C 318A 318B 318C 319A 319B 319C 320A 320B 320C 321A 321B 321C 322A 322B 322C 323A 323B 323C 324A 324B 324C 325A 325B 325C 326A 326B 326C 327A 327B 327C 328A 328B 328C 329A 329B 329C 330A 330B 330C 331A 331B 331C 332A 332B 332C 333A 333B 333C 334A 334B 334C 335A 335B 335C 336A 336B 336C 337A 337B 337C 338A 338B 338C 339A 339B 339C 340A 340B 340C 341A 341B 341C 342A 342B 342C 343A 343B 343C 344A 344B 344C 345A 345B 345C 346A 346B 346C 347A 347B 347C 348A 348B 348C 349A 349B 349C 350A 350B 350C 351A 351B 351C 352A 352B 352C 353A 353B 353C 354A 354B 354C 355A 355B 355C 356A 356B 356C 357A 357B 357C 358A 358B 358C 359A 359B 359C 360A 360B 360C 361A 361B 361C 362A 362B 362C 363A 363B 363C 364A 364B 364C 365A 365B 365C 366A 366B 366C 367A 367B 367C 368A 368B 368C 369A 369B 369C 370A 370B 370C 371A 371B 371C 372A 372B 372C 373A 373B 373C 374A 374B 374C 375A 375B 375C 376A 376B 376C 377A 377B 377C 378A 378B 378C 379A 379B 379C 380A 380B 380C 381A 381B 381C 382A 382B 382C 383A 383B 383C 384A 384B 384C 385A 385B 385C 386A 386B 386C 387A 387B 387C 388A 388B 388C 389A 389B 389C 390A 390B 390C 391A 391B 391C 392A 392B 392C 393A 393B 393C 394A 394B 394C 395A 395B 395C 396A 396B 396C 397A 397B 397C 398A 398B 398C 399A 399B 399C 400A 400B 400C 401A 401B 401C 402A 402B 402C 403A 403B 403C 404A 404B 404C 405A 405B 405C 406A 406B 406C 407A 407B 407C 408A 408B 408C 409A 409B 409C 410A 410B 410C 411A 411B 411C 412A 412B 412C 413A 413B 413C 414A 414B 414C 415A 415B 415C 416A 416B 416C 417A 417B 417C 418A 418B 418C 419A 419B 419C 420A 420B 420C 421A 421B 421C 422A 422B 422C 423A 423B 423C 424A 424B 424C 425A 425B 425C 426A 426B 426C 427A 427B 427C 428A 428B 428C 429A 429B 429C 430A 430B 430C 431A 431B 431C 432A 432B 432C 433A 433B 433C 434A 434B 434C 435A 435B 435C 436A 436B 436C 437A 437B 437C 438A 438B 438C 439A 439B 439C 440A 440B 440C 441A 441B 441C 442A 442B 442C 443A 443B 443C 444A 444B 444C 445A 445B 445C 446A 446B 446C 447A 447B 447C 448A 448B 448C 449A 449B 449C 450A 450B 450C 451A 451B 451C 452A 452B 452C 453A 453B 453C 454A 454B 454C 455A 455B 455C 456A 456B 456C 457A 457B 457C 458A 458B 458C 459A 459B 459C 460A 460B 460C 461A 461B 461C 462A 462B 462C 463A 463B 463C 464A 464B 464C 465A 465B 465C 466A 466B 466C 467A 467B 467C 468A 468B 468C 469A 469B 469C 470A 470B 470C 471A 471B 471C 472A 472B 472C 473A 473B 473C 474A 474B 474C 475A 475B 475C 476A 476B 476C 477A 477B 477C 478A 478B 478C 479A 479B 479C 480A 480B 480C 481A 481B 481C 482A 482B 482C 483A 483B 483C 484A 484B 484C 485A 485B 485C 486A 486B 486C 487A 487B 487C 488A 488B 488C 489A 489B 489C 490A 490B 490C 491A 491B 491C 492A 492B 492C 493A 493B 493C 494A 494B 494C 495A 495B 495C 496A 496B 496C 497A 497B 497C 498A 498B 498C 499A 499B 499C 500A 500B 500C 501A 501B 501C 502A 502B 502C 503A 503B 503C 504A 504B 504C 505A 505B 505C 506A 506B 506C 507A 507B 507C 508A 508B 508C 509A 509B 509C 510A 510B 510C 511A 511B 511C 512A 512B 512C 513A 513B 513C 514A 514B 514C 515A 515B 515C 516A 516B 516C 517A 517B 517C 518A 518B 518C 519A 519B 519C 520A 520B 520C 521A 521B 521C 522A 522B 522C 523A 523B 523C 524A 524B 524C 525A 525B 525C 526A 526B 526C 527A 527B 527C 528A 528B 528C 529A 529B 529C 530A 530B 530C 531A 531B 531C 532A 532B 532C 533A 533B 533C 534A 534B 534C 535A 535B 535C 536A 536B 536C 537A 537B 537C 538A 538B 538C 539A 539B 539C 540A 540B 540C 541A 541B 541C 542A 542B 542C 543A 543B 543C 544A 544B 544C 545A 545B 545C 546A 546B 546C 547A 547B 547C 548A 548B 548C 549A 549B 549C 550A 550B 550C 551A 551B 551C 552A 552B 552C 553A 553B 553C 554A 554B 554C 555A 555B 555C 556A 556B 556C 557A 557B 557C 558A 558B 558C 559A 559B 559C 560A 560B 560C 561A 561B 561C 562A 562B 562C 563A 563B 563C 564A 564B 564C 565A 565B 565C 566A 566B 566C 567A 567B 567C 568A 568B 568C 569A 569B 569C 570A 570B 570C 571A 571B 571C 572A 572B 572C 573A 573B 573C 574A 574B 574C 575A 575B 575C 576A 576B 576C 577A 577B 577C 578A 578B 578C 579A 579B 579C 580A 580B 580C 581A 581B 581C 582A 582B 582C 583A 583B 583C 584A 584B 584C 585A 585B 585C 586A 586B 586C 587A 587B 587C 588A 588B 588C 589A 589B 589C 590A 590B 590C 591A 591B 591C 592A 592B 592C 593A 593B 593C 594A 594B 594C 595A 595B 595C 596A 596B 596C 597A 597B 597C 598A 598B 598C 599A 599B 599C 600A 600B 600C 601A 601B 601C 602A 602B 602C 603A 603B 603C 604A 604B 604C 605A 605B 605C 606A 606B 606C 607A 607B 607C 608A 608B 608C 609A 609B 609C 610A 610B 610C 611A 611B 611C 612A 612B 612C 613A 613B 613C 614A 614B 614C 615A 615B 615C 616A 616B 616C 617A 617B 617C 618A 618B 618C 619A 619B 619C 620A 620B 620C 621A 621B 621C 622A 622B 622C 623A 623B 623C 624A 624B 624C 625A 625B 625C 626A 626B 626C 627A 627B 627C 628A 628B 628C 629A 629B 629C 630A 630B 630C 631A 631B 631C 632A 632B 632C 633A 633B 633C 634A 634B 634C 635A 635B 635C 636A 636B 636C 637A 637B 637C 638A 638B 638C 639A 639B 639C 640A 640B 640C 641A 641B 641C 642A 642B 642C 643A 643B 643C 644A 644B 644C 645A 645B 645C 646A 646B 646C 647A 647B 647C 648A 648B 648C 649A 649B 649C 650A 650B 650C 651A 651B 651C 652A 652B 652C 653A 653B 653C 654A 654B 654C 655A 655B 655C 656A 656B 656C 657A 657B 657C 658A 658B 658C 659A 659B 659C 660A 660B 660C 661A 661B 661C 662A 662B 662C 663A 663B 663C 664A 664B 664C 665A 665B 665C 666A 666B 666C 667A 667B 667C 668A 668B 668C 669A 669B 669C 670A 670B 670C 671A 671B 671C 672A 672B 672C 673A 673B 673C 674A 674B 674C 675A 675B 675C 676A 676B 676C 677A 677B 677C 678A 678B 678C 679A 679B 679C 680A 680B 680C 681A 681B 681C 682A 682B 682C 683A 683B 683C 684A 684B 684C 685A 685B 685C 686A 686B 686C 687A 687B 687C 688A 688B 688C 689A 689B 689C 690A 690B 690C 691A 691B 691C 692A 692B 692C 693A 693B 693C 694A 694B 694C 695A 695B 695C 696A 696B 696C 697A 697B 697C 698A 698B 698C 699A 699B 699C 700A 700B 700C 701A 701B 701C 702A 702B 702C 703A 703B 703C 704A 704B 704C 705A 705B 705C 706A 706B 706C 707A 707B 707C 708A 708B 708C 709A 709B 709C 710A 710B 710C 711A 711B 711C 712A 712B 712C 713A 713B 713C 714A 714B 714C 715A 715B 715C 716A 716B 716C 717A 717B 717C 718A 718B 718C 719A 719B 719C 720A 720B 720C 721A 721B 721C 722A 722B 722C 723A 723B 723C 724A 724B 724C 725A 725B 725C 726A 726B 726C 727A 727B 727C 728A 728B 728C 729A 729B 729C 730A 730B 730C 731A 731B 731C 732A 732B 732C 733A 733B 733C 734A 734B 734C 735A 735B 735C 736A 736B 736C 737A 737B 737C 738A 738B 738C 739A 739B 739C 740A 740B 740C 741A 741B 741C 742A 742B 742C 743A 743B 743C 744A 744B 744C 745A 745B 745C 746A 746B 746C 747A 747B 747C 748A 748B 748C 749A 749B 749C 750A 750B 750C 751A 751B 751C 752A 752B 752C 753A 753B 753C 754A 754B 754C 755A 755B 755C 756A 756B 756C 757A 757B 757C 758A 758B 758C 759A 759B 759C 760A 760B 760C 761A 761B 761C 762A 762B 762C 763A 763B 763C 764A 764B 764C 765A 765B 765C 766A 766B 766C 767A 767B 767C 768A 768B 768C 769A 769B 769C 770A 770B 770C 771A 771B 771C 772A 772B 772C 773A 773B 773C 774A 774B 774C 775A 775B 775C 776A 776B 776C 777A 777B 777C 778A 778B 778C 779A 779B 779C 780A 780B 780C 781A 781B 781C 782A 782B 782C 783A 783B 783C 784A 784B 784C 785A 785B 785C 786A 786B 786C 787A 787B 787C 788A 788B 788C 789A 789B 789C 790A 790B 790C 791A 791B 791C 792A 792B 792C 793A 793B 793C 794A 794B 794C 795A 795B 795C 796A 796B 796C 797A 797B 797C 798A 798B 7





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Deosagar Industrial Area, Ranchi, Jharkhand.
2. Stack ID : PB-I&II scrubber
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 18.08.2024
5. Date of Sample Receipt : 19.08.2024
6. Sample Code : 28230
7. Analysis Starting Date : 19.08.2024
8. Analysis Completion Date : 24.08.2024
9. Report Issue date : 26.08.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000018387F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS_2
Ambient Temperature (°C)	33
Stack Temperature (°C)	40
Velocity (m/s)	5
Height (m)	30 mtrs AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1188.0	---
Acid/Alkali mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	13.2	35

**INFERENCE** As per KSPCB Standards  
Report Status: - The analyzed value for above measured parameter is within the limits.

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note: 1. The results listed only to the tested samples & applicable parameters.  
2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.  
3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.  
4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.  
5. Sampling is not done by us unless otherwise specified





# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/SE/RF/01/00

## ANALYSIS REPORT FOR SOURCE EMISSION

1. Name and Address of the Industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E, 4A, 4B, 4C, 5A, 5B & 20, Devaragundi Industrial Area, Bellary To. 2 District
2. Stack ID : PB-I&II scrubber
3. Sample Collected By : MSV Analytical Laboratories, Bellary
4. Date of Monitoring : 07.09.2024
5. Date of Sample Receipt : 09.09.2024
6. Sample Code : 30454
7. Analysis Starting Date : 09.09.2024
8. Analysis Completion Date : 13.09.2024
9. Report Issue date : 14.09.2024

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Stack Emission ULR No: TC407124000019810F

## GENERAL DETAILS

Instrument Used for Sampling	Sample collected with VSS _2
Ambient Temperature (°C)	33
Stack Temperature (°C)	38
Velocity (m/s)	4.6
Height (m)	30 mtrs AGL
Diameter (m)	0.29
Cross sectional area (m <sup>2</sup> )	0.066

## RESULTS

Parameters	Protocol	Unit	Result	Standard
Rate of discharge	IS-11255(Part-3) - 2018	m <sup>3</sup> /hr	1092.4	---
Acid/Alkali mist(HCl Mist)	MSVAL/SOP/SE/002:2022	mg/Nm <sup>3</sup>	16.4	35

INFERENCE	As per KSPCB Standards Report Status: - The analyzed value for above measured parameter is within the limits.
-----------	--

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager



- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified

## **ANNEXURE – VII**

### **Flow meter record**

**Plant Name :** shilpa Medicare limited unit-1

**Plant Address :** M/S Shipa medicare ltd. 4A Industrial area, deosugar, raichur-584170, Raichur (KA)


**Station Name :** ETP outlet to RO inlet

**From Date :** 01-09-2024 00:00:00

**To Date :** 30-09-2024 17:21:00

**Interval :** Daily

**Function :** Average



**Legends :** < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under s  
B - Bad data, H - High limit crossed, L - Low permissible limit crossed

Parameter	
Unit	
Limit	
01-09-2024 00:00:00	
02-09-2024 00:00:00	
03-09-2024 00:00:00	
04-09-2024 00:00:00	

05-09-2024 00:00:00	
06-09-2024 00:00:00	
07-09-2024 00:00:00	
08-09-2024 00:00:00	
09-09-2024 00:00:00	

**Plant Name :** shilpa Medicare limited unit-1

**Plant Address :** M/S Shipa medicare ltd. 4A Industrial area, deosugar, raichur-584170, Raichur (KA


**Station Name :** ETP outlet to RO inlet

**From Date :** 01-08-2024 00:00:00

**To Date :** 31-08-2024 17:21:00

**Interval :** Daily

**Function :** Average



**Legends :** < - Average with less data, C - Calibration mode, M - Maintenance mode, S - Data under :  
B - Bad data, H - High limit crossed, L - Low permissible limit crossed

Parameter	
Unit	
Limit	
01-09-2024 00:00:00	
02-09-2024 00:00:00	
03-09-2024 00:00:00	
04-09-2024 00:00:00	

05-09-2024 00:00:00	
06-09-2024 00:00:00	
07-09-2024 00:00:00	
08-09-2024 00:00:00	
09-09-2024 00:00:00	

## **ANNEXURE – VIII**

**Manifests attached**



## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbshilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000039		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	20. 2. Spent Solvents	Liquid	21.175
Total quantity : No. of Containers	21.175 MT		
Physical form			
Special handling instructions and additional information	use ppe while handling . I like gloves & nose mask ETC . i f any spillage f lush with plenty of water .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 04-25-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Special handling instructions and additional information	use ppe while handling . I like gloves & nose mask ETC . if any spillage flush with plenty of water .
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.
Name and stamp: Signature	MONTH-DAY-YEAR: 09 -21 -2024
Transporter acknowledgement of receipt of Wastes	
Name and stamp: Signature	MONTH-DAY-YEAR
Receiver's certification for receipt of hazardous and other waste	
Name and stamp: Signature:	MONTH-DAY-YEAR

Copy 6 (Blue) - To be sent by the receiver to the sender

FORM 10  
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com
Sender's authorisation No	28294
Manifest Document No	HW/ 28294/ 2024-25/ 0000056
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone:9845515328 e-mailzahidroadlines2005@gmail.com Transporter's registration No: 83125
Type of vehicle	Truck
Transporter's registration No	83125
Vehicle registration No.	KA 19 AB 2551
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadechu Industrial Area; Village _Kadechur;Tehsil & District Yadgir; Karnataka-585221 Phone: 7338464597 e-maillab@motherearthenviron.com Receiver's authorisation No.: 80996
Receiver's authorisation No.	80996

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000052		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	19.765
Total quantity : No. of Containers	19.765 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand gloves .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 09 -05-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000047		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	18.625
Total quantity : No. of Containers	18.625 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove and gum shoes		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 08-02-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000045		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	23.13
Total quantity : No. of Containers	23.13 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 07-06 -2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbshilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000048		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	32.55
Total quantity : No. of Containers	32.55 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 08-06 -2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbshilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000048		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	32.55
Total quantity : No. of Containers	32.55 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove ,and gum shoes		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 08-06 -2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000053		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	21.97
Total quantity : No. of Containers	21.97 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand gloves .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 09 -13-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbshilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000047		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	21.3
Total quantity : No. of Containers	21.3 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove and gum shoes		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 07-15-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd (Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail: ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000038		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mail: panchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mail: panchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	20.2. Spent Solvents	Liquid	25.62
Total quantity ; No. of Containers	25.62 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove and gum shoes		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 04-18-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000041		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	20.2.Spent Solvents	Liquid	23.88
Total quantity : No. of Containers	23.88 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes ,		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 05-20-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000041		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	20.2. Spent Solvents	Liquid	23.88
Total quantity : No. of Containers	23.88 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 05-20-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000041		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	20.2.Spent Solvents	Liquid	23.88
Total quantity : No. of Containers	23.88 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 05-20-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000041		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (1q) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	20.2. Spent Solvents	Liquid	23.88
Total quantity : No. of Containers	23.88 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 05-20-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000049		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	21.15
Total quantity : No. of Containers	21.15 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 08-21 -2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000057		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	22.995
Total quantity : No. of Containers	22.995 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 09 -23-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		



FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma Lifesciences Ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000039		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tg) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	20.2. Spent Solvents	Liquid	21.175
Total quantity : No. of Containers	21.175 MT		
Physical form			
Special handling instructions and additional information	use ppe while handling .like gloves & nose mask ETC . if any spillage flush with plenty of water .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 04-25-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

## FORM 10

[See rule 19 (1)]

## MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000040		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Tanker		
Transporter's registration No	23836		
Vehicle registration No.	KA 01 AP 3329		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone:9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	20. 2. Spent Solvents	Liquid	21.445
Total quantity : No. of Containers	21.445 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 04-30-2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000051		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Truck		
Transporter's registration No	23836		
Vehicle registration No.	KA 05 AK 2581		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	9.078
Total quantity : No. of Containers	9.078 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 08-31 -2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

FORM 10  
[See rule 19 (1)]  
**MANIFEST FOR HAZARDOUS AND OTHER WASTE**

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma lifesciences ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail:ehs_unit1@vbsilpa.com		
Sender's authorisation No	28294		
Manifest Document No	HW/ 28294/ 2024-25/ 0000050		
Transporter's name and address: (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Transporter's registration No: 23836		
Type of vehicle	Truck		
Transporter's registration No	23836		
Vehicle registration No.	KA 05 AK 6508		
Receiver's name and mailing address (including Phone No. and e-mail)	PANCHAMUKI PHARMA CHEM Plot No 94 to 97 1st Phase Harohalli Industrial area Kanakapura (tq) Ramanagara (D) 562112 Phone: 9845831069 e-mailpanchamukipharmachem@gmail.com Receiver's authorisation No.: 23836		
Receiver's authorisation No.	23836		
Waste description	Waste Category	Physical form	Qty(MT)
	28.6. Spent solvents	Liquid	11.8
Total quantity : No. of Containers	11.8 MT		
Physical form			
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .		
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.		
Name and stamp: Signature:	MONTH-DAY-YEAR: 08-31 -2024		
Transporter acknowledgement of receipt of Wastes			
Name and stamp: Signature:	MONTH-DAY-YEAR		
Receiver's certification for receipt of hazardous and other waste			
Name and stamp: Signature:	MONTH-DAY-YEAR		

Name and stamp: Signature:	MONTH-DAY-YEAR
----------------------------	----------------

Copy 6 (Blue) - To be sent by the receiver to the sender.

FORM 10  
[See rule 19 (1)]  
MANIFEST FOR HAZARDOUS AND OTHER WASTE

Sender's name and mailing address (including Phone No. and e-mail)	Shilpa pharma Lifesciences Ltd )Unit-1) Shilpa Medicare Limited  Telephone: 9945295061 E-Mail: ehs_unit1@vbshilpa.com											
Sender's authorisation No	28294											
Manifest Document No	HW/ 28294/ 2024-25/ 0000046											
Transporter's name and address: (including Phone No. and e-mail)	ZAHID ROADLINES M 19 Baikampady Indl Area Phone: 9845515328 e-mail: zahidroadlines2005@gmail.com Transporter's registration No: 83125											
Type of vehicle	Truck											
Transporter's registration No	83125											
Vehicle registration No.	KA 19 AE 1923											
Receiver's name and mailing address (including Phone No. and e-mail)	Kalyana Karnataka Waste Management Project Private Limited (Formerly M/s Mother Earth Environ Tech Private Limited) Plot No. 158 to 164, KAIDB Kadachu Industrial Area; Village _Kadachur, Tehsil & District Yadgir; Karnataka-585221 Phone: 7338464597 e-mail: lab@motherearthenviron.com Receiver's authorisation No.: 80996											
Receiver's authorisation No.	80996											
Waste description	<table><tr><th>Waste Category</th><th>Physical form</th><th>Qty(MT)</th></tr><tr><td>20.3. Distillation Residues</td><td>Solid</td><td>4</td></tr><tr><td>28.1. Process Residue and wastes</td><td></td><td>1.3</td></tr></table>			Waste Category	Physical form	Qty(MT)	20.3. Distillation Residues	Solid	4	28.1. Process Residue and wastes		1.3
Waste Category	Physical form	Qty(MT)										
20.3. Distillation Residues	Solid	4										
28.1. Process Residue and wastes		1.3										
Total quantity : No. of Containers	5.3 MT											
Physical form												
Special handling instructions and additional information	used special ppe's while loading nose mask, hand glove .and gum shoes .											
Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled, and are in all respects in proper conditions for transport by road according to applicable national government regulations.											
Name and stamp: Signature:	MONTH-DAY-YEAR: 07-10-2024											
Transporter acknowledgement of receipt of Wastes												
Name and stamp: Signature:	MONTH-DAY-YEAR											

## **ANNEXURE – IX**

**Green Belt Photographs attached**




## **ANNEXURE – X**

**Environment cell attached**



## Environment management Cell



# **ANNEXURE – XI**

## **Noise Reports**



# MSV Analytical Laboratories

Recognition by MoEF under Environment (Protection) Act, 1986 & Accredited by NABL  
(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16 T.S No. 695/A/32/B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Ballari - 583103 Contact No : Mob : 94498 03895, (0) : 9945456764, 08392-255169  
Email : msvalbellary2018@gmail.com, labmsv@gmail.com Web ID : www.msvalbellary.com



TC- 4071

MSVAI./AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I),  
Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20,  
Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 13.04.2024
5. Report Issue Date : 23.04.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical

Group: Atmospheric Pollution

Sub Group: Ambient Noise

ULR No: TC407124000008997F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	13211	10.00am to 10.15am	62.8	60.4	61.6	75
2	Near Boiler House	13212	11.30am to 11.45am	57.9	55.4	56.7	
3	Near Solvent Plant	13213	10.20am to 10.35am	64.9	62.2	63.6	
4	Near Storage area	13214	10.40am to 10.55am	66.5	64.2	65.4	
5	DG Set	13215	11.00am to 11.15am	60.8	58.3	59.6	

INFERENCE As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by



Authorized Signatory  
  
B.Chinna Lingana Gouda  
Chief executive of the laboratory

- NOTE:
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will be discarded after 10 days. Ores and minerals Filter papers & Thimbles will be discarded in 3 months from the date of issue of test reports, unless otherwise specified. ILC samples will be discarded after 1 month from the date of test reports.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified.



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 18.05.2024
5. Report Issue Date : 27.05.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000011380F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	16960	10.45am to 11.00am	66.5	62.7	64.6	75
2	Near Boiler House	16961	11.20am to 11.35am	59.3	54.2	56.8	
3	Near Solvent Plant	16962	12.00pm to 12.15pm	65.6	63.7	64.7	
4	Near Storage area	16963	12.55pm to 01.10pm	68.7	66.3	67.5	
5	DG Set	16964	01.35pm to 01.50pm	61.2	53.7	57.5	

**INFERENCE** As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

Authorized Signatory

Hanumanthaiah P  
Technical Manager

:- END OF REPORT :-



Note: 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 13.06.2024
5. Report Issue Date : 21.06.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000012982F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	19353	11.00am to 11.15am	59.4	57.2	58.3	75
2	Near Boiler House	19354	12.05pm to 12.20pm	63.0	61.4	62.2	
3	Near Solvent Plant	19355	12.55pm to 01.10pm	53.0	51.4	52.2	
4	Near Storage area	19356	02.00pm to 02.15pm	60.2	55.2	57.7	
5	Near DG Set	19357	03.30pm to 03.45pm	66.4	64.2	65.3	

INFERENCE As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thinbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)  
Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (O):9945456764, 08392-255169

E-mail : msvalbellary2018@gmail.com, labmsv@gmail.com Website : www.msvalbellary.com



TC- 4071

## AMBIENT NOISE LEVEL MONITORING REPORT

MSVAL/AN/RF/01/00

1. Name of the industry : M/s. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 18.07.2024
5. Report Issue Date : 27.07.2024
6. Method Adopted : IS 9989: 2020

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000016282F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	24786	11.00am to 11.15am	70.6	66.4	68.5	75
2	Near Boiler House	24787	12.05pm to 12.20pm	67.4	63.2	65.3	
3	Near Solvent Plant	24788	12.55pm to 01.10pm	65.3	60.4	62.9	
4	Near Storage area	24789	02.00pm to 02.15pm	70.1	66.7	68.4	
5	Near DG Set	24790	03.30pm to 03.45pm	74.6	71.2	72.9	

INFERENCE As per KSPCB Standards  
Report Status :- The Noise level for the all locations is within the limits

Analysed by

*Ramesh*



Authorized Signatory

Hanumanthaiah P  
Technical Manager

- Note :
1. The results listed only to the tested samples & applicable parameters.
  2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.
  3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.
  4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.
  5. Sampling is not done by us unless otherwise specified



# MSV Analytical Laboratories

Recognition by MoEF Under Environment (Protection) Act, 1986 and Accredited by NABL

(Certified by ISO 14001:2015, ISO 45001:2018, ISO 9001:2015, ISO 22000:2018)

C.M.C Ward No 18 & C.T.C W.No.16, T.S No 695 / A / 32 / B1, Block No 19 (1<sup>st</sup> & 2<sup>nd</sup> Floor)

Sanganakallu Road, KEB Circle, Bellary - 583103. Contact No : Mob: 9449803895, (0):9945456764, 08392-255169

E-mail : msvbellary2018@gmail.com, labmsv@gmail.com Website : www.msvbellary.com



TC- 4071

MSVAL/AN/RF/01/00

## AMBIENT NOISE LEVEL MONITORING REPORT

1. Name of the industry : M/S. Shilpa Pharma Life Sciences Ltd, (unit - I), Plot No. 1A, 1A,"P",1B,2,2A,2B,3A TO 3E,4A,4B,4C,5A,5B&20, Deosugur Industrial Area, Raichur Tq & District.
2. Sample Collected By : MSV Analytical Laboratories, Bellary
3. Particulars of Sample Collected : Noise meter
4. Date of Monitoring : 07.09.2024
5. Report Issue Date : 14.09.2024
6. Method Adopted : IS 9989

Discipline: Chemical Group: Atmospheric Pollution Sub Group: Ambient Noise ULR No: TC407124000019820F

S.No	Sample Location	Sample Code	Time Frequency	Results (Day time)			Permissible limits in dB(A) Leq
				Maximum in dB(A) Leq	Minimum in dB(A) Leq	Avg. in dB(A) Leq	
1	Near Main Gate	30464	11.00am to 11.15am	72.8	64.5	68.6	75
2	Near Boiler House	30465	12.05pm to 12.20pm	57.9	55.4	56.7	
3	Near Solvent Plant	30466	12.55pm to 01.10pm	69.9	66.2	68.1	
4	Near Storage area	30467	02.00pm to 02.15pm	66.8	64.2	65.5	
5	Near DG Set	30468	03.30pm to 03.45pm	60.8	58.3	59.6	

**INFERENCE** As per KSPCB Standards

Report Status :- The Noise level for the all locations is within the limits

Analysed by



END OF REPORT

Authorized Signatory

Hanumanthaiah P  
Technical Manager

Note : 1. The results listed only to the tested samples & applicable parameters.

2. Water, Pollution & Environment & Food samples will discard after 10 days. Ores and minerals, Filter papers & Thimbles will discard 3 months from the date of issue of test certificate unless otherwise specified. ILC samples will be discard after 1 month from the date of test certificate issue.

3. This report is not to be reproduced wholly or in part & cannot be used as evidence in the court of law & should not be used in any advertising media without our special permission in writing.

4. Total liability of our laboratory is limited to the invoice amount. Any dispute arising out of this report is subject to Bellary jurisdiction only.

5. Sampling is not done by us unless otherwise specified

## **ANNEXURE – XII**

**Copy of the letter submitted to gram panchayath  
attached**





Innovating for  
affordable healthcare

# Shilpa Medicare Limited

**Manufacturers and Exporters of Bulk Drugs**

"Shilpa House" # 12-6-214/A1, Hyderabad Road,

RAICHUR - 584 135. Karnataka, India.

Phone : +91-8532 - 238704, Fax : +91-8532-238876

E-mail : info@vbshilpa.com Website : www.vbshilpa.com

GST NO : 29AADCS8788F1Z0

CIN No. L85110KA1987PLC008739

To

The President,

Deosugar Grama Panchayath,

Deosugar -584170,

Raichur Taluk & Dist,

Karnataka

Date:20.12.2019

Sir,

**Sub:** Regarding Submission of Environmental Clearance copy of Shilpa Medicare limited  
Deosugar Industrial area.

We are Pleased to inform your kind office M/S Shilpa Medicare Ltd Unit-1 Plot No: 1A, 1B, 2, 2A, 3A to 3E & 4A to 4C, 5A, B, Deosugar Industrial Area, Raichur Taluk and District. Raichur-584170. have been granted Environmental Clearance (EC) for manufacturing bulk drugs and active pharmaceutical ingredients (APIs) along with R&D facility By Ministry of Environment, Forest & Climate Change Government of India. EC NO:F.No.J-11011/191/2017-IA-II(I) Dated:13-12-2019. The copy is attached here with.

Kindly acknowledge the receipt of the same.

Yours faithfully,

For Shilpa Medicare Limited, Unit-1



Authorized Signatory.





**F. No.J-11011/191/2017-IA-II (I)**  
Government of India  
Ministry of Environment, Forest & Climate Change  
Impact Assessment Division  
\*\*\*

Indira Paryavaran Bhavan,  
Vayu Wing, 3<sup>rd</sup> Floor, Aliganj,  
Jor Bagh Road, New Delhi-110 003

Dated: 13<sup>th</sup> December, 2019

To

M/s Shilpa Medicare Limited,  
No.10/80, Rajendra Gunj,  
Raichur-584102 (Karnataka)

**Sub: Manufacturing bulk drugs and active pharmaceutical ingredients (APIs) along with R&D facility by M/s Shilpa Medicare Limited at Deosugar Industrial Area, Taluka and District Raichur (Karnataka) - Environmental Clearance - reg.**

Sir,

This has reference to your proposal No.IA/KA/IND2/75276/2018 dated 8<sup>th</sup> January, 2019 for environmental clearance to the project for manufacturing bulk drugs and active pharmaceutical ingredients (APIs) along with R&D facility by M/s Shilpa Medicare Limited at Deosugar Industrial Area, Taluka and District Raichur (Karnataka), as per the provisions of Ministry's Notification S.O.804 (E) dated 14th March, 2017.

2. The said Notification provides for appraisal of projects for grant of terms of reference/environmental clearance, which have started the work on site, expanded the production beyond the limit of environmental clearance, or changed the product mix without obtaining prior environmental clearance under the EIA Notification, 2006.

3. Existing land area is 95,975.34 m<sup>2</sup>. Industry has already developed / will develop greenbelt in an area of 33 % i.e. 33,591.25 m<sup>2</sup> (i.e. 35%) out of total area of the project. The estimated project cost is Rs.130.3851 crores. Total capital cost earmarked towards environmental pollution control measures is Rs.2.764 crores and the recurring cost (operation and maintenance) will be about Rs.2.88 crores per annum. Total employment will be 150 Persons as direct & 200 persons indirect. The details of products are as under:-

S. No.	Product	Capacity (TPA)
1	Acebrophylline	36
2	AmbroxolHCl	72
3	BuflomedilHCl	12
4	Nifedipine	12
5	Phenyl ephrineHCl	18
6	Sildenafil citrate	12
7	TiclopidineHCl	24
8	Ursodeoxycholic acid	108
<b>ONCOLOGY PRODUCTS</b>		
9	Anastrozole	0.06
10	BendamustineHCl	0.06
11	Bicalutamide	2.4
12	Bortezomib	0.012

13	Capecitabine	12
14	Carboplatin	0.6
15	Cisplatin	0.6
16	Docetaxeltrihydrate	0.6
17	EpirubicinHCl	0.24
18	Gefitinib	0.12
19	Gemcitabine HCl	3
20	Imatinibmesylate	1.2
21	IrinotecanHCltrihydrate	0.12
22	Lenalidomide	0.012
23	Letrozole	0.06
24	Oxaliplatin	0.06
25	Paclitaxel	0.12
26	Pemetrexed	0.12
27	Temozolomide	1.2
28	Thalidomide	0.6
29	TopotecanHCl	0.06
30	Zoledronic acid	0.06
Total		317.304 MT/ annum

4. There are no national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/Elephant Reserves, Wildlife Corridors etc. within 10 km distance from the project site. River Krishna is flowing at a distance of 4.22 km in northern direction.

5. Total water requirement is 56 m<sup>3</sup>/day of which fresh water requirement of 56 m<sup>3</sup>/day will be met from KIADB (Krishna River). Effluent of 26 KLD quantity will be treated through Effluent Treatment Plant of Unit II. The plant will be based on Zero Liquid discharge system.

Power requirement is 1800 KVA and will be met from Gulbarga Electricity Supply Company, a branch of Karnataka State Power Distribution Corporation Limited (KPTCL). Existing unit has two DG sets of 325 kVA capacity and are used as standby during power failure. Stack (height 5 m ARL is provided for existing DG sets).

Existing unit has two 4 TPH coal or briquette fired boiler. Multi cyclone separator (2 nos) with a stack of height of 30 m AGL is installed for controlling the particulate emissions within the statutory limit of 115 mg/Nm<sup>3</sup> for the proposed boilers.

6. The project/activity is covered under category B of item 5(f) 'All Synthetic organic chemicals industry' of the Schedule to the Environmental Impact Assessment (EIA) Notification, 2006, and requires appraisal at the State level by the concerned SEAC/SEIAA. However, due to applicability of general condition i.e. Interstate boundary is within 5 km, the proposal was appraised at central level by the sectoral EAC in the Ministry.

7. Terms of Reference for the project was granted on 14<sup>th</sup> June, 2018. Public hearing for the project was conducted by the SPCB on 13<sup>th</sup> November, 2018.

8. The proposal for environmental clearance was considered by the Expert Appraisal Committee (EAC) for projects related to violation of EIA Notification, 2006 in its meetings held on 25-26 February, 2019, 15-16 April, 2019 and 22 -24 July, 2019 in the Ministry. The project proponent and their consultant M/s ABC Techno Labs India Pvt Ltd presented the EIA/EMP report as per the ToR. The committee found the

EIA/EMP report satisfactory and in consonance with the ToR, and recommended the proposal for environmental clearance with certain conditions in terms of the provisions of the Ministry's Notification dated 14<sup>th</sup> March, 2017.

9. Based on recommendations of the EAC and finalization/approval of the bank guarantee for an amount of Rs. 234.5 Lakhs by the competent authority, towards Remediation Plan and Natural and Community Resource Augmentation Plan, the project proponent has submitted the desired bank guarantee with the Karnataka State Pollution Control Board. The KSPCB vide letter No.PCB/053/HPI/2017-18/4734 dated 30<sup>th</sup> November, 2019 has informed the Ministry regarding receipt of the bank guarantee dated 21<sup>st</sup> November, 2019 which is valid upto 20<sup>th</sup> November, 2024.

10. Considering the proposal submitted by the project proponent, recommendations of the EAC (Industry-2) and submission of the desired bank guarantee, the Ministry of Environment, Forest and Climate Change hereby accords environmental clearance to the project for manufacturing bulk drugs and active pharmaceutical ingredients (APIs) along with R&D facility by M/s Shilpa Medicare Limited at Deosugar Industrial Area, Taluka and District Raichur (Karnataka), under the provisions of the EIA Notification, 2006 and the amendments made therein read with Ministry's Notification dated 14<sup>th</sup> March, 2017, subject to the compliance of terms and conditions, as under:-

(i) EAC recommended for an amount of **Rs 234.5 Lakhs** towards Remediation plan and Natural and Community Resource Augmentation plan to be spend within a span of three years. The details are given below:

#### Cost of Remediation Plan

Attribute	Environmental damage remediation measures	Financial provision, Rs. Lakhs	2019-20	2020-21	2021-22	Total
<b>Air &amp; noise</b>	Green-belt development within the industry premises – 4000 plants @ Rs. 500 per plant (@ 1,500 trees / hectare of green belt area. Species: Vange, Neem, dalbergiasissoo, Melia	<b>20</b>	12	4	4	20
	Total green belt area at site is 3.164 Hectares = 4000 proposed + 765 existing). Species: Vange, Neem, dalbergiasissoo, Meliadubia, peepal & other Local species					
<b>Water</b>	Construction of rainwater recharging pits in & around the industry premises (95 no.s @ Rs. 30,000/- per pit).	<b>28.5</b>	7.5	12	9	28.5
	Expenditure towards "SujalamSuphalam" scheme to enhance access to community water resource leading to	<b>150</b>	50	50	50	150

reduction in drought effect and increase income levels of farmers at the locations identified by the Government of Karnataka by removal of accumulated silt in the ponds, over the year's and utilization of silt so removed for improving the fertility of the agricultural land. Name Of the Ponds: Katleutkoo Village Marched Pond, Chandra Banda Pond, Ganmur Pond , Udamgal Pond , Tuntapur, Baidoddi, Madavatti, each pond based on the silt Shilpa Medicare contribution will be Rs.25 Lakhs for 6 Ponds					
--	--	--	--	--	--

Land & ecology	Development of plantation along the road sides – Wadloor, No of Plants -400 Species :Vange,Neem, Dalbergiasissoo, Melia	2	0.4	0.8	0.8	2
Socio-economic	Providing infrastructure to Govt. Schools like school benches, books to the needy students in Deosugur, Chicksugur, Wadloor, Yermaras, kadlur, Gunjalli & other surrounding villages, where ever Required, Sarkari Hiriya Prathamika sale , MPCl Colony , Hegasanhalli Sakari Hiriya prathamika Sala , Belmanchi, Sarkari kiriya Prathamika Sale - Nagalapur, Sarkari Prathamika Sale Devasugur, and other surrounding Villages Toilets in Wadloor Village school					
	Books to the Students	3	1	1	1	3
	School Benches in the above villages	5	2	2	1	5
	Toilets in wadloor school village	2	2			2

	Providing assistance to Kanadasasevasikshanasamithi , Raichur - an orphanage Rs.4.00 Lakhs & school for Sri Manikprabhu academy Blind trust- a school for poor Blind with Hostel - Rs.5.5 Lakhs & assistance to SwamyVivekandayuth movement Trust, Raichur-Rs.0.5 Lakhs	10	4	5	1	10
	<b>Total</b>	<b>220.5</b>	<b>78.9</b>	<b>74.8</b>	<b>66.8</b>	<b>220.5</b>

#### Cost of Natural Resources Augmentation

Attributes	Natural resources augmentation measures	Financial provision, Rs. Lakhs	2019-20	2020-21	2021-22	Total
Land	Community green-belt development through NGO "Green Raichur" in Chicksugur Village, Hegsanhalli Village , 500 Trees in each village Species :Vange,Neem, dalbergiasissoo, Meliadubia,peepal& other Local species	6	3	2	1	6
<b>TOTAL</b>		<b>6</b>	<b>3</b>	<b>2</b>	<b>1</b>	<b>6</b>

#### Cost of Community Resources Augmentation

Activity	Financial provision, Rs. Lakhs	2019-20	2020-21	2021-22	Total
Medical camps in the surrounding villages, Deosugur, Chicksugur, Yedlapur, Wadloor, Hegsanhalli, Yermaras, etc.in consultation with District Health Authorities & distribution of medicines to the needy patients	3	1	1	1	3
Providing scholarships for needy students in Govt. schools in surrounding villages of Deosugur,Hegsanhalli, Chicksugur, Wadloor, Yadav Nagar, MPCL Colony , Hegsanhalli.	5	1.5	1.5	2	5
<b>TOTAL</b>	<b>8</b>	<b>2.5</b>	<b>2.5</b>	<b>3</b>	<b>8</b>



**Total Budgetary Provisions:**

Description	Financial provision, Rs. Lakhs
Environmental damage remediation	220.5
Natural resources augmentation	6
Community resources augmentation	8
<b>TOTAL</b>	<b>234.5</b>
<b>Two Crores Thirty Four Lakhs Fifty Thousand Only</b>	

**Year Wise Implementation of Remediation Plan**

Sl. No.	Description	Year wise budgetary provision, Rs. Lakhs			Total budget, Rs. Lakhs
		2019-20	2020-21	2021-22	
1	Environmental damage remediation	78.9	74.8	66.8	220.5
2	Natural resources augmentation	3	2	1	6
3	Community resources augmentation	2.5	2.5	3	8
<b>TOTAL</b>		<b>84.4</b>	<b>79.3</b>	<b>70.8</b>	<b>234.5</b>

- (ii) Total budgetary provision with respect to Remediation plan and Natural & Community Resource Augmentation plan is Rs. 234.5 Lakhs. Therefore, project proponent shall be required to submit a bank guarantee of an amount of Rs.234.5 Lakhs towards Remediation plan and Natural and Community Resource Augmentation plan with the SPCB prior to the grant of EC.
- (iii) Remediation plan shall be completed in 3 years whereas bank guarantee shall be for 5 years. The bank guarantee shall be released after successful implementation of the EMP, followed by recommendations of the EAC and approval of the regulatory authority.
- (iv) As per the Ministry's Office Memorandum F.No. 22-65/2017-IA.III dated 1st May, 2018, and as proposed by the project proponent, an amount of Rs 1.83 lakhs shall be earmarked under Corporate Environment Responsibility (CER) for the activities such as support to avenue plantation in public places, infrastructure for drinking water supply, infrastructure for sanitation & health, activities for improvement of agricultural practices and skill development programs. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report, and to the District Collector. It should be posted on the website of the project proponent.
- (v) Approval/permission of the CGWA/SGWA shall be obtained before drawing ground water for the project activities, if applicable. State Pollution Control Board (SPCB) concerned shall not issue Consent to Operate (CTO) till the project proponent obtains such permission.
- (vi) Preventive measures to be taken to control ignition sources in bulk storage area.
- (vii) Fire protection system to be established above ground storage tanks.
- (viii) Proper measures to be taken to prevent internal tank explosion.
- (ix) Chemicals that are water reactive needs to be separated from chemicals that do not react with water.

- (x) Proper precautions to be taken to prevent inadvertent mixing of chemicals.
- (xi) Standard operating procedures to be strictly followed during handling of chemicals.
- (xii) Solvents shall be stored in a separate space specified with all safety measures.
- (xiii) Process effluent/any wastewater shall not be allowed to mix with storm water.
- (xiv) The storm water from the premises shall be collected and discharged through a separate conveyance system.
- (xv) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc.
- (xvi) Flame arresters shall be provided on tank farm, and solvent transfer through pumps.
- (xvii) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.
- (xviii) Hydrogen detectors with alarms shall be installed at the Hydro generators reactors and at cylinders for early detection and warning.
- (xix) The vent of the water seal tank may be extended at least three meters above the building to avoid release of hydrogen gas at the ground level. The vent should be regularly maintained to prevent blockage.
- (xx) Foam monitors shall be installed for all above ground solvent tanks.
- (xxi) Medium expansion foam generators system shall be installed to prevent vaporization of the solvent and rapid blanketing of any spilled solvent inside the dyke.

11. The grant of environmental clearance is subject to compliance of other general conditions, as under:-

- (i) The project authorities shall adhere to the stipulations made by the State Pollution Control Board, Central Pollution Control Board, State Government and any other statutory authority.
- (ii) No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (iii) The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station each is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- (iv) The National Ambient Air Quality Emission Standards issued by the Ministry vide G.S.R. No. 826(E) dated 16<sup>th</sup> November, 2009 shall be followed.



(v) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).

(vi) The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.

(vii) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.

(viii) The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.

(ix) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. ESC activities shall be undertaken by involving local villages and administration.

(x) The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.

(xi) A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

(xii) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.

(xiii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.

(xiv) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

(xv) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control

Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.

(xvi) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://moef.nic.in>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

(xvii) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

12. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

13. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

14. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

15. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

16. This issues with the approval of the competent authority.

(डा. आर. बी. लाल)

(Dr. R. B. LAL)

वैज्ञानिक 'E' / Scientist 'E'

पर्यावरण, वन एवं जलवायु परिवर्तन विभाग  
Ministry of Environment, Forest and Climate Change  
भारत सरकार, नई दिल्ली  
Govt. of India, New Delhi

(Dr. R. B. Lal)

Scientist 'E'/Additional Director

Copy to:-

1. The Additional PCCF (C), Ministry of Environment, Forest and Climate Change, Regional Office (SZ), Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wing, 17<sup>th</sup> Main Road, Koramangala II Block, **Bangalore - 34**
2. The Secretary (Environment and Ecology), Department of Forest, Environment & Ecology, Room No.708, Gate 2, Multi Storied Building, Dr. Ambedkar Veedhi, **Bangalore -1**
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, **Delhi - 32**
4. The Member Secretary, Karnataka State Pollution Control Board, Parisara Bhawan, No. 49,

- 4<sup>th</sup> & 5<sup>th</sup> Floor, Church Street, **Bangalore -1**  
5. Monitoring Cell, Ministry of Environment, Forest and Climate Change, **New Delhi-3**  
6. District Collector, **Raichur**, (Karnataka)  
7. Guard File/Monitoring File/Record File.

(Dr. R. B. Lal)  
**Scientist 'E'/Additional Director**

## **ANNEXURE – XIII**

**Form v acknowledgement copy**

# **Shilpa Pharma Lifesciences Limited**

**Unit-1:** Plot No. 1A & 1A 'P', 1B, 2, 2A, 2B, 3A to 3E, 4A, 5A,  
4B & 5B, Deosugur industrial Area, Deosugur-584 170,  
Raichur District, Karnataka State, India.

CIN: U24100KA2020PLC134081

**SPL/UNIT-1/EHS/32/2023-24**

**Date: 29.05.2024**

To,  
Office of the Regional Office  
Karnataka State Pollution Control Board,  
Building at Shed No. C-03,  
KSSIDC Industrial Estate, 3<sup>rd</sup> Cross,  
Hydrabad Road, Raichur – 584 102.

Respected Sir,

## **Sub: Submission of Environmental Statement Form-V-reg**

With reference to the above subject, please find enclosed herewith-environmental statement form-V for the financial year ending 31<sup>st</sup> March 2024 in duplicate.

### **List of Annexures:-**

- |                    |   |   |
|--------------------|---|---|
| 1. Annexure – I    | : | Process Water consumption of Batch wise of Product copy.  |
| 2. Annexure – II   | : | Raw material consumption details.   |
| 3. Annexure – III  | : | Treated Water Analysis Reports.   |
| 4. Annexure – IV   | : | Environment monitoring of ambient air Quality and stacks Analysis Reports.                            |
| 5. Annexure – V    | : | Hazardous Waste Disposal Quantities copy.   |
| 6. Annexure – VI   | : | Category wise Hazardous Waste disposing methods.  |
| 7. Annexure – VII  | : | Impact of pollution control measures on conservation of natural resources copy.                       |
| 8. Annexure – VIII | : | Additional measures/investment proposal for environmental protection including abatement of pollution |
| 9. Annexure – IX   | : | Solvent Recovery System.  |
| 10. Annexure – X   | : | Environment Management System Certificate – ISO 14000:2015.   |


Kindly acknowledge the receipt of the same and do the needful.

Thanking you,

Yours faithfully,

**For Shilpa Pharma Lifesciences Limited UNIT-1.**

Authorized Signatory.



## **ANNEXURE – XIV**

**EC Corrigendum & EC Transfer letter attached**

**File No. IA-J-11011/300/2020-IA-II(I)**  
**Government of India**  
**Ministry of Environment, Forest and Climate Change**  
**(Impact Assessment Division)**

Indira Paryavaran Bhawan  
Agni Wing, Jor Bagh Road  
New Delhi -110003

Dated 7<sup>th</sup> July, 2022

To

**M/s Shilpa Pharma Lifesciences Limited**  
Plot no. 214/A1, Hyderabad Raichur Road,  
District- Raichur, Karnataka  
E-mail: [narendra@vbshilpa.com](mailto:narendra@vbshilpa.com)

- Sub.: 1. Expansion and Modification of Bulk Drugs, Active Pharmaceutical Ingredients (APIs) manufacturing industry with R&D facility by M/s Shilpa Medicare Limited (Unit I), located at Plot no. 1A, 1A"P", 1 B, 2, 2A, 28, 3A to 3E, 4A, 4B, 4C, 5A & 5B, 20, Deosugur Industrial Area, Deosugur, Taluk & District Raichur, Karnataka. – Transfer of Environmental Clearance from M/s Shilpa Medicare Limited (Unit I) to M/s Shilpa Pharma Lifesciences Limited**
- 2. Manufacturing Bulk Drugs and Active Pharmaceutical Ingredients (APIs) along with R&D facility by M/s Shilpa Medicare Limited at Deosugur Industrial Area, Deosugur, Taluk & District Raichur, Karnataka. – Transfer of Environmental Clearance from M/s Shilpa Medicare Limited to M/s Shilpa Pharma Lifesciences Limited**

Sir,

This has reference to your online proposal no. **IA/KA/IND3/266692/2022** dated 3<sup>rd</sup> May, 2022 regarding transfer of above Environmental Clearances (ECs) from **M/s Shilpa Medicare Limited (Unit I) to M/s Shilpa Pharma Lifesciences Limited**.

- 2.** The Ministry initially granted EC vide letter no. J-11011/191/2017-IA II(I) dated 13.12.2019 and EC for the expansion was granted vide letter no. IA-J-11011/300/2020-IA-II(I) dated 05.01.2021 to the above mentioned projects.
- 3.** **M/s Shilpa Medicare Limited (Unit I)** submitted its No objection for transfer of ECs and **M/s Shilpa Pharma Lifesciences Limited** submitted its undertaking for compliance of terms and conditions of the above mentioned prior ECs.
- 4.** In view of the above, as per the relevant provisions of the EIA Notification, 2006 (as amended) the above mentioned ECs are hereby transferred from **M/s Shilpa Medicare Limited (Unit I) to M/s Shilpa Pharma Lifesciences Limited** on the same terms and conditions under which prior environmental clearance was granted, and for the same validity period.

This issues with approval of the competent authority.

*Ramesh*

(Dr. Motipalli Ramesh)

Scientist 'E'

Tel. 011-20819249

Email: ramesh.motipalli@nic.in

**Copy to: -**

1. The Deputy DGF (C), MoEF&CC Regional Office (SZ), Kendriya Sadan, 4<sup>th</sup> Floor, E&F Wings, 17<sup>th</sup> Main Road, Koramangala II Block, Bangalore – 34
2. The Secretary, Department of Forest, Environment & Ecology, Government of Karnataka, Room No. 708, Gate 2, Multi Storey Building, Dr. Ambedkar Veedhi, Bangalore – 1
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhawan, East Arjun Nagar, Delhi – 32
4. The Member Secretary, Karnataka State Pollution Control Board, Parisara Bhavan, #49, 4<sup>th</sup>& 5<sup>th</sup> Floor, Church Street, Bangalore -1
5. The District Collector, District Raichur, Karnataka
6. Guard File/Monitoring File/PARIVESH Portal

*Ramesh*

(Dr. Motipalli Ramesh)

Scientist 'E'

Tel. 011-20819249

Email: ramesh.motipalli@nic.in



## **ANNEXURE – XV**

**EC advertisement in Deccan herald English of  
Shilpa Pharma Lifesciences Limited u 2**

## 1306 healthcare workers avail Covid vaccine on Monday

KALABURGI, DHNS Deputy Commissioner V V Jyothirao said that a total of 1,306 healthcare workers against the target of 250 workers took Covid vaccine at 25 centres of the district on Monday.

The district has achieved 90.90% target in the vaccination drive.

As many as 1,200 healthcare workers who registered for the vaccination and have been deployed for work at other locations didn't take job, he explained.

A total of 265 workers in eight centres of Kalaburagi, 129 workers in five centres of Hampi taluk, 180 staff in three centres of Anantapur taluk, 132 workers in four taluk centres of Yadadri taluk, 145 workers in five centres of Chitambar taluk, 147 in four centres of Jawar taluk and a total of 137 workers have taken the vaccine in four centres of Chitambar taluk, the DC explained.

The doctors monitored those who availed vaccine at the observation centre for 30 minutes. No side effect cases were reported and the vaccination process was running smoothly, the officials informed.

# Senior Cong leaders stay away from Sankalp convention

## Training planned for candidates during elections

KALABURGI, DHNS

The absence of leaders like Opposition Leader in Legislative Assembly Siddaramaiah, Rajya Sabha Member Mallikarjun Kharge, former deputy chief minister Q. Ananth Kumar and others was striking at the divisional level 'Sankalp' convention organised by the Congress in Kalaburagi on Monday.

It was informed that Siddaramaiah stayed away from the function as he was unwell.

However, his message was read by the absence of other leaders.

Speaking after inaugurating the Sankalp Convention, KPC President D K Subramanian appealed to the party leaders to strengthen the party at the grassroots level to come back to power in the next assembly polls and chalk out a series of strategies against the failures of the local Union and State governments.

The 70-year-old party has announced since 2013 as the year of organisation and fight.



Congress MLAs, MLAs, former ministers, district and block Congress committee presidents are seen at the divisional level Sankalp convention in Kalaburagi on Monday.

According to government's full-scale strategy, the party should take a lead in the Congress should be established in the State to build the centre by overhauling the local government, he advised.

"We are all workers and

leaders of the party. There need to be a leading role in the Congress events. Those who were strengthening the party at the village level were sitting in front of the door and were not used to be on the dais. To end this culture,

we have organised a convention in which everybody will be involved together."

A speaker should come and speak and should debate in front. This discussion has been taken after a discussion with the 35 block-level leaders and the block presidents. Divisional level convention should be included more than one conference or 100 in block level of district level. Training will be given to a planned manner to those who will control the party at the village level and Assembly level by a team led by KPC.

Working President Sankalp has a vision of that we are not a group of people, we are a people's movement.

Congress leaders of the district of Kalaburagi Sankalp region took part in the convention.



Participants seen at the inauguration of a tree plantation drive in Kalaburagi district.



The construction workers support the protest farmers in front of the taluqdar's office at Kalaburagi district.



The reflections of Channarayanaiah Marudhara being celebrated at Kalaburagi district.



All India Democratic Students Organisation members submit a memorandum to the government through an official at Kalaburagi district.



Social worker N. Dinaksh Nagesh inaugurates at Amravathi in Kodak village of Hampi taluk.



Women block the road at Nagihalli village taluk urging the government to close the village.

## More people died in road accidents than Covid

### Awareness drive on helmet rule taken out in Hosapete

HOSAPETE, DHNS

Police took out a helmet awareness rally here on Monday as part of the National Road Safety Week. DySP V. Rajkumar flagged off the rally with the slogan of 'Save lives, wear helmets'.

Police personnel, HOSAPETE, DHNS

Police personnel, HOSAPETE, DHNS



DySP V. Rajkumar flags off the helmet awareness rally in Hosapete.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined. He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined. He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

He said, the motorcycle riders who remove the helmets and run the bikes without a helmet would be fined.

## Covid warriors to be felicitated on Republic Day

YADRI, DHNS The Republic Day celebration on January 26 in the district would not be grand but the district administration has decided to celebrate the occasion in a meaningful way, informed Deputy Commissioner Rajaguru R.

She was speaking at the preparatory meeting held at her office auditorium recently. She said, all the government officers should attend the flag hoisting programme of Government Pre-University College, Gundlupet. They should hoist the flag in respect of 600 in Yadri and 800 in Hosapete.

Covid-19 guidelines should be strictly followed during the celebration. She said, the celebration should be held in a meaningful way.

Five from the Health Department who served people during the Covid crisis and Covid warriors would be felicitated on the occasion. Artists, literature and journalists who served the society would also be felicitated.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

Discussions were held on selecting the art groups, preparing the stage, levelling the ground, protocol and arranging other facilities for the Republic Day programme were held at the meeting.

## Applications invited for music, dance training

KOPPAL, DHNS Karnataka Music & Dance Academy has invited applications from eligible school leavers and scheduled caste candidates to avail music and dance training.

The last date to submit the filled in applications is January 30. Applications form could be obtained from Karnataka & Culture Department, Assistant Director's office or from the Academy office.

For further details interested can visit <http://karnatakamusicanddanceacademy.com>, according to a press release.

## Govt will not part with an inch of Belagavi, says Karjol

VIJAYPURI, DHNS

Belagavi is an integral part of Karnataka and the State government is committed not to part even with an inch of Belagavi, asserted Deputy CM Govind Karjol.

Speaking to media persons after performing 'bhimsen' for the construction of a bridge cum barrage across Borthalla near Hattihalli village of Chitambar taluk on Monday, he stated that there is no compromise in the issues related to land, border and water of the

State. Karjol recalled how the Marathi speaking population of Belagavi had actively participated in the Vishva Karmala Sammelana held in Belagavi.

He claimed that both the Karnataka speaking and Marathi speaking people of Belagavi and of other parts of the State have lived in perfect harmony since the days of Chhatrapati Shivaji.

Karjol who holds the PWD portfolio informed that the Borthalla bridge cum barrage would be constructed by the National Highway Division of Vijaypur at a cost of Rs

live cows. He also revealed that development of hilly roads in Chitambar region would be developed at a cost of Rs 38 crore out of the allocations of grants of the year 2020 and out of the funds available for the year 2021, 520 km of roads would be repaired at a cost of Rs 9.80 crore. MP Ramesh Jagtap, Nagathan MLA Devamada Chavhan, ZP CEO Laxmikant Reddy, Assistant Commissioner Rishi Shinde, PWD Executive Engineer B S Patil, NH Division Executive Engineer Arun Patil and others were present.

live cows. He also revealed that development of hilly roads in Chitambar region would be developed at a cost of Rs 38 crore out of the allocations of grants of the year 2020 and out of the funds available for the year 2021, 520 km of roads would be repaired at a cost of Rs 9.80 crore. MP Ramesh Jagtap, Nagathan MLA Devamada Chavhan, ZP CEO Laxmikant Reddy, Assistant Commissioner Rishi Shinde, PWD Executive Engineer B S Patil, NH Division Executive Engineer Arun Patil and others were present.

live cows. He also revealed that development of hilly roads in Chitambar region would be developed at a cost of Rs 38 crore out of the allocations of grants of the year 2020 and out of the funds available for the year 2021, 520 km of roads would be repaired at a cost of Rs 9.80 crore. MP Ramesh Jagtap, Nagathan MLA Devamada Chavhan, ZP CEO Laxmikant Reddy, Assistant Commissioner Rishi Shinde, PWD Executive Engineer B S Patil, NH Division Executive Engineer Arun Patil and others were present.

live cows. He also revealed that development of hilly roads in Chitambar region would be developed at a cost of Rs 38 crore out of the allocations of grants of the year 2020 and out of the funds available for the year 2021, 520 km of roads would be repaired at a cost of Rs 9.80 crore. MP Ramesh Jagtap, Nagathan MLA Devamada Chavhan, ZP CEO Laxmikant Reddy, Assistant Commissioner Rishi Shinde, PWD Executive Engineer B S Patil, NH Division Executive Engineer Arun Patil and others were present.

live cows. He also revealed that development of hilly roads in Chitambar region would be developed at a cost of Rs 38 crore out of the allocations of grants of the year 2020 and out of the funds available for the year 2021, 520 km of roads would be repaired at a cost of Rs 9.80 crore. MP Ramesh Jagtap, Nagathan MLA Devamada Chavhan, ZP CEO Laxmikant Reddy, Assistant Commissioner Rishi Shinde, PWD Executive Engineer B S Patil, NH Division Executive Engineer Arun Patil and others were present.

live cows. He also revealed that development of hilly roads in Chitambar region would be developed at a cost of Rs 38 crore out of the allocations of grants of the year 2020 and out of the funds available for the year 2021, 520 km of roads would be repaired at a cost of Rs 9.80 crore. MP Ramesh Jagtap, Nagathan MLA Devamada Chavhan, ZP CEO Laxmikant Reddy, Assistant Commissioner Rishi Shinde, PWD Executive Engineer B S Patil, NH Division Executive Engineer Arun Patil and others were present.

live cows. He also revealed that development of hilly roads in Chitambar region would be developed at a cost of Rs 38 crore out of the allocations of grants of the year 2020 and out of the funds available for the year 2021, 520 km of roads would be repaired at a cost of Rs 9.80 crore. MP Ramesh Jagtap, Nagathan MLA Devamada Chavhan, ZP CEO Laxmikant Reddy, Assistant Commissioner Rishi Shinde, PWD Executive Engineer B S Patil, NH Division Executive Engineer Arun Patil and others were present.

live cows. He also revealed that development of hilly roads in Chitambar region would be developed at a cost of Rs 38 crore out of the allocations of grants of the year 2020 and out of the funds available for the year 2021, 520 km of roads would be repaired at a cost of Rs 9.80 crore. MP Ramesh Jagtap, Nagathan MLA Devamada Chavhan, ZP CEO Laxmikant Reddy, Assistant Commissioner Rishi Shinde, PWD Executive Engineer B S Patil, NH Division Executive Engineer Arun Patil and others were present.

## 'Govts must improve living conditions of labourers'

KALABURGI, DHNS: Both

**SHILPA MEDICARE LTD UNIT-I**  
Plot No 1A, 1A', 1B, 2A, 2B, 3A to 3F, 4A, 4B, 4C, 5A & 5B, 20, Deosagar Industrial Area, Deosagar, Taluk and District, Raichur-584170, Karnataka.

Environmental Clearance obtained for the Shilpa Medicare Ltd, Unit-I for Expansion and Modification of the active pharmaceutical ingredients (APIs), and Manufacturing unit with R&D Facility.

EC No: F.No. 1A-J-11011/300/2020-1A-II(I)  
Dated: 05-01-2021

Details are available at [www.mof.nic.in](http://www.mof.nic.in)  
Sd/- MANAGING DIRECTOR.

**Raichur Industrial growth Center, Wadloor Road, Chik sugar, Raichur-584134, Karnataka.**

Environmental Clearance obtained for the Shilpa Medicare Ltd 100% EOU, Unit-II for Expansion and Modification of the active pharmaceutical ingredients (APIs), and Manufacturing unit with R&D facility.

EC No: F.No. 1A-J-11011/301/2020-1A-II(I)  
Dated: 05-01-2021

Details are available at [www.mof.nic.in](http://www.mof.nic.in)  
Sd/- MANAGING DIRECTOR.

**CHANGE OF NAME**  
ZAHUR TAJ (Old name)  
To: Harish Nagar, W.No. 30, Near Sakal Road, Jayapur, have changed my name as

**ZAHUR TAJ F.**

per hereby Vile affidavit sworn before Agha M. Rashedi, Notary at Jayapur, dated 15-1-2021.

**CHANGE OF NAME**  
per hereby Vile affidavit sworn before Agha M. Rashedi, Notary at Jayapur, dated 15-1-2021.

**ZAHUR TAJ F.**

per hereby Vile affidavit sworn before Agha M. Rashedi, Notary at Jayapur, dated 15-1-2021.

**CHANGE OF NAME**  
per hereby Vile affidavit sworn before Agha M. Rashedi, Notary at Jayapur, dated 15-1-2021.

**ZAHUR TAJ F.**

per hereby Vile affidavit sworn before Agha M. Rashedi, Notary at Jayapur, dated 15-1-2021.

## **ANNEXURE – XVI**

**EC Advertisement in Prajavani Kannada of Shilpa  
Pharma Lifesciences Limited unit 2**

